


Annex C. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.09	-13	44.09	Pass	401
0.15	30	0.01	Peak	0.18	-53.11	-13	40.11	Pass	2986
30	500	0.1	Peak	432.9	-43.48	-13	30.48	Pass	4701
500	1000	0.1	Peak	824.2	32.63	-13	-45.63	N/A	5001
1000	10000	1	Peak	7007	-20.73	-13	7.73	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.14	-13	44.14	Pass	401
0.15	30	0.01	Peak	0.27	-54.38	-13	41.38	Pass	2986
30	500	0.1	Peak	365.1	-43.36	-13	30.36	Pass	4701
500	1000	0.1	Peak	836.7	32.93	-13	-45.93	N/A	5001
1000	10000	1	Peak	7167	-20.7	-13	7.7	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.74	-13	42.74	Pass	401
0.15	30	0.01	Peak	0.16	-53.95	-13	40.95	Pass	2986
30	500	0.1	Peak	475.4	-42.93	-13	29.93	Pass	4701
500	1000	0.1	Peak	848.7	32.88	-13	-45.88	N/A	5001
1000	10000	1	Peak	7211	-20.01	-13	7.01	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-62.05	-13	49.05	Pass	401
0.15	30	0.01	Peak	0.16	-59.25	-13	46.25	Pass	2986
30	1000	0.1	Peak	439.3	-48.41	-13	35.41	Pass	9701
1000	3000	1	Peak	1850	29.97	-13	-42.97	N/A	2001
3000	20000	1	Peak	19767	-39.14	-13	26.14	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-60.99	-13	47.99	Pass	401
0.15	30	0.01	Peak	0.3	-58	-13	45	Pass	2986
30	1000	0.1	Peak	637.8	-48.59	-13	35.59	Pass	9701
1000	3000	1	Peak	1880	30.12	-13	-43.12	N/A	2001
3000	20000	1	Peak	19935	-40.53	-13	27.53	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-62.03	-13	49.03	Pass	401
0.15	30	0.01	Peak	0.17	-58.74	-13	45.74	Pass	2986
30	1000	0.1	Peak	841.5	-48.01	-13	35.01	Pass	9701
1000	3000	1	Peak	1910	29.16	-13	-42.16	N/A	2001
3000	20000	1	Peak	19400	-40.62	-13	27.62	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.04	-13	43.04	Pass	401
0.15	30	0.01	Peak	0.28	-53.86	-13	40.86	Pass	2986
30	500	0.1	Peak	397.6	-42.68	-13	29.68	Pass	4701
500	1000	0.1	Peak	824.2	29.4	-13	-42.4	N/A	5001
1000	10000	1	Peak	7230	-19.93	-13	6.93	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.91	-13	42.91	Pass	401
0.15	30	0.01	Peak	0.23	-54.14	-13	41.14	Pass	2986
30	500	0.1	Peak	462.3	-43.33	-13	30.33	Pass	4701
500	1000	0.1	Peak	836.5	26.96	-13	-39.96	N/A	5001
1000	10000	1	Peak	7218	-20.11	-13	7.11	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.23	-13	44.23	Pass	401
0.15	30	0.01	Peak	0.28	-53.09	-13	40.09	Pass	2986
30	500	0.1	Peak	477	-43.1	-13	30.1	Pass	4701
500	1000	0.1	Peak	848.9	28.49	-13	-41.49	N/A	5001
1000	10000	1	Peak	7189	-20.5	-13	7.5	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-59.03	-13	46.03	Pass	401
0.15	30	0.01	Peak	0.15	-60.05	-13	47.05	Pass	2986
30	1000	0.1	Peak	960.274	-48.44	-13	35.44	Pass	9701
1000	3000	1	Peak	1850	29.12	-13	-42.12	N/A	2001
3000	20000	1	Peak	19458	-40.28	-13	27.28	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-58.95	-13	45.95	Pass	401
0.15	30	0.01	Peak	0.17	-59.54	-13	46.54	Pass	2986
30	1000	0.1	Peak	850.501	-48.34	-13	35.34	Pass	9701
1000	3000	1	Peak	1879	26.15	-13	-39.15	N/A	2001
3000	20000	1	Peak	18800	-40.66	-13	27.66	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-58.81	-13	45.81	Pass	401
0.15	30	0.01	Peak	0.16	-59.61	-13	46.61	Pass	2986
30	1000	0.1	Peak	828.1	-48.61	-13	35.61	Pass	9701
1000	3000	1	Peak	1910	29.29	-13	-42.29	N/A	2001
3000	20000	1	Peak	19698	-40.8	-13	27.8	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.77	-13	50.77	Pass	401
0.15	30	0.01	Peak	0.18	-64.6	-13	51.6	Pass	2986
30	1000	0.1	Peak	846.4	-52.93	-13	39.93	Pass	9701
1000	3000	1	Peak	1853	24.21	-13	-37.21	N/A	2001
3000	20000	1	Peak	19755	-23.26	-13	10.26	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.35	-13	51.35	Pass	401
0.15	30	0.01	Peak	0.19	-64.14	-13	51.14	Pass	2986
30	1000	0.1	Peak	882.822	-52.24	-13	39.24	Pass	9701
1000	3000	1	Peak	1881	24.27	-13	-37.27	N/A	2001
3000	20000	1	Peak	19175	-22.78	-13	9.78	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.09	-13	54.09	Pass	401
0.15	30	0.01	Peak	0.24	-64.03	-13	51.03	Pass	2986
30	1000	0.1	Peak	751.9	-52.49	-13	39.49	Pass	9701
1000	3000	1	Peak	1907	24.44	-13	-37.44	N/A	2001
3000	20000	1	Peak	19402	-23.23	-13	10.23	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.12	-13	51.12	Pass	401
0.15	30	0.01	Peak	0.36	-64.41	-13	51.41	Pass	2986
30	1000	0.1	Peak	780.2	-52.55	-13	39.55	Pass	9701
1000	3000	1	Peak	1714	24.26	-13	-37.26	N/A	2001
3000	20000	1	Peak	19397	-22.61	-13	9.61	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.03	-13	52.03	Pass	401
0.15	30	0.01	Peak	0.21	-64.22	-13	51.22	Pass	2986
30	1000	0.1	Peak	481.3	-53.14	-13	40.14	Pass	9701
1000	3000	1	Peak	1734	24.19	-13	-37.19	N/A	2001
3000	20000	1	Peak	19113	-23.03	-13	10.03	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.14	-13	53.14	Pass	401
0.15	30	0.01	Peak	0.15	-63.92	-13	50.92	Pass	2986
30	1000	0.1	Peak	833.4	-51.84	-13	38.84	Pass	9701
1000	3000	1	Peak	1754	24.03	-13	-37.03	N/A	2001
3000	20000	1	Peak	19695	-22.45	-13	9.45	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.33	-13	53.33	Pass	401
0.15	30	0.01	Peak	0.15	-63.83	-13	50.83	Pass	2986
30	500	0.1	Peak	444.9	-53.12	-13	40.12	Pass	4701
500	1000	0.1	Peak	827.7	18.8	-13	-31.8	N/A	5001
1000	10000	1	Peak	7121	-30.7	-13	17.7	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.04	-13	53.04	Pass	401
0.15	30	0.01	Peak	0.33	-63.87	-13	50.87	Pass	2986
30	500	0.1	Peak	357.9	-53.15	-13	40.15	Pass	4701
500	1000	0.1	Peak	835.7	19.3	-13	-32.3	N/A	5001
1000	10000	1	Peak	7340	-30.06	-13	17.06	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.76	-13	53.76	Pass	401
0.15	30	0.01	Peak	0.15	-64.52	-13	51.52	Pass	2986
30	500	0.1	Peak	390.2	-53.56	-13	40.56	Pass	4701
500	1000	0.1	Peak	847.8	19.05	-13	-32.05	N/A	5001
1000	10000	1	Peak	7608	-30.21	-13	17.21	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	1000	0.1	RMS	831.9	-63.45	-13	Pass	9701
1000	1840	1	RMS	1840	-50.93	-13	Pass	841
1840	1920	1	RMS	1850.2	24.05	60	Pass	401
1920	3000	1	RMS	2957	-48.47	-13	Pass	1081
3000	12000	1	RMS	11846	-41.47	-13	Pass	9002
12000	20000	1	RMS	19404	-33.46	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.19	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.52	-13	Pass	9701
1000	1840	1	RMS	1840	-51.3	-13	Pass	841
1840	1920	1	RMS	1850.2	23.1	60	Pass	401
1920	3000	1	RMS	2944	-48.47	-13	Pass	1081
3000	12000	1	RMS	11849	-41.44	-13	Pass	9002
12000	20000	1	RMS	19403	-33.55	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2986
30	1000	0.1	RMS	838.7	-63.53	-13	Pass	9701
1000	1840	1	RMS	1815	-51.96	-13	Pass	841
1840	1920	1	RMS	1879.4	23.78	60	Pass	401
1920	3000	1	RMS	2949	-48.51	-13	Pass	1081
3000	12000	1	RMS	11954	-41.38	-13	Pass	9002
12000	20000	1	RMS	19401	-33.44	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	878.219	-63.56	-13	Pass	9701
1000	1840	1	RMS	1809	-51.95	-13	Pass	841
1840	1920	1	RMS	1879.4	22.94	60	Pass	401
1920	3000	1	RMS	2957	-48.47	-13	Pass	1081
3000	12000	1	RMS	11949	-41.42	-13	Pass	9002
12000	20000	1	RMS	19411	-33.53	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2986
30	1000	0.1	RMS	852.802	-63.51	-13	Pass	9701
1000	1840	1	RMS	1836	-52	-13	Pass	841
1840	1920	1	RMS	1908.8	23.84	60	Pass	401
1920	3000	1	RMS	2953	-48.51	-13	Pass	1081
3000	12000	1	RMS	11843	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-33.52	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.56	-13	Pass	9701
1000	1840	1	RMS	1790	-51.99	-13	Pass	841
1840	1920	1	RMS	1908.8	22.67	60	Pass	401
1920	3000	1	RMS	2956	-48.52	-13	Pass	1081
3000	12000	1	RMS	11947	-41.32	-13	Pass	9002
12000	20000	1	RMS	19403	-33.54	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	862.209	-63.5	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1850.2	23.84	60	Pass	401
1920	3000	1	RMS	2957	-48.44	-13	Pass	1081
3000	12000	1	RMS	6960	-41.36	-13	Pass	9002
12000	20000	1	RMS	19400	-33.52	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	837.7	-63.49	-13	Pass	9701
1000	1840	1	RMS	1840	-50.89	-13	Pass	841
1840	1920	1	RMS	1850.2	22.94	60	Pass	401
1920	3000	1	RMS	2958	-48.52	-13	Pass	1081
3000	12000	1	RMS	11837	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	Pass	2986
30	1000	0.1	RMS	843.4	-63.48	-13	Pass	9701
1000	1840	1	RMS	1811	-51.97	-13	Pass	841
1840	1920	1	RMS	1878.6	23.85	60	Pass	401
1920	3000	1	RMS	2949	-48.49	-13	Pass	1081
3000	12000	1	RMS	11940	-41.3	-13	Pass	9002
12000	20000	1	RMS	19402	-33.53	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.52	-13	Pass	9701
1000	1840	1	RMS	1811	-51.97	-13	Pass	841
1840	1920	1	RMS	1878.6	23.17	60	Pass	401
1920	3000	1	RMS	2945	-48.53	-13	Pass	1081
3000	12000	1	RMS	6962	-41.38	-13	Pass	9002
12000	20000	1	RMS	19402	-33.54	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2986
30	1000	0.1	RMS	841	-63.33	-13	Pass	9701
1000	1840	1	RMS	1839	-51.97	-13	Pass	841
1840	1920	1	RMS	1907.2	23.8	60	Pass	401
1920	3000	1	RMS	2947	-48.51	-13	Pass	1081
3000	12000	1	RMS	6961	-41.39	-13	Pass	9002
12000	20000	1	RMS	19400	-33.46	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.44	-13	Pass	9701
1000	1840	1	RMS	1839	-51.96	-13	Pass	841
1840	1920	1	RMS	1907.2	22.56	60	Pass	401
1920	3000	1	RMS	2957	-48.46	-13	Pass	1081
3000	12000	1	RMS	11854	-41.41	-13	Pass	9002
12000	20000	1	RMS	19402	-33.53	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.96	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.41	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1850.2	23.68	60	Pass	401
1920	3000	1	RMS	2957	-48.5	-13	Pass	1081
3000	12000	1	RMS	11948	-41.44	-13	Pass	9002
12000	20000	1	RMS	19403	-33.56	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.58	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.49	-13	Pass	9701
1000	1840	1	RMS	1840	-51.2	-13	Pass	841
1840	1920	1	RMS	1850.2	22.65	60	Pass	401
1920	3000	1	RMS	2946	-48.54	-13	Pass	1081
3000	12000	1	RMS	11952	-41.37	-13	Pass	9002
12000	20000	1	RMS	19398	-33.52	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.49	-13	Pass	9701
1000	1840	1	RMS	1834	-51.99	-13	Pass	841
1840	1920	1	RMS	1877.8	23.67	60	Pass	401
1920	3000	1	RMS	2952	-48.5	-13	Pass	1081
3000	12000	1	RMS	11950	-41.35	-13	Pass	9002
12000	20000	1	RMS	19403	-33.55	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2986
30	1000	0.1	RMS	862.509	-63.56	-13	Pass	9701
1000	1840	1	RMS	1840	-51.96	-13	Pass	841
1840	1920	1	RMS	1877.8	23.3	60	Pass	401
1920	3000	1	RMS	2951	-48.47	-13	Pass	1081
3000	12000	1	RMS	11853	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.54	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.8	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.45	-13	Pass	9701
1000	1840	1	RMS	1811	-51.99	-13	Pass	841
1840	1920	1	RMS	1905.2	23.9	60	Pass	401
1920	3000	1	RMS	2946	-48.52	-13	Pass	1081
3000	12000	1	RMS	11844	-41.38	-13	Pass	9002
12000	20000	1	RMS	19404	-33.51	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	Pass	2986
30	1000	0.1	RMS	933.356	-63.48	-13	Pass	9701
1000	1840	1	RMS	1811	-51.96	-13	Pass	841
1840	1920	1	RMS	1905.2	22.73	60	Pass	401
1920	3000	1	RMS	2949	-48.5	-13	Pass	1081
3000	12000	1	RMS	11851	-41.4	-13	Pass	9002
12000	20000	1	RMS	19402	-33.44	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.33	-13	Pass	2986
30	1000	0.1	RMS	837	-63.45	-13	Pass	9701
1000	1840	1	RMS	1833	-41.64	-13	Pass	841
1840	1920	1	RMS	1850.4	23.92	60	Pass	401
1920	3000	1	RMS	2957	-48.45	-13	Pass	1081
3000	12000	1	RMS	11951	-41.42	-13	Pass	9002
12000	20000	1	RMS	19397	-33.54	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	1000	0.1	RMS	866.411	-63.48	-13	Pass	9701
1000	1840	1	RMS	1833	-42.88	-13	Pass	841
1840	1920	1	RMS	1850.6	23.05	60	Pass	401
1920	3000	1	RMS	2951	-48.51	-13	Pass	1081
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-33.56	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	868.013	-63.44	-13	Pass	9701
1000	1840	1	RMS	1840	-51.95	-13	Pass	841
1840	1920	1	RMS	1875.4	24.03	60	Pass	401
1920	3000	1	RMS	2955	-48.55	-13	Pass	1081
3000	12000	1	RMS	11850	-41.49	-13	Pass	9002
12000	20000	1	RMS	19400	-33.56	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.51	-13	Pass	9701
1000	1840	1	RMS	1811	-51.99	-13	Pass	841
1840	1920	1	RMS	1875.4	23.37	60	Pass	401
1920	3000	1	RMS	2954	-48.51	-13	Pass	1081
3000	12000	1	RMS	11834	-41.46	-13	Pass	9002
12000	20000	1	RMS	19415	-33.56	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	1000	0.1	RMS	864.31	-63.53	-13	Pass	9701
1000	1840	1	RMS	1840	-52.01	-13	Pass	841
1840	1920	1	RMS	1900.4	24.3	60	Pass	401
1920	3000	1	RMS	2952	-48.51	-13	Pass	1081
3000	12000	1	RMS	11945	-41.33	-13	Pass	9002
12000	20000	1	RMS	19401	-33.55	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.59	-13	Pass	9701
1000	1840	1	RMS	1811	-52.02	-13	Pass	841
1840	1920	1	RMS	1900.4	22.94	60	Pass	401
1920	3000	1	RMS	2946	-48.54	-13	Pass	1081
3000	12000	1	RMS	11838	-41.42	-13	Pass	9002
12000	20000	1	RMS	19704	-33.54	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.55	-13	Pass	9701
1000	1840	1	RMS	1838	-33.89	-13	Pass	841
1840	1920	1	RMS	1850.8	23.83	60	Pass	401
1920	3000	1	RMS	2960	-48.53	-13	Pass	1081
3000	12000	1	RMS	11949	-41.42	-13	Pass	9002
12000	20000	1	RMS	19404	-33.51	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.56	-13	Pass	9701
1000	1840	1	RMS	1838	-35.78	-13	Pass	841
1840	1920	1	RMS	1850.8	23.02	60	Pass	401
1920	3000	1	RMS	2953	-48.54	-13	Pass	1081
3000	12000	1	RMS	11840	-41.43	-13	Pass	9002
12000	20000	1	RMS	19392	-33.52	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.31	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	Pass	2986
30	1000	0.1	RMS	845.8	-63.61	-13	Pass	9701
1000	1840	1	RMS	1840	-51.95	-13	Pass	841
1840	1920	1	RMS	1873.2	23.99	60	Pass	401
1920	3000	1	RMS	2957	-48.49	-13	Pass	1081
3000	12000	1	RMS	11850	-41.43	-13	Pass	9002
12000	20000	1	RMS	19408	-33.55	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.49	-13	Pass	2986
30	1000	0.1	RMS	951.468	-63.55	-13	Pass	9701
1000	1840	1	RMS	1836	-51.98	-13	Pass	841
1840	1920	1	RMS	1873.2	23.75	60	Pass	401
1920	3000	1	RMS	2957	-48.54	-13	Pass	1081
3000	12000	1	RMS	11848	-41.43	-13	Pass	9002
12000	20000	1	RMS	19406	-33.48	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2986
30	1000	0.1	RMS	838.1	-63.45	-13	Pass	9701
1000	1840	1	RMS	1840	-51.97	-13	Pass	841
1840	1920	1	RMS	1895.8	23.76	60	Pass	401
1920	3000	1	RMS	2955	-48.56	-13	Pass	1081
3000	12000	1	RMS	6960	-41.45	-13	Pass	9002
12000	20000	1	RMS	19398	-33.53	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2986
30	1000	0.1	RMS	840.7	-63.51	-13	Pass	9701
1000	1840	1	RMS	1808	-52.01	-13	Pass	841
1840	1920	1	RMS	1895.8	22.97	60	Pass	401
1920	3000	1	RMS	2946	-48.51	-13	Pass	1081
3000	12000	1	RMS	11842	-41.41	-13	Pass	9002
12000	20000	1	RMS	19406	-33.48	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.53	-13	Pass	2986
30	1000	0.1	RMS	846.2	-63.4	-13	Pass	9701
1000	1840	1	RMS	1833	-34.82	-13	Pass	841
1840	1920	1	RMS	1851	23.71	60	Pass	401
1920	3000	1	RMS	2952	-48.5	-13	Pass	1081
3000	12000	1	RMS	11953	-41.37	-13	Pass	9002
12000	20000	1	RMS	19400	-33.5	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	841.4	-63.52	-13	Pass	9701
1000	1840	1	RMS	1833	-43.32	-13	Pass	841
1840	1920	1	RMS	1851	23.2	60	Pass	401
1920	3000	1	RMS	2952	-48.48	-13	Pass	1081
3000	12000	1	RMS	11837	-41.45	-13	Pass	9002
12000	20000	1	RMS	19403	-33.53	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	858.706	-63.52	-13	Pass	9701
1000	1840	1	RMS	1835	-43.42	-13	Pass	841
1840	1920	1	RMS	1871	24.38	60	Pass	401
1920	3000	1	RMS	2958	-48.49	-13	Pass	1081
3000	12000	1	RMS	11947	-41.42	-13	Pass	9002
12000	20000	1	RMS	19404	-33.59	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	844.2	-63.49	-13	Pass	9701
1000	1840	1	RMS	1836	-48.43	-13	Pass	841
1840	1920	1	RMS	1871	22.91	60	Pass	401
1920	3000	1	RMS	2952	-48.5	-13	Pass	1081
3000	12000	1	RMS	11852	-41.4	-13	Pass	9002
12000	20000	1	RMS	19407	-33.51	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.49	-13	Pass	9701
1000	1840	1	RMS	1834	-51.97	-13	Pass	841
1840	1920	1	RMS	1891	23.62	60	Pass	401
1920	3000	1	RMS	2955	-48.55	-13	Pass	1081
3000	12000	1	RMS	6959	-41.44	-13	Pass	9002
12000	20000	1	RMS	19401	-33.54	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	1000	0.1	RMS	863.81	-63.42	-13	Pass	9701
1000	1840	1	RMS	1834	-51.97	-13	Pass	841
1840	1920	1	RMS	1891	23.1	60	Pass	401
1920	3000	1	RMS	2948	-48.49	-13	Pass	1081
3000	12000	1	RMS	11841	-41.38	-13	Pass	9002
12000	20000	1	RMS	19392	-33.55	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2986
30	1000	0.1	RMS	836.5	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1765	1	RMS	1710.238	24.28	60	Pass	401
1765	3000	1	RMS	2938	-48.53	-13	Pass	1236
3000	12000	1	RMS	8551	-39.78	-13	Pass	9002
12000	20000	1	RMS	19399	-33.53	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.92	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.07	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.44	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1765	1	RMS	1710.238	23.44	60	Pass	401
1765	3000	1	RMS	2956	-48.51	-13	Pass	1236
3000	12000	1	RMS	8551	-40.25	-13	Pass	9002
12000	20000	1	RMS	19401	-33.55	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	1000	0.1	RMS	833.8	-63.54	-13	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	Pass	701
1700	1765	1	RMS	1732.013	24.05	60	Pass	401
1765	3000	1	RMS	2946	-48.53	-13	Pass	1236
3000	12000	1	RMS	8660	-40.36	-13	Pass	9002
12000	20000	1	RMS	19402	-33.49	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	843	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-52.32	-13	Pass	701
1700	1765	1	RMS	1732.013	23.66	60	Pass	401
1765	3000	1	RMS	2956	-48.47	-13	Pass	1236
3000	12000	1	RMS	8660	-40.72	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	Pass	701
1700	1765	1	RMS	1753.788	24.3	60	Pass	401
1765	3000	1	RMS	2957	-48.51	-13	Pass	1236
3000	12000	1	RMS	11847	-41.44	-13	Pass	9002
12000	20000	1	RMS	19402	-33.51	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	1000	0.1	RMS	858.306	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1765	1	RMS	1753.788	22.8	60	Pass	401
1765	3000	1	RMS	2957	-48.51	-13	Pass	1236
3000	12000	1	RMS	11949	-41.4	-13	Pass	9002
12000	20000	1	RMS	19401	-33.55	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.35	-13	Pass	2986
30	1000	0.1	RMS	843.9	-63.44	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1765	1	RMS	1710.075	24.12	60	Pass	401
1765	3000	1	RMS	2962	-48.54	-13	Pass	1236
3000	12000	1	RMS	8551	-39.67	-13	Pass	9002
12000	20000	1	RMS	19403	-33.54	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.15	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.88	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-51.32	-13	Pass	701
1700	1765	1	RMS	1710.075	23.11	60	Pass	401
1765	3000	1	RMS	2957	-48.47	-13	Pass	1236
3000	12000	1	RMS	8551	-40.48	-13	Pass	9002
12000	20000	1	RMS	19412	-33.53	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-68.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	Pass	2986
30	1000	0.1	RMS	851.301	-63.49	-13	Pass	9701
1000	1700	1	RMS	1697	-52.27	-13	Pass	701
1700	1765	1	RMS	1731.2	24.12	60	Pass	401
1765	3000	1	RMS	2957	-48.47	-13	Pass	1236
3000	12000	1	RMS	8656	-40.18	-13	Pass	9002
12000	20000	1	RMS	19398	-33.54	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.55	-13	Pass	9701
1000	1700	1	RMS	1699	-52.28	-13	Pass	701
1700	1765	1	RMS	1731.2	23.36	60	Pass	401
1765	3000	1	RMS	2964	-48.54	-13	Pass	1236
3000	12000	1	RMS	8656	-40.55	-13	Pass	9002
12000	20000	1	RMS	19405	-33.5	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	851.802	-63.63	-13	Pass	9701
1000	1700	1	RMS	1700	-52.33	-13	Pass	701
1700	1765	1	RMS	1752.163	24.05	60	Pass	401
1765	3000	1	RMS	2960	-48.56	-13	Pass	1236
3000	12000	1	RMS	11954	-41.38	-13	Pass	9002
12000	20000	1	RMS	19401	-33.5	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-13	Pass	2986
30	1000	0.1	RMS	862.909	-63.49	-13	Pass	9701
1000	1700	1	RMS	1699	-52.33	-13	Pass	701
1700	1765	1	RMS	1752.163	22.92	60	Pass	401
1765	3000	1	RMS	2952	-48.54	-13	Pass	1236
3000	12000	1	RMS	11850	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-33.52	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.54	-13	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	Pass	701
1700	1765	1	RMS	1710.238	24.01	60	Pass	401
1765	3000	1	RMS	2952	-48.51	-13	Pass	1236
3000	12000	1	RMS	8552	-39.91	-13	Pass	9002
12000	20000	1	RMS	19397	-33.54	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.62	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.04	-13	Pass	2986
30	1000	0.1	RMS	849	-63.52	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1710.238	22.94	60	Pass	401
1765	3000	1	RMS	2953	-48.53	-13	Pass	1236
3000	12000	1	RMS	8552	-40.78	-13	Pass	9002
12000	20000	1	RMS	19701	-33.56	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	1000	0.1	RMS	835.9	-63.61	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1765	1	RMS	1730.225	23.83	60	Pass	401
1765	3000	1	RMS	2960	-48.52	-13	Pass	1236
3000	12000	1	RMS	8652	-40.31	-13	Pass	9002
12000	20000	1	RMS	19402	-33.49	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.56	-13	Pass	9701
1000	1700	1	RMS	1697	-52.27	-13	Pass	701
1700	1765	1	RMS	1730.225	23.63	60	Pass	401
1765	3000	1	RMS	2945	-48.46	-13	Pass	1236
3000	12000	1	RMS	8652	-40.72	-13	Pass	9002
12000	20000	1	RMS	19396	-33.55	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.81	-13	Pass	2986
30	1000	0.1	RMS	879.82	-63.55	-13	Pass	9701
1000	1700	1	RMS	1696	-52.3	-13	Pass	701
1700	1765	1	RMS	1750.213	24.15	60	Pass	401
1765	3000	1	RMS	2955	-48.51	-13	Pass	1236
3000	12000	1	RMS	11952	-41.3	-13	Pass	9002
12000	20000	1	RMS	19400	-33.52	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	856.105	-63.6	-13	Pass	9701
1000	1700	1	RMS	1691	-52.34	-13	Pass	701
1700	1765	1	RMS	1750.213	22.96	60	Pass	401
1765	3000	1	RMS	2957	-48.47	-13	Pass	1236
3000	12000	1	RMS	6960	-41.44	-13	Pass	9002
12000	20000	1	RMS	19408	-33.54	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	1000	0.1	RMS	826.8	-63.36	-13	Pass	9701
1000	1700	1	RMS	1693	-41.17	-13	Pass	701
1700	1765	1	RMS	1710.563	24.23	60	Pass	401
1765	3000	1	RMS	2957	-48.48	-13	Pass	1236
3000	12000	1	RMS	8553	-39.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	840.2	-63.43	-13	Pass	9701
1000	1700	1	RMS	1693	-43.4	-13	Pass	701
1700	1765	1	RMS	1710.563	23.26	60	Pass	401
1765	3000	1	RMS	2958	-48.49	-13	Pass	1236
3000	12000	1	RMS	8553	-40.43	-13	Pass	9002
12000	20000	1	RMS	19401	-33.56	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.57	-13	Pass	9701
1000	1700	1	RMS	1699	-52.21	-13	Pass	701
1700	1765	1	RMS	1727.95	24.06	60	Pass	401
1765	3000	1	RMS	2950	-48.52	-13	Pass	1236
3000	12000	1	RMS	8640	-40.63	-13	Pass	9002
12000	20000	1	RMS	19404	-33.54	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.51	-13	Pass	9701
1000	1700	1	RMS	1700	-52.21	-13	Pass	701
1700	1765	1	RMS	1727.95	23.71	60	Pass	401
1765	3000	1	RMS	2958	-48.42	-13	Pass	1236
3000	12000	1	RMS	8640	-41.02	-13	Pass	9002
12000	20000	1	RMS	19401	-33.5	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	Pass	2986
30	1000	0.1	RMS	946.665	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-52.26	-13	Pass	701
1700	1765	1	RMS	1745.5	24.51	60	Pass	401
1765	3000	1	RMS	2946	-48.5	-13	Pass	1236
3000	12000	1	RMS	8728	-40.94	-13	Pass	9002
12000	20000	1	RMS	19406	-33.46	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.46	-13	Pass	9701
1000	1700	1	RMS	1696	-52.29	-13	Pass	701
1700	1765	1	RMS	1745.5	23.16	60	Pass	401
1765	3000	1	RMS	2958	-48.46	-13	Pass	1236
3000	12000	1	RMS	8728	-41.19	-13	Pass	9002
12000	20000	1	RMS	19400	-33.5	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.36	-13	Pass	9701
1000	1700	1	RMS	1698	-30.62	-13	Pass	701
1700	1765	1	RMS	1710.725	24.12	60	Pass	401
1765	3000	1	RMS	2956	-48.51	-13	Pass	1236
3000	12000	1	RMS	8554	-39.74	-13	Pass	9002
12000	20000	1	RMS	19406	-33.53	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2986
30	1000	0.1	RMS	827.9	-63.5	-13	Pass	9701
1000	1700	1	RMS	1698	-32.64	-13	Pass	701
1700	1765	1	RMS	1710.725	23.3	60	Pass	401
1765	3000	1	RMS	2953	-48.49	-13	Pass	1236
3000	12000	1	RMS	8554	-40.35	-13	Pass	9002
12000	20000	1	RMS	19408	-33.48	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-40.04	-13	Pass	701
1700	1765	1	RMS	1725.838	24.16	60	Pass	401
1765	3000	1	RMS	2955	-48.5	-13	Pass	1236
3000	12000	1	RMS	8629	-39.99	-13	Pass	9002
12000	20000	1	RMS	19402	-33.54	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.53	-13	Pass	9701
1000	1700	1	RMS	1699	-39.82	-13	Pass	701
1700	1765	1	RMS	1725.838	23.84	60	Pass	401
1765	3000	1	RMS	2951	-48.54	-13	Pass	1236
3000	12000	1	RMS	8629	-40.19	-13	Pass	9002
12000	20000	1	RMS	19408	-33.55	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2986
30	1000	0.1	RMS	857.806	-63.45	-13	Pass	9701
1000	1700	1	RMS	1697	-52.26	-13	Pass	701
1700	1765	1	RMS	1740.788	24.43	60	Pass	401
1765	3000	1	RMS	1767	-41.31	-13	Pass	1236
3000	12000	1	RMS	8704	-40.65	-13	Pass	9002
12000	20000	1	RMS	19399	-33.51	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.35	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1765	1	RMS	1740.788	23.29	60	Pass	401
1765	3000	1	RMS	1767	-43.62	-13	Pass	1236
3000	12000	1	RMS	8704	-40.96	-13	Pass	9002
12000	20000	1	RMS	19401	-33.52	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.44	-13	Pass	9701
1000	1700	1	RMS	1693	-32.27	-13	Pass	701
1700	1765	1	RMS	1711.05	23.97	60	Pass	401
1765	3000	1	RMS	2960	-48.5	-13	Pass	1236
3000	12000	1	RMS	8555	-40.45	-13	Pass	9002
12000	20000	1	RMS	19402	-33.47	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.5	-13	Pass	9701
1000	1700	1	RMS	1693	-35.02	-13	Pass	701
1700	1765	1	RMS	1711.05	23.42	60	Pass	401
1765	3000	1	RMS	2957	-48.47	-13	Pass	1236
3000	12000	1	RMS	8555	-40.78	-13	Pass	9002
12000	20000	1	RMS	19404	-33.52	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2986
30	1000	0.1	RMS	857.906	-63.44	-13	Pass	9701
1000	1700	1	RMS	1688	-46.81	-13	Pass	701
1700	1765	1	RMS	1723.563	24.42	60	Pass	401
1765	3000	1	RMS	2952	-48.48	-13	Pass	1236
3000	12000	1	RMS	8618	-39.56	-13	Pass	9002
12000	20000	1	RMS	19402	-33.55	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.47	-13	Pass	9701
1000	1700	1	RMS	1688	-48.23	-13	Pass	701
1700	1765	1	RMS	1723.563	23.15	60	Pass	401
1765	3000	1	RMS	2946	-48.45	-13	Pass	1236
3000	12000	1	RMS	8618	-40.1	-13	Pass	9002
12000	20000	1	RMS	19413	-33.52	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	847	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-41.2	-13	Pass	701
1700	1765	1	RMS	1736.075	24.19	60	Pass	401
1765	3000	1	RMS	1772	-38.83	-13	Pass	1236
3000	12000	1	RMS	8680	-40.79	-13	Pass	9002
12000	20000	1	RMS	19403	-33.47	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.27	-13	Pass	9701
1000	1700	1	RMS	1700	-41.72	-13	Pass	701
1700	1765	1	RMS	1735.913	23.59	60	Pass	401
1765	3000	1	RMS	1772	-38.93	-13	Pass	1236
3000	12000	1	RMS	8680	-41.11	-13	Pass	9002
12000	20000	1	RMS	19414	-33.43	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-13	Pass	2986
30	814	0.1	RMS	813.2	-57.75	-13	Pass	7841
814	860	0.1	RMS	824.3	20.89	60	Pass	461
860	1000	0.1	RMS	877.1	-63.66	-13	Pass	1401
1000	3000	1	RMS	1648	-46.33	-13	Pass	2001
3000	10000	1	RMS	6964	-41.43	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2986
30	814	0.1	RMS	813.2	-58.28	-13	Pass	7841
814	860	0.1	RMS	824.3	19.97	60	Pass	461
860	1000	0.1	RMS	869.6	-63.48	-13	Pass	1401
1000	3000	1	RMS	1648	-47.14	-13	Pass	2001
3000	10000	1	RMS	6960	-41.5	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	814	0.1	RMS	807.8	-63.64	-13	Pass	7841
814	860	0.1	RMS	836.1	20.72	60	Pass	461
860	1000	0.1	RMS	963.8	-63.6	-13	Pass	1401
1000	3000	1	RMS	1672	-47.59	-13	Pass	2001
3000	10000	1	RMS	6961	-41.53	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.57	-13	Pass	7841
814	860	0.1	RMS	836.1	20.4	60	Pass	461
860	1000	0.1	RMS	935.8	-63.54	-13	Pass	1401
1000	3000	1	RMS	1672	-47.8	-13	Pass	2001
3000	10000	1	RMS	6963	-41.48	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	814	0.1	RMS	813.1	-63.78	-13	Pass	7841
814	860	0.1	RMS	847.8	21.01	60	Pass	461
860	1000	0.1	RMS	984.2	-63.58	-13	Pass	1401
1000	3000	1	RMS	1695	-46.54	-13	Pass	2001
3000	10000	1	RMS	6962	-41.44	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.78	-13	Pass	7841
814	860	0.1	RMS	847.9	19.46	60	Pass	461
860	1000	0.1	RMS	864.3	-63.65	-13	Pass	1401
1000	3000	1	RMS	1695	-47.92	-13	Pass	2001
3000	10000	1	RMS	6962	-41.49	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	814	0.1	RMS	813.2	-57.83	-13	Pass	7841
814	860	0.1	RMS	824.2	21.37	60	Pass	461
860	1000	0.1	RMS	878.4	-63.64	-13	Pass	1401
1000	3000	1	RMS	1648	-46.5	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2986
30	814	0.1	RMS	813.2	-57.98	-13	Pass	7841
814	860	0.1	RMS	824.2	19.89	60	Pass	461
860	1000	0.1	RMS	868.3	-63.57	-13	Pass	1401
1000	3000	1	RMS	1648	-47.56	-13	Pass	2001
3000	10000	1	RMS	6961	-41.5	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.73	-13	Pass	7841
814	860	0.1	RMS	835.2	21	60	Pass	461
860	1000	0.1	RMS	860.9	-63.55	-13	Pass	1401
1000	3000	1	RMS	1670	-46.78	-13	Pass	2001
3000	10000	1	RMS	6962	-41.49	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.61	-13	Pass	7841
814	860	0.1	RMS	835.2	20.21	60	Pass	461
860	1000	0.1	RMS	862.9	-63.63	-13	Pass	1401
1000	3000	1	RMS	1670	-47.55	-13	Pass	2001
3000	10000	1	RMS	6960	-41.42	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.77	-13	Pass	7841
814	860	0.1	RMS	846.2	21.12	60	Pass	461
860	1000	0.1	RMS	863.5	-63.42	-13	Pass	1401
1000	3000	1	RMS	1692	-46.19	-13	Pass	2001
3000	10000	1	RMS	6964	-41.54	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.74	-13	Pass	7841
814	860	0.1	RMS	846.2	19.57	60	Pass	461
860	1000	0.1	RMS	864.5	-63.68	-13	Pass	1401
1000	3000	1	RMS	1692	-47.73	-13	Pass	2001
3000	10000	1	RMS	6961	-41.43	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.84	-13	Pass	7841
814	860	0.1	RMS	824.3	20.81	60	Pass	461
860	1000	0.1	RMS	862.4	-63.52	-13	Pass	1401
1000	3000	1	RMS	1648	-46.87	-13	Pass	2001
3000	10000	1	RMS	6961	-41.42	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.92	-13	Pass	7841
814	860	0.1	RMS	824.3	19.62	60	Pass	461
860	1000	0.1	RMS	991.8	-63.12	-13	Pass	1401
1000	3000	1	RMS	1648	-48.03	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	Pass	2986
30	814	0.1	RMS	813.1	-63.63	-13	Pass	7841
814	860	0.1	RMS	834.3	20.88	60	Pass	461
860	1000	0.1	RMS	869.3	-63.52	-13	Pass	1401
1000	3000	1	RMS	1668	-46.82	-13	Pass	2001
3000	10000	1	RMS	6962	-41.46	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-13	Pass	2986
30	814	0.1	RMS	810.5	-63.62	-13	Pass	7841
814	860	0.1	RMS	834.3	20.23	60	Pass	461
860	1000	0.1	RMS	860.3	-63.41	-13	Pass	1401
1000	3000	1	RMS	1668	-47.64	-13	Pass	2001
3000	10000	1	RMS	6961	-41.46	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-65.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2986
30	814	0.1	RMS	812.5	-63.71	-13	Pass	7841
814	860	0.1	RMS	844.3	20.82	60	Pass	461
860	1000	0.1	RMS	933.2	-63.53	-13	Pass	1401
1000	3000	1	RMS	1688	-47.15	-13	Pass	2001
3000	10000	1	RMS	6960	-41.48	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	Pass	2986
30	814	0.1	RMS	797.8	-63.81	-13	Pass	7841
814	860	0.1	RMS	844.3	19.7	60	Pass	461
860	1000	0.1	RMS	862.4	-63.47	-13	Pass	1401
1000	3000	1	RMS	2955	-48.46	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	814	0.1	RMS	813.6	-58.19	-13	Pass	7841
814	860	0.1	RMS	824.6	21.59	60	Pass	461
860	1000	0.1	RMS	994.8	-63.36	-13	Pass	1401
1000	3000	1	RMS	1649	-46.91	-13	Pass	2001
3000	10000	1	RMS	6960	-41.44	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	Pass	2986
30	814	0.1	RMS	813.6	-57.95	-13	Pass	7841
814	860	0.1	RMS	824.6	20.47	60	Pass	461
860	1000	0.1	RMS	870.6	-63.56	-13	Pass	1401
1000	3000	1	RMS	1649	-48.07	-13	Pass	2001
3000	10000	1	RMS	6959	-41.46	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2986
30	814	0.1	RMS	814	-58.87	-13	Pass	7841
814	860	0.1	RMS	832.1	21.29	60	Pass	461
860	1000	0.1	RMS	861.3	-63.61	-13	Pass	1401
1000	3000	1	RMS	1664	-47.45	-13	Pass	2001
3000	10000	1	RMS	6960	-41.45	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.45	-13	Pass	2986
30	814	0.1	RMS	814	-59.02	-13	Pass	7841
814	860	0.1	RMS	832.1	20.68	60	Pass	461
860	1000	0.1	RMS	924.8	-63.56	-13	Pass	1401
1000	3000	1	RMS	1664	-47.92	-13	Pass	2001
3000	10000	1	RMS	6962	-41.44	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.51	-13	Pass	7841
814	860	0.1	RMS	839.6	21.68	60	Pass	461
860	1000	0.1	RMS	861.6	-63.56	-13	Pass	1401
1000	3000	1	RMS	1679	-46.54	-13	Pass	2001
3000	10000	1	RMS	6963	-41.46	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.38	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.69	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.61	-13	Pass	7841
814	860	0.1	RMS	839.6	20.69	60	Pass	461
860	1000	0.1	RMS	964	-63.6	-13	Pass	1401
1000	3000	1	RMS	1679	-47.84	-13	Pass	2001
3000	10000	1	RMS	6963	-41.49	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	Pass	2986
30	1000	0.1	RMS	857.406	-63.44	-25	Pass	9701
1000	2490	1	RMS	2490	-48.87	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.76	60	Pass	401
2580	3000	1	RMS	2957	-48.41	-25	Pass	421
3000	12000	1	RMS	7501	-53.9	-25	Pass	9002
12000	26000	1	RMS	25996	-46.4	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.91	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.52	-25	Pass	2986
30	1000	0.1	RMS	876.018	-63.38	-25	Pass	9701
1000	2490	1	RMS	2490	-49.61	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.54	60	Pass	401
2580	3000	1	RMS	2959	-48.45	-25	Pass	421
3000	12000	1	RMS	7501	-55.78	-25	Pass	9002
12000	26000	1	RMS	25983	-46.17	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-25	Pass	2986
30	1000	0.1	RMS	854.704	-63.4	-25	Pass	9701
1000	2490	1	RMS	2488	-50.15	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.39	60	Pass	401
2580	3000	1	RMS	2950	-48.45	-25	Pass	421
3000	12000	1	RMS	7598	-61.06	-25	Pass	9002
12000	26000	1	RMS	25989	-46.14	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-65.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-25	Pass	2986
30	1000	0.1	RMS	847.9	-63.39	-25	Pass	9701
1000	2490	1	RMS	2485	-50.13	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.86	60	Pass	401
2580	3000	1	RMS	2957	-48.37	-25	Pass	421
3000	12000	1	RMS	7599	-60.98	-25	Pass	9002
12000	26000	1	RMS	25999	-46.04	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.71	-25	Pass	9701
1000	2490	1	RMS	2490	-50.11	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.57	60	Pass	401
2580	3000	1	RMS	2950	-48.45	-25	Pass	421
3000	12000	1	RMS	7696	-58.18	-25	Pass	9002
12000	26000	1	RMS	26000	-46.08	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.03	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.09	-25	Pass	9701
1000	2490	1	RMS	2480	-50.2	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.52	60	Pass	401
2580	3000	1	RMS	2956	-48.45	-25	Pass	421
3000	12000	1	RMS	7696	-59.67	-25	Pass	9002
12000	26000	1	RMS	25995	-46.05	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-25	Pass	2986
30	1000	0.1	RMS	850.001	-63.36	-25	Pass	9701
1000	2490	1	RMS	2483	-42.56	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.92	60	Pass	401
2580	3000	1	RMS	2954	-48.4	-25	Pass	421
3000	12000	1	RMS	7502	-54.18	-25	Pass	9002
12000	26000	1	RMS	25992	-46.15	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-65.77	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.48	-25	Pass	2986
30	1000	0.1	RMS	855.104	-63.53	-25	Pass	9701
1000	2490	1	RMS	2483	-43.69	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.78	60	Pass	401
2580	3000	1	RMS	2957	-48.45	-25	Pass	421
3000	12000	1	RMS	7502	-55.78	-25	Pass	9002
12000	26000	1	RMS	26000	-46.09	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.81	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.4	-25	Pass	9701
1000	2490	1	RMS	2490	-50.1	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.72	60	Pass	401
2580	3000	1	RMS	2949	-48.47	-25	Pass	421
3000	12000	1	RMS	7592	-58.63	-25	Pass	9002
12000	26000	1	RMS	25999	-45.94	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.83	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.33	-25	Pass	9701
1000	2490	1	RMS	2489	-50.17	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.36	60	Pass	401
2580	3000	1	RMS	2954	-48.46	-25	Pass	421
3000	12000	1	RMS	7592	-58.26	-25	Pass	9002
12000	26000	1	RMS	25990	-46.11	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-25	Pass	2986
30	1000	0.1	RMS	599.9	-61.32	-25	Pass	9701
1000	2490	1	RMS	2487	-50.14	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.96	60	Pass	401
2580	3000	1	RMS	2958	-48.43	-25	Pass	421
3000	12000	1	RMS	11848	-60.98	-25	Pass	9002
12000	26000	1	RMS	25993	-46.13	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.12	-25	Pass	9701
1000	2490	1	RMS	2489	-50.21	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.72	60	Pass	401
2580	3000	1	RMS	2955	-48.46	-25	Pass	421
3000	12000	1	RMS	11847	-61.02	-25	Pass	9002
12000	26000	1	RMS	25998	-46.08	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-25	Pass	2986
30	1000	0.1	RMS	843.4	-63.4	-25	Pass	9701
1000	2490	1	RMS	2488	-28.58	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.79	60	Pass	401
2580	3000	1	RMS	2955	-48.41	-25	Pass	421
3000	12000	1	RMS	7503	-55.32	-25	Pass	9002
12000	26000	1	RMS	25997	-45.96	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	Pass	2986
30	1000	0.1	RMS	849.5	-63.34	-25	Pass	9701
1000	2490	1	RMS	2488	-31.61	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.97	60	Pass	401
2580	3000	1	RMS	2946	-48.47	-25	Pass	421
3000	12000	1	RMS	7503	-56.63	-25	Pass	9002
12000	26000	1	RMS	25998	-46.04	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-25	Pass	2986
30	1000	0.1	RMS	852.102	-63.36	-25	Pass	9701
1000	2490	1	RMS	2488	-50.01	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.62	60	Pass	401
2580	3000	1	RMS	2956	-48.45	-25	Pass	421
3000	12000	1	RMS	7585	-56.03	-25	Pass	9002
12000	26000	1	RMS	25994	-46.09	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	Pass	2986
30	1000	0.1	RMS	876.318	-63.27	-25	Pass	9701
1000	2490	1	RMS	2489	-50.06	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.34	60	Pass	401
2580	3000	1	RMS	2947	-48.45	-25	Pass	421
3000	12000	1	RMS	7585	-56.2	-25	Pass	9002
12000	26000	1	RMS	25999	-46.09	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.59	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.77	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.35	-25	Pass	9701
1000	2490	1	RMS	2481	-50.23	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.59	60	Pass	401
2580	3000	1	RMS	2582	-34.43	-25	Pass	421
3000	12000	1	RMS	7668	-60.65	-25	Pass	9002
12000	26000	1	RMS	26000	-45.99	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-25	Pass	2986
30	1000	0.1	RMS	595.2	-62.36	-25	Pass	9701
1000	2490	1	RMS	2487	-50.09	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.69	60	Pass	401
2580	3000	1	RMS	2582	-34.61	-25	Pass	421
3000	12000	1	RMS	7668	-60.92	-25	Pass	9002
12000	26000	1	RMS	25986	-46.09	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-25	Pass	2986
30	1000	0.1	RMS	829.6	-63.37	-25	Pass	9701
1000	2490	1	RMS	2483	-29.42	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.67	60	Pass	401
2580	3000	1	RMS	2947	-48.43	-25	Pass	421
3000	12000	1	RMS	7503	-55	-25	Pass	9002
12000	26000	1	RMS	25991	-46.08	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2986
30	1000	0.1	RMS	857.005	-63.32	-25	Pass	9701
1000	2490	1	RMS	2483	-31.24	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.96	60	Pass	401
2580	3000	1	RMS	2956	-48.44	-25	Pass	421
3000	12000	1	RMS	7503	-55.98	-25	Pass	9002
12000	26000	1	RMS	25998	-46.12	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2986
30	1000	0.1	RMS	850.301	-63.45	-25	Pass	9701
1000	2490	1	RMS	2490	-46.27	-25	Pass	1491
2490	2580	1	RMS	2526	23.82	60	Pass	401
2580	3000	1	RMS	2950	-48.44	-25	Pass	421
3000	12000	1	RMS	7578	-55.23	-25	Pass	9002
12000	26000	1	RMS	25996	-46.16	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.77	-25	Pass	401
0.15	30	0.01	RMS	0.26	-72.24	-25	Pass	2986
30	1000	0.1	RMS	852.102	-63.34	-25	Pass	9701
1000	2490	1	RMS	2490	-46.36	-25	Pass	1491
2490	2580	1	RMS	2526	22.6	60	Pass	401
2580	3000	1	RMS	2955	-48.44	-25	Pass	421
3000	12000	1	RMS	7578	-57.25	-25	Pass	9002
12000	26000	1	RMS	25998	-46.11	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2986
30	1000	0.1	RMS	590.4	-60.82	-25	Pass	9701
1000	2490	1	RMS	2488	-50.11	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.19	60	Pass	401
2580	3000	1	RMS	2586	-41.37	-25	Pass	421
3000	12000	1	RMS	7653	-59.28	-25	Pass	9002
12000	26000	1	RMS	26000	-46.12	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-25	Pass	2986
30	1000	0.1	RMS	590.4	-61.58	-25	Pass	9701
1000	2490	1	RMS	2484	-50.11	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.85	60	Pass	401
2580	3000	1	RMS	2586	-42.76	-25	Pass	421
3000	12000	1	RMS	7653	-59.65	-25	Pass	9002
12000	26000	1	RMS	25995	-46.04	-25	Pass	14002



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.51	-13	Pass	7371
767	797	0.1	RMS	777.35	21.59	60	Pass	401
797	1000	0.1	RMS	844.1	-63.37	-13	Pass	2031
1000	3000	1	RMS	1554	-46.24	-13	Pass	2001
3000	10000	1	RMS	6962	-41.45	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	767	0.1	RMS	766.6	-63.04	-13	Pass	7371
767	797	0.1	RMS	777.35	20.58	60	Pass	401
797	1000	0.1	RMS	925.8	-63.07	-13	Pass	2031
1000	3000	1	RMS	1554	-47.58	-13	Pass	2001
3000	10000	1	RMS	6961	-41.4	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2986
30	767	0.1	RMS	722.2	-63.9	-13	Pass	7371
767	797	0.1	RMS	779.825	21.34	60	Pass	401
797	1000	0.1	RMS	843.2	-63.28	-13	Pass	2031
1000	3000	1	RMS	1559	-46.79	-13	Pass	2001
3000	10000	1	RMS	6960	-41.46	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-68.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2986
30	767	0.1	RMS	751	-64	-13	Pass	7371
767	797	0.1	RMS	779.825	21.26	60	Pass	401
797	1000	0.1	RMS	849.2	-63.21	-13	Pass	2031
1000	3000	1	RMS	1559	-47.13	-13	Pass	2001
3000	10000	1	RMS	6960	-41.45	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	767	0.1	RMS	750.2	-63.86	-13	Pass	7371
767	797	0.1	RMS	782.3	21.47	60	Pass	401
797	1000	0.1	RMS	861.6	-63.38	-13	Pass	2031
1000	3000	1	RMS	1564	-46.61	-13	Pass	2001
3000	10000	1	RMS	6960	-41.42	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-66.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	Pass	2986
30	767	0.1	RMS	745.2	-63.95	-13	Pass	7371
767	797	0.1	RMS	782.375	20.22	60	Pass	401
797	1000	0.1	RMS	858.4	-63.22	-13	Pass	2031
1000	3000	1	RMS	1564	-48.03	-13	Pass	2001
3000	10000	1	RMS	6961	-41.41	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.21	-13	Pass	7371
767	797	0.1	RMS	777.575	21.73	60	Pass	401
797	1000	0.1	RMS	847.5	-63.35	-13	Pass	2031
1000	3000	1	RMS	1555	-45.63	-13	Pass	2001
3000	10000	1	RMS	6961	-41.54	-13	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.66	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.45	-13	Pass	7371
767	797	0.1	RMS	777.575	20.63	60	Pass	401
797	1000	0.1	RMS	845.7	-63.36	-13	Pass	2031
1000	3000	1	RMS	1555	-47.12	-13	Pass	2001
3000	10000	1	RMS	6964	-41.44	-13	Pass	7001



6. LTE_Band26(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.79	-63.94	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.63	-13	Pass	7841
814	860	0.1	RMS	824.3	20.99	60	Pass	461
860	1000	0.1	RMS	869.5	-63.72	-13	Pass	1401
1000	3000	1	RMS	1648	-46.26	-13	Pass	2001
3000	10000	1	RMS	6960	-41.64	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.62	-13	Pass	401
0.15	30	0.01	RMS	0.68	-54.01	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.98	-13	Pass	7841
814	860	0.1	RMS	824.3	20.17	60	Pass	461
860	1000	0.1	RMS	997.4	-63.9	-13	Pass	1401
1000	3000	1	RMS	1648	-47.4	-13	Pass	2001
3000	10000	1	RMS	6962	-41.67	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.68	-65.82	-13	Pass	2986
30	814	0.1	RMS	812.9	-64.03	-13	Pass	7841
814	860	0.1	RMS	836.1	20.73	60	Pass	461
860	1000	0.1	RMS	860.1	-63.52	-13	Pass	1401
1000	3000	1	RMS	1672	-47.68	-13	Pass	2001
3000	10000	1	RMS	6962	-41.66	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-68.42	-13	Pass	401
0.15	30	0.01	RMS	0.67	-66.42	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.02	-13	Pass	7841
814	860	0.1	RMS	836.1	20.28	60	Pass	461
860	1000	0.1	RMS	872.3	-63.87	-13	Pass	1401
1000	3000	1	RMS	1672	-47.94	-13	Pass	2001
3000	10000	1	RMS	6962	-41.66	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.47	-13	Pass	401
0.15	30	0.01	RMS	0.67	-56.27	-13	Pass	2986
30	814	0.1	RMS	744.8	-64.09	-13	Pass	7841
814	860	0.1	RMS	847.9	20.84	60	Pass	461
860	1000	0.1	RMS	866.5	-63.87	-13	Pass	1401
1000	3000	1	RMS	1695	-46.6	-13	Pass	2001
3000	10000	1	RMS	6960	-41.62	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.23	-13	Pass	401
0.15	30	0.01	RMS	0.67	-53.81	-13	Pass	2986
30	814	0.1	RMS	798.1	-64.19	-13	Pass	7841
814	860	0.1	RMS	847.9	19.81	60	Pass	461
860	1000	0.1	RMS	889.6	-62.62	-13	Pass	1401
1000	3000	1	RMS	1695	-47.64	-13	Pass	2001
3000	10000	1	RMS	6961	-41.64	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.59	-13	Pass	401
0.15	30	0.01	RMS	0.67	-63.39	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.75	-13	Pass	7841
814	860	0.1	RMS	824.2	21.29	60	Pass	461
860	1000	0.1	RMS	861.8	-63.88	-13	Pass	1401
1000	3000	1	RMS	1648	-46.22	-13	Pass	2001
3000	10000	1	RMS	6960	-41.59	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.68	-50.81	-13	Pass	2986
30	814	0.1	RMS	813.3	-58.11	-13	Pass	7841
814	860	0.1	RMS	824.2	19.91	60	Pass	461
860	1000	0.1	RMS	962	-63.9	-13	Pass	1401
1000	3000	1	RMS	1648	-47.59	-13	Pass	2001
3000	10000	1	RMS	6960	-41.64	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.68	-62.14	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.86	-13	Pass	7841
814	860	0.1	RMS	835.2	20.86	60	Pass	461
860	1000	0.1	RMS	862.9	-63.86	-13	Pass	1401
1000	3000	1	RMS	1670	-46.99	-13	Pass	2001
3000	10000	1	RMS	6965	-41.67	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.71	-13	Pass	401
0.15	30	0.01	RMS	0.68	-55.49	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.96	-13	Pass	7841
814	860	0.1	RMS	835.2	20.22	60	Pass	461
860	1000	0.1	RMS	863.4	-63.91	-13	Pass	1401
1000	3000	1	RMS	1670	-47.53	-13	Pass	2001
3000	10000	1	RMS	6961	-41.53	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.28	-13	Pass	401
0.15	30	0.01	RMS	0.73	-56.73	-13	Pass	2986
30	814	0.1	RMS	753.3	-64.17	-13	Pass	7841
814	860	0.1	RMS	846.2	21.04	60	Pass	461
860	1000	0.1	RMS	872.2	-63.96	-13	Pass	1401
1000	3000	1	RMS	1692	-46.35	-13	Pass	2001
3000	10000	1	RMS	6961	-41.65	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.64	-13	Pass	401
0.15	30	0.01	RMS	0.67	-57.31	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.94	-13	Pass	7841
814	860	0.1	RMS	846.2	19.8	60	Pass	461
860	1000	0.1	RMS	870.4	-63.96	-13	Pass	1401
1000	3000	1	RMS	1692	-47.47	-13	Pass	2001
3000	10000	1	RMS	6960	-41.57	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.64	-13	Pass	401
0.15	30	0.01	RMS	0.67	-56.14	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.52	-13	Pass	7841
814	860	0.1	RMS	824.3	20.82	60	Pass	461
860	1000	0.1	RMS	866.8	-64	-13	Pass	1401
1000	3000	1	RMS	1648	-46.89	-13	Pass	2001
3000	10000	1	RMS	6961	-41.56	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.68	-53.59	-13	Pass	2986
30	814	0.1	RMS	813.3	-57.91	-13	Pass	7841
814	860	0.1	RMS	824.3	19.61	60	Pass	461
860	1000	0.1	RMS	869.4	-63.86	-13	Pass	1401
1000	3000	1	RMS	1648	-48.16	-13	Pass	2001
3000	10000	1	RMS	6959	-41.65	-13	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.73	-13	Pass	401
0.15	30	0.01	RMS	0.67	-58.84	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.01	-13	Pass	7841
814	860	0.1	RMS	834.3	20.83	60	Pass	461
860	1000	0.1	RMS	881.9	-63.96	-13	Pass	1401
1000	3000	1	RMS	1668	-47.07	-13	Pass	2001
3000	10000	1	RMS	6960	-41.55	-13	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67	-13	Pass	401
0.15	30	0.01	RMS	0.79	-56.33	-13	Pass	2986
30	814	0.1	RMS	813.4	-63.96	-13	Pass	7841
814	860	0.1	RMS	834.3	19.97	60	Pass	461
860	1000	0.1	RMS	863	-63.99	-13	Pass	1401
1000	3000	1	RMS	1668	-47.81	-13	Pass	2001
3000	10000	1	RMS	6960	-41.66	-13	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.79	-56.72	-13	Pass	2986
30	814	0.1	RMS	813.6	-64.12	-13	Pass	7841
814	860	0.1	RMS	844.3	20.89	60	Pass	461
860	1000	0.1	RMS	992	-63.91	-13	Pass	1401
1000	3000	1	RMS	1688	-47.29	-13	Pass	2001
3000	10000	1	RMS	6962	-41.65	-13	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.85	-13	Pass	401
0.15	30	0.01	RMS	0.8	-58.17	-13	Pass	2986
30	814	0.1	RMS	813.8	-64.03	-13	Pass	7841
814	860	0.1	RMS	844.3	19.72	60	Pass	461
860	1000	0.1	RMS	865.8	-63.81	-13	Pass	1401
1000	3000	1	RMS	2961	-48.72	-13	Pass	2001
3000	10000	1	RMS	6962	-41.72	-13	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.07	-13	Pass	401
0.15	30	0.01	RMS	0.79	-62.09	-13	Pass	2986
30	814	0.1	RMS	807	-54.41	-13	Pass	7841
814	860	0.1	RMS	824.6	21.74	60	Pass	461
860	1000	0.1	RMS	965	-63.98	-13	Pass	1401
1000	3000	1	RMS	1649	-46.82	-13	Pass	2001
3000	10000	1	RMS	6960	-41.63	-13	Pass	7001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.74	-58.97	-13	Pass	2986
30	814	0.1	RMS	811.4	-57.16	-13	Pass	7841
814	860	0.1	RMS	824.6	20.54	60	Pass	461
860	1000	0.1	RMS	874.1	-63.97	-13	Pass	1401
1000	3000	1	RMS	1649	-48.2	-13	Pass	2001
3000	10000	1	RMS	6962	-41.72	-13	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.79	-67.14	-13	Pass	2986
30	814	0.1	RMS	814	-59.04	-13	Pass	7841
814	860	0.1	RMS	832.1	21.51	60	Pass	461
860	1000	0.1	RMS	976.9	-63.94	-13	Pass	1401
1000	3000	1	RMS	1664	-47.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.64	-13	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.03	-13	Pass	401
0.15	30	0.01	RMS	0.79	-56.54	-13	Pass	2986
30	814	0.1	RMS	814	-59.11	-13	Pass	7841
814	860	0.1	RMS	832.1	20.81	60	Pass	461
860	1000	0.1	RMS	865.7	-63.89	-13	Pass	1401
1000	3000	1	RMS	1664	-47.96	-13	Pass	2001
3000	10000	1	RMS	6962	-41.65	-13	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-66.86	-13	Pass	401
0.15	30	0.01	RMS	0.74	-57.36	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.14	-13	Pass	7841
814	860	0.1	RMS	839.6	21.68	60	Pass	461
860	1000	0.1	RMS	860	-63.86	-13	Pass	1401
1000	3000	1	RMS	1679	-46.78	-13	Pass	2001
3000	10000	1	RMS	6960	-41.7	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.67	-60.03	-13	Pass	2986
30	814	0.1	RMS	722.1	-62.32	-13	Pass	7841
814	860	0.1	RMS	839.6	20.36	60	Pass	461
860	1000	0.1	RMS	864.2	-63.92	-13	Pass	1401
1000	3000	1	RMS	1679	-48.36	-13	Pass	2001
3000	10000	1	RMS	6962	-41.65	-13	Pass	7001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.21	-13	Pass	401
0.15	30	0.01	RMS	0.68	-55.85	-13	Pass	2986
30	814	0.1	RMS	811.5	-45.46	-13	Pass	7841
814	860	0.1	RMS	824.8	20.81	60	Pass	461
860	1000	0.1	RMS	876.3	-63.9	-13	Pass	1401
1000	3000	1	RMS	1649	-46.83	-13	Pass	2001
3000	10000	1	RMS	6959	-41.62	-13	Pass	7001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-68.56	-13	Pass	401
0.15	30	0.01	RMS	0.79	-66.83	-13	Pass	2986
30	814	0.1	RMS	811.5	-46.3	-13	Pass	7841
814	860	0.1	RMS	824.8	19.78	60	Pass	461
860	1000	0.1	RMS	879.7	-63.84	-13	Pass	1401
1000	3000	1	RMS	1649	-47.84	-13	Pass	2001
3000	10000	1	RMS	6962	-41.66	-13	Pass	7001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.68	-64.29	-13	Pass	2986
30	814	0.1	RMS	809.9	-56.41	-13	Pass	7841
814	860	0.1	RMS	829.8	21.03	60	Pass	461
860	1000	0.1	RMS	879.6	-63.83	-13	Pass	1401
1000	3000	1	RMS	1659	-46.56	-13	Pass	2001
3000	10000	1	RMS	6961	-41.6	-13	Pass	7001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.68	-62.37	-13	Pass	2986
30	814	0.1	RMS	809.9	-56.81	-13	Pass	7841
814	860	0.1	RMS	829.8	20.49	60	Pass	461
860	1000	0.1	RMS	866.9	-63.77	-13	Pass	1401
1000	3000	1	RMS	1659	-47.03	-13	Pass	2001
3000	10000	1	RMS	6960	-41.69	-13	Pass	7001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.69	-13	Pass	401
0.15	30	0.01	RMS	0.68	-61.98	-13	Pass	2986
30	814	0.1	RMS	808.2	-49.66	-13	Pass	7841
814	860	0.1	RMS	834.8	20.54	60	Pass	461
860	1000	0.1	RMS	861.7	-63.77	-13	Pass	1401
1000	3000	1	RMS	1669	-47.29	-13	Pass	2001
3000	10000	1	RMS	6960	-41.72	-13	Pass	7001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-67.41	-13	Pass	401
0.15	30	0.01	RMS	0.62	-57.13	-13	Pass	2986
30	814	0.1	RMS	808.2	-50.97	-13	Pass	7841
814	860	0.1	RMS	834.8	19.76	60	Pass	461
860	1000	0.1	RMS	860.6	-63.88	-13	Pass	1401
1000	3000	1	RMS	1669	-48.18	-13	Pass	2001
3000	10000	1	RMS	6959	-41.69	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.98	-13	Pass	401
0.15	30	0.01	Peak	0.68	-47.17	-13	Pass	2986
30	809	0.1	Peak	808.7	-49.73	-13	Pass	7791
809	829	0.1	Peak	814.3	26.08	60	Pass	401
829	1000	0.1	Peak	854.9	-52.03	-13	Pass	1711
1000	3000	1	Peak	2980	-36.68	-13	Pass	2001
3000	10000	1	Peak	6967	-28.82	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.89	-13	Pass	401
0.15	30	0.01	Peak	0.62	-54.8	-13	Pass	2986
30	809	0.1	Peak	808.7	-49.86	-13	Pass	7791
809	829	0.1	Peak	814.3	26.55	60	Pass	401
829	1000	0.1	Peak	832.2	-51.89	-13	Pass	1711
1000	3000	1	Peak	2970	-37.25	-13	Pass	2001
3000	10000	1	Peak	7206	-30.37	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.088	-61.34	-13	Pass	401
0.15	30	0.01	Peak	0.67	-53.32	-13	Pass	2986
30	809	0.1	Peak	807.8	-51.27	-13	Pass	7791
809	829	0.1	Peak	818.6	26.04	60	Pass	401
829	1000	0.1	Peak	829.6	-49.3	-13	Pass	1711
1000	3000	1	Peak	2988	-37.2	-13	Pass	2001
3000	10000	1	Peak	7209	-30.57	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.83	-13	Pass	401
0.15	30	0.01	Peak	0.68	-47.14	-13	Pass	2986
30	809	0.1	Peak	740	-53.2	-13	Pass	7791
809	829	0.1	Peak	818.6	26.62	60	Pass	401
829	1000	0.1	Peak	829.6	-49.36	-13	Pass	1711
1000	3000	1	Peak	2957	-37.21	-13	Pass	2001
3000	10000	1	Peak	6957	-30.22	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.14	-13	Pass	401
0.15	30	0.01	Peak	0.68	-53.8	-13	Pass	2986
30	809	0.1	Peak	783.7	-53.13	-13	Pass	7791
809	829	0.1	Peak	822.9	26.39	60	Pass	401
829	1000	0.1	Peak	831.2	-46.11	-13	Pass	1711
1000	3000	1	Peak	1645	-36.2	-13	Pass	2001
3000	10000	1	Peak	7520	-30.21	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-62.12	-13	Pass	401
0.15	30	0.01	Peak	0.68	-53.19	-13	Pass	2986
30	809	0.1	Peak	613.7	-53.39	-13	Pass	7791
809	829	0.1	Peak	822.85	26.71	60	Pass	401
829	1000	0.1	Peak	831.2	-46.2	-13	Pass	1711
1000	3000	1	Peak	2994	-36.14	-13	Pass	2001
3000	10000	1	Peak	6973	-30.29	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-59.95	-13	Pass	401
0.15	30	0.01	Peak	0.68	-57.46	-13	Pass	2986
30	809	0.1	Peak	809	-35.03	-13	Pass	7791
809	829	0.1	Peak	814.2	25.84	60	Pass	401
829	1000	0.1	Peak	859.5	-53.15	-13	Pass	1711
1000	3000	1	Peak	2956	-37.31	-13	Pass	2001
3000	10000	1	Peak	7252	-30.12	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.96	-13	Pass	401
0.15	30	0.01	Peak	0.68	-50.72	-13	Pass	2986
30	809	0.1	Peak	809	-33.86	-13	Pass	7791
809	829	0.1	Peak	814.2	26.28	60	Pass	401
829	1000	0.1	Peak	835.9	-52.14	-13	Pass	1711
1000	3000	1	Peak	2961	-36.7	-13	Pass	2001
3000	10000	1	Peak	7236	-30.43	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-62.66	-13	Pass	401
0.15	30	0.01	Peak	0.68	-48.08	-13	Pass	2986
30	809	0.1	Peak	617.4	-52.52	-13	Pass	7791
809	829	0.1	Peak	817.75	26	60	Pass	401
829	1000	0.1	Peak	849.4	-52.06	-13	Pass	1711
1000	3000	1	Peak	2991	-37.26	-13	Pass	2001
3000	10000	1	Peak	6961	-30.74	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.05	-13	Pass	401
0.15	30	0.01	Peak	0.73	-53.69	-13	Pass	2986
30	809	0.1	Peak	725.3	-52.38	-13	Pass	7791
809	829	0.1	Peak	817.8	26.36	60	Pass	401
829	1000	0.1	Peak	831.4	-52.54	-13	Pass	1711
1000	3000	1	Peak	2939	-37.33	-13	Pass	2001
3000	10000	1	Peak	7223	-30.12	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.088	-62.32	-13	Pass	401
0.15	30	0.01	Peak	0.68	-52.39	-13	Pass	2986
30	809	0.1	Peak	793.2	-52.81	-13	Pass	7791
809	829	0.1	Peak	821.2	26.09	60	Pass	401
829	1000	0.1	Peak	829.6	-45.56	-13	Pass	1711
1000	3000	1	Peak	2942	-36.79	-13	Pass	2001
3000	10000	1	Peak	8708	-30.7	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.78	-13	Pass	401
0.15	30	0.01	Peak	0.67	-53.16	-13	Pass	2986
30	809	0.1	Peak	778.3	-53.25	-13	Pass	7791
809	829	0.1	Peak	821.25	26.08	60	Pass	401
829	1000	0.1	Peak	829	-41.05	-13	Pass	1711
1000	3000	1	Peak	1643	-37.11	-13	Pass	2001
3000	10000	1	Peak	6714	-30.58	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.46	-13	Pass	401
0.15	30	0.01	Peak	0.67	-53.77	-13	Pass	2986
30	809	0.1	Peak	807.9	-47.7	-13	Pass	7791
809	829	0.1	Peak	814.35	26.11	60	Pass	401
829	1000	0.1	Peak	831.6	-49.69	-13	Pass	1711
1000	3000	1	Peak	1629	-35.92	-13	Pass	2001
3000	10000	1	Peak	6997	-30.47	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.66	-13	Pass	401
0.15	30	0.01	Peak	0.68	-55.45	-13	Pass	2986
30	809	0.1	Peak	807.9	-48.17	-13	Pass	7791
809	829	0.1	Peak	814.25	26.19	60	Pass	401
829	1000	0.1	Peak	831.9	-51.1	-13	Pass	1711
1000	3000	1	Peak	2854	-37.11	-13	Pass	2001
3000	10000	1	Peak	6958	-30.24	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-61.47	-13	Pass	401
0.15	30	0.01	Peak	0.67	-53.77	-13	Pass	2986
30	809	0.1	Peak	808.2	-32.62	-13	Pass	7791
809	829	0.1	Peak	816.85	25.99	60	Pass	401
829	1000	0.1	Peak	834.1	-50.23	-13	Pass	1711
1000	3000	1	Peak	2949	-37.03	-13	Pass	2001
3000	10000	1	Peak	6958	-29.78	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.088	-61.65	-13	Pass	401
0.15	30	0.01	Peak	0.67	-48.4	-13	Pass	2986
30	809	0.1	Peak	808.3	-31.25	-13	Pass	7791
809	829	0.1	Peak	816.8	26.35	60	Pass	401
829	1000	0.1	Peak	834	-50.32	-13	Pass	1711
1000	3000	1	Peak	2967	-37.32	-13	Pass	2001
3000	10000	1	Peak	7253	-30.3	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.57	-13	Pass	401
0.15	30	0.01	Peak	0.67	-50.27	-13	Pass	2986
30	809	0.1	Peak	808.3	-51.7	-13	Pass	7791
809	829	0.1	Peak	819.25	25.93	60	Pass	401
829	1000	0.1	Peak	829.1	-45.66	-13	Pass	1711
1000	3000	1	Peak	1639	-36.25	-13	Pass	2001
3000	10000	1	Peak	8014	-30.26	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-60.63	-13	Pass	401
0.15	30	0.01	Peak	0.67	-48.35	-13	Pass	2986
30	809	0.1	Peak	800.3	-53.22	-13	Pass	7791
809	829	0.1	Peak	819.3	25.93	60	Pass	401
829	1000	0.1	Peak	830.3	-49.77	-13	Pass	1711
1000	3000	1	Peak	2976	-37.63	-13	Pass	2001
3000	10000	1	Peak	7071	-30.43	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-62.4	-13	Pass	401
0.15	30	0.01	Peak	0.68	-46.69	-13	Pass	2986
30	809	0.1	Peak	808.6	-43.82	-13	Pass	7791
809	829	0.1	Peak	814.55	26.36	60	Pass	401
829	1000	0.1	Peak	832.2	-25.79	-13	Pass	1711
1000	3000	1	Peak	1629	-36.97	-13	Pass	2001
3000	10000	1	Peak	7211	-30.39	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-60.92	-13	Pass	401
0.15	30	0.01	Peak	0.68	-49.4	-13	Pass	2986
30	809	0.1	Peak	808.5	-48.16	-13	Pass	7791
809	829	0.1	Peak	814.55	26.27	60	Pass	401
829	1000	0.1	Peak	832.2	-26.83	-13	Pass	1711
1000	3000	1	Peak	2936	-37.33	-13	Pass	2001
3000	10000	1	Peak	6968	-30.47	-13	Pass	7001



7. LTE_Band38


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.49	-25	Pass	401
0.15	30	0.01	RMS	0.67	-49.47	-25	Pass	2986
30	1000	0.1	RMS	852.002	-59.68	-25	Pass	9701
1000	2560	1	RMS	2560	-44.51	-25	Pass	1561
2560	2630	1	RMS	2570.15	23.7	60	Pass	401
2630	3000	1	RMS	2956.525	-44.75	-25	Pass	401
3000	12000	1	RMS	11847	-47.19	-25	Pass	9002
12000	26500	1	RMS	25986	-42.7	-25	Pass	14502




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.77	-25	Pass	401
0.15	30	0.01	RMS	0.67	-53.24	-25	Pass	2986
30	1000	0.1	RMS	832.2	-59.79	-25	Pass	9701
1000	2560	1	RMS	2560	-44.98	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.68	60	Pass	401
2630	3000	1	RMS	2952.825	-44.77	-25	Pass	401
3000	12000	1	RMS	11849	-47.25	-25	Pass	9002
12000	26500	1	RMS	26000	-42.71	-25	Pass	14502




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.71	-25	Pass	401
0.15	30	0.01	RMS	0.67	-48.36	-25	Pass	2986
30	1000	0.1	RMS	850.101	-59.68	-25	Pass	9701
1000	2560	1	RMS	2560	-46.18	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.83	60	Pass	401
2630	3000	1	RMS	2952.825	-44.76	-25	Pass	401
3000	12000	1	RMS	11853	-47.3	-25	Pass	9002
12000	26500	1	RMS	25989	-42.71	-25	Pass	14502




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.4	-25	Pass	401
0.15	30	0.01	RMS	0.68	-47.3	-25	Pass	2986
30	1000	0.1	RMS	841	-59.74	-25	Pass	9701
1000	2560	1	RMS	2557	-46.14	-25	Pass	1561
2560	2630	1	RMS	2592.725	23	60	Pass	401
2630	3000	1	RMS	2959.3	-44.8	-25	Pass	401
3000	12000	1	RMS	11850	-47.23	-25	Pass	9002
12000	26500	1	RMS	25986	-42.65	-25	Pass	14502




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-65.13	-25	Pass	401
0.15	30	0.01	RMS	0.68	-58.42	-25	Pass	2986
30	1000	0.1	RMS	956.371	-59.7	-25	Pass	9701
1000	2560	1	RMS	2560	-46.21	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.83	60	Pass	401
2630	3000	1	RMS	2957.45	-44.78	-25	Pass	401
3000	12000	1	RMS	11843	-47.29	-25	Pass	9002
12000	26500	1	RMS	26001	-42.61	-25	Pass	14502




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.61	-25	Pass	401
0.15	30	0.01	RMS	0.67	-51.27	-25	Pass	2986
30	1000	0.1	RMS	851.702	-59.59	-25	Pass	9701
1000	2560	1	RMS	2559	-46.27	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.03	60	Pass	401
2630	3000	1	RMS	2956.525	-44.78	-25	Pass	401
3000	12000	1	RMS	11852	-47.31	-25	Pass	9002
12000	26500	1	RMS	26000	-42.69	-25	Pass	14502




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.93	-25	Pass	401
0.15	30	0.01	RMS	0.67	-52.84	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.36	-25	Pass	9701
1000	2560	1	RMS	2554	-33.17	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.66	60	Pass	401
2630	3000	1	RMS	2957.45	-44.79	-25	Pass	401
3000	12000	1	RMS	11850	-47.21	-25	Pass	9002
12000	26500	1	RMS	25996	-42.68	-25	Pass	14502




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.61	-25	Pass	401
0.15	30	0.01	RMS	0.61	-55.37	-25	Pass	2986
30	1000	0.1	RMS	825.7	-59.75	-25	Pass	9701
1000	2560	1	RMS	2550	-39.82	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.19	60	Pass	401
2630	3000	1	RMS	2956.525	-44.76	-25	Pass	401
3000	12000	1	RMS	11852	-47.29	-25	Pass	9002
12000	26500	1	RMS	26002	-42.67	-25	Pass	14502



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.31	-25	Pass	401
0.15	30	0.01	RMS	0.67	-46.57	-25	Pass	2986
30	1000	0.1	RMS	857.606	-59.73	-25	Pass	9701
1000	2560	1	RMS	2555	-45.99	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.22	60	Pass	401
2630	3000	1	RMS	2957.45	-44.77	-25	Pass	401
3000	12000	1	RMS	11850	-47.23	-25	Pass	9002
12000	26500	1	RMS	26002	-42.54	-25	Pass	14502



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.72	-25	Pass	401
0.15	30	0.01	RMS	0.62	-52.85	-25	Pass	2986
30	1000	0.1	RMS	840.6	-59.8	-25	Pass	9701
1000	2560	1	RMS	2559	-46.17	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.68	60	Pass	401
2630	3000	1	RMS	2956.525	-44.77	-25	Pass	401
3000	12000	1	RMS	11851	-47.25	-25	Pass	9002
12000	26500	1	RMS	25993	-42.72	-25	Pass	14502



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.79	-25	Pass	401
0.15	30	0.01	RMS	0.68	-54.12	-25	Pass	2986
30	1000	0.1	RMS	824.3	-59.74	-25	Pass	9701
1000	2560	1	RMS	2559	-46.18	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.06	60	Pass	401
2630	3000	1	RMS	2630	-33.26	-25	Pass	401
3000	12000	1	RMS	11850	-47.35	-25	Pass	9002
12000	26500	1	RMS	25993	-42.59	-25	Pass	14502



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.22	-25	Pass	401
0.15	30	0.01	RMS	0.62	-52.78	-25	Pass	2986
30	1000	0.1	RMS	844.6	-59.76	-25	Pass	9701
1000	2560	1	RMS	2559	-46.02	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.34	60	Pass	401
2630	3000	1	RMS	2630	-34.79	-25	Pass	401
3000	12000	1	RMS	11850	-47.25	-25	Pass	9002
12000	26500	1	RMS	26001	-42.65	-25	Pass	14502



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.14	-25	Pass	401
0.15	30	0.01	RMS	0.68	-57.52	-25	Pass	2986
30	1000	0.1	RMS	841.3	-59.71	-25	Pass	9701
1000	2560	1	RMS	2558	-30.54	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.97	60	Pass	401
2630	3000	1	RMS	2958.375	-44.79	-25	Pass	401
3000	12000	1	RMS	11852	-47.29	-25	Pass	9002
12000	26500	1	RMS	26005	-42.64	-25	Pass	14502



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-67.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-25	Pass	2986
30	1000	0.1	RMS	610.1	-59.67	-25	Pass	9701
1000	2560	1	RMS	2558	-34.32	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.47	60	Pass	401
2630	3000	1	RMS	2956.525	-44.73	-25	Pass	401
3000	12000	1	RMS	11859	-47.28	-25	Pass	9002
12000	26500	1	RMS	26009	-42.68	-25	Pass	14502



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-67.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	Pass	2986
30	1000	0.1	RMS	816.4	-59.82	-25	Pass	9701
1000	2560	1	RMS	2559	-41.3	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.88	60	Pass	401
2630	3000	1	RMS	2945.425	-44.78	-25	Pass	401
3000	12000	1	RMS	11846	-47.24	-25	Pass	9002
12000	26500	1	RMS	25996	-42.66	-25	Pass	14502



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-67.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.05	-25	Pass	2986
30	1000	0.1	RMS	850.701	-59.62	-25	Pass	9701
1000	2560	1	RMS	2558	-43.83	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.27	60	Pass	401
2630	3000	1	RMS	2956.525	-44.79	-25	Pass	401
3000	12000	1	RMS	11848	-47.25	-25	Pass	9002
12000	26500	1	RMS	26003	-42.62	-25	Pass	14502



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-25	Pass	2986
30	1000	0.1	RMS	838.7	-59.67	-25	Pass	9701
1000	2560	1	RMS	2550	-45.77	-25	Pass	1561
2560	2630	1	RMS	2605.85	24.25	60	Pass	401
2630	3000	1	RMS	2631.85	-28.46	-25	Pass	401
3000	12000	1	RMS	11854	-47.27	-25	Pass	9002
12000	26500	1	RMS	26002	-42.7	-25	Pass	14502



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-67.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2986
30	1000	0.1	RMS	850.201	-59.74	-25	Pass	9701
1000	2560	1	RMS	2551	-45.76	-25	Pass	1561
2560	2630	1	RMS	2605.675	22.8	60	Pass	401
2630	3000	1	RMS	2631.85	-29.52	-25	Pass	401
3000	12000	1	RMS	11841	-47.2	-25	Pass	9002
12000	26500	1	RMS	26002	-42.63	-25	Pass	14502



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-25	Pass	2986
30	1000	0.1	RMS	610.4	-59.73	-25	Pass	9701
1000	2560	1	RMS	2553	-30.72	-25	Pass	1561
2560	2630	1	RMS	2571.025	24.34	60	Pass	401
2630	3000	1	RMS	2643.875	-43.83	-25	Pass	401
3000	12000	1	RMS	11849	-47.24	-25	Pass	9002
12000	26500	1	RMS	26006	-42.7	-25	Pass	14502



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.18	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.47	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.74	-25	Pass	9701
1000	2560	1	RMS	2553	-30.85	-25	Pass	1561
2560	2630	1	RMS	2571.025	23.79	60	Pass	401
2630	3000	1	RMS	2954.675	-44.8	-25	Pass	401
3000	12000	1	RMS	11853	-47.23	-25	Pass	9002
12000	26500	1	RMS	26001	-42.7	-25	Pass	14502



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-67.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.81	-25	Pass	2986
30	1000	0.1	RMS	844.2	-59.76	-25	Pass	9701
1000	2560	1	RMS	2551	-43.53	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.81	60	Pass	401
2630	3000	1	RMS	2956.525	-44.78	-25	Pass	401
3000	12000	1	RMS	11856	-47.22	-25	Pass	9002
12000	26500	1	RMS	25992	-42.65	-25	Pass	14502



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-67.48	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.16	-25	Pass	2986
30	1000	0.1	RMS	855.504	-59.75	-25	Pass	9701
1000	2560	1	RMS	2549	-39.69	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.02	60	Pass	401
2630	3000	1	RMS	2630	-44.7	-25	Pass	401
3000	12000	1	RMS	11854	-47.31	-25	Pass	9002
12000	26500	1	RMS	26006	-42.48	-25	Pass	14502



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.03	-25	Pass	401
0.15	30	0.01	RMS	0.74	-59.76	-25	Pass	2986
30	1000	0.1	RMS	833.4	-59.67	-25	Pass	9701
1000	2560	1	RMS	2559	-44.96	-25	Pass	1561
2560	2630	1	RMS	2600.95	24.6	60	Pass	401
2630	3000	1	RMS	2636.475	-32.38	-25	Pass	401
3000	12000	1	RMS	11846	-47.23	-25	Pass	9002
12000	26500	1	RMS	25993	-42.61	-25	Pass	14502



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.18	-25	Pass	401
0.15	30	0.01	RMS	0.62	-55.68	-25	Pass	2986
30	1000	0.1	RMS	853.903	-59.6	-25	Pass	9701
1000	2560	1	RMS	2559	-44.72	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.58	60	Pass	401
2630	3000	1	RMS	2636.475	-33.21	-25	Pass	401
3000	12000	1	RMS	11855	-47.28	-25	Pass	9002
12000	26500	1	RMS	26005	-42.65	-25	Pass	14502



8. LTE_Band41 120M


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-64.66	-25	Pass	401
0.15	30	0.01	RMS	0.79	-55.63	-25	Pass	2986
30	1000	0.1	RMS	847.6	-59.68	-25	Pass	9701
1000	2525	1	RMS	2525	-44.93	-25	Pass	1526
2525	2665	1	RMS	2535.15	24.17	60	Pass	401
2665	3000	1	RMS	2951.425	-44.68	-25	Pass	401
3000	12000	1	RMS	11852	-57.22	-25	Pass	9002
12000	27000	1	RMS	26002	-42.28	-25	Pass	15002




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-62.76	-25	Pass	401
0.15	30	0.01	RMS	0.62	-55.62	-25	Pass	2986
30	1000	0.1	RMS	844.1	-59.71	-25	Pass	9701
1000	2525	1	RMS	2525	-45.24	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.15	60	Pass	401
2665	3000	1	RMS	2957.288	-44.71	-25	Pass	401
3000	12000	1	RMS	11853	-57.18	-25	Pass	9002
12000	27000	1	RMS	25995	-42.16	-25	Pass	15002




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-62.64	-25	Pass	401
0.15	30	0.01	RMS	0.79	-54.61	-25	Pass	2986
30	1000	0.1	RMS	844.8	-59.63	-25	Pass	9701
1000	2525	1	RMS	2516	-46.24	-25	Pass	1526
2525	2665	1	RMS	2592.55	22.77	60	Pass	401
2665	3000	1	RMS	2949.75	-44.64	-25	Pass	401
3000	12000	1	RMS	7778	-54.1	-25	Pass	9002
12000	27000	1	RMS	26009	-42.19	-25	Pass	15002




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.4	-25	Pass	2986
30	1000	0.1	RMS	898.433	-48.4	-25	Pass	9701
1000	2525	1	RMS	2513	-46.24	-25	Pass	1526
2525	2665	1	RMS	2592.55	22.27	60	Pass	401
2665	3000	1	RMS	2955.613	-44.68	-25	Pass	401
3000	12000	1	RMS	11848	-57.24	-25	Pass	9002
12000	27000	1	RMS	26001	-42.17	-25	Pass	15002




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	Pass	2986
30	1000	0.1	RMS	855.804	-59.66	-25	Pass	9701
1000	2525	1	RMS	2515	-46.31	-25	Pass	1526
2525	2665	1	RMS	2650.3	23.66	60	Pass	401
2665	3000	1	RMS	2954.775	-44.68	-25	Pass	401
3000	12000	1	RMS	7951	-53.71	-25	Pass	9002
12000	27000	1	RMS	25995	-42.23	-25	Pass	15002




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.84	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.62	-25	Pass	2986
30	1000	0.1	RMS	817.9	-59.7	-25	Pass	9701
1000	2525	1	RMS	2523	-46.25	-25	Pass	1526
2525	2665	1	RMS	2650.3	23.24	60	Pass	401
2665	3000	1	RMS	2955.613	-44.66	-25	Pass	401
3000	12000	1	RMS	7951	-54.2	-25	Pass	9002
12000	27000	1	RMS	26001	-42.21	-25	Pass	15002




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.55	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.22	-25	Pass	2986
30	1000	0.1	RMS	827.6	-59.69	-25	Pass	9701
1000	2525	1	RMS	2516	-36.72	-25	Pass	1526
2525	2665	1	RMS	2535.5	24.5	60	Pass	401
2665	3000	1	RMS	2957.288	-44.67	-25	Pass	401
3000	12000	1	RMS	7607	-55.76	-25	Pass	9002
12000	27000	1	RMS	25999	-42.25	-25	Pass	15002




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	Pass	2986
30	1000	0.1	RMS	840.9	-59.62	-25	Pass	9701
1000	2525	1	RMS	2518	-39.15	-25	Pass	1526
2525	2665	1	RMS	2535.15	22.41	60	Pass	401
2665	3000	1	RMS	2954.775	-44.7	-25	Pass	401
3000	12000	1	RMS	7607	-56.38	-25	Pass	9002
12000	27000	1	RMS	26002	-42.18	-25	Pass	15002



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.07	-25	Pass	2986
30	1000	0.1	RMS	845.4	-59.63	-25	Pass	9701
1000	2525	1	RMS	2516	-46.29	-25	Pass	1526
2525	2665	1	RMS	2590.45	22.98	60	Pass	401
2665	3000	1	RMS	2955.613	-44.7	-25	Pass	401
3000	12000	1	RMS	7772	-54.6	-25	Pass	9002
12000	27000	1	RMS	26000	-42.3	-25	Pass	15002



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.88	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.01	-25	Pass	2986
30	1000	0.1	RMS	902.335	-58.66	-25	Pass	9701
1000	2525	1	RMS	2505	-46.29	-25	Pass	1526
2525	2665	1	RMS	2590.45	23.9	60	Pass	401
2665	3000	1	RMS	2954.775	-44.7	-25	Pass	401
3000	12000	1	RMS	7771	-55.59	-25	Pass	9002
12000	27000	1	RMS	25999	-42.26	-25	Pass	15002



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	Pass	2986
30	1000	0.1	RMS	902.435	-59.4	-25	Pass	9701
1000	2525	1	RMS	2524	-46.27	-25	Pass	1526
2525	2665	1	RMS	2645.4	22.89	60	Pass	401
2665	3000	1	RMS	2665	-35.84	-25	Pass	401
3000	12000	1	RMS	7937	-52.97	-25	Pass	9002
12000	27000	1	RMS	26011	-42.32	-25	Pass	15002



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-25	Pass	2986
30	1000	0.1	RMS	845.1	-59.64	-25	Pass	9701
1000	2525	1	RMS	2525	-46.29	-25	Pass	1526
2525	2665	1	RMS	2645.4	22.93	60	Pass	401
2665	3000	1	RMS	2665	-36.85	-25	Pass	401
3000	12000	1	RMS	11856	-57.26	-25	Pass	9002
12000	27000	1	RMS	26012	-42.3	-25	Pass	15002



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.58	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.48	-25	Pass	2986
30	1000	0.1	RMS	843.5	-59.7	-25	Pass	9701
1000	2525	1	RMS	2522	-30.13	-25	Pass	1526
2525	2665	1	RMS	2535.5	23.75	60	Pass	401
2665	3000	1	RMS	2954.775	-44.69	-25	Pass	401
3000	12000	1	RMS	7607	-56.94	-25	Pass	9002
12000	27000	1	RMS	26001	-42.26	-25	Pass	15002



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.52	-25	Pass	401
0.15	30	0.01	RMS	0.61	-50.17	-25	Pass	2986
30	1000	0.1	RMS	853.203	-59.6	-25	Pass	9701
1000	2525	1	RMS	2522	-34.07	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.07	60	Pass	401
2665	3000	1	RMS	2957.288	-44.71	-25	Pass	401
3000	12000	1	RMS	7608	-57.1	-25	Pass	9002
12000	27000	1	RMS	26009	-42.31	-25	Pass	15002



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.69	-25	Pass	401
0.15	30	0.01	RMS	0.67	-54.3	-25	Pass	2986
30	1000	0.1	RMS	865.311	-59.62	-25	Pass	9701
1000	2525	1	RMS	2511	-46.11	-25	Pass	1526
2525	2665	1	RMS	2588.35	23.51	60	Pass	401
2665	3000	1	RMS	2950.588	-44.72	-25	Pass	401
3000	12000	1	RMS	7765	-52.32	-25	Pass	9002
12000	27000	1	RMS	26000	-42.24	-25	Pass	15002



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.88	-25	Pass	401
0.15	30	0.01	RMS	0.67	-48.76	-25	Pass	2986
30	1000	0.1	RMS	862.509	-59.58	-25	Pass	9701
1000	2525	1	RMS	2523	-46.17	-25	Pass	1526
2525	2665	1	RMS	2588	23.68	60	Pass	401
2665	3000	1	RMS	2951.425	-44.74	-25	Pass	401
3000	12000	1	RMS	7765	-53.88	-25	Pass	9002
12000	27000	1	RMS	25987	-42.25	-25	Pass	15002



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.36	-25	Pass	401
0.15	30	0.01	RMS	0.68	-56.71	-25	Pass	2986
30	1000	0.1	RMS	862.709	-59.6	-25	Pass	9701
1000	2525	1	RMS	2513	-46.27	-25	Pass	1526
2525	2665	1	RMS	2640.5	23.83	60	Pass	401
2665	3000	1	RMS	2667.513	-35.43	-25	Pass	401
3000	12000	1	RMS	7922	-55.05	-25	Pass	9002
12000	27000	1	RMS	25992	-42.22	-25	Pass	15002



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.75	-25	Pass	401
0.15	30	0.01	RMS	0.67	-56.98	-25	Pass	2986
30	1000	0.1	RMS	840.4	-59.62	-25	Pass	9701
1000	2525	1	RMS	2524	-46.21	-25	Pass	1526
2525	2665	1	RMS	2640.5	22.63	60	Pass	401
2665	3000	1	RMS	2666.675	-31.25	-25	Pass	401
3000	12000	1	RMS	7922	-56.08	-25	Pass	9002
12000	27000	1	RMS	25991	-42.28	-25	Pass	15002



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-62.92	-25	Pass	401
0.15	30	0.01	RMS	0.68	-50.09	-25	Pass	2986
30	1000	0.1	RMS	856.505	-59.73	-25	Pass	9701
1000	2525	1	RMS	2518	-29.55	-25	Pass	1526
2525	2665	1	RMS	2535.85	24.23	60	Pass	401
2665	3000	1	RMS	2956.45	-44.73	-25	Pass	401
3000	12000	1	RMS	7608	-56.37	-25	Pass	9002
12000	27000	1	RMS	25995	-42.3	-25	Pass	15002



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.59	-25	Pass	401
0.15	30	0.01	RMS	0.79	-59.23	-25	Pass	2986
30	1000	0.1	RMS	575.4	-58.9	-25	Pass	9701
1000	2525	1	RMS	2518	-28.61	-25	Pass	1526
2525	2665	1	RMS	2536.2	23.45	60	Pass	401
2665	3000	1	RMS	2957.288	-44.73	-25	Pass	401
3000	12000	1	RMS	11847	-57.33	-25	Pass	9002
12000	27000	1	RMS	25994	-42.31	-25	Pass	15002



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.09	-25	Pass	401
0.15	30	0.01	RMS	0.67	-56.11	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.62	-25	Pass	9701
1000	2525	1	RMS	2509	-46.15	-25	Pass	1526
2525	2665	1	RMS	2585.9	24.51	60	Pass	401
2665	3000	1	RMS	2956.45	-44.72	-25	Pass	401
3000	12000	1	RMS	7758	-53.03	-25	Pass	9002
12000	27000	1	RMS	25994	-42.31	-25	Pass	15002



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.61	-25	Pass	401
0.15	30	0.01	RMS	0.67	-54.41	-25	Pass	2986
30	1000	0.1	RMS	847.5	-59.8	-25	Pass	9701
1000	2525	1	RMS	2514	-45.84	-25	Pass	1526
2525	2665	1	RMS	2586.25	21.93	60	Pass	401
2665	3000	1	RMS	2949.75	-44.72	-25	Pass	401
3000	12000	1	RMS	7758	-55.78	-25	Pass	9002
12000	27000	1	RMS	26002	-42.26	-25	Pass	15002



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-63.09	-25	Pass	401
0.15	30	0.01	RMS	0.69	-62.63	-25	Pass	2986
30	1000	0.1	RMS	850.501	-59.69	-25	Pass	9701
1000	2525	1	RMS	2415	-46.12	-25	Pass	1526
2525	2665	1	RMS	2635.95	24.46	60	Pass	401
2665	3000	1	RMS	2671.7	-36.3	-25	Pass	401
3000	12000	1	RMS	7908	-55.04	-25	Pass	9002
12000	27000	1	RMS	26004	-42.19	-25	Pass	15002



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-64.1	-25	Pass	401
0.15	30	0.01	RMS	0.79	-55.29	-25	Pass	2986
30	1000	0.1	RMS	859.907	-59.77	-25	Pass	9701
1000	2525	1	RMS	2509	-46.2	-25	Pass	1526
2525	2680	1	RMS	2635.825	22.59	60	Pass	401
2680	3000	1	RMS	2956.8	-44.73	-25	Pass	401
3000	12000	1	RMS	7908	-54.92	-25	Pass	9002
12000	27000	1	RMS	25998	-42.25	-25	Pass	15002



9. LTE_Band66


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	824.6	-63.54	-13	Pass	9701
1000	1700	1	RMS	1699	-51.05	-13	Pass	701
1700	1790	1	RMS	1710.125	24.19	60	Pass	401
1790	3000	1	RMS	2957	-48.48	-13	Pass	1211
3000	12000	1	RMS	8551	-39.92	-13	Pass	9002
12000	20000	1	RMS	19404	-33.5	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.47	-13	Pass	2986
30	1000	0.1	RMS	857.806	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-51.45	-13	Pass	701
1700	1790	1	RMS	1710.125	23.2	60	Pass	401
1790	3000	1	RMS	2954	-48.45	-13	Pass	1211
3000	12000	1	RMS	8551	-40.64	-13	Pass	9002
12000	20000	1	RMS	19407	-33.54	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.48	-13	Pass	9701
1000	1700	1	RMS	1698	-52.22	-13	Pass	701
1700	1790	1	RMS	1744.325	24.06	60	Pass	401
1790	3000	1	RMS	2958	-48.45	-13	Pass	1211
3000	12000	1	RMS	8723	-40.98	-13	Pass	9002
12000	20000	1	RMS	19397	-33.54	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	838.8	-63.55	-13	Pass	9701
1000	1700	1	RMS	1690	-52.25	-13	Pass	701
1700	1790	1	RMS	1744.325	23.58	60	Pass	401
1790	3000	1	RMS	2950	-48.44	-13	Pass	1211
3000	12000	1	RMS	8723	-41.33	-13	Pass	9002
12000	20000	1	RMS	19410	-33.54	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.51	-13	Pass	9701
1000	1700	1	RMS	1686	-52.3	-13	Pass	701
1700	1790	1	RMS	1778.75	24.01	60	Pass	401
1790	3000	1	RMS	2958	-48.48	-13	Pass	1211
3000	12000	1	RMS	11847	-41.4	-13	Pass	9002
12000	20000	1	RMS	19403	-33.56	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.47	-13	Pass	9701
1000	1700	1	RMS	1699	-52.26	-13	Pass	701
1700	1790	1	RMS	1778.75	23.18	60	Pass	401
1790	3000	1	RMS	2951	-48.45	-13	Pass	1211
3000	12000	1	RMS	6962	-41.43	-13	Pass	9002
12000	20000	1	RMS	19399	-33.49	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1790	1	RMS	1710.125	23.94	60	Pass	401
1790	3000	1	RMS	2952	-48.42	-13	Pass	1211
3000	12000	1	RMS	8551	-39.8	-13	Pass	9002
12000	20000	1	RMS	19398	-33.54	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.76	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.38	-13	Pass	9701
1000	1700	1	RMS	1700	-51.3	-13	Pass	701
1700	1790	1	RMS	1710.125	22.92	60	Pass	401
1790	3000	1	RMS	2949	-48.45	-13	Pass	1211
3000	12000	1	RMS	8551	-40.52	-13	Pass	9002
12000	20000	1	RMS	19705	-33.44	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.39	-13	Pass	9701
1000	1700	1	RMS	1699	-52.26	-13	Pass	701
1700	1790	1	RMS	1743.65	23.98	60	Pass	401
1790	3000	1	RMS	2955	-48.45	-13	Pass	1211
3000	12000	1	RMS	8719	-40.98	-13	Pass	9002
12000	20000	1	RMS	19403	-33.48	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.36	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.55	-13	Pass	9701
1000	1700	1	RMS	1698	-52.24	-13	Pass	701
1700	1790	1	RMS	1743.65	23.29	60	Pass	401
1790	3000	1	RMS	2961	-48.43	-13	Pass	1211
3000	12000	1	RMS	8719	-41.22	-13	Pass	9002
12000	20000	1	RMS	19401	-33.49	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.99	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.44	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1790	1	RMS	1777.175	23.95	60	Pass	401
1790	3000	1	RMS	2948	-48.4	-13	Pass	1211
3000	12000	1	RMS	6960	-41.33	-13	Pass	9002
12000	20000	1	RMS	19407	-33.46	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-52.29	-13	Pass	701
1700	1790	1	RMS	1777.175	22.85	60	Pass	401
1790	3000	1	RMS	2957	-48.47	-13	Pass	1211
3000	12000	1	RMS	11853	-41.33	-13	Pass	9002
12000	20000	1	RMS	19402	-33.51	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.96	-13	Pass	2986
30	1000	0.1	RMS	847.6	-63.29	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1790	1	RMS	1710.125	23.52	60	Pass	401
1790	3000	1	RMS	2955	-48.43	-13	Pass	1211
3000	12000	1	RMS	8552	-40.17	-13	Pass	9002
12000	20000	1	RMS	19399	-33.57	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	847.3	-63.39	-13	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	Pass	701
1700	1790	1	RMS	1710.35	22.51	60	Pass	401
1790	3000	1	RMS	2951	-48.45	-13	Pass	1211
3000	12000	1	RMS	8552	-40.82	-13	Pass	9002
12000	20000	1	RMS	19401	-33.5	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.34	-13	Pass	9701
1000	1700	1	RMS	1699	-52.25	-13	Pass	701
1700	1790	1	RMS	1742.75	24.12	60	Pass	401
1790	3000	1	RMS	2957	-48.46	-13	Pass	1211
3000	12000	1	RMS	8714	-40.95	-13	Pass	9002
12000	20000	1	RMS	19400	-33.51	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.99	-13	Pass	2986
30	1000	0.1	RMS	846.2	-63.4	-13	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	Pass	701
1700	1790	1	RMS	1742.75	23.34	60	Pass	401
1790	3000	1	RMS	2950	-48.46	-13	Pass	1211
3000	12000	1	RMS	8714	-41.11	-13	Pass	9002
12000	20000	1	RMS	19402	-33.5	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.48	-13	Pass	9701
1000	1700	1	RMS	1696	-52.25	-13	Pass	701
1700	1790	1	RMS	1775.15	23.83	60	Pass	401
1790	3000	1	RMS	2948	-48.52	-13	Pass	1211
3000	12000	1	RMS	11948	-41.33	-13	Pass	9002
12000	20000	1	RMS	19707	-33.47	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	840.6	-63.52	-13	Pass	9701
1000	1700	1	RMS	1679	-52.27	-13	Pass	701
1700	1790	1	RMS	1775.15	22.76	60	Pass	401
1790	3000	1	RMS	2956	-48.46	-13	Pass	1211
3000	12000	1	RMS	6961	-41.41	-13	Pass	9002
12000	20000	1	RMS	19408	-33.51	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2986
30	1000	0.1	RMS	852.702	-63.5	-13	Pass	9701
1000	1700	1	RMS	1693	-40.99	-13	Pass	701
1700	1790	1	RMS	1710.575	23.8	60	Pass	401
1790	3000	1	RMS	2959	-48.46	-13	Pass	1211
3000	12000	1	RMS	8553	-39.78	-13	Pass	9002
12000	20000	1	RMS	19402	-33.46	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.5	-13	Pass	2986
30	1000	0.1	RMS	850.701	-63.36	-13	Pass	9701
1000	1700	1	RMS	1693	-43.67	-13	Pass	701
1700	1790	1	RMS	1710.575	22.92	60	Pass	401
1790	3000	1	RMS	2958	-48.48	-13	Pass	1211
3000	12000	1	RMS	8553	-40.68	-13	Pass	9002
12000	20000	1	RMS	19405	-33.49	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2986
30	1000	0.1	RMS	844.4	-63.32	-13	Pass	9701
1000	1700	1	RMS	1699	-52.19	-13	Pass	701
1700	1790	1	RMS	1740.5	24.15	60	Pass	401
1790	3000	1	RMS	2946	-48.48	-13	Pass	1211
3000	12000	1	RMS	8703	-40.42	-13	Pass	9002
12000	20000	1	RMS	19403	-33.51	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	1000	0.1	RMS	842.3	-63.5	-13	Pass	9701
1000	1700	1	RMS	1697	-52.19	-13	Pass	701
1700	1790	1	RMS	1740.5	23.39	60	Pass	401
1790	3000	1	RMS	2954	-48.48	-13	Pass	1211
3000	12000	1	RMS	8703	-40.89	-13	Pass	9002
12000	20000	1	RMS	19401	-33.48	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-52.26	-13	Pass	701
1700	1790	1	RMS	1770.425	24.03	60	Pass	401
1790	3000	1	RMS	2957	-48.48	-13	Pass	1211
3000	12000	1	RMS	11950	-41.34	-13	Pass	9002
12000	20000	1	RMS	19397	-33.54	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.27	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.41	-13	Pass	9701
1000	1700	1	RMS	1698	-52.24	-13	Pass	701
1700	1790	1	RMS	1770.425	23.16	60	Pass	401
1790	3000	1	RMS	2953	-48.48	-13	Pass	1211
3000	12000	1	RMS	11843	-41.41	-13	Pass	9002
12000	20000	1	RMS	19399	-33.44	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-13	Pass	2986
30	1000	0.1	RMS	865.611	-63.46	-13	Pass	9701
1000	1700	1	RMS	1698	-30.33	-13	Pass	701
1700	1790	1	RMS	1710.8	23.73	60	Pass	401
1790	3000	1	RMS	2951	-48.46	-13	Pass	1211
3000	12000	1	RMS	8554	-39.96	-13	Pass	9002
12000	20000	1	RMS	19400	-33.47	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2986
30	1000	0.1	RMS	844.5	-63.41	-13	Pass	9701
1000	1700	1	RMS	1698	-31.97	-13	Pass	701
1700	1790	1	RMS	1710.8	22.82	60	Pass	401
1790	3000	1	RMS	2957	-48.43	-13	Pass	1211
3000	12000	1	RMS	8554	-40.63	-13	Pass	9002
12000	20000	1	RMS	19401	-33.44	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	855.504	-63.34	-13	Pass	9701
1000	1700	1	RMS	1698	-52.19	-13	Pass	701
1700	1790	1	RMS	1738.25	23.94	60	Pass	401
1790	3000	1	RMS	2950	-48.41	-13	Pass	1211
3000	12000	1	RMS	8692	-40.76	-13	Pass	9002
12000	20000	1	RMS	19405	-33.48	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	Pass	2986
30	1000	0.1	RMS	865.911	-63.43	-13	Pass	9701
1000	1700	1	RMS	1699	-52.15	-13	Pass	701
1700	1790	1	RMS	1738.25	23.63	60	Pass	401
1790	3000	1	RMS	2949	-48.46	-13	Pass	1211
3000	12000	1	RMS	8692	-40.97	-13	Pass	9002
12000	20000	1	RMS	19404	-33.45	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	835	-63.41	-13	Pass	9701
1000	1700	1	RMS	1699	-52.24	-13	Pass	701
1700	1790	1	RMS	1765.7	23.97	60	Pass	401
1790	3000	1	RMS	1793	-42.5	-13	Pass	1211
3000	12000	1	RMS	11952	-41.28	-13	Pass	9002
12000	20000	1	RMS	19402	-33.49	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	859.807	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1765.7	22.69	60	Pass	401
1790	3000	1	RMS	1792	-45.29	-13	Pass	1211
3000	12000	1	RMS	11949	-41.33	-13	Pass	9002
12000	20000	1	RMS	19402	-33.54	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	834.8	-63.44	-13	Pass	9701
1000	1700	1	RMS	1693	-32.49	-13	Pass	701
1700	1790	1	RMS	1711.025	23.64	60	Pass	401
1790	3000	1	RMS	2954	-48.44	-13	Pass	1211
3000	12000	1	RMS	8555	-40.72	-13	Pass	9002
12000	20000	1	RMS	19399	-33.56	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2986
30	1000	0.1	RMS	845.2	-63.44	-13	Pass	9701
1000	1700	1	RMS	1693	-36.2	-13	Pass	701
1700	1790	1	RMS	1711.025	22.82	60	Pass	401
1790	3000	1	RMS	2948	-48.46	-13	Pass	1211
3000	12000	1	RMS	8555	-41.01	-13	Pass	9002
12000	20000	1	RMS	19404	-33.47	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	Pass	2986
30	1000	0.1	RMS	836.5	-63.34	-13	Pass	9701
1000	1700	1	RMS	1700	-41.08	-13	Pass	701
1700	1790	1	RMS	1736	24.07	60	Pass	401
1790	3000	1	RMS	2959	-48.44	-13	Pass	1211
3000	12000	1	RMS	8680	-41.02	-13	Pass	9002
12000	20000	1	RMS	19406	-33.51	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	Pass	2986
30	1000	0.1	RMS	844	-63.4	-13	Pass	9701
1000	1700	1	RMS	1700	-43.04	-13	Pass	701
1700	1790	1	RMS	1736	23.07	60	Pass	401
1790	3000	1	RMS	2953	-48.46	-13	Pass	1211
3000	12000	1	RMS	8680	-41.28	-13	Pass	9002
12000	20000	1	RMS	19402	-33.47	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	838.5	-63.34	-13	Pass	9701
1000	1700	1	RMS	1700	-52.17	-13	Pass	701
1700	1790	1	RMS	1760.975	24.09	60	Pass	401
1790	3000	1	RMS	1797	-45.36	-13	Pass	1211
3000	12000	1	RMS	11847	-41.34	-13	Pass	9002
12000	20000	1	RMS	19701	-33.49	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	Pass	2986
30	1000	0.1	RMS	835.1	-63.45	-13	Pass	9701
1000	1700	1	RMS	1700	-52.14	-13	Pass	701
1700	1790	1	RMS	1760.975	23.16	60	Pass	401
1790	3000	1	RMS	1797	-42.37	-13	Pass	1211
3000	12000	1	RMS	11840	-41.34	-13	Pass	9002
12000	20000	1	RMS	19404	-33.46	-13	Pass	8001



--BLANK BELOW--