



FCC RF Test Report

APPLICANT : vivo Mobile Communication Co., Ltd.
EQUIPMENT : Mobile Phone
BRAND NAME : vivo
MODEL NAME : V2520
FCC ID : 2AUCY-V2520
STANDARD : 47 CFR Part 22(H), 24(E), 27(L)
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)
TEST DATE(S) : Jul. 18, 2025 ~ Aug. 01, 2025

We, Sporton International Inc. (Shenzhen), would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Shenzhen), the test report shall not be reproduced except in full.

Fly Liang

Approved by: Fly Liang



Sporton International Inc. (ShenZhen)

1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055

People's Republic of China



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Manufacturer	5
1.3 Product Feature of Equipment Under Test	5
1.4 Product Specification of Equipment Under Test	6
1.5 Modification of EUT	7
1.6 Maximum ERP/EIRP and Emission Designator	7
1.7 Testing Location	9
1.8 Test Software	9
1.9 Applicable Standards	9
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	10
2.1 Test Mode	10
2.2 Connection Diagram of Test System	11
2.3 Support Unit used in test configuration and system	11
2.4 Measurement Results Explanation Example	11
2.5 Frequency List of Low/Middle/High Channels	12
3 CONDUCTED TEST ITEMS	14
3.1 Measuring Instruments	14
3.2 Test Setup	14
3.3 Test Result of Conducted Test	14
3.4 Conducted Output Power and ERP/EIRP	15
3.5 Peak-to-Average Ratio	16
3.6 Occupied Bandwidth	17
3.7 Conducted Band Edge	18
3.8 Conducted Spurious Emission	20
3.9 Frequency Stability	21
4 RADIATED TEST ITEMS	22
4.1 Measuring Instruments	22
4.2 Test Setup	22
4.3 Test Result of Radiated Test	23
4.4 Radiated Spurious Emission	24
5 LIST OF MEASURING EQUIPMENT	25
6 MEASUREMENT UNCERTAINTY	26
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG570112B	Rev. 01	Initial issue of report	Aug. 12, 2025

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	-	Report Only	-
	§22.913(a)(5)	Effective Radiated Power (Band 5) (Band 26)	ERP < 7 Watt	PASS	-
	§24.232(c)	Equivalent Isotropic Radiated Power (Band 2)	EIRP < 2Watt		-
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)	EIRP < 1Watt		-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	-	Report Only	-
3.7	§2.1051 §22.917(a) §24.238(a) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 26) (Band 66)	< 43+10log ₁₀ (P[Watts])	PASS	-
3.8	§2.1051 §22.917(a) §24.238(a) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 26) (Band 66)	< 43+10log ₁₀ (P[Watts])	PASS	-
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22	PASS	-
	§2.1055 §24.235 §27.54		Within Authorized Band		
4.4	§2.1053 §22.917(a) §24.238(a) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 26) (Band 66)	< 43+10log ₁₀ (P[Watts])	PASS	Under limit 41.89 dB at 7484.00 MHz

Conformity Assessment Condition:

- The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
- The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty"

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.



1 General Description

1.1 Applicant

vivo Mobile Communication Co., Ltd.

No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

1.2 Manufacturer

vivo Mobile Communication Co., Ltd.

No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Phone
Brand Name	vivo
Model Name	V2520
FCC ID	2AUCY-V2520
IMEI Code / SN	Conducted: 10AF761EFS00147 Radiation: 868458089976758/868458089976741
HW Version	MP_0.1
SW Version	PD2510F_EX_A_15.0.6.3.W30
EUT Stage	Production Unit

Remark: The above EUT's information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.



1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Band 2: 1850 MHz ~ 1910 MHz LTE Band 4: 1710 MHz ~ 1755 MHz LTE Band 5: 824 MHz ~ 849 MHz LTE Band 26: 824 MHz ~ 849 MHz LTE Band 66: 1710 MHz ~ 1780 MHz
Rx Frequency	LTE Band 2: 1930 MHz ~ 1990 MHz LTE Band 4: 2110 MHz ~ 2155 MHz LTE Band 5: 869 MHz ~ 894 MHz LTE Band 26: 869 MHz ~ 894 MHz LTE Band 66: 2110 MHz ~ 2180 MHz
Bandwidth	LTE Band 2: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 26: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz LTE Band 66: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	<Ant.13> LTE Band 2: 23.77 dBm LTE Band 4: 23.78 dBm LTE Band 5: 23.92 dBm LTE Band 26: 23.45 dBm LTE Band 66: 23.87 dBm <Ant.31> LTE Band 2: 23.69 dBm LTE Band 4: 23.66 dBm LTE Band 5: 23.90 dBm LTE Band 26: 23.35 dBm LTE Band 66: 23.72 dBm
Antenna Gain	<Ant.13> LTE Band 2: -1.71 dBi LTE Band 4: -0.51 dBi LTE Band 5: -2.01 dBi LTE Band 26: -2.01 dBi LTE Band 66: -0.51 dBi <Ant.31> LTE Band 2: -1.44 dBi LTE Band 4: -1.48 dBi LTE Band 5: -2.58 dBi LTE Band 26: -2.58 dBi LTE Band 66: -1.48 dBi
Type of Modulation	QPSK / 16QAM / 64QAM

Note:

1. The maximum EIRP is calculated from max output power and max antenna gain, so only the maximum EIRP of Antenna 13 for LTE Band 4/5/26/66 and Antenna 31 for LTE Band 2 is shown in the report.
2. For LTE bands, only the test data of Ant.13 are showed in the report according to the maximum conducted power for conducted test items.

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum ERP/EIRP and Emission Designator

LTE Band 2		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
1.4	1850.7 ~ 1909.3	0.1675	1M09G7D	0.1324	1M09W7D
3	1851.5 ~ 1908.5	0.1663	2M71G7D	0.1330	2M72W7D
5	1852.5 ~ 1907.5	0.1663	4M48G7D	0.1324	4M47W7D
10	1855.0 ~ 1905.0	0.1663	9M01G7D	0.1327	9M01W7D
15	1857.5 ~ 1902.5	0.1667	13M5G7D	0.1327	13M5W7D
20	1860.0 ~ 1900.0	0.1679	17M9G7D	0.1337	17M9W7D
LTE Band 4		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
1.4	1710.7 ~ 1754.3	0.2099	1M10G7D	0.1687	1M09W7D
3	1711.5 ~ 1753.5	0.2099	2M76G7D	0.1718	2M73W7D
5	1712.5 ~ 1752.5	0.2113	4M47G7D	0.1683	4M47W7D
10	1715.0 ~ 1750.0	0.2109	9M05G7D	0.1702	9M03W7D
15	1717.5 ~ 1747.5	0.2094	13M5G7D	0.1690	13M4W7D
20	1720.0 ~ 1745.0	0.2123	17M9G7D	0.1722	17M9W7D
LTE Band 5		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum ERP(W)	Emission Designator (99%OBW)	Maximum ERP(W)	Emission Designator (99%OBW)
1.4	824.7 ~ 848.3	0.0940	1M09G7D	0.0713	1M10W7D
3	825.5 ~ 847.5	0.0935	2M73G7D	0.0721	2M70W7D
5	826.5 ~ 846.5	0.0938	4M50G7D	0.0724	4M50W7D
10	829.0 ~ 844.0	0.0946	9M03G7D	0.0728	8M99W7D

LTE Band 26		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum ERP(W)	Emission Designator (99%OBW)	Maximum ERP(W)	Emission Designator (99%OBW)
1.4	824.7 ~ 848.3	0.0836	1M09G7D	0.0698	1M10W7D
3	825.5 ~ 847.5	0.0836	2M73G7D	0.0701	2M70W7D
5	826.5 ~ 846.5	0.0841	4M50G7D	0.0700	4M50W7D
10	829.0 ~ 844.0	0.0847	9M03G7D	0.0695	8M99W7D
15	831.5 ~ 841.5	0.0849	13M4G7D	0.0706	13M5W7D
CH26790	824.0	0.0830	13M5G7D	0.0652	13M5W7D
LTE Band 66		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
1.4	1710.7 ~ 1779.3	0.2080	1M10G7D	0.1959	1M09W7D
3	1711.5 ~ 1778.5	0.2075	2M76G7D	0.1950	2M73W7D
5	1712.5 ~ 1777.5	0.2089	4M47G7D	0.1959	4M47W7D
10	1715.0 ~ 1775.0	0.2056	9M05G7D	0.1954	9M03W7D
15	1717.5 ~ 1772.5	0.2070	13M5G7D	0.1959	13M4W7D
20	1720.0 ~ 1770.0	0.2168	17M9G7D	0.1968	17M9W7D

Note:

1. LTE Band 66 overlaps the entire frequency range of LTE Band 4. Therefore, the test results provided in this report covers Band 66 as well as Band 4.
2. All modulations have been tested, and only the worst test results of PSK & QAM are shown in the report.

1.7 Testing Location

Sporton International Inc. (ShenZhen) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	101, 1st Floor, Block B, Building 1, No. 2, Tengfeng 4th Road, Fenghuang Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province 518103 People's Republic of China TEL: +86-755-86066985		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ 03CH02-SZ	CN1256	421272

1.8 Test Software

Item	Site	Manufacture	Name	Version
1.	03CH02-SZ	AUDIX	E3	6.2009-8-24a

1.9 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 22(H), 24(E), 27(L)
- ♦ ANSI C63.26-2015
- ♦ FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode


Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Test Items	Band	Bandwidth (MHz)						Modulation				RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16 QAM	64 QAM	256 QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	-	v	v	v	v	v	v
	26	v	v	v	v	v	-	v	v	v	-	v	v	v	v	v	v
	66	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
Peak-to-Average Ratio	2						v	v	v	v	-			v		v	
	5				v	-	-	v	v	v				v		v	
	26					v	-	v	v	v	-			v		v	
	66						v	v	v	v	-			v		v	
26dB and 99% Bandwidth	2	v	v	v	v	v	v	v	v		-			v		v	
	5	v	v	v	v	-	-	v	v					v		v	
	26	v	v	v	v	v	-	v	v		-			v		v	
	66	v	v	v	v	v	v	v	v		-			v		v	
Conducted Band Edge	2	v	v	v	v	v	v	v	v	v	-	v		v	v		v
	5	v	v	v	v	-	-	v	v	v		v		v	v		v
	26	v	v	v	v	v	-	v	v	v	-	v		v	v		v
	66	v	v	v	v	v	v	v	v	v	-	v		v	v		v
Conducted Spurious Emission	2	v	v	v	v	v	v	v			-	v			v	v	v
	5	v	v	v	v	-	-	v				v			v	v	v
	26	v	v	v	v	v	-	v			-	v			v	v	v
	66	v	v	v	v	v	v	v			-	v			v	v	v
Frequency Stability	2				v			v			-			v		v	
	5				v	-	-	v						v		v	
	26				v		-	v			-			v		v	
	66				v			v			-			v		v	
E.R.P / E.I.R.P	2	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	-	v	v	v	v	v	v
	26	v	v	v	v	v	-	v	v	v	-	v	v	v	v	v	v
	66	v	v	v	v	v	v	v	v	v	-	v	v	v	v	v	v
Radiated Spurious Emission	2	Worst Case														v	
	5	Worst Case														v	
	26	Worst Case														v	
	66	Worst Case														v	
Note	1. The mark “v ” means that this configuration is chosen for testing 2. The mark “-” means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions																

are reported.

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	Power Supply	GWINSTEK	PSS-2002	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 4.5 dB and 10dB attenuator.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)} \\ &= 4.5 + 10 = 14.5 \text{ (dB)} \end{aligned}$$



2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3

LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3



LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3

LTE Band 26 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup


3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth, Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.

3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5 and Band 26.

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4 and Band 66.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured.
3. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Beyond the 1 MHz band from the band edge, RBW=1MHz was used.
5. Set spectrum analyzer with RMS detector.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
7. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$= P(W) - [43 + 10\log(P)] \text{ (dB)}$

$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)} = -13\text{dBm}.$

8. When using the integration method, the starting frequency of the integration shall be centered at one-half of the RBW away from the band edge.

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13\text{dBm}$.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup


4.2.1 For radiated test below 30MHz



4.2.2 For radiated test from 30MHz to 1GHz



4.2.3 For radiated test above 1GHz



4.3 Test Result of Radiated Test

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

Please refer to Appendix B.

4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$
11. $ERP \text{ (dBm)} = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150213	10Hz~44GHz	Jul. 03, 2025	Jul. 20, 2025	Jul. 02, 2026	Radiation (03CH02-SZ)
Loop Antenna	R&S	HFH2-Z2E	101141	9kHz~30MHz	Dec. 28, 2024	Jul. 20, 2025	Dec. 27, 2025	Radiation (03CH02-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz~2GHz	Oct. 24, 2023	Jul. 20, 2025	Oct. 23, 2025	Radiation (03CH02-SZ)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00119436	1GHz~18GHz	Jul. 04, 2025	Jul. 20, 2025	Jul. 04, 2026	Radiation (03CH02-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 03, 2025	Jul. 20, 2025	Jul. 03, 2026	Radiation (03CH02-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18GHz~40GHz	Apr. 03, 2025	Jul. 20, 2025	Apr. 02, 2027	Radiation (03CH02-SZ)
LF Amplifier	EM Electronics	EM330	060788	20MHz~3GHz	Dec. 25, 2024	Jul. 20, 2025	Dec. 24, 2025	Radiation (03CH02-SZ)
HF Amplifier	MITEQ	AMF-7D-00 101800-30-1 0P-R	1943528	1GHz~18GHz	Oct. 14, 2024	Jul. 20, 2025	Oct. 13, 2025	Radiation (03CH02-SZ)
HF Amplifier	KEYSIGHT	83017A	MY53270105	0.5GHz~26.5GHz	Oct. 14, 2024	Jul. 20, 2025	Oct. 13, 2025	Radiation (03CH02-SZ)
AC Power Source	Chroma	61601	616010003043	N/A	Oct. 18, 2024	Jul. 20, 2025	Oct. 17, 2025	Radiation (03CH02-SZ)
Turn Table	Chaintek	T-200	N/A	0~360 degree	NCR	Jul. 20, 2025	NCR	Radiation (03CH02-SZ)
Antenna Mast	Chaintek	MBS-400	N/A	1 m~4 m	NCR	Jul. 20, 2025	NCR	Radiation (03CH02-SZ)
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 02, 2025	Jul. 18, 2025~ Aug. 01, 2025	Apr. 01, 2026	Conducted (TH01-SZ)
DC Power Supply	TTI	PL330P	290070	Max 32V , 3A	Oct.14,2024	Jul. 18, 2025~ Aug. 01, 2025	Oct. 13, 2025	Conducted (TH01-SZ)
Power Divider	Titan	P02N00518 0	923402	0.4GHz~26.5GHz	Nov. 08, 2024	Jul. 18, 2025~ Aug. 01, 2025	Nov. 07, 2025	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Jul. 02, 2025	Jul. 18, 2025~ Aug. 01, 2025	Jul. 01, 2026	Conducted (TH01-SZ)

NCR: No Calibration Required

6 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	± 1.34 dB
Occupied Channel Bandwidth	± 0.012 MHz
Conducted Power	± 1.34 dB
Peak to Average Ratio	± 1.34 dB
Frequency Stability	± 1.3 Hz

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2U_c(y)$)	2.47dB
--	--------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2U_c(y)$)	3.31dB
--	--------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2U_c(y)$)	3.72dB
--	--------

----- THE END -----



Appendix A. Test Results of Conducted Test

Test Engineer :	Lorenzo Liu	Temperature :	24~26℃
		Relative Humidity :	50~53%

Conducted Output Power(Average power) and EIRP/ERP

LTE Band 2_ANT31

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	EIRP(W)		
Channel				18700	18900	19100			
Frequency (MHz)				1860	1880	1900	L	M	H
20	QPSK	1	0	23.65	23.69	23.62	0.1663	0.1679	0.1652
20	QPSK	1	49	23.62	23.53	23.57	0.1652	0.1618	0.1633
20	QPSK	1	99	23.61	23.57	23.55	0.1648	0.1633	0.1626
20	QPSK	50	0	22.60	22.68	22.66	0.1306	0.1330	0.1324
20	QPSK	50	24	22.55	22.42	22.50	0.1291	0.1253	0.1276
20	QPSK	50	50	22.52	22.63	22.62	0.1282	0.1315	0.1312
20	QPSK	100	0	22.57	22.59	22.44	0.1297	0.1303	0.1259
20	16QAM	1	0	22.68	22.60	22.62	0.1330	0.1306	0.1312
20	16QAM	1	49	22.70	22.58	22.53	0.1337	0.1300	0.1285
20	16QAM	1	99	22.62	22.65	22.58	0.1312	0.1321	0.1300
20	16QAM	50	0	21.68	21.74	21.62	0.1057	0.1072	0.1042
20	16QAM	50	24	21.76	21.66	21.62	0.1076	0.1052	0.1042
20	16QAM	50	50	21.72	21.63	21.66	0.1067	0.1045	0.1052
20	16QAM	100	0	21.72	21.65	21.58	0.1067	0.1050	0.1033
20	64QAM	1	0	21.80	21.62	21.66	0.1086	0.1042	0.1052
20	64QAM	1	49	21.83	21.73	21.87	0.1094	0.1069	0.1104
20	64QAM	1	99	21.65	21.62	21.86	0.1050	0.1042	0.1102
20	64QAM	50	0	20.32	20.20	20.25	0.0773	0.0752	0.0760
20	64QAM	50	24	20.24	20.20	20.11	0.0759	0.0752	0.0736
20	64QAM	50	50	20.32	20.30	20.20	0.0773	0.0769	0.0752
20	64QAM	100	0	20.33	20.18	20.14	0.0774	0.0748	0.0741
Channel				18675	18900	19125	EIRP(W)		
Frequency (MHz)				1857.5	1880	1902.5	L	M	H
15	QPSK	1	0	23.59	23.66	23.54	0.1641	0.1667	0.1622
15	QPSK	1	37	23.60	23.51	23.53	0.1644	0.1611	0.1618
15	QPSK	1	74	23.60	23.56	23.47	0.1644	0.1629	0.1596
15	QPSK	36	0	22.52	22.63	22.63	0.1282	0.1315	0.1315
15	QPSK	36	20	22.52	22.32	22.40	0.1282	0.1225	0.1247
15	QPSK	36	39	22.49	22.59	22.53	0.1274	0.1303	0.1285
15	QPSK	75	0	22.48	22.55	22.34	0.1271	0.1291	0.1230
15	16QAM	1	0	22.67	22.54	22.61	0.1327	0.1288	0.1309
15	16QAM	1	37	22.67	22.53	22.46	0.1327	0.1285	0.1265
15	16QAM	1	74	22.58	22.60	22.54	0.1300	0.1306	0.1288
15	16QAM	36	0	21.59	21.69	21.56	0.1035	0.1059	0.1028
15	16QAM	36	20	21.71	21.62	21.55	0.1064	0.1042	0.1026



15	16QAM	36	39	21.68	21.53	21.60	0.1057	0.1021	0.1038
15	16QAM	75	0	21.70	21.58	21.53	0.1062	0.1033	0.1021
15	64QAM	1	0	21.77	21.55	21.63	0.1079	0.1026	0.1045
15	64QAM	1	37	21.78	21.68	21.80	0.1081	0.1057	0.1086
15	64QAM	1	74	21.59	21.52	21.80	0.1035	0.1019	0.1086
15	64QAM	36	0	20.31	20.15	20.15	0.0771	0.0743	0.0743
15	64QAM	36	20	20.18	20.18	20.02	0.0748	0.0748	0.0721
15	64QAM	36	39	20.30	20.23	20.12	0.0769	0.0757	0.0738
15	64QAM	75	0	20.29	20.16	20.08	0.0767	0.0745	0.0731
Channel				18650	18900	19150	EIRP(W)		
Frequency (MHz)				1855	1880	1905	L	M	H
10	QPSK	1	0	23.59	23.65	23.56	0.1641	0.1663	0.1629
10	QPSK	1	25	23.53	23.44	23.47	0.1618	0.1585	0.1596
10	QPSK	1	49	23.55	23.55	23.47	0.1626	0.1626	0.1596
10	QPSK	25	0	22.51	22.63	22.65	0.1279	0.1315	0.1321
10	QPSK	25	12	22.47	22.33	22.40	0.1268	0.1227	0.1247
10	QPSK	25	25	22.48	22.61	22.57	0.1271	0.1309	0.1297
10	QPSK	50	0	22.56	22.55	22.40	0.1294	0.1291	0.1247
10	16QAM	1	0	22.67	22.57	22.56	0.1327	0.1297	0.1294
10	16QAM	1	25	22.65	22.57	22.46	0.1321	0.1297	0.1265
10	16QAM	1	49	22.57	22.63	22.52	0.1297	0.1315	0.1282
10	16QAM	25	0	21.66	21.68	21.53	0.1052	0.1057	0.1021
10	16QAM	25	12	21.71	21.56	21.54	0.1064	0.1028	0.1023
10	16QAM	25	25	21.63	21.62	21.64	0.1045	0.1042	0.1047
10	16QAM	50	0	21.68	21.55	21.57	0.1057	0.1026	0.1030
10	64QAM	1	0	21.75	21.53	21.60	0.1074	0.1021	0.1038
10	64QAM	1	25	21.78	21.71	21.79	0.1081	0.1064	0.1084
10	64QAM	1	49	21.64	21.53	21.84	0.1047	0.1021	0.1096
10	64QAM	25	0	20.31	20.17	20.22	0.0771	0.0746	0.0755
10	64QAM	25	12	20.23	20.19	20.10	0.0757	0.0750	0.0735
10	64QAM	25	25	20.25	20.23	20.13	0.0760	0.0757	0.0740
10	64QAM	50	0	20.24	20.14	20.10	0.0759	0.0741	0.0735
Channel				18625	18900	19175	EIRP(W)		
Frequency (MHz)				1852.5	1880	1907.5	L	M	H
5	QPSK	1	0	23.58	23.65	23.55	0.1637	0.1663	0.1626
5	QPSK	1	12	23.55	23.44	23.56	0.1626	0.1585	0.1629
5	QPSK	1	24	23.53	23.51	23.53	0.1618	0.1611	0.1618
5	QPSK	12	0	22.58	22.65	22.58	0.1300	0.1321	0.1300
5	QPSK	12	7	22.45	22.34	22.43	0.1262	0.1230	0.1256
5	QPSK	12	13	22.49	22.55	22.57	0.1274	0.1291	0.1297
5	QPSK	25	0	22.54	22.51	22.35	0.1288	0.1279	0.1233
5	16QAM	1	0	22.63	22.59	22.61	0.1315	0.1303	0.1309
5	16QAM	1	12	22.66	22.51	22.52	0.1324	0.1279	0.1282
5	16QAM	1	24	22.56	22.61	22.53	0.1294	0.1309	0.1285
5	16QAM	12	0	21.66	21.71	21.53	0.1052	0.1064	0.1021
5	16QAM	12	7	21.66	21.58	21.55	0.1052	0.1033	0.1026
5	16QAM	12	13	21.63	21.59	21.58	0.1045	0.1035	0.1033
5	16QAM	25	0	21.65	21.59	21.56	0.1050	0.1035	0.1028
5	64QAM	1	0	21.72	21.53	21.63	0.1067	0.1021	0.1045
5	64QAM	1	12	21.78	21.65	21.85	0.1081	0.1050	0.1099
5	64QAM	1	24	21.64	21.54	21.84	0.1047	0.1023	0.1096



5	64QAM	12	0	20.28	20.14	20.21	0.0766	0.0741	0.0753
5	64QAM	12	7	20.14	20.11	20.06	0.0741	0.0736	0.0728
5	64QAM	12	13	20.25	20.20	20.18	0.0760	0.0752	0.0748
5	64QAM	25	0	20.32	20.14	20.06	0.0773	0.0741	0.0728
Channel				18615	18900	19185	EIRP(W)		
Frequency (MHz)				1851.5	1880	1908.5	L	M	H
3	QPSK	1	0	23.59	23.65	23.61	0.1641	0.1663	0.1648
3	QPSK	1	8	23.59	23.45	23.52	0.1641	0.1589	0.1614
3	QPSK	1	14	23.59	23.47	23.50	0.1641	0.1596	0.1607
3	QPSK	8	0	22.53	22.66	22.58	0.1285	0.1324	0.1300
3	QPSK	8	4	22.45	22.40	22.44	0.1262	0.1247	0.1259
3	QPSK	8	7	22.45	22.56	22.56	0.1262	0.1294	0.1294
3	QPSK	15	0	22.56	22.53	22.36	0.1294	0.1285	0.1236
3	16QAM	1	0	22.58	22.55	22.56	0.1300	0.1291	0.1294
3	16QAM	1	8	22.68	22.53	22.47	0.1330	0.1285	0.1268
3	16QAM	1	14	22.55	22.63	22.51	0.1291	0.1315	0.1279
3	16QAM	8	0	21.60	21.69	21.60	0.1038	0.1059	0.1038
3	16QAM	8	4	21.71	21.57	21.57	0.1064	0.1030	0.1030
3	16QAM	8	7	21.70	21.62	21.65	0.1062	0.1042	0.1050
3	16QAM	15	0	21.62	21.62	21.56	0.1042	0.1042	0.1028
3	64QAM	1	0	21.72	21.54	21.56	0.1067	0.1023	0.1028
3	64QAM	1	8	21.79	21.69	21.79	0.1084	0.1059	0.1084
3	64QAM	1	14	21.57	21.55	21.81	0.1030	0.1026	0.1089
3	64QAM	8	0	20.30	20.16	20.24	0.0769	0.0745	0.0759
3	64QAM	8	4	20.23	20.10	20.02	0.0757	0.0735	0.0721
3	64QAM	8	7	20.27	20.22	20.16	0.0764	0.0755	0.0745
3	64QAM	15	0	20.31	20.09	20.07	0.0771	0.0733	0.0729
Channel				18607	18900	19193	EIRP(W)		
Frequency (MHz)				1850.7	1880	1909.3	L	M	H
1.4	QPSK	1	0	23.63	23.68	23.55	0.1656	0.1675	0.1626
1.4	QPSK	1	3	23.58	23.44	23.54	0.1637	0.1585	0.1622
1.4	QPSK	1	5	23.54	23.53	23.53	0.1622	0.1618	0.1618
1.4	QPSK	3	0	23.56	23.59	23.53	0.1629	0.1641	0.1618
1.4	QPSK	3	1	23.56	23.43	23.44	0.1629	0.1581	0.1585
1.4	QPSK	3	3	23.53	23.45	23.49	0.1618	0.1589	0.1603
1.4	QPSK	6	0	22.49	22.51	22.37	0.1274	0.1279	0.1239
1.4	16QAM	1	0	22.60	22.52	22.54	0.1306	0.1282	0.1288
1.4	16QAM	1	3	22.66	22.51	22.51	0.1324	0.1279	0.1279
1.4	16QAM	1	5	22.54	22.59	22.48	0.1288	0.1303	0.1271
1.4	16QAM	3	0	22.50	22.49	22.47	0.1276	0.1274	0.1268
1.4	16QAM	3	1	22.59	22.44	22.45	0.1303	0.1259	0.1262
1.4	16QAM	3	3	22.46	22.49	22.45	0.1265	0.1274	0.1262
1.4	16QAM	6	0	21.66	21.55	21.51	0.1052	0.1026	0.1016
1.4	64QAM	1	0	21.77	21.57	21.59	0.1079	0.1030	0.1035
1.4	64QAM	1	3	21.79	21.67	21.78	0.1084	0.1054	0.1081
1.4	64QAM	1	5	21.61	21.55	21.84	0.1040	0.1026	0.1096
1.4	64QAM	3	0	21.68	21.50	21.53	0.1057	0.1014	0.1021
1.4	64QAM	3	1	21.69	21.61	21.75	0.1059	0.1040	0.1074
1.4	64QAM	3	3	21.54	21.50	21.75	0.1023	0.1014	0.1074
1.4	64QAM	6	0	20.23	20.09	20.12	0.0757	0.0733	0.0738



LTE Band 4_ANT13

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	EIRP(W)		
Channel				20050	20175	20300			
Frequency (MHz)				1720	1732.5	1745	L	M	H
20	QPSK	1	0	23.77	23.78	23.60	0.2118	0.2123	0.2037
20	QPSK	1	49	23.66	23.72	23.54	0.2065	0.2094	0.2009
20	QPSK	1	99	23.72	23.73	23.58	0.2094	0.2099	0.2028
20	QPSK	50	0	22.56	22.65	22.60	0.1603	0.1637	0.1618
20	QPSK	50	24	22.50	22.63	22.57	0.1581	0.1629	0.1607
20	QPSK	50	50	22.48	22.40	22.55	0.1574	0.1545	0.1600
20	QPSK	100	0	22.43	22.58	22.54	0.1556	0.1611	0.1596
20	16QAM	1	0	22.78	22.87	22.80	0.1687	0.1722	0.1694
20	16QAM	1	49	22.71	22.76	22.72	0.1660	0.1679	0.1663
20	16QAM	1	99	22.66	22.79	22.73	0.1641	0.1690	0.1667
20	16QAM	50	0	21.68	21.61	21.69	0.1309	0.1288	0.1312
20	16QAM	50	24	21.66	21.66	21.61	0.1303	0.1303	0.1288
20	16QAM	50	50	21.55	21.50	21.62	0.1271	0.1256	0.1291
20	16QAM	100	0	21.71	21.59	21.71	0.1318	0.1282	0.1318
20	64QAM	1	0	21.70	21.90	21.75	0.1315	0.1377	0.1330
20	64QAM	1	49	21.81	21.88	21.80	0.1349	0.1371	0.1346
20	64QAM	1	99	21.88	21.79	21.82	0.1371	0.1343	0.1352
20	64QAM	50	0	20.31	20.28	20.21	0.0955	0.0948	0.0933
20	64QAM	50	24	20.30	20.19	20.12	0.0953	0.0929	0.0914
20	64QAM	50	50	20.19	20.10	20.22	0.0929	0.0910	0.0935
20	64QAM	100	0	20.15	20.13	20.08	0.0920	0.0916	0.0906
Channel				20025	20175	20325	EIRP(W)		
Frequency (MHz)				1717.5	1732.5	1747.5	L	M	H
15	QPSK	1	0	23.68	23.72	23.52	0.2075	0.2094	0.2000
15	QPSK	1	37	23.65	23.62	23.47	0.2061	0.2046	0.1977
15	QPSK	1	74	23.70	23.69	23.55	0.2084	0.2080	0.2014
15	QPSK	36	0	22.49	22.55	22.51	0.1578	0.1600	0.1585
15	QPSK	36	20	22.44	22.58	22.52	0.1560	0.1611	0.1589
15	QPSK	36	39	22.46	22.38	22.49	0.1567	0.1538	0.1578
15	QPSK	75	0	22.36	22.48	22.44	0.1531	0.1574	0.1560
15	16QAM	1	0	22.72	22.79	22.71	0.1663	0.1690	0.1660
15	16QAM	1	37	22.69	22.73	22.65	0.1652	0.1667	0.1637
15	16QAM	1	74	22.57	22.70	22.63	0.1607	0.1656	0.1629
15	16QAM	36	0	21.58	21.56	21.64	0.1279	0.1274	0.1297
15	16QAM	36	20	21.61	21.64	21.60	0.1288	0.1297	0.1285
15	16QAM	36	39	21.54	21.45	21.61	0.1268	0.1242	0.1288
15	16QAM	75	0	21.66	21.58	21.65	0.1303	0.1279	0.1300
15	64QAM	1	0	21.60	21.82	21.69	0.1285	0.1352	0.1312
15	64QAM	1	37	21.71	21.84	21.75	0.1318	0.1358	0.1330
15	64QAM	1	74	21.79	21.78	21.73	0.1343	0.1340	0.1324
15	64QAM	36	0	20.28	20.24	20.18	0.0948	0.0940	0.0927
15	64QAM	36	20	20.24	20.16	20.04	0.0940	0.0923	0.0897
15	64QAM	36	39	20.17	20.05	20.18	0.0925	0.0899	0.0927
15	64QAM	75	0	20.05	20.11	20.04	0.0899	0.0912	0.0897



Channel				20000	20175	20350	EIRP(W)		
Frequency (MHz)				1715	1732.5	1750	L	M	H
10	QPSK	1	0	23.75	23.72	23.57	0.2109	0.2094	0.2023
10	QPSK	1	25	23.61	23.71	23.44	0.2042	0.2089	0.1963
10	QPSK	1	49	23.66	23.67	23.50	0.2065	0.2070	0.1991
10	QPSK	25	0	22.49	22.55	22.50	0.1578	0.1600	0.1581
10	QPSK	25	12	22.43	22.60	22.56	0.1556	0.1618	0.1603
10	QPSK	25	25	22.38	22.31	22.47	0.1538	0.1514	0.1570
10	QPSK	50	0	22.33	22.48	22.44	0.1521	0.1574	0.1560
10	16QAM	1	0	22.77	22.82	22.71	0.1683	0.1702	0.1660
10	16QAM	1	25	22.69	22.75	22.64	0.1652	0.1675	0.1633
10	16QAM	1	49	22.62	22.74	22.65	0.1626	0.1671	0.1637
10	16QAM	25	0	21.60	21.51	21.67	0.1285	0.1259	0.1306
10	16QAM	25	12	21.58	21.63	21.54	0.1279	0.1294	0.1268
10	16QAM	25	25	21.49	21.49	21.61	0.1253	0.1253	0.1288
10	16QAM	50	0	21.66	21.57	21.61	0.1303	0.1276	0.1288
10	64QAM	1	0	21.66	21.81	21.74	0.1303	0.1349	0.1327
10	64QAM	1	25	21.76	21.85	21.79	0.1334	0.1361	0.1343
10	64QAM	1	49	21.80	21.71	21.72	0.1346	0.1318	0.1321
10	64QAM	25	0	20.29	20.25	20.14	0.0951	0.0942	0.0918
10	64QAM	25	12	20.20	20.16	20.06	0.0931	0.0923	0.0902
10	64QAM	25	25	20.16	20.05	20.14	0.0923	0.0899	0.0918
10	64QAM	50	0	20.09	20.07	20.00	0.0908	0.0904	0.0889
Channel				19975	20175	20375	EIRP(W)		
Frequency (MHz)				1712.5	1732.5	1752.5	L	M	H
5	QPSK	1	0	23.76	23.75	23.57	0.2113	0.2109	0.2023
5	QPSK	1	12	23.63	23.69	23.45	0.2051	0.2080	0.1968
5	QPSK	1	24	23.64	23.72	23.56	0.2056	0.2094	0.2018
5	QPSK	12	0	22.54	22.56	22.55	0.1596	0.1603	0.1600
5	QPSK	12	7	22.40	22.55	22.53	0.1545	0.1600	0.1592
5	QPSK	12	13	22.46	22.30	22.47	0.1567	0.1510	0.1570
5	QPSK	25	0	22.40	22.55	22.53	0.1545	0.1600	0.1592
5	16QAM	1	0	22.72	22.77	22.74	0.1663	0.1683	0.1671
5	16QAM	1	12	22.63	22.72	22.67	0.1629	0.1663	0.1644
5	16QAM	1	24	22.57	22.73	22.67	0.1607	0.1667	0.1644
5	16QAM	12	0	21.64	21.58	21.65	0.1297	0.1279	0.1300
5	16QAM	12	7	21.59	21.62	21.51	0.1282	0.1291	0.1259
5	16QAM	12	13	21.47	21.49	21.55	0.1247	0.1253	0.1271
5	16QAM	25	0	21.65	21.52	21.61	0.1300	0.1262	0.1288
5	64QAM	1	0	21.69	21.86	21.66	0.1312	0.1365	0.1303
5	64QAM	1	12	21.78	21.79	21.79	0.1340	0.1343	0.1343
5	64QAM	1	24	21.87	21.77	21.72	0.1368	0.1337	0.1321
5	64QAM	12	0	20.26	20.22	20.17	0.0944	0.0935	0.0925
5	64QAM	12	7	20.29	20.16	20.02	0.0951	0.0923	0.0893
5	64QAM	12	13	20.12	20.08	20.13	0.0914	0.0906	0.0916
5	64QAM	25	0	20.11	20.12	20.03	0.0912	0.0914	0.0895
Channel				19965	20175	20385	EIRP(W)		
Frequency (MHz)				1711.5	1732.5	1753.5	L	M	H
3	QPSK	1	0	23.73	23.71	23.54	0.2099	0.2089	0.2009
3	QPSK	1	8	23.61	23.71	23.44	0.2042	0.2089	0.1963



3	QPSK	1	14	23.69	23.69	23.49	0.2080	0.2080	0.1986
3	QPSK	8	0	22.54	22.59	22.52	0.1596	0.1614	0.1589
3	QPSK	8	4	22.45	22.56	22.49	0.1563	0.1603	0.1578
3	QPSK	8	7	22.47	22.37	22.46	0.1570	0.1535	0.1567
3	QPSK	15	0	22.42	22.51	22.45	0.1552	0.1585	0.1563
3	16QAM	1	0	22.73	22.86	22.77	0.1667	0.1718	0.1683
3	16QAM	1	8	22.70	22.70	22.68	0.1656	0.1656	0.1648
3	16QAM	1	14	22.63	22.75	22.64	0.1629	0.1675	0.1633
3	16QAM	8	0	21.61	21.56	21.67	0.1288	0.1274	0.1306
3	16QAM	8	4	21.62	21.59	21.56	0.1291	0.1282	0.1274
3	16QAM	8	7	21.45	21.43	21.54	0.1242	0.1236	0.1268
3	16QAM	15	0	21.63	21.52	21.69	0.1294	0.1262	0.1312
3	64QAM	1	0	21.62	21.80	21.69	0.1291	0.1346	0.1312
3	64QAM	1	8	21.77	21.81	21.75	0.1337	0.1349	0.1330
3	64QAM	1	14	21.87	21.76	21.73	0.1368	0.1334	0.1324
3	64QAM	8	0	20.30	20.23	20.14	0.0953	0.0938	0.0918
3	64QAM	8	4	20.27	20.17	20.07	0.0946	0.0925	0.0904
3	64QAM	8	7	20.14	20.01	20.18	0.0918	0.0891	0.0927
3	64QAM	15	0	20.05	20.12	20.06	0.0899	0.0914	0.0902
Channel				19950	20175	20393	EIRP(W)		
Frequency (MHz)				1710	1732.5	1754.3	L	M	H
1.4	QPSK	1	0	23.70	23.73	23.51	0.2084	0.2099	0.1995
1.4	QPSK	1	3	23.60	23.71	23.52	0.2037	0.2089	0.2000
1.4	QPSK	1	5	23.70	23.68	23.53	0.2084	0.2075	0.2004
1.4	QPSK	3	0	23.68	23.71	23.43	0.2075	0.2089	0.1959
1.4	QPSK	3	1	23.51	23.69	23.46	0.1995	0.2080	0.1972
1.4	QPSK	3	3	23.69	23.58	23.46	0.2080	0.2028	0.1972
1.4	QPSK	6	0	22.37	22.55	22.46	0.1535	0.1600	0.1567
1.4	16QAM	1	0	22.74	22.77	22.70	0.1671	0.1683	0.1656
1.4	16QAM	1	3	22.66	22.74	22.70	0.1641	0.1671	0.1656
1.4	16QAM	1	5	22.57	22.78	22.64	0.1607	0.1687	0.1633
1.4	16QAM	3	0	22.65	22.72	22.63	0.1637	0.1663	0.1629
1.4	16QAM	3	1	22.64	22.72	22.67	0.1633	0.1663	0.1644
1.4	16QAM	3	3	22.48	22.70	22.60	0.1574	0.1656	0.1618
1.4	16QAM	6	0	21.69	21.50	21.69	0.1312	0.1256	0.1312
1.4	64QAM	1	0	21.66	21.82	21.67	0.1303	0.1352	0.1306
1.4	64QAM	1	3	21.76	21.86	21.70	0.1334	0.1365	0.1315
1.4	64QAM	1	5	21.84	21.74	21.77	0.1358	0.1327	0.1337
1.4	64QAM	3	0	21.64	21.72	21.61	0.1297	0.1321	0.1288
1.4	64QAM	3	1	21.75	21.83	21.67	0.1330	0.1355	0.1306
1.4	64QAM	3	3	21.81	21.65	21.75	0.1349	0.1300	0.1330
1.4	64QAM	6	0	20.10	20.08	20.06	0.0910	0.0906	0.0902



LTE Band 5_ANT13

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	ERP(W)		
Channel				20450	20525	20600			
Frequency (MHz)				829	836.5	844	L	M	H
10	QPSK	1	0	23.90	23.92	23.78	0.0942	0.0946	0.0916
10	QPSK	1	25	23.74	23.83	23.77	0.0908	0.0927	0.0914
10	QPSK	1	49	23.88	23.74	23.75	0.0938	0.0908	0.0910
10	QPSK	25	0	22.77	22.80	22.75	0.0726	0.0731	0.0723
10	QPSK	25	12	22.73	22.78	22.64	0.0719	0.0728	0.0705
10	QPSK	25	25	22.70	22.73	22.69	0.0714	0.0719	0.0713
10	QPSK	50	0	22.74	22.78	22.70	0.0721	0.0728	0.0714
10	16QAM	1	0	22.63	22.69	22.60	0.0703	0.0713	0.0698
10	16QAM	1	25	22.74	22.78	22.70	0.0721	0.0728	0.0714
10	16QAM	1	49	22.66	22.78	22.65	0.0708	0.0728	0.0706
10	16QAM	25	0	21.77	21.70	21.65	0.0577	0.0568	0.0561
10	16QAM	25	12	21.84	21.77	21.69	0.0586	0.0577	0.0566
10	16QAM	25	25	21.83	21.76	21.95	0.0585	0.0575	0.0601
10	16QAM	50	0	21.76	21.79	21.77	0.0575	0.0579	0.0577
10	64QAM	1	0	21.83	21.62	21.60	0.0585	0.0557	0.0555
10	64QAM	1	25	21.68	21.71	21.85	0.0565	0.0569	0.0587
10	64QAM	1	49	21.73	21.71	21.73	0.0571	0.0569	0.0571
10	64QAM	25	0	20.80	20.90	20.83	0.0461	0.0472	0.0465
10	64QAM	25	12	20.66	20.89	20.68	0.0447	0.0471	0.0449
10	64QAM	25	25	20.73	20.86	20.80	0.0454	0.0468	0.0461
10	64QAM	50	0	20.69	20.84	20.69	0.0450	0.0466	0.0450
Channel				20425	20525	20625	ERP(W)		
Frequency (MHz)				826.5	836.5	846.5	L	M	H
5	QPSK	1	0	23.84	23.88	23.70	0.0929	0.0938	0.0899
5	QPSK	1	12	23.68	23.77	23.67	0.0895	0.0914	0.0893
5	QPSK	1	24	23.83	23.70	23.68	0.0927	0.0899	0.0895
5	QPSK	12	0	22.72	22.77	22.74	0.0718	0.0726	0.0721
5	QPSK	12	7	22.67	22.75	22.62	0.0710	0.0723	0.0701
5	QPSK	12	13	22.61	22.68	22.65	0.0700	0.0711	0.0706
5	QPSK	25	0	22.64	22.74	22.66	0.0705	0.0721	0.0708
5	16QAM	1	0	22.54	22.60	22.50	0.0689	0.0698	0.0682
5	16QAM	1	12	22.67	22.72	22.68	0.0710	0.0718	0.0711
5	16QAM	1	24	22.61	22.76	22.63	0.0700	0.0724	0.0703
5	16QAM	12	0	21.70	21.65	21.62	0.0568	0.0561	0.0557
5	16QAM	12	7	21.81	21.72	21.65	0.0582	0.0570	0.0561
5	16QAM	12	13	21.80	21.72	21.94	0.0581	0.0570	0.0600
5	16QAM	25	0	21.73	21.71	21.71	0.0571	0.0569	0.0569
5	64QAM	1	0	21.78	21.52	21.52	0.0578	0.0545	0.0545
5	64QAM	1	12	21.64	21.66	21.78	0.0560	0.0562	0.0578
5	64QAM	1	24	21.68	21.63	21.64	0.0565	0.0558	0.0560
5	64QAM	12	0	20.71	20.86	20.81	0.0452	0.0468	0.0462
5	64QAM	12	7	20.62	20.88	20.65	0.0443	0.0470	0.0446
5	64QAM	12	13	20.70	20.76	20.77	0.0451	0.0457	0.0458
5	64QAM	25	0	20.68	20.81	20.61	0.0449	0.0462	0.0442



Channel				20415	20525	20635	ERP(W)		
Frequency (MHz)				825.5	836.5	847.5	L	M	H
3	QPSK	1	0	23.87	23.86	23.73	0.0935	0.0933	0.0906
3	QPSK	1	8	23.71	23.82	23.76	0.0902	0.0925	0.0912
3	QPSK	1	14	23.80	23.72	23.69	0.0920	0.0904	0.0897
3	QPSK	8	0	22.73	22.73	22.66	0.0719	0.0719	0.0708
3	QPSK	8	4	22.69	22.70	22.56	0.0713	0.0714	0.0692
3	QPSK	8	7	22.60	22.67	22.66	0.0698	0.0710	0.0708
3	QPSK	15	0	22.68	22.68	22.61	0.0711	0.0711	0.0700
3	16QAM	1	0	22.54	22.68	22.54	0.0689	0.0711	0.0689
3	16QAM	1	8	22.73	22.70	22.67	0.0719	0.0714	0.0710
3	16QAM	1	14	22.65	22.74	22.63	0.0706	0.0721	0.0703
3	16QAM	8	0	21.75	21.67	21.56	0.0574	0.0564	0.0550
3	16QAM	8	4	21.78	21.71	21.65	0.0578	0.0569	0.0561
3	16QAM	8	7	21.73	21.74	21.94	0.0571	0.0573	0.0600
3	16QAM	15	0	21.71	21.70	21.74	0.0569	0.0568	0.0573
3	64QAM	1	0	21.77	21.59	21.51	0.0577	0.0553	0.0543
3	64QAM	1	8	21.58	21.69	21.84	0.0552	0.0566	0.0586
3	64QAM	1	14	21.66	21.66	21.70	0.0562	0.0562	0.0568
3	64QAM	8	0	20.78	20.85	20.77	0.0459	0.0467	0.0458
3	64QAM	8	4	20.59	20.80	20.63	0.0440	0.0461	0.0444
3	64QAM	8	7	20.71	20.80	20.74	0.0452	0.0461	0.0455
3	64QAM	15	0	20.63	20.77	20.63	0.0444	0.0458	0.0444
Channel				20407	20525	20643	ERP(W)		
Frequency (MHz)				824.7	836.5	848.3	L	M	H
1.4	QPSK	1	0	23.89	23.86	23.77	0.0940	0.0933	0.0914
1.4	QPSK	1	3	23.67	23.75	23.76	0.0893	0.0910	0.0912
1.4	QPSK	1	5	23.85	23.67	23.69	0.0931	0.0893	0.0897
1.4	QPSK	3	0	23.82	23.78	23.72	0.0925	0.0916	0.0904
1.4	QPSK	3	1	23.65	23.66	23.73	0.0889	0.0891	0.0906
1.4	QPSK	3	3	23.82	23.59	23.64	0.0925	0.0877	0.0887
1.4	QPSK	6	0	22.69	22.68	22.65	0.0713	0.0711	0.0706
1.4	16QAM	1	0	22.59	22.68	22.55	0.0697	0.0711	0.0690
1.4	16QAM	1	3	22.66	22.69	22.63	0.0708	0.0713	0.0703
1.4	16QAM	1	5	22.63	22.69	22.56	0.0703	0.0713	0.0692
1.4	16QAM	3	0	22.56	22.65	22.52	0.0692	0.0706	0.0685
1.4	16QAM	3	1	22.59	22.68	22.59	0.0697	0.0711	0.0697
1.4	16QAM	3	3	22.62	22.67	22.46	0.0701	0.0710	0.0676
1.4	16QAM	6	0	21.70	21.75	21.69	0.0568	0.0574	0.0566
1.4	64QAM	1	0	21.77	21.55	21.54	0.0577	0.0548	0.0547
1.4	64QAM	1	3	21.58	21.61	21.80	0.0552	0.0556	0.0581
1.4	64QAM	1	5	21.67	21.63	21.69	0.0564	0.0558	0.0566
1.4	64QAM	3	0	21.75	21.48	21.50	0.0574	0.0540	0.0542
1.4	64QAM	3	1	21.53	21.54	21.70	0.0546	0.0547	0.0568
1.4	64QAM	3	3	21.64	21.58	21.63	0.0560	0.0552	0.0558
1.4	64QAM	6	0	20.63	20.75	20.63	0.0444	0.0456	0.0444



LTE Band 26_ANT13

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	ERP(W)			
Channel				26790	26865	26915	26965				
Frequency (MHz)				824	831.5	836.5	841.5	Straddle Ch	L	M	H
15	QPSK	1	0	23.35	23.38	23.45	23.42	0.0830	0.0836	0.0849	0.0843
15	QPSK	1	37	23.22	23.36	23.37	23.39	0.0805	0.0832	0.0834	0.0838
15	QPSK	1	74	23.22	23.33	23.38	23.39	0.0805	0.0826	0.0836	0.0838
15	QPSK	36	0	22.34	22.45	22.50	22.43	0.0658	0.0675	0.0682	0.0671
15	QPSK	36	20	22.38	22.43	22.44	22.42	0.0664	0.0671	0.0673	0.0670
15	QPSK	36	39	22.27	22.31	22.47	22.39	0.0647	0.0653	0.0678	0.0665
15	QPSK	75	0	22.23	22.36	22.40	22.30	0.0641	0.0661	0.0667	0.0652
15	16QAM	1	0	22.28	22.38	22.31	22.60	0.0649	0.0664	0.0653	0.0698
15	16QAM	1	37	22.26	22.35	22.53	22.65	0.0646	0.0659	0.0687	0.0706
15	16QAM	1	74	22.30	22.40	22.37	22.62	0.0652	0.0667	0.0662	0.0701
15	16QAM	36	0	21.24	21.34	21.28	21.31	0.0511	0.0522	0.0515	0.0519
15	16QAM	36	20	21.26	21.40	21.44	21.20	0.0513	0.0530	0.0535	0.0506
15	16QAM	36	39	21.29	21.43	21.49	21.21	0.0516	0.0533	0.0541	0.0507
15	16QAM	75	0	21.33	21.34	21.30	21.32	0.0521	0.0522	0.0518	0.0520
15	64QAM	1	0	21.40	21.50	21.45	21.46	0.0530	0.0542	0.0536	0.0537
15	64QAM	1	37	21.42	21.44	21.49	21.42	0.0532	0.0535	0.0541	0.0532
15	64QAM	1	74	21.35	21.39	21.44	21.32	0.0524	0.0528	0.0535	0.0520
15	64QAM	36	0	19.73	19.78	19.88	19.83	0.0361	0.0365	0.0373	0.0369
15	64QAM	36	20	19.70	19.74	19.81	19.81	0.0358	0.0361	0.0367	0.0367
15	64QAM	36	39	19.81	19.88	19.93	19.73	0.0367	0.0373	0.0378	0.0361
15	64QAM	75	0	19.72	19.81	19.76	19.78	0.0360	0.0367	0.0363	0.0365
Channel				-	26840	26915	26990	ERP(W)			
Frequency (MHz)				-	829	836.5	844	-	L	M	H
10	QPSK	1	0	-	23.30	23.44	23.37	-	0.0820	0.0847	0.0834
10	QPSK	1	25		23.28	23.36	23.36		0.0817	0.0832	0.0832
10	QPSK	1	49		23.30	23.30	23.34		0.0820	0.0820	0.0828
10	QPSK	25	0		22.40	22.44	22.39		0.0667	0.0673	0.0665
10	QPSK	25	12		22.40	22.39	22.41		0.0667	0.0665	0.0668
10	QPSK	25	25		22.28	22.39	22.30		0.0649	0.0665	0.0652
10	QPSK	50	0		22.29	22.31	22.26		0.0650	0.0653	0.0646
10	16QAM	1	0		22.37	22.25	22.52		0.0662	0.0644	0.0685
10	16QAM	1	25		22.29	22.52	22.58		0.0650	0.0685	0.0695
10	16QAM	1	49		22.33	22.31	22.53		0.0656	0.0653	0.0687
10	16QAM	25	0		21.27	21.23	21.25		0.0514	0.0509	0.0512
10	16QAM	25	12		21.37	21.40	21.15		0.0526	0.0530	0.0500
10	16QAM	25	25		21.42	21.47	21.16		0.0532	0.0538	0.0501
10	16QAM	50	0		21.27	21.26	21.29		0.0514	0.0513	0.0516
10	64QAM	1	0		21.45	21.38	21.42		0.0536	0.0527	0.0532
10	64QAM	1	25		21.36	21.41	21.32		0.0525	0.0531	0.0520
10	64QAM	1	49		21.36	21.38	21.29		0.0525	0.0527	0.0516
10	64QAM	25	0		19.72	19.80	19.80		0.0360	0.0366	0.0366
10	64QAM	25	12		19.64	19.71	19.77		0.0353	0.0359	0.0364
10	64QAM	25	25		19.85	19.90	19.67		0.0371	0.0375	0.0356



10	64QAM	50	0		19.80	19.74	19.72		0.0366	0.0361	0.0360
Channel				-	26815	26915	27015	ERP(W)			
Frequency (MHz)				-	826.5	836.5	846.5	-	L	M	H
5	QPSK	1	0		23.34	23.41	23.37		0.0828	0.0841	0.0834
5	QPSK	1	12		23.27	23.29	23.32		0.0815	0.0818	0.0824
5	QPSK	1	24		23.31	23.28	23.30		0.0822	0.0817	0.0820
5	QPSK	12	0		22.44	22.46	22.34		0.0673	0.0676	0.0658
5	QPSK	12	7		22.42	22.34	22.32		0.0670	0.0658	0.0655
5	QPSK	12	13		22.24	22.40	22.38		0.0643	0.0667	0.0664
5	QPSK	25	0		22.27	22.30	22.27		0.0647	0.0652	0.0647
5	16QAM	1	0		22.32	22.22	22.57		0.0655	0.0640	0.0693
5	16QAM	1	12		22.30	22.43	22.61		0.0652	0.0671	0.0700
5	16QAM	1	24		22.32	22.33	22.57		0.0655	0.0656	0.0693
5	16QAM	12	0		21.26	21.23	21.28		0.0513	0.0509	0.0515
5	16QAM	12	7		21.32	21.35	21.13		0.0520	0.0524	0.0498
5	16QAM	12	13		21.35	21.48	21.11		0.0524	0.0540	0.0495
5	16QAM	25	0		21.30	21.28	21.31		0.0518	0.0515	0.0519
5	64QAM	1	0		21.48	21.36	21.43		0.0540	0.0525	0.0533
5	64QAM	1	12		21.38	21.42	21.40		0.0527	0.0532	0.0530
5	64QAM	1	24		21.30	21.39	21.30		0.0518	0.0528	0.0518
5	64QAM	12	0		19.75	19.85	19.74		0.0362	0.0371	0.0361
5	64QAM	12	7		19.64	19.79	19.78		0.0353	0.0366	0.0365
5	64QAM	12	13		19.86	19.90	19.68		0.0372	0.0375	0.0356
5	64QAM	25	0		19.71	19.74	19.74		0.0359	0.0361	0.0361
Channel				-	26815	26915	27025	ERP(W)			
Frequency (MHz)				-	825.5	836.5	847.5	-	L	M	H
3	QPSK	1	0		23.30	23.37	23.35		0.0820	0.0834	0.0830
3	QPSK	1	8		23.26	23.27	23.37		0.0813	0.0815	0.0834
3	QPSK	1	14		23.31	23.36	23.38		0.0822	0.0832	0.0836
3	QPSK	8	0		22.36	22.42	22.35		0.0661	0.0670	0.0659
3	QPSK	8	4		22.33	22.38	22.32		0.0656	0.0664	0.0655
3	QPSK	8	7		22.25	22.44	22.36		0.0644	0.0673	0.0661
3	QPSK	15	0		22.35	22.31	22.27		0.0659	0.0653	0.0647
3	16QAM	1	0		22.35	22.21	22.51		0.0659	0.0638	0.0684
3	16QAM	1	8		22.29	22.51	22.62		0.0650	0.0684	0.0701
3	16QAM	1	14		22.34	22.36	22.59		0.0658	0.0661	0.0697
3	16QAM	8	0	-	21.29	21.24	21.27	-	0.0516	0.0511	0.0514
3	16QAM	8	4		21.37	21.34	21.17		0.0526	0.0522	0.0502
3	16QAM	8	7		21.34	21.44	21.18		0.0522	0.0535	0.0504
3	16QAM	15	0		21.27	21.21	21.23		0.0514	0.0507	0.0509
3	64QAM	1	0		21.42	21.40	21.41		0.0532	0.0530	0.0531
3	64QAM	1	8		21.35	21.47	21.35		0.0524	0.0538	0.0524
3	64QAM	1	14		21.38	21.36	21.25		0.0527	0.0525	0.0512
3	64QAM	8	0		19.69	19.84	19.77		0.0357	0.0370	0.0364
3	64QAM	8	4		19.68	19.72	19.71		0.0356	0.0360	0.0359
3	64QAM	8	7		19.86	19.92	19.63		0.0372	0.0377	0.0352
3	64QAM	15	0		19.77	19.69	19.71		0.0364	0.0357	0.0359
Channel				-	26797	26915	27033	ERP(W)			
Frequency (MHz)				-	824.7	836.5	848.3	-	L	M	H
1.4	QPSK	1	0	-	23.30	23.38	23.34	-	0.0820	0.0836	0.0828



1.4	QPSK	1	3	23.33	23.35	23.33	0.0826	0.0830	0.0826
1.4	QPSK	1	5	23.26	23.34	23.31	0.0813	0.0828	0.0822
1.4	QPSK	3	0	23.22	23.36	23.26	0.0805	0.0832	0.0813
1.4	QPSK	3	1	23.27	23.32	23.25	0.0815	0.0824	0.0811
1.4	QPSK	3	3	23.20	23.31	23.30	0.0802	0.0822	0.0820
1.4	QPSK	6	0	22.29	22.31	22.23	0.0650	0.0653	0.0641
1.4	16QAM	1	0	22.30	22.22	22.55	0.0652	0.0640	0.0690
1.4	16QAM	1	3	22.29	22.49	22.60	0.0650	0.0681	0.0698
1.4	16QAM	1	5	22.34	22.30	22.53	0.0658	0.0652	0.0687
1.4	16QAM	3	0	22.29	22.19	22.54	0.0650	0.0635	0.0689
1.4	16QAM	3	1	22.27	22.44	22.51	0.0647	0.0673	0.0684
1.4	16QAM	3	3	22.32	22.24	22.48	0.0655	0.0643	0.0679
1.4	16QAM	6	0	21.33	21.28	21.27	0.0521	0.0515	0.0514
1.4	64QAM	1	0	21.46	21.37	21.43	0.0537	0.0526	0.0533
1.4	64QAM	1	3	21.39	21.43	21.35	0.0528	0.0533	0.0524
1.4	64QAM	1	5	21.29	21.40	21.22	0.0516	0.0530	0.0508
1.4	64QAM	3	0	21.38	21.33	21.39	0.0527	0.0521	0.0528
1.4	64QAM	3	1	21.33	21.39	21.33	0.0521	0.0528	0.0521
1.4	64QAM	3	3	21.24	21.31	21.21	0.0511	0.0519	0.0507
1.4	64QAM	6	0	19.77	19.69	19.69	0.0364	0.0357	0.0357

LTE Band 66_ANT13

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	EIRP(W)		
Channel				132072	132322	132572			
Frequency (MHz)				1720	1745	1770	L	M	H
20	QPSK	1	0	23.84	23.87	23.77	0.2153	0.2168	0.2118
20	QPSK	1	49	23.80	23.55	23.64	0.2133	0.2014	0.2056
20	QPSK	1	99	23.70	23.50	23.57	0.2084	0.1991	0.2023
20	QPSK	50	0	22.77	22.83	22.80	0.1683	0.1706	0.1694
20	QPSK	50	24	22.73	22.65	22.75	0.1667	0.1637	0.1675
20	QPSK	50	50	22.67	22.71	22.69	0.1644	0.1660	0.1652
20	QPSK	100	0	22.60	22.70	22.69	0.1618	0.1656	0.1652
20	16QAM	1	0	23.39	23.20	23.23	0.1941	0.1858	0.1871
20	16QAM	1	49	23.40	23.45	23.30	0.1945	0.1968	0.1901
20	16QAM	1	99	23.18	23.33	23.44	0.1849	0.1914	0.1963
20	16QAM	50	0	21.71	21.79	21.73	0.1318	0.1343	0.1324
20	16QAM	50	24	21.65	21.68	21.74	0.1300	0.1309	0.1327
20	16QAM	50	50	21.64	21.73	21.75	0.1297	0.1324	0.1330
20	16QAM	100	0	21.63	21.74	21.72	0.1294	0.1327	0.1321
20	64QAM	1	0	21.60	21.64	21.66	0.1285	0.1297	0.1303
20	64QAM	1	49	21.74	21.93	21.57	0.1327	0.1387	0.1276
20	64QAM	1	99	21.76	21.91	21.89	0.1334	0.1380	0.1374
20	64QAM	50	0	20.36	20.41	20.35	0.0966	0.0977	0.0964
20	64QAM	50	24	20.30	20.30	20.24	0.0953	0.0953	0.0940
20	64QAM	50	50	20.20	20.34	20.21	0.0931	0.0962	0.0933
20	64QAM	100	0	20.21	20.21	20.44	0.0933	0.0933	0.0984
Channel				132047	132322	132597	EIRP(W)		
Frequency (MHz)				1717.5	1745	1772.5	L	M	H



15	QPSK	1	0	23.59	23.67	23.58	0.2032	0.2070	0.2028
15	QPSK	1	37	23.60	23.35	23.46	0.2037	0.1923	0.1972
15	QPSK	1	74	23.45	23.34	23.33	0.1968	0.1919	0.1914
15	QPSK	36	0	22.61	22.62	22.55	0.1622	0.1626	0.1600
15	QPSK	36	20	22.52	22.40	22.56	0.1589	0.1545	0.1603
15	QPSK	36	39	22.49	22.53	22.53	0.1578	0.1592	0.1592
15	QPSK	75	0	22.39	22.54	22.48	0.1542	0.1596	0.1574
15	16QAM	1	0	23.33	23.16	23.17	0.1914	0.1841	0.1845
15	16QAM	1	37	23.37	23.36	23.27	0.1932	0.1928	0.1888
15	16QAM	1	74	23.16	23.31	23.43	0.1841	0.1905	0.1959
15	16QAM	36	0	21.68	21.71	21.72	0.1309	0.1318	0.1321
15	16QAM	36	20	21.58	21.61	21.64	0.1279	0.1288	0.1297
15	16QAM	36	39	21.61	21.69	21.67	0.1288	0.1312	0.1306
15	16QAM	75	0	21.56	21.66	21.70	0.1274	0.1303	0.1315
15	64QAM	1	0	21.52	21.55	21.59	0.1262	0.1271	0.1282
15	64QAM	1	37	21.71	21.86	21.55	0.1318	0.1365	0.1271
15	64QAM	1	74	21.72	21.84	21.79	0.1321	0.1358	0.1343
15	64QAM	36	0	20.33	20.34	20.31	0.0959	0.0962	0.0955
15	64QAM	36	20	20.21	20.27	20.18	0.0933	0.0946	0.0927
15	64QAM	36	39	20.15	20.31	20.19	0.0920	0.0955	0.0929
15	64QAM	75	0	20.18	20.12	20.37	0.0927	0.0914	0.0968
Channel				132022	132322	132622	EIRP(W)		
Frequency (MHz)				1715	1745	1775	L	M	H
10	QPSK	1	0	23.61	23.64	23.52	0.2042	0.2056	0.2000
10	QPSK	1	25	23.64	23.32	23.45	0.2056	0.1910	0.1968
10	QPSK	1	49	23.48	23.30	23.35	0.1982	0.1901	0.1923
10	QPSK	25	0	22.60	22.60	22.58	0.1618	0.1618	0.1611
10	QPSK	25	12	22.50	22.47	22.52	0.1581	0.1570	0.1589
10	QPSK	25	25	22.44	22.53	22.53	0.1560	0.1592	0.1592
10	QPSK	50	0	22.44	22.45	22.48	0.1560	0.1563	0.1574
10	16QAM	1	0	23.37	23.15	23.21	0.1932	0.1837	0.1862
10	16QAM	1	25	23.35	23.39	23.26	0.1923	0.1941	0.1884
10	16QAM	1	49	23.15	23.28	23.42	0.1837	0.1892	0.1954
10	16QAM	25	0	21.66	21.70	21.69	0.1303	0.1315	0.1312
10	16QAM	25	12	21.56	21.63	21.68	0.1274	0.1294	0.1309
10	16QAM	25	25	21.61	21.69	21.71	0.1288	0.1312	0.1318
10	16QAM	50	0	21.61	21.68	21.63	0.1288	0.1309	0.1294
10	64QAM	1	0	21.51	21.62	21.63	0.1259	0.1291	0.1294
10	64QAM	1	25	21.69	21.91	21.53	0.1312	0.1380	0.1265
10	64QAM	1	49	21.75	21.88	21.81	0.1330	0.1371	0.1349
10	64QAM	25	0	20.26	20.40	20.32	0.0944	0.0975	0.0957
10	64QAM	25	12	20.29	20.29	20.15	0.0951	0.0951	0.0920
10	64QAM	25	25	20.18	20.26	20.13	0.0927	0.0944	0.0916
10	64QAM	50	0	20.20	20.17	20.38	0.0931	0.0925	0.0971
Channel				131997	132322	132647	EIRP(W)		
Frequency (MHz)				1712.5	1745	1777.5	L	M	H
5	QPSK	1	0	23.68	23.71	23.57	0.2075	0.2089	0.2023
5	QPSK	1	12	23.58	23.31	23.47	0.2028	0.1905	0.1977
5	QPSK	1	24	23.47	23.30	23.39	0.1977	0.1901	0.1941
5	QPSK	12	0	22.56	22.61	22.61	0.1603	0.1622	0.1622



5	QPSK	12	7	22.56	22.41	22.57	0.1603	0.1549	0.1607
5	QPSK	12	13	22.42	22.55	22.45	0.1552	0.1600	0.1563
5	QPSK	25	0	22.35	22.53	22.45	0.1528	0.1592	0.1563
5	16QAM	1	0	23.31	23.17	23.17	0.1905	0.1845	0.1845
5	16QAM	1	12	23.36	23.41	23.24	0.1928	0.1950	0.1875
5	16QAM	1	24	23.08	23.25	23.43	0.1807	0.1879	0.1959
5	16QAM	12	0	21.61	21.77	21.67	0.1288	0.1337	0.1306
5	16QAM	12	7	21.55	21.59	21.65	0.1271	0.1282	0.1300
5	16QAM	12	13	21.60	21.68	21.72	0.1285	0.1309	0.1321
5	16QAM	25	0	21.59	21.66	21.67	0.1282	0.1303	0.1306
5	64QAM	1	0	21.56	21.54	21.61	0.1274	0.1268	0.1288
5	64QAM	1	12	21.72	21.85	21.56	0.1321	0.1361	0.1274
5	64QAM	1	24	21.68	21.87	21.85	0.1309	0.1368	0.1361
5	64QAM	12	0	20.33	20.38	20.32	0.0959	0.0971	0.0957
5	64QAM	12	7	20.24	20.20	20.16	0.0940	0.0931	0.0923
5	64QAM	12	13	20.11	20.30	20.11	0.0912	0.0953	0.0912
5	64QAM	25	0	20.13	20.14	20.38	0.0916	0.0918	0.0971
Channel				131987	132322	132657	EIRP(W)		
Frequency (MHz)				1711.5	1745	1778.5	L	M	H
3	QPSK	1	0	23.68	23.68	23.57	0.2075	0.2075	0.2023
3	QPSK	1	8	23.63	23.30	23.44	0.2051	0.1901	0.1963
3	QPSK	1	14	23.45	23.32	23.37	0.1968	0.1910	0.1932
3	QPSK	8	0	22.54	22.62	22.63	0.1596	0.1626	0.1629
3	QPSK	8	4	22.50	22.47	22.54	0.1581	0.1570	0.1596
3	QPSK	8	7	22.48	22.51	22.48	0.1574	0.1585	0.1574
3	QPSK	15	0	22.35	22.45	22.53	0.1528	0.1563	0.1592
3	16QAM	1	0	23.35	23.18	23.22	0.1923	0.1849	0.1866
3	16QAM	1	8	23.35	23.41	23.24	0.1923	0.1950	0.1875
3	16QAM	1	14	23.10	23.26	23.35	0.1816	0.1884	0.1923
3	16QAM	8	0	21.63	21.77	21.65	0.1294	0.1337	0.1300
3	16QAM	8	4	21.58	21.65	21.73	0.1279	0.1300	0.1324
3	16QAM	8	7	21.63	21.63	21.72	0.1294	0.1294	0.1321
3	16QAM	15	0	21.58	21.72	21.65	0.1279	0.1321	0.1300
3	64QAM	1	0	21.52	21.59	21.65	0.1262	0.1282	0.1300
3	64QAM	1	8	21.71	21.92	21.53	0.1318	0.1384	0.1265
3	64QAM	1	14	21.70	21.85	21.86	0.1315	0.1361	0.1365
3	64QAM	8	0	20.27	20.40	20.31	0.0946	0.0975	0.0955
3	64QAM	8	4	20.22	20.29	20.20	0.0935	0.0951	0.0931
3	64QAM	8	7	20.14	20.25	20.14	0.0918	0.0942	0.0918
3	64QAM	15	0	20.16	20.12	20.36	0.0923	0.0914	0.0966
Channel				131979	132322	132665	EIRP(W)		
Frequency (MHz)				1710.7	1745	1779.3	L	M	H
1.4	QPSK	1	0	23.64	23.69	23.56	0.2056	0.2080	0.2018
1.4	QPSK	1	3	23.64	23.37	23.39	0.2056	0.1932	0.1941
1.4	QPSK	1	5	23.52	23.32	23.32	0.2000	0.1910	0.1910
1.4	QPSK	3	0	23.63	23.68	23.47	0.2051	0.2075	0.1977
1.4	QPSK	3	1	23.61	23.27	23.29	0.2042	0.1888	0.1897
1.4	QPSK	3	3	23.48	23.24	23.25	0.1982	0.1875	0.1879
1.4	QPSK	6	0	22.40	22.50	22.46	0.1545	0.1581	0.1567
1.4	16QAM	1	0	23.32	23.10	23.16	0.1910	0.1816	0.1841




1.4	16QAM	1	3	23.36	23.43	23.21	0.1928	0.1959	0.1862
1.4	16QAM	1	5	23.15	23.31	23.40	0.1837	0.1905	0.1945
1.4	16QAM	3	0	23.30	23.03	23.15	0.1901	0.1786	0.1837
1.4	16QAM	3	1	23.33	23.37	23.14	0.1914	0.1932	0.1832
1.4	16QAM	3	3	23.14	23.27	23.34	0.1832	0.1888	0.1919
1.4	16QAM	6	0	21.56	21.69	21.68	0.1274	0.1312	0.1309
1.4	64QAM	1	0	21.51	21.63	21.64	0.1259	0.1294	0.1297
1.4	64QAM	1	3	21.64	21.92	21.56	0.1297	0.1384	0.1274
1.4	64QAM	1	5	21.70	21.83	21.79	0.1315	0.1355	0.1343
1.4	64QAM	3	0	21.47	21.59	21.62	0.1247	0.1282	0.1291
1.4	64QAM	3	1	21.61	21.89	21.55	0.1288	0.1374	0.1271
1.4	64QAM	3	3	21.64	21.78	21.72	0.1297	0.1340	0.1321
1.4	64QAM	6	0	20.20	20.18	20.38	0.0931	0.0927	0.0971



LTE Band 2

Peak-to-Average Ratio

Mode	LTE Band 2 / 20MHz			
Mod.	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Result
Middle CH	5.36	6.09	6.49	PASS






26dB Bandwidth

Mode	LTE Band 2 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.24	1.24	3.07	3.03	4.90	4.93	9.81	9.63	14.54	14.48	19.74	18.98




LTE Band 2

Middle Channel / 1.4MHz / QPSK




Date: 18 JUL 2025 06:56:49

Middle Channel / 1.4MHz / 16QAM




Date: 18 JUL 2025 06:57:28

Middle Channel / 3MHz / QPSK




Date: 18 JUL 2025 07:09:53

Middle Channel / 3MHz / 16QAM




Date: 18 JUL 2025 07:10:32

Middle Channel / 5MHz / QPSK



Date: 18 JUL 2025 07:22:16

Middle Channel / 5MHz / 16QAM




Date: 18 JUL 2025 07:22:55




LTE Band 2


Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM




Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM






Occupied Bandwidth

Mode	LTE Band 2 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.09	1.09	2.71	2.72	4.48	4.47	9.01	9.01	13.49	13.46	17.94	17.94




LTE Band 2


Middle Channel / 1.4MHz / QPSK




Middle Channel / 1.4MHz / 16QAM




Middle Channel / 3MHz / QPSK




Middle Channel / 3MHz / 16QAM



Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM






LTE Band 2


Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM




Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM






Conducted Band Edge


LTE Band 2 / 1.4MHz / QPSK

Lowest Band Edge / 1RB




Date: 18 JUL 2025 06:50:49

Highest Band Edge / 1RB




Date: 18 JUL 2025 06:58:07

Lowest Band Edge / Full RB



Date: 18 JUL 2025 06:53:49

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:01:07




LTE Band 2 / 1.4MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 18 JUL 2025 06:51:29

Highest Band Edge / 1 RB




Date: 18 JUL 2025 06:58:48

Lowest Band Edge / Full RB



Date: 18 JUL 2025 06:54:29

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:01:49




LTE Band 2 / 1.4MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 3MHz / QPSK

Lowest Band Edge / 1RB




Date: 18 JUL 2025 07:03:52

Highest Band Edge / 1RB




Date: 23 JUL 2025 22:35:01

Lowest Band Edge / Full RB



Date: 18 JUL 2025 07:06:53

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:13:12




LTE Band 2 / 3MHz / 16QAM

Lowest Band Edge / 1 RB




Date: 18 JUL 2025 07:04:33

Highest Band Edge / 1 RB



Date: 18 JUL 2025 07:11:51

Lowest Band Edge / Full RB



Date: 18 JUL 2025 07:07:33

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:13:52




LTE Band 2 / 3MHz / 64QAM

Lowest Band Edge / 1 RB




Date: 18 JUL 2025 07:05:13

Highest Band Edge / 1 RB




Date: 18 JUL 2025 07:12:32

Lowest Band Edge / Full RB



Date: 18 JUL 2025 07:08:13

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:14:33




LTE Band 2 / 5MHz / QPSK

Lowest Band Edge / 1RB




Date: 18 JUL 2025 07:16:15

Highest Band Edge / 1RB




Date: 18 JUL 2025 07:23:34

Lowest Band Edge / Full RB



Date: 18 JUL 2025 07:19:16

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:25:35




LTE Band 2 / 5MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 5MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 10MHz / QPSK

Lowest Band Edge / 1RB




Date: 18 JUL 2025 07:28:38

Highest Band Edge / 1RB




Date: 18 JUL 2025 07:35:57

Lowest Band Edge / Full RB



Date: 18 JUL 2025 07:30:39

Highest Band Edge / Full RB




Date: 18 JUL 2025 07:37:58




LTE Band 2 / 10MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 10MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 15MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 15MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 15MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 20MHz / QPSK


Lowest Band Edge / 1RB



Highest Band Edge / 1RB



Lowest Band Edge / Full RB



Highest Band Edge / Full RB

