



FCC RF Test Report

APPLICANT : vivo Mobile Communication Co., Ltd.
EQUIPMENT : Mobile Phone
BRAND NAME : vivo
MODEL NAME : V2549
FCC ID : 2AUCY-V2549
STANDARD : 47 CFR Part 22(H), 24(E), 27(L)
CLASSIFICATION : PCS Licensed Transmitter Held to Ear (PCE)
TEST DATE(S) : Jul. 30, 2025 ~ Aug. 05, 2025

We, Sporton International Inc. (ShenZhen), would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (ShenZhen), the test report shall not be reproduced except in full.

Fly Liang

Approved by: Fly Liang



Sporton International Inc. (ShenZhen)

1/F, 2/F, Bldg 5, Shiling Industrial Zone, Xinwei Village, Xili, Nanshan, Shenzhen, 518055

People's Republic of China



TABLE OF CONTENTS

REVISION HISTORY	3
SUMMARY OF TEST RESULT	4
1 GENERAL DESCRIPTION	5
1.1 Applicant	5
1.2 Manufacturer	5
1.3 Product Feature of Equipment Under Test	5
1.4 Product Specification of Equipment Under Test	6
1.5 Modification of EUT	7
1.6 Maximum ERP/EIRP Power and Emission Designator	7
1.7 Testing Location	9
1.8 Test Software	9
1.9 Applicable Standards	9
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST	10
2.1 Test Mode	10
2.2 Connection Diagram of Test System	11
2.3 Support Unit used in test configuration and system	12
2.4 Measurement Results Explanation Example	12
2.5 Frequency List of Low/Middle/High Channels	12
3 CONDUCTED TEST ITEMS	15
3.1 Measuring Instruments	15
3.2 Test Setup	15
3.3 Test Result of Conducted Test	15
3.4 Conducted Output Power and ERP/EIRP	16
3.5 Peak-to-Average Ratio	17
3.6 Occupied Bandwidth	18
3.7 Conducted Band Edge	19
3.8 Conducted Spurious Emission	21
3.9 Frequency Stability	22
4 RADIATED TEST ITEMS	23
4.1 Measuring Instruments	23
4.2 Test Setup	23
4.3 Test Result of Radiated Test	24
4.4 Radiated Spurious Emission	25
5 LIST OF MEASURING EQUIPMENT	26
6 MEASUREMENT UNCERTAINTY	27
APPENDIX A. TEST RESULTS OF CONDUCTED TEST	
APPENDIX B. TEST RESULTS OF RADIATED TEST	
APPENDIX C. TEST SETUP PHOTOGRAPHS	



REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG571001B	Rev. 01	Initial issue of report	Aug. 15, 2025



SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	-	Report Only	-
	§22.913(a)(5)	Effective Radiated Power (Band 5) (Band 26)	ERP < 7 Watt	PASS	-
	§24.232(c)	Equivalent Isotropic Radiated Power (Band 2)	EIRP < 2Watt		-
	§27.50(d)(4)	Equivalent Isotropic Radiated Power (Band 4) (Band 66)	EIRP < 1Watt		-
3.5	§24.232(d)	Peak-to-Average Ratio	<13 dB	PASS	-
3.6	§2.1049	Occupied Bandwidth	-	Report Only	-
3.7	§2.1051 §22.917(a) §24.238(a) §27.53(h)	Conducted Band Edge Measurement (Band 2) (Band 4) (Band 5) (Band 26) (Band 66)	< 43+10log ₁₀ (P[Watts])	PASS	-
3.8	§2.1051 §22.917(a) §24.238(a) §27.53(h)	Conducted Spurious Emission (Band 2) (Band 4) (Band 5) (Band 26) (Band 66)	< 43+10log ₁₀ (P[Watts])	PASS	-
3.9	§2.1055 §22.355	Frequency Stability Temperature & Voltage	< 2.5 ppm for Part 22	PASS	-
	§2.1055 §24.235 §27.54		Within Authorized Band		
4.4	§2.1053 §22.917(a) §24.238(a) §27.53(h)	Radiated Spurious Emission (Band 2) (Band 4) (Band 5) (Band 26) (Band 66)	< 43+10log ₁₀ (P[Watts])	PASS	Under limit 30.94 dB at 8730.00 MHz

Conformity Assessment Condition:

- The test results (PASS/FAIL) with all measurement uncertainty excluded are presented against the regulation limits or in accordance with the requirements stipulated by the applicant/manufacture who shall bear all the risks of non-compliance that may potentially occur if measurement uncertainty is taken into account.
- The measurement uncertainty please refer to each test result in the section "Measurement Uncertainty"

Disclaimer:

The product specifications of the EUT presented in the test report that may affect the test assessments are declared by the manufacturer who shall take full responsibility for the authenticity.



1 General Description

1.1 Applicant

vivo Mobile Communication Co., Ltd.

No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

1.2 Manufacturer

vivo Mobile Communication Co., Ltd.

No.1, vivo Road, Chang'an, Dongguan, Guangdong, China

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Mobile Phone
Brand Name	vivo
Model Name	V2549
FCC ID	2AUCY-V2549
IMEI Code	Conducted: 869820089995394 Radiation: 869820089994298/869820089994280
HW Version	MP_0.1
SW Version	PD2513GF_EX_A_15.0.9.32.W30
EUT Stage	Identical Prototype

1.4 Product Specification of Equipment Under Test

Standards-related Product Specification	
Tx Frequency	LTE Band 2 : 1850 MHz ~ 1910 MHz LTE Band 4 : 1710 MHz ~ 1755 MHz LTE Band 5 : 824 MHz ~ 849 MHz LTE Band 26 : 824 MHz ~ 849 MHz LTE Band 66 : 1710 MHz ~ 1780 MHz
Rx Frequency	LTE Band 2 : 1930 MHz ~ 1990 MHz LTE Band 4 : 2110 MHz ~ 2155 MHz LTE Band 5 : 869 MHz ~ 894 MHz LTE Band 26 : 869 MHz ~ 894 MHz LTE Band 66 : 2110 MHz ~ 2180 MHz
Bandwidth	LTE Band 2 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 5 : 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 26 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz LTE Band 66 : 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz
Maximum Output Power to Antenna	<ANT13> LTE Band 2 : 23.28 dBm LTE Band 4 : 23.83 dBm LTE Band 5 : 23.69 dBm LTE Band 26 : 23.69 dBm LTE Band 66 : 23.86 dBm <ANT31> LTE Band 2 : 23.45 dBm LTE Band 4 : 23.73 dBm LTE Band 5 : 23.53 dBm LTE Band 26 : 23.65 dBm LTE Band 66 : 23.86 dBm
Antenna Gain	<ANT13> LTE Band 2 : -1.55 dBi LTE Band 4 : -1.66 dBi LTE Band 5 : -3.13 dBi LTE Band 26 : -3.13 dBi LTE Band 66 : -1.66 dBi <ANT31> LTE Band 2 : -1.76 dBi LTE Band 4 : -1.82 dBi LTE Band 5 : -4.14 dBi LTE Band 26 : -3.92 dBi LTE Band 66 : -1.82 dBi
Type of Modulation	QPSK / 16QAM / 64QAM

Note:

1. The maximum ERP/EIRP is calculated from max output power and max antenna gain, so only the maximum ERP/EIRP of Antenna 13 for LTE Band2/4/5/26/66 is shown in the report.
2. For conducted test items, only the test data of Ant.13 for LTE B26/66(cover B4/5) and Ant. 31 for LTE B2 are shown in the report according to the maximum conducted power.



1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum ERP/EIRP Power and Emission Designator

LTE Band 2		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
1.4	1850.7 ~ 1909.3	0.1466	1M10G7D	0.1180	1M09W7D
3	1851.5 ~ 1908.5	0.1469	2M73G7D	0.1138	2M70W7D
5	1852.5 ~ 1907.5	0.1445	4M49G7D	0.1135	4M49W7D
10	1855.0 ~ 1905.0	0.1455	9M05G7D	0.1117	8M99W7D
15	1857.5 ~ 1902.5	0.1442	13M4G7D	0.1132	13M4W7D
20	1860.0 ~ 1900.0	0.1489	17M8G7D	0.1143	17M9W7D
LTE Band 4		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
1.4	1710.7 ~ 1754.3	0.1618	1M09G7D	0.1250	1M09W7D
3	1711.5 ~ 1753.5	0.1633	2M72G7D	0.1253	2M72W7D
5	1712.5 ~ 1752.5	0.1611	4M50G7D	0.1250	4M48W7D
10	1715.0 ~ 1750.0	0.1626	8M95G7D	0.1230	8M93W7D
15	1717.5 ~ 1747.5	0.1614	13M4G7D	0.1230	13M4W7D
20	1720.0 ~ 1745.0	0.1648	17M8G7D	0.1256	17M8W7D
LTE Band 5		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum ERP(W)	Emission Designator (99%OBW)	Maximum ERP(W)	Emission Designator (99%OBW)
1.4	824.7 ~ 848.3	0.0685	1M10G7D	0.0519	1M09W7D
3	825.5 ~ 847.5	0.0692	2M71G7D	0.0512	2M73W7D
5	826.5 ~ 846.5	0.0681	4M49G7D	0.0519	4M49W7D
10	829.0 ~ 844.0	0.0693	9M05G7D	0.0528	9M01W7D



LTE Band 26		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum ERP(W)	Emission Designator (99%OBW)	Maximum ERP(W)	Emission Designator (99%OBW)
1.4	824.7 ~ 848.3	0.0676	1M10G7D	0.0516	1M09W7D
3	825.5 ~ 847.5	0.0687	2M71G7D	0.0506	2M73W7D
5	826.5 ~ 846.5	0.0671	4M49G7D	0.0508	4M49W7D
10	829.0 ~ 844.0	0.0670	9M05G7D	0.0513	9M01W7D
15	831.5 ~ 841.5	0.0693	13M5G7D	0.0521	13M4W7D
CH26790	824.0	0.0661	13M4G7D	0.0490	13M4W7D
LTE Band 66		QPSK		16QAM/64QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
1.4	1710.7 ~ 1779.3	0.1644	1M09G7D	0.1245	1M09W7D
3	1711.5 ~ 1778.5	0.1618	2M72G7D	0.1205	2M72W7D
5	1712.5 ~ 1777.5	0.1614	4M50G7D	0.1205	4M48W7D
10	1715.0 ~ 1775.0	0.1648	8M95G7D	0.1197	8M93W7D
15	1717.5 ~ 1772.5	0.1633	13M4G7D	0.1225	13M4W7D
20	1720.0 ~ 1770.0	0.1660	17M8G7D	0.1230	17M8W7D

Note:

1. LTE Band 26 overlaps the entire frequency range of LTE Band 5. Therefore, the test results provided in this report covers Band 5 and the portion of Band 26 subject to Part 22.
2. LTE Band 66 overlaps the entire frequency range of LTE Band 4. Therefore, the test results provided in this report covers Band 66 as well as Band 4.
3. All modulations have been tested, and only the worst test results of PSK & QAM are shown in the report.

1.7 Testing Location

Sporton International Inc. (ShenZhen) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.01.

Test Firm	Sporton International Inc. (ShenZhen)		
Test Site Location	101, 1st Floor, Block B, Building 1, No. 2, Tengfeng 4th Road, Fenghuang Community, Fuyong Street, Baoan District, Shenzhen City, Guangdong Province 518103 People's Republic of China TEL: +86-755-86066985		
Test Site No.	Sporton Site No.	FCC Designation No.	FCC Test Firm Registration No.
	TH01-SZ 03CH02-SZ	CN1256	421272

1.8 Test Software

Item	Site	Manufacture	Name	Version
1.	03CH02-SZ	AUDIX	E3	6.2009-8-24a

1.9 Applicable Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- ♦ 47 CFR Part 22(H), 24(E), 27(L)
- ♦ ANSI C63.26-2015
- ♦ FCC KDB 971168 D01 Power Meas License Digital Systems v03r01
- ♦ FCC KDB 412172 D01 Determining ERP and EIRP v01r01

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.



2 Test Configuration of Equipment Under Test

2.1 Test Mode


Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas License Digital Systems v03r01 with maximum output power.

Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission. (Z Plane)

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
Max. Output Power	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	26	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
	66	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Peak-to-Average Ratio	2						v	v	v	v			v		v	
	26					v	-	v	v	v			v		v	
	66						v	v	v	v			v		v	
26dB and 99% Bandwidth	2	v	v	v	v	v	v	v	v				v		v	
	26	v	v	v	v	v	-	v	v				v		v	
	66	v	v	v	v	v	v	v	v				v		v	
Conducted Band Edge	2	v	v	v	v	v	v	v	v	v	v		v	v		v
	26	v	v	v	v	v	-	v	v	v	v		v	v		v
	66	v	v	v	v	v	v	v	v	v	v		v	v		v
Conducted Spurious Emission	2	v	v	v	v	v	v	v			v			v	v	v
	26	v	v	v	v	v	-	v			v			v	v	v
	66	v	v	v	v	v	v	v			v			v	v	v
Frequency Stability	2				v			v					v		v	
	26				v		-	v					v		v	
	66				v			v					v		v	

Test Items	Band	Bandwidth (MHz)						Modulation			RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	64QAM	1	Half	Full	L	M	H
E.R.P / E.I.R.P	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v	-	-	v	v	v	v	v	v	v	v	v
	26	v	v	v	v	v	-	v	v	v	v	v	v	v	v	v
	66	v	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Radiated Spurious Emission	2	Worst Case													v	
	26	Worst Case													v	
	66	Worst Case													v	
Note	1. The mark “v “ means that this configuration is chosen for testing 2. The mark “-“ means that this bandwidth is not supported. 3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.															

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	Power Supply	GWINSTEK	PSS-2002	N/A	N/A	Unshielded, 1.8 m
2.	LTE Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded, 1.8 m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 9.0 dB and 10dB attenuator.

Example :

$$\begin{aligned} \text{Offset(dB)} &= \text{RF cable loss(dB)} + \text{attenuator factor(dB)}. \\ &= 9.0 + 10 = 19.0 \text{ (dB)} \end{aligned}$$

2.5 Frequency List of Low/Middle/High Channels

LTE Band 2 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	18700	18900	19100
	Frequency	1860	1880	1900
15	Channel	18675	18900	19125
	Frequency	1857.5	1880	1902.5
10	Channel	18650	18900	19150
	Frequency	1855	1880	1905
5	Channel	18625	18900	19175
	Frequency	1852.5	1880	1907.5
3	Channel	18615	18900	19185
	Frequency	1851.5	1880	1908.5
1.4	Channel	18607	18900	19193
	Frequency	1850.7	1880	1909.3



LTE Band 4 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	20050	20175	20300
	Frequency	1720	1732.5	1745
15	Channel	20025	20175	20325
	Frequency	1717.5	1732.5	1747.5
10	Channel	20000	20175	20350
	Frequency	1715	1732.5	1750
5	Channel	19975	20175	20375
	Frequency	1712.5	1732.5	1752.5
3	Channel	19965	20175	20385
	Frequency	1711.5	1732.5	1753.5
1.4	Channel	19957	20175	20393
	Frequency	1710.7	1732.5	1754.3

LTE Band 5 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
10	Channel	20450	20525	20600
	Frequency	829	836.5	844
5	Channel	20425	20525	20625
	Frequency	826.5	836.5	846.5
3	Channel	20415	20525	20635
	Frequency	825.5	836.5	847.5
1.4	Channel	20407	20525	20643
	Frequency	824.7	836.5	848.3



LTE Band 26 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
15	Channel	26865	26915	26965
	Frequency	831.5	836.5	841.5
10	Channel	26840	26915	26990
	Frequency	829	836.5	844
5	Channel	26815	26915	27015
	Frequency	826.5	836.5	846.5
3	Channel	26805	26915	27025
	Frequency	825.5	836.5	847.5
1.4	Channel	26797	26915	27033
	Frequency	824.7	836.5	848.3

LTE Band 66 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
20	Channel	132072	132322	132572
	Frequency	1720	1745	1770
15	Channel	132047	132322	132597
	Frequency	1717.5	1745	1772.5
10	Channel	132022	132322	132622
	Frequency	1715	1745	1775
5	Channel	131997	132322	132647
	Frequency	1712.5	1745	1777.5
3	Channel	131987	132322	132657
	Frequency	1711.5	1745	1778.5
1.4	Channel	131979	132322	132665
	Frequency	1710.7	1745	1779.3


3 Conducted Test Items

3.1 Measuring Instruments


See list of measuring instruments of this test report.

3.2 Test Setup

3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied Bandwidth ,Conducted Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.

3.4 Conducted Output Power and ERP/EIRP

3.4.1 Description of the Conducted Output Power Measurement and ERP/EIRP Measurement

A system simulator was used to establish communication with the EUT. Its parameters were set to force the EUT transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

The ERP of mobile transmitters must not exceed 7 Watts for LTE Band 5 and Band 26.

The EIRP of mobile transmitters must not exceed 2 Watts for LTE Band 2.

The EIRP of mobile transmitters must not exceed 1 Watts for LTE Band 4 and Band 66.

According to KDB 412172 D01 Power Approach,

$EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

P_T = transmitter output power in dBm

G_T = gain of the transmitting antenna in dBi

L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.



3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.3.4 (CCDF).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
4. The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1 %.
5. Record the deviation as Peak to Average Ratio.

3.6 Occupied Bandwidth

3.6.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.6.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
(this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “-X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.7 Conducted Band Edge

3.7.1 Description of Conducted Band Edge Measurement

22.917(a)

For operations in the 824 – 849 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 100kHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

24.238 (a)

For operations in the 1850-1910 and 1930-1990 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

27.53 (h)

For operations in the 1710 – 1755 MHz band, the FCC limit is $43 + 10\log_{10}(P[\text{Watts}])$ dB below the transmitter power $P(\text{Watts})$ in a 1 MHz bandwidth. However, in the 1MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
1. The EUT was connected to spectrum analyzer and system simulator via a power divider.
2. The band edges of low and high channels for the highest RF powers were measured.
3. Set RBW $\geq 1\%$ EBW in the 1MHz band immediately outside and adjacent to the band edge.
4. Beyond the 1 MHz band from the band edge, RBW=1MHz was used or a narrower RBW was used and the measured power was integrated over the full required measurement bandwidth of 1 MHz.
5. Set spectrum analyzer with RMS detector.
6. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
7. Checked that all the results comply with the emission limit line.

Example:

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)} = -13\text{dBm}.$$

8. When using the integration method, the starting frequency of the integration shall be centered at one-half of the RBW away from the band edge.

3.8 Conducted Spurious Emission

3.8.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges must be lower than the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

It is measured by means of a calibrated spectrum analyzer and scanned from 30 MHz up to a frequency including its 10th harmonic.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator.
The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)]$ (dB)
 $= [30 + 10\log(P)]$ (dBm) - $[43 + 10\log(P)]$ (dB)
 $= -13\text{dBm}$.

3.9 Frequency Stability

3.9.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

3.9.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.9.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5
2. The EUT was placed in a temperature chamber at $20\pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.


4 Radiated Test Items

4.1 Measuring Instruments


See list of measuring instruments of this test report.

4.2 Test Setup


4.2.1 For radiated test below 30MHz



4.2.2 For radiated test from 30MHz to 1GHz



4.2.3 For radiated test above 1GHz



4.3 Test Result of Radiated Test

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

Please refer to Appendix B.

4.4 Radiated Spurious Emission

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI C63.26. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
10. $EIRP \text{ (dBm)} = S.G. \text{ Power} - Tx \text{ Cable Loss} + Tx \text{ Antenna Gain}$
11. $ERP \text{ (dBm)} = EIRP - 2.15$
12. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)
 $= P(W) - [43 + 10\log(P)] \text{ (dB)}$
 $= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$
 $= -13\text{dBm}.$



5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101078	10Hz~40GHz	Apr. 02, 2025	Jul. 30, 2025~ Jul. 31, 2025	Apr. 01, 2026	Conducted (TH01-SZ)
DC Power Supply	TTI	PL330P	290070	Max 32V, 3A	Oct. 14, 2024	Jul. 30, 2025~ Jul. 31, 2025	Oct. 13, 2025	Conducted (TH01-SZ)
Power Divider	Titan	P02N005180	923402	0.4GHz~26.5GHz	Nov. 08, 2024	Jul. 30, 2025~ Jul. 31, 2025	Nov. 07, 2025	Conducted (TH01-SZ)
Thermal Chamber	Ten Billion Hongzhangroup	LP-150U	H2014081803	-40~+150°C	Jul. 02, 2025	Jul. 30, 2025~ Jul. 31, 2025	Jul. 01, 2026	Conducted (TH01-SZ)
EXA Spectrum Analyzer	KEYSIGHT	N9010A	MY55150213	10Hz~44GHz	Jul. 03, 2025	Aug. 04, 2025~ Aug. 05, 2025	Jul. 02, 2026	Radiation (03CH02-SZ)
Loop Antenna	R&S	HFH2-Z2E	101141	9kHz~30MHz	Dec. 28, 2024	Aug. 04, 2025~ Aug. 05, 2025	Dec. 27, 2025	Radiation (03CH02-SZ)
Bilog Antenna	TeseQ	CBL6112D	35407	30MHz-2GHz	Oct. 24, 2023	Aug. 04, 2025~ Aug. 05, 2025	Oct. 23, 2025	Radiation (03CH02-SZ)
Double Ridge Horn Antenna	ETS-Lindgren	3117	00119436	1GHz~18GHz	Jul. 04, 2025	Aug. 04, 2025~ Aug. 05, 2025	Jul. 04, 2026	Radiation (03CH02-SZ)
HF Amplifier	MITEQ	TTA1840-35-HG	1871923	18GHz~40GHz	Jul. 03, 2025	Aug. 04, 2025~ Aug. 05, 2025	Jul. 03, 2026	Radiation (03CH02-SZ)
SHF-EHF Horn	com-power	AH-840	101071	18Ghz-40GHz	Apr. 03, 2025	Aug. 04, 2025~ Aug. 05, 2025	Apr. 02, 2027	Radiation (03CH02-SZ)
LF Amplifier	EM Electronics	EM330	060788	20MHz-3GHz	Dec. 25, 2024	Aug. 04, 2025~ Aug. 05, 2025	Dec. 24, 2025	Radiation (03CH02-SZ)
HF Amplifier	KEYSIGHT	83017A	MY53270105	0.5GHz~26.5Ghz	Oct. 14, 2024	Aug. 04, 2025~ Aug. 05, 2025	Oct. 13, 2025	Radiation (03CH02-SZ)
AC Power Source	Chroma	61601	616010003043	N/A	Oct. 18, 2024	Aug. 04, 2025~ Aug. 05, 2025	Oct. 17, 2025	Radiation (03CH02-SZ)
Turn Table	Chaintek	T-200	N/A	0~360 degree	NCR	Aug. 04, 2025~ Aug. 05, 2025	NCR	Radiation (03CH02-SZ)
Antenna Mast	Chaintek	MBS-400	N/A	1 m~4 m	NCR	Aug. 04, 2025~ Aug. 05, 2025	NCR	Radiation (03CH02-SZ)

NCR: No Calibration Required

6 Measurement Uncertainty

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Conducted Measurement

Test Item	Uncertainty
Conducted Spurious Emission & Bandedge	± 1.34 dB
Occupied Channel Bandwidth	± 0.012 MHz
Conducted Power	± 1.34 dB
Peak to Average Ratio	± 1.34 dB
Frequency Stability	± 1.3 Hz

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	2.47 dB
---	---------

Uncertainty of Radiated Emission Measurement (1 GHz ~ 18 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.31 dB
---	---------

Uncertainty of Radiated Emission Measurement (18 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% ($U = 2Uc(y)$)	3.72 dB
---	---------

----- THE END -----



Appendix A. Test Results of Conducted Test

Test Engineer :	Nina Cheng	Temperature :	24~26°C
		Relative Humidity :	50~53%

Conducted Output Power(Average power) and ERP/EIRP

LTE Band 2_ANT13:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	EIRP(W)		
Channel				18700	18900	19100			
Frequency (MHz)				1860	1880	1900	L	M	H
20	QPSK	1	0	23.21	23.28	23.23	0.1466	0.1489	0.1472
20	QPSK	1	49	22.69	22.85	22.75	0.1300	0.1349	0.1318
20	QPSK	1	99	22.68	22.86	22.68	0.1297	0.1352	0.1297
20	QPSK	50	0	22.03	22.21	22.03	0.1117	0.1164	0.1117
20	QPSK	50	24	21.91	22.11	21.97	0.1086	0.1138	0.1102
20	QPSK	50	50	22.03	22.12	21.98	0.1117	0.1140	0.1104
20	QPSK	100	0	22.09	22.21	22.03	0.1132	0.1164	0.1117
20	16QAM	1	0	22.01	22.13	21.98	0.1112	0.1143	0.1104
20	16QAM	1	49	21.87	22.03	21.90	0.1076	0.1117	0.1084
20	16QAM	1	99	21.85	22.06	21.87	0.1072	0.1125	0.1076
20	16QAM	50	0	21.18	21.37	21.24	0.0918	0.0959	0.0931
20	16QAM	50	24	20.90	20.98	20.79	0.0861	0.0877	0.0839
20	16QAM	50	50	20.84	20.93	20.78	0.0849	0.0867	0.0838
20	16QAM	100	0	21.11	21.29	21.16	0.0904	0.0942	0.0914
20	64QAM	1	0	21.02	21.17	21.11	0.0885	0.0916	0.0904
20	64QAM	1	49	21.02	21.12	20.98	0.0885	0.0906	0.0877
20	64QAM	1	99	21.04	21.15	20.99	0.0889	0.0912	0.0879
20	64QAM	50	0	20.11	20.32	20.23	0.0718	0.0753	0.0738
20	64QAM	50	24	19.97	20.16	20.10	0.0695	0.0726	0.0716
20	64QAM	50	50	20.06	20.18	20.08	0.0710	0.0729	0.0713
20	64QAM	100	0	20.09	20.28	20.20	0.0714	0.0746	0.0733
Channel				18675	18900	19125	EIRP(W)		
Frequency (MHz)				1857.5	1880	1902.5	L	M	H
15	QPSK	1	0	23.08	23.14	23.12	0.1422	0.1442	0.1435
15	QPSK	1	37	22.62	22.71	22.63	0.1279	0.1306	0.1282
15	QPSK	1	74	22.60	22.82	22.63	0.1274	0.1340	0.1282
15	QPSK	36	0	21.90	22.09	21.93	0.1084	0.1132	0.1091
15	QPSK	36	20	21.86	22.01	21.96	0.1074	0.1112	0.1099
15	QPSK	36	39	21.91	21.98	21.88	0.1086	0.1104	0.1079
15	QPSK	75	0	22.07	22.07	21.97	0.1127	0.1127	0.1102



15	16QAM	1	0	21.92	22.09	21.88	0.1089	0.1132	0.1079
15	16QAM	1	37	21.80	21.90	21.81	0.1059	0.1084	0.1062
15	16QAM	1	74	21.81	22.00	21.78	0.1062	0.1109	0.1054
15	16QAM	36	0	21.15	21.23	21.10	0.0912	0.0929	0.0902
15	16QAM	36	20	20.84	20.86	20.71	0.0849	0.0853	0.0824
15	16QAM	36	39	20.72	20.89	20.73	0.0826	0.0859	0.0828
15	16QAM	75	0	20.98	21.23	21.09	0.0877	0.0929	0.0899
15	64QAM	1	0	20.96	21.08	20.98	0.0873	0.0897	0.0877
15	64QAM	1	37	20.91	21.00	20.96	0.0863	0.0881	0.0873
15	64QAM	1	74	20.95	21.06	20.96	0.0871	0.0893	0.0873
15	64QAM	36	0	20.07	20.22	20.14	0.0711	0.0736	0.0723
15	64QAM	36	20	19.90	20.11	20.08	0.0684	0.0718	0.0713
15	64QAM	36	39	19.92	20.16	20.02	0.0687	0.0726	0.0703
15	64QAM	75	0	19.97	20.25	20.16	0.0695	0.0741	0.0726
Channel				18650	18900	19150	EIRP(W)		
Frequency (MHz)				1855	1880	1905	L	M	H
10	QPSK	1	0	23.18	23.16	23.13	0.1455	0.1449	0.1439
10	QPSK	1	25	22.63	22.77	22.61	0.1282	0.1324	0.1276
10	QPSK	1	49	22.65	22.85	22.60	0.1288	0.1349	0.1274
10	QPSK	25	0	21.96	22.09	21.90	0.1099	0.1132	0.1084
10	QPSK	25	12	21.89	22.06	21.96	0.1081	0.1125	0.1099
10	QPSK	25	25	21.95	21.99	21.86	0.1096	0.1107	0.1074
10	QPSK	50	0	21.97	22.18	22.01	0.1102	0.1156	0.1112
10	16QAM	1	0	21.96	22.03	21.85	0.1099	0.1117	0.1072
10	16QAM	1	25	21.75	21.97	21.81	0.1047	0.1102	0.1062
10	16QAM	1	49	21.78	21.94	21.78	0.1054	0.1094	0.1054
10	16QAM	25	0	21.04	21.31	21.13	0.0889	0.0946	0.0908
10	16QAM	25	12	20.85	20.88	20.68	0.0851	0.0857	0.0818
10	16QAM	25	25	20.71	20.79	20.69	0.0824	0.0839	0.0820
10	16QAM	50	0	21.08	21.20	21.07	0.0897	0.0923	0.0895
10	64QAM	1	0	20.97	21.11	21.03	0.0875	0.0904	0.0887
10	64QAM	1	25	20.93	21.03	20.96	0.0867	0.0887	0.0873
10	64QAM	1	49	20.95	21.06	20.93	0.0871	0.0893	0.0867
10	64QAM	25	0	20.09	20.29	20.21	0.0714	0.0748	0.0735
10	64QAM	25	12	19.87	20.05	20.08	0.0679	0.0708	0.0713
10	64QAM	25	25	19.92	20.05	19.97	0.0687	0.0708	0.0695
10	64QAM	50	0	20.07	20.22	20.13	0.0711	0.0736	0.0721
Channel				18625	18900	19175	EIRP(W)		
Frequency (MHz)				1852.5	1880	1907.5	L	M	H
5	QPSK	1	0	23.15	23.15	23.11	0.1445	0.1445	0.1432
5	QPSK	1	12	22.61	22.72	22.61	0.1276	0.1309	0.1276
5	QPSK	1	24	22.65	22.83	22.65	0.1288	0.1343	0.1288
5	QPSK	12	0	21.99	22.20	22.02	0.1107	0.1161	0.1114
5	QPSK	12	7	21.81	22.08	21.92	0.1062	0.1130	0.1089
5	QPSK	12	13	21.99	22.00	21.83	0.1107	0.1109	0.1067
5	QPSK	25	0	22.01	22.09	21.95	0.1112	0.1132	0.1096
5	16QAM	1	0	21.95	22.10	21.84	0.1096	0.1135	0.1069



5	16QAM	1	12	21.76	21.92	21.85	0.1050	0.1089	0.1072
5	16QAM	1	24	21.80	22.01	21.84	0.1059	0.1112	0.1069
5	16QAM	12	0	21.07	21.33	21.22	0.0895	0.0951	0.0927
5	16QAM	12	7	20.84	20.95	20.71	0.0849	0.0871	0.0824
5	16QAM	12	13	20.73	20.84	20.66	0.0828	0.0849	0.0815
5	16QAM	25	0	21.01	21.23	21.04	0.0883	0.0929	0.0889
5	64QAM	1	0	20.92	21.04	21.01	0.0865	0.0889	0.0883
5	64QAM	1	12	20.91	21.11	20.83	0.0863	0.0904	0.0847
5	64QAM	1	24	20.96	21.11	20.88	0.0873	0.0904	0.0857
5	64QAM	12	0	20.07	20.23	20.10	0.0711	0.0738	0.0716
5	64QAM	12	7	19.95	20.09	19.97	0.0692	0.0714	0.0695
5	64QAM	12	13	19.98	20.09	20.01	0.0697	0.0714	0.0701
5	64QAM	25	0	20.06	20.20	20.06	0.0710	0.0733	0.0710
Channel				18615	18900	19185	EIRP(W)		
Frequency (MHz)				1851.5	1880	1908.5	L	M	H
3	QPSK	1	0	23.11	23.22	23.16	0.1432	0.1469	0.1449
3	QPSK	1	8	22.60	22.81	22.71	0.1274	0.1337	0.1306
3	QPSK	1	14	22.66	22.82	22.64	0.1291	0.1340	0.1285
3	QPSK	8	0	21.91	22.17	21.92	0.1086	0.1153	0.1089
3	QPSK	8	4	21.85	22.07	21.83	0.1072	0.1127	0.1067
3	QPSK	8	7	21.97	22.11	21.96	0.1102	0.1138	0.1099
3	QPSK	15	0	22.03	22.11	21.97	0.1117	0.1138	0.1102
3	16QAM	1	0	21.93	22.11	21.96	0.1091	0.1138	0.1099
3	16QAM	1	8	21.85	21.98	21.81	0.1072	0.1104	0.1062
3	16QAM	1	14	21.74	22.01	21.81	0.1045	0.1112	0.1062
3	16QAM	8	0	21.03	21.23	21.22	0.0887	0.0929	0.0927
3	16QAM	8	4	20.81	20.90	20.65	0.0843	0.0861	0.0813
3	16QAM	8	7	20.74	20.78	20.73	0.0830	0.0838	0.0828
3	16QAM	15	0	21.08	21.28	21.09	0.0897	0.0940	0.0899
3	64QAM	1	0	20.92	21.10	21.07	0.0865	0.0902	0.0895
3	64QAM	1	8	20.91	20.98	20.93	0.0863	0.0877	0.0867
3	64QAM	1	14	20.90	21.02	20.89	0.0861	0.0885	0.0859
3	64QAM	8	0	20.05	20.30	20.20	0.0708	0.0750	0.0733
3	64QAM	8	4	19.94	20.12	20.00	0.0690	0.0719	0.0700
3	64QAM	8	7	19.98	20.13	19.98	0.0697	0.0721	0.0697
3	64QAM	15	0	20.07	20.13	20.11	0.0711	0.0721	0.0718
Channel				18607	18900	19193	EIRP(W)		
Frequency (MHz)				1850.7	1880	1909.3	L	M	H
1.4	QPSK	1	0	23.16	23.21	23.21	0.1449	0.1466	0.1466
1.4	QPSK	1	3	22.68	22.79	22.68	0.1297	0.1330	0.1297
1.4	QPSK	1	5	22.62	22.72	22.56	0.1279	0.1309	0.1262
1.4	QPSK	3	0	22.92	23.11	23.02	0.1371	0.1432	0.1403
1.4	QPSK	3	1	22.86	22.96	22.83	0.1352	0.1384	0.1343
1.4	QPSK	3	3	22.93	23.05	22.90	0.1374	0.1413	0.1365
1.4	QPSK	6	0	21.99	22.08	21.90	0.1107	0.1130	0.1084
1.4	16QAM	1	0	21.96	22.09	21.87	0.1099	0.1132	0.1076
1.4	16QAM	1	3	21.85	21.96	21.87	0.1072	0.1099	0.1076



1.4	16QAM	1	5	21.71	22.03	21.81	0.1038	0.1117	0.1062
1.4	16QAM	3	0	22.11	22.27	22.22	0.1138	0.1180	0.1167
1.4	16QAM	3	1	21.82	21.92	21.68	0.1064	0.1089	0.1030
1.4	16QAM	3	3	21.78	21.87	21.72	0.1054	0.1076	0.1040
1.4	16QAM	6	0	21.06	21.20	21.05	0.0893	0.0923	0.0891
1.4	64QAM	1	0	20.96	21.02	20.97	0.0873	0.0885	0.0875
1.4	64QAM	1	3	20.87	20.99	20.85	0.0855	0.0879	0.0851
1.4	64QAM	1	5	20.98	21.09	20.95	0.0877	0.0899	0.0871
1.4	64QAM	3	0	21.05	21.20	21.17	0.0891	0.0923	0.0916
1.4	64QAM	3	1	20.90	21.07	21.02	0.0861	0.0895	0.0885
1.4	64QAM	3	3	20.95	21.08	21.03	0.0871	0.0897	0.0887
1.4	64QAM	6	0	20.06	20.14	20.17	0.0710	0.0723	0.0728

LTE Band 4_ANT13:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	EIRP(W)		
Channel				20050	20175	20300			
Frequency (MHz)				1720	1732.5	1745	L	M	H
20	QPSK	1	0	23.67	23.83	23.81	0.1589	0.1648	0.1641
20	QPSK	1	49	23.45	23.73	23.64	0.1510	0.1611	0.1578
20	QPSK	1	99	23.58	23.77	23.65	0.1556	0.1626	0.1581
20	QPSK	50	0	22.58	22.79	22.71	0.1236	0.1297	0.1274
20	QPSK	50	24	22.50	22.71	22.56	0.1213	0.1274	0.1230
20	QPSK	50	50	22.39	22.65	22.58	0.1183	0.1256	0.1236
20	QPSK	100	0	22.45	22.67	22.54	0.1199	0.1262	0.1225
20	16QAM	1	0	22.45	22.65	22.58	0.1199	0.1256	0.1236
20	16QAM	1	49	22.31	22.60	22.55	0.1161	0.1242	0.1227
20	16QAM	1	99	22.42	22.61	22.57	0.1191	0.1245	0.1233
20	16QAM	50	0	21.47	21.67	21.59	0.0957	0.1002	0.0984
20	16QAM	50	24	21.39	21.55	21.45	0.0940	0.0975	0.0953
20	16QAM	50	50	21.48	21.64	21.50	0.0959	0.0995	0.0964
20	16QAM	100	0	21.54	21.72	21.56	0.0973	0.1014	0.0977
20	64QAM	1	0	21.63	21.84	21.71	0.0993	0.1042	0.1012
20	64QAM	1	49	21.55	21.73	21.66	0.0975	0.1016	0.1000
20	64QAM	1	99	21.55	21.74	21.59	0.0975	0.1019	0.0984
20	64QAM	50	0	20.48	20.64	20.55	0.0762	0.0791	0.0774
20	64QAM	50	24	20.25	20.52	20.45	0.0723	0.0769	0.0757
20	64QAM	50	50	20.30	20.52	20.47	0.0731	0.0769	0.0760
20	64QAM	100	0	20.43	20.61	20.50	0.0753	0.0785	0.0766
Channel				20025	20175	20325	EIRP(W)		
Frequency (MHz)				1717.5	1732.5	1747.5	L	M	H
15	QPSK	1	0	23.55	23.72	23.74	0.1545	0.1607	0.1614
15	QPSK	1	37	23.33	23.68	23.56	0.1469	0.1592	0.1549
15	QPSK	1	74	23.44	23.70	23.55	0.1507	0.1600	0.1545
15	QPSK	36	0	22.47	22.72	22.65	0.1205	0.1276	0.1256



15	QPSK	36	20	22.42	22.65	22.42	0.1191	0.1256	0.1191
15	QPSK	36	39	22.33	22.50	22.48	0.1167	0.1213	0.1208
15	QPSK	75	0	22.41	22.62	22.49	0.1189	0.1247	0.1211
15	16QAM	1	0	22.39	22.53	22.51	0.1183	0.1222	0.1216
15	16QAM	1	37	22.17	22.47	22.41	0.1125	0.1205	0.1189
15	16QAM	1	74	22.31	22.56	22.53	0.1161	0.1230	0.1222
15	16QAM	36	0	21.36	21.55	21.49	0.0933	0.0975	0.0962
15	16QAM	36	20	21.27	21.54	21.40	0.0914	0.0973	0.0942
15	16QAM	36	39	21.33	21.61	21.36	0.0927	0.0989	0.0933
15	16QAM	75	0	21.43	21.60	21.52	0.0948	0.0986	0.0968
15	64QAM	1	0	21.60	21.82	21.59	0.0986	0.1038	0.0984
15	64QAM	1	37	21.51	21.61	21.52	0.0966	0.0989	0.0968
15	64QAM	1	74	21.44	21.70	21.58	0.0951	0.1009	0.0982
15	64QAM	36	0	20.35	20.61	20.43	0.0740	0.0785	0.0753
15	64QAM	36	20	20.23	20.50	20.36	0.0719	0.0766	0.0741
15	64QAM	36	39	20.24	20.41	20.37	0.0721	0.0750	0.0743
15	64QAM	75	0	20.31	20.57	20.36	0.0733	0.0778	0.0741
Channel				20000	20175	20350	EIRP(W)		
Frequency (MHz)				1715	1732.5	1750	L	M	H
10	QPSK	1	0	23.53	23.77	23.70	0.1538	0.1626	0.1600
10	QPSK	1	25	23.32	23.61	23.59	0.1466	0.1567	0.1560
10	QPSK	1	49	23.52	23.75	23.58	0.1535	0.1618	0.1556
10	QPSK	25	0	22.48	22.65	22.63	0.1208	0.1256	0.1250
10	QPSK	25	12	22.47	22.66	22.47	0.1205	0.1259	0.1205
10	QPSK	25	25	22.25	22.54	22.56	0.1146	0.1225	0.1230
10	QPSK	50	0	22.37	22.59	22.48	0.1178	0.1239	0.1208
10	16QAM	1	0	22.40	22.51	22.48	0.1186	0.1216	0.1208
10	16QAM	1	25	22.16	22.56	22.42	0.1122	0.1230	0.1191
10	16QAM	1	49	22.37	22.46	22.52	0.1178	0.1202	0.1219
10	16QAM	25	0	21.36	21.62	21.57	0.0933	0.0991	0.0979
10	16QAM	25	12	21.31	21.41	21.41	0.0923	0.0944	0.0944
10	16QAM	25	25	21.37	21.59	21.46	0.0935	0.0984	0.0955
10	16QAM	50	0	21.42	21.69	21.44	0.0946	0.1007	0.0951
10	64QAM	1	0	21.54	21.82	21.57	0.0973	0.1038	0.0979
10	64QAM	1	25	21.54	21.68	21.64	0.0973	0.1005	0.0995
10	64QAM	1	49	21.49	21.71	21.47	0.0962	0.1012	0.0957
10	64QAM	25	0	20.45	20.52	20.46	0.0757	0.0769	0.0759
10	64QAM	25	12	20.24	20.45	20.41	0.0721	0.0757	0.0750
10	64QAM	25	25	20.24	20.50	20.45	0.0721	0.0766	0.0757
10	64QAM	50	0	20.31	20.60	20.42	0.0733	0.0783	0.0752
Channel				19975	20175	20375	EIRP(W)		
Frequency (MHz)				1712.5	1732.5	1752.5	L	M	H
5	QPSK	1	0	23.57	23.73	23.66	0.1552	0.1611	0.1585
5	QPSK	1	12	23.30	23.67	23.57	0.1459	0.1589	0.1552
5	QPSK	1	24	23.49	23.64	23.61	0.1524	0.1578	0.1567
5	QPSK	12	0	22.46	22.66	22.62	0.1202	0.1259	0.1247
5	QPSK	12	7	22.40	22.63	22.45	0.1186	0.1250	0.1199



5	QPSK	12	13	22.25	22.57	22.52	0.1146	0.1233	0.1219
5	QPSK	25	0	22.30	22.65	22.51	0.1159	0.1256	0.1216
5	16QAM	1	0	22.42	22.63	22.46	0.1191	0.1250	0.1202
5	16QAM	1	12	22.23	22.50	22.47	0.1140	0.1213	0.1205
5	16QAM	1	24	22.34	22.50	22.45	0.1169	0.1213	0.1199
5	16QAM	12	0	21.38	21.63	21.54	0.0938	0.0993	0.0973
5	16QAM	12	7	21.27	21.44	21.37	0.0914	0.0951	0.0935
5	16QAM	12	13	21.47	21.57	21.41	0.0957	0.0979	0.0944
5	16QAM	25	0	21.39	21.61	21.41	0.0940	0.0989	0.0944
5	64QAM	1	0	21.58	21.77	21.62	0.0982	0.1026	0.0991
5	64QAM	1	12	21.41	21.71	21.53	0.0944	0.1012	0.0971
5	64QAM	1	24	21.49	21.66	21.51	0.0962	0.1000	0.0966
5	64QAM	12	0	20.46	20.63	20.49	0.0759	0.0789	0.0764
5	64QAM	12	7	20.14	20.39	20.38	0.0705	0.0746	0.0745
5	64QAM	12	13	20.20	20.40	20.41	0.0714	0.0748	0.0750
5	64QAM	25	0	20.31	20.49	20.44	0.0733	0.0764	0.0755
Channel				19965	20175	20385	EIRP(W)		
Frequency (MHz)				1711.5	1732.5	1753.5	L	M	H
3	QPSK	1	0	23.58	23.73	23.79	0.1556	0.1611	0.1633
3	QPSK	1	8	23.38	23.64	23.56	0.1486	0.1578	0.1549
3	QPSK	1	14	23.49	23.63	23.56	0.1524	0.1574	0.1549
3	QPSK	8	0	22.55	22.67	22.65	0.1227	0.1262	0.1256
3	QPSK	8	4	22.35	22.61	22.50	0.1172	0.1245	0.1213
3	QPSK	8	7	22.36	22.64	22.49	0.1175	0.1253	0.1211
3	QPSK	15	0	22.36	22.57	22.44	0.1175	0.1233	0.1197
3	16QAM	1	0	22.33	22.64	22.53	0.1167	0.1253	0.1222
3	16QAM	1	8	22.24	22.47	22.42	0.1143	0.1205	0.1191
3	16QAM	1	14	22.33	22.52	22.50	0.1167	0.1219	0.1213
3	16QAM	8	0	21.35	21.63	21.50	0.0931	0.0993	0.0964
3	16QAM	8	4	21.36	21.45	21.36	0.0933	0.0953	0.0933
3	16QAM	8	7	21.46	21.57	21.46	0.0955	0.0979	0.0955
3	16QAM	15	0	21.41	21.63	21.50	0.0944	0.0993	0.0964
3	64QAM	1	0	21.56	21.80	21.58	0.0977	0.1033	0.0982
3	64QAM	1	8	21.50	21.65	21.51	0.0964	0.0998	0.0966
3	64QAM	1	14	21.45	21.63	21.56	0.0953	0.0993	0.0977
3	64QAM	8	0	20.44	20.62	20.46	0.0755	0.0787	0.0759
3	64QAM	8	4	20.15	20.38	20.39	0.0706	0.0745	0.0746
3	64QAM	8	7	20.27	20.40	20.34	0.0726	0.0748	0.0738
3	64QAM	15	0	20.28	20.60	20.47	0.0728	0.0783	0.0760
Channel				19950	20175	20393	EIRP(W)		
Frequency (MHz)				1710	1732.5	1754.3	L	M	H
1.4	QPSK	1	0	23.54	23.69	23.74	0.1542	0.1596	0.1614
1.4	QPSK	1	3	23.37	23.67	23.50	0.1483	0.1589	0.1528
1.4	QPSK	1	5	23.45	23.65	23.52	0.1510	0.1581	0.1535
1.4	QPSK	3	0	23.57	23.75	23.63	0.1552	0.1618	0.1574
1.4	QPSK	3	1	23.39	23.60	23.44	0.1489	0.1563	0.1507
1.4	QPSK	3	3	23.29	23.63	23.55	0.1455	0.1574	0.1545



1.4	QPSK	6	0	22.34	22.61	22.44	0.1169	0.1245	0.1197
1.4	16QAM	1	0	22.38	22.55	22.53	0.1180	0.1227	0.1222
1.4	16QAM	1	3	22.29	22.53	22.45	0.1156	0.1222	0.1199
1.4	16QAM	1	5	22.32	22.55	22.51	0.1164	0.1227	0.1216
1.4	16QAM	3	0	22.40	22.63	22.57	0.1186	0.1250	0.1233
1.4	16QAM	3	1	22.27	22.50	22.41	0.1151	0.1213	0.1189
1.4	16QAM	3	3	22.33	22.49	22.44	0.1167	0.1211	0.1197
1.4	16QAM	6	0	21.51	21.66	21.52	0.0966	0.1000	0.0968
1.4	64QAM	1	0	21.53	21.79	21.68	0.0971	0.1030	0.1005
1.4	64QAM	1	3	21.52	21.66	21.58	0.0968	0.1000	0.0982
1.4	64QAM	1	5	21.44	21.68	21.54	0.0951	0.1005	0.0973
1.4	64QAM	3	0	21.43	21.57	21.53	0.0948	0.0979	0.0971
1.4	64QAM	3	1	21.23	21.48	21.31	0.0906	0.0959	0.0923
1.4	64QAM	3	3	21.25	21.42	21.40	0.0910	0.0946	0.0942
1.4	64QAM	6	0	20.35	20.56	20.47	0.0740	0.0776	0.0760

LTE Band 5_ANT13:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	ERP(W)		
Channel				20450	20525	20600			
Frequency (MHz)				829	836.5	844	L	M	H
10	QPSK	1	0	23.33	23.69	23.59	0.0638	0.0693	0.0678
10	QPSK	1	25	23.09	23.59	23.40	0.0604	0.0678	0.0649
10	QPSK	1	49	23.27	23.66	23.54	0.0630	0.0689	0.0670
10	QPSK	25	0	22.19	22.55	22.31	0.0491	0.0533	0.0505
10	QPSK	25	12	22.04	22.40	22.17	0.0474	0.0515	0.0489
10	QPSK	25	25	22.15	22.51	22.34	0.0486	0.0528	0.0508
10	QPSK	50	0	22.19	22.59	22.37	0.0491	0.0538	0.0512
10	16QAM	1	0	22.13	22.51	22.28	0.0484	0.0528	0.0501
10	16QAM	1	25	22.06	22.43	22.26	0.0476	0.0519	0.0499
10	16QAM	1	49	22.00	22.44	22.29	0.0470	0.0520	0.0502
10	16QAM	25	0	21.19	21.57	21.33	0.0390	0.0426	0.0403
10	16QAM	25	12	21.04	21.43	21.32	0.0377	0.0412	0.0402
10	16QAM	25	25	21.09	21.48	21.26	0.0381	0.0417	0.0396
10	16QAM	50	0	21.02	21.43	21.32	0.0375	0.0412	0.0402
10	64QAM	1	0	21.23	21.68	21.46	0.0394	0.0437	0.0415
10	64QAM	1	25	21.29	21.63	21.45	0.0399	0.0432	0.0414
10	64QAM	1	49	21.14	21.61	21.45	0.0385	0.0430	0.0414
10	64QAM	25	0	20.29	20.67	20.48	0.0317	0.0346	0.0331
10	64QAM	25	12	20.22	20.54	20.43	0.0312	0.0336	0.0327
10	64QAM	25	25	20.19	20.54	20.38	0.0310	0.0336	0.0324
10	64QAM	50	0	20.16	20.61	20.43	0.0308	0.0341	0.0327
Channel				20425	20525	20625	ERP(W)		
Frequency (MHz)				826.5	836.5	846.5	L	M	H
5	QPSK	1	0	23.29	23.61	23.47	0.0632	0.0681	0.0659



5	QPSK	1	12	23.01	23.58	23.29	0.0593	0.0676	0.0632
5	QPSK	1	24	23.20	23.53	23.43	0.0619	0.0668	0.0653
5	QPSK	12	0	22.07	22.51	22.28	0.0478	0.0528	0.0501
5	QPSK	12	7	22.00	22.27	22.04	0.0470	0.0500	0.0474
5	QPSK	12	13	22.05	22.39	22.33	0.0475	0.0514	0.0507
5	QPSK	25	0	22.13	22.57	22.35	0.0484	0.0536	0.0509
5	16QAM	1	0	22.00	22.43	22.17	0.0470	0.0519	0.0489
5	16QAM	1	12	22.00	22.31	22.19	0.0470	0.0505	0.0491
5	16QAM	1	24	22.00	22.42	22.27	0.0470	0.0518	0.0500
5	16QAM	12	0	21.08	21.50	21.27	0.0380	0.0419	0.0397
5	16QAM	12	7	21.01	21.29	21.27	0.0374	0.0399	0.0397
5	16QAM	12	13	21.03	21.43	21.22	0.0376	0.0412	0.0393
5	16QAM	25	0	21.01	21.30	21.24	0.0374	0.0400	0.0394
5	64QAM	1	0	21.19	21.64	21.37	0.0390	0.0433	0.0406
5	64QAM	1	12	21.24	21.60	21.44	0.0394	0.0429	0.0413
5	64QAM	1	24	21.04	21.46	21.38	0.0377	0.0415	0.0407
5	64QAM	12	0	20.25	20.52	20.40	0.0314	0.0334	0.0325
5	64QAM	12	7	20.09	20.52	20.35	0.0303	0.0334	0.0321
5	64QAM	12	13	20.11	20.52	20.30	0.0304	0.0334	0.0318
5	64QAM	25	0	20.07	20.56	20.28	0.0301	0.0337	0.0316
Channel				20415	20525	20635	ERP(W)		
Frequency (MHz)				825.5	836.5	847.5	L	M	H
3	QPSK	1	0	23.24	23.68	23.53	0.0625	0.0692	0.0668
3	QPSK	1	8	23.00	23.55	23.39	0.0592	0.0671	0.0647
3	QPSK	1	14	23.22	23.54	23.42	0.0622	0.0670	0.0652
3	QPSK	8	0	22.08	22.46	22.26	0.0479	0.0522	0.0499
3	QPSK	8	4	22.01	22.25	22.13	0.0471	0.0498	0.0484
3	QPSK	8	7	22.11	22.45	22.25	0.0482	0.0521	0.0498
3	QPSK	15	0	22.14	22.56	22.25	0.0485	0.0535	0.0498
3	16QAM	1	0	22.05	22.37	22.16	0.0475	0.0512	0.0488
3	16QAM	1	8	22.01	22.33	22.18	0.0471	0.0507	0.0490
3	16QAM	1	14	22.01	22.32	22.24	0.0471	0.0506	0.0497
3	16QAM	8	0	21.10	21.43	21.27	0.0382	0.0412	0.0397
3	16QAM	8	4	21.01	21.37	21.28	0.0374	0.0406	0.0398
3	16QAM	8	7	21.00	21.34	21.14	0.0373	0.0404	0.0385
3	16QAM	15	0	21.00	21.41	21.22	0.0373	0.0410	0.0393
3	64QAM	1	0	21.11	21.67	21.32	0.0383	0.0436	0.0402
3	64QAM	1	8	21.25	21.52	21.33	0.0395	0.0421	0.0403
3	64QAM	1	14	21.10	21.56	21.32	0.0382	0.0425	0.0402
3	64QAM	8	0	20.17	20.54	20.42	0.0308	0.0336	0.0327
3	64QAM	8	4	20.11	20.39	20.34	0.0304	0.0324	0.0321
3	64QAM	8	7	20.09	20.49	20.24	0.0303	0.0332	0.0313
3	64QAM	15	0	20.03	20.56	20.28	0.0299	0.0337	0.0316
Channel				20407	20525	20643	ERP(W)		
Frequency (MHz)				824.7	836.5	848.3	L	M	H
1.4	QPSK	1	0	23.32	23.63	23.50	0.0637	0.0684	0.0664
1.4	QPSK	1	3	23.00	23.52	23.33	0.0592	0.0667	0.0638



1.4	QPSK	1	5	23.18	23.64	23.46	0.0617	0.0685	0.0658
1.4	QPSK	3	0	23.12	23.52	23.29	0.0608	0.0667	0.0632
1.4	QPSK	3	1	23.02	23.25	23.15	0.0594	0.0627	0.0612
1.4	QPSK	3	3	23.03	23.46	23.21	0.0596	0.0658	0.0621
1.4	QPSK	6	0	22.15	22.47	22.34	0.0486	0.0524	0.0508
1.4	16QAM	1	0	22.05	22.38	22.24	0.0475	0.0513	0.0497
1.4	16QAM	1	3	22.01	22.41	22.24	0.0471	0.0516	0.0497
1.4	16QAM	1	5	22.02	22.38	22.27	0.0472	0.0513	0.0500
1.4	16QAM	3	0	22.15	22.43	22.30	0.0486	0.0519	0.0504
1.4	16QAM	3	1	22.00	22.32	22.29	0.0470	0.0506	0.0502
1.4	16QAM	3	3	22.04	22.36	22.17	0.0474	0.0511	0.0489
1.4	16QAM	6	0	21.00	21.36	21.29	0.0373	0.0406	0.0399
1.4	64QAM	1	0	21.20	21.53	21.36	0.0391	0.0422	0.0406
1.4	64QAM	1	3	21.25	21.56	21.42	0.0395	0.0425	0.0411
1.4	64QAM	1	5	21.07	21.59	21.31	0.0379	0.0428	0.0401
1.4	64QAM	3	0	21.23	21.57	21.34	0.0394	0.0426	0.0404
1.4	64QAM	3	1	21.12	21.42	21.32	0.0384	0.0411	0.0402
1.4	64QAM	3	3	21.07	21.51	21.24	0.0379	0.0420	0.0394
1.4	64QAM	6	0	20.03	20.57	20.31	0.0299	0.0338	0.0318

LTE Band 26_ANT13:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	ERP(W)			
Channel				26790	26865	26915	26965				
Frequency (MHz)				824	831.5	836.5	841.5	Straddle Ch	L	M	H
15	QPSK	1	0	23.48	23.51	23.69	23.41	0.0661	0.0665	0.0693	0.0650
15	QPSK	1	37	23.32	23.33	23.57	23.28	0.0637	0.0638	0.0675	0.0631
15	QPSK	1	74	23.30	23.32	23.58	23.22	0.0634	0.0637	0.0676	0.0622
15	QPSK	36	0	22.19	22.22	22.53	22.25	0.0491	0.0494	0.0531	0.0498
15	QPSK	36	20	22.23	22.24	22.44	22.04	0.0495	0.0497	0.0520	0.0474
15	QPSK	36	39	22.14	22.16	22.46	22.06	0.0485	0.0488	0.0522	0.0476
15	QPSK	75	0	22.18	22.20	22.49	22.09	0.0490	0.0492	0.0526	0.0480
15	16QAM	1	0	22.18	22.20	22.45	22.05	0.0490	0.0492	0.0521	0.0475
15	16QAM	1	37	22.03	22.03	22.33	21.97	0.0473	0.0473	0.0507	0.0467
15	16QAM	1	74	22.03	22.03	22.31	21.91	0.0473	0.0473	0.0505	0.0460
15	16QAM	36	0	21.22	21.25	21.47	21.19	0.0393	0.0395	0.0416	0.0390
15	16QAM	36	20	21.09	21.10	21.38	21.10	0.0381	0.0382	0.0407	0.0382
15	16QAM	36	39	21.16	21.17	21.39	21.01	0.0387	0.0388	0.0408	0.0374
15	16QAM	75	0	21.23	21.25	21.46	21.06	0.0394	0.0395	0.0415	0.0378
15	64QAM	1	0	21.95	21.98	22.27	21.96	0.0465	0.0468	0.0500	0.0466
15	64QAM	1	37	21.92	21.94	22.21	21.91	0.0461	0.0463	0.0493	0.0460
15	64QAM	1	74	21.95	21.96	22.21	21.85	0.0465	0.0466	0.0493	0.0454
15	64QAM	36	0	21.12	21.14	21.42	21.10	0.0384	0.0385	0.0411	0.0382
15	64QAM	36	20	21.12	21.13	21.34	21.05	0.0384	0.0385	0.0404	0.0378
15	64QAM	36	39	21.00	21.00	21.31	20.96	0.0373	0.0373	0.0401	0.0370



15	64QAM	75	0	21.18	21.19	21.45	21.12	0.0389	0.0390	0.0414	0.0384
Channel					26840	26915	26990	ERP(W)			
Frequency (MHz)					829	836.5	844		L	M	H
10	QPSK	1	0		23.45	23.54	23.38		0.0656	0.0670	0.0646
10	QPSK	1	25		23.25	23.49	23.15		0.0627	0.0662	0.0612
10	QPSK	1	49		23.20	23.44	23.21		0.0619	0.0655	0.0621
10	QPSK	25	0		22.21	22.43	22.13		0.0493	0.0519	0.0484
10	QPSK	25	12		22.18	22.35	21.96		0.0490	0.0509	0.0466
10	QPSK	25	25		22.08	22.37	22.03		0.0479	0.0512	0.0473
10	QPSK	50	0		22.12	22.39	22.04		0.0483	0.0514	0.0474
10	16QAM	1	0		22.19	22.38	21.97		0.0491	0.0513	0.0467
10	16QAM	1	25		22.00	22.31	21.88		0.0470	0.0505	0.0457
10	16QAM	1	49		21.98	22.26	21.80		0.0468	0.0499	0.0449
10	16QAM	25	0		21.24	21.33	21.15		0.0394	0.0403	0.0386
10	16QAM	25	12		21.05	21.31	20.99		0.0378	0.0401	0.0372
10	16QAM	25	25		21.12	21.28	20.88		0.0384	0.0398	0.0363
10	16QAM	50	0		21.22	21.31	20.96		0.0393	0.0401	0.0370
10	64QAM	1	0		21.87	22.22	21.87		0.0456	0.0494	0.0456
10	64QAM	1	25		21.82	22.08	21.81		0.0451	0.0479	0.0450
10	64QAM	1	49		21.85	22.11	21.82		0.0454	0.0482	0.0451
10	64QAM	25	0		21.11	21.30	21.02		0.0383	0.0400	0.0375
10	64QAM	25	12		21.00	21.21	20.90		0.0373	0.0392	0.0365
10	64QAM	25	25		20.85	21.27	20.91		0.0361	0.0397	0.0366
10	64QAM	50	0		21.06	21.38	21.02		0.0378	0.0407	0.0375
Channel					26815	26915	27015	ERP(W)			
Frequency (MHz)					826.5	836.5	846.5		L	M	H
5	QPSK	1	0		23.44	23.55	23.29		0.0655	0.0671	0.0632
5	QPSK	1	12		23.22	23.49	23.24		0.0622	0.0662	0.0625
5	QPSK	1	24		23.22	23.45	23.07		0.0622	0.0656	0.0601
5	QPSK	12	0		22.19	22.47	22.11		0.0491	0.0524	0.0482
5	QPSK	12	7		22.20	22.34	22.01		0.0492	0.0508	0.0471
5	QPSK	12	13		22.05	22.39	22.03		0.0475	0.0514	0.0473
5	QPSK	25	0		22.15	22.35	22.05		0.0486	0.0509	0.0475
5	16QAM	1	0		22.12	22.34	21.91		0.0483	0.0508	0.0460
5	16QAM	1	12		21.95	22.20	21.91		0.0465	0.0492	0.0460
5	16QAM	1	24		21.88	22.23	21.83		0.0457	0.0495	0.0452
5	16QAM	12	0		21.20	21.40	21.05		0.0391	0.0409	0.0378
5	16QAM	12	7		21.02	21.35	20.97		0.0375	0.0405	0.0371
5	16QAM	12	13		21.12	21.38	20.94		0.0384	0.0407	0.0368
5	16QAM	25	0		21.23	21.38	21.00		0.0394	0.0407	0.0373
5	64QAM	1	0		21.95	22.18	21.93		0.0465	0.0490	0.0462
5	64QAM	1	12		21.81	22.13	21.84		0.0450	0.0484	0.0453
5	64QAM	1	24		21.86	22.19	21.70		0.0455	0.0491	0.0439
5	64QAM	12	0		21.00	21.39	21.04		0.0373	0.0408	0.0377
5	64QAM	12	7		21.02	21.22	21.00		0.0375	0.0393	0.0373
5	64QAM	12	13		20.98	21.21	20.95		0.0372	0.0392	0.0369
5	64QAM	25	0		21.06	21.35	21.11		0.0378	0.0405	0.0383



Channel					26815	26915	27025	ERP(W)			
Frequency (MHz)					825.5	836.5	847.5		L	M	H
3	QPSK	1	0		23.37	23.65	23.27		0.0644	0.0687	0.0630
3	QPSK	1	8		23.25	23.52	23.14		0.0627	0.0667	0.0611
3	QPSK	1	14		23.30	23.44	23.20		0.0634	0.0655	0.0619
3	QPSK	8	0		22.20	22.49	22.16		0.0492	0.0526	0.0488
3	QPSK	8	4		22.18	22.32	21.92		0.0490	0.0506	0.0461
3	QPSK	8	7		22.03	22.43	21.98		0.0473	0.0519	0.0468
3	QPSK	15	0		22.05	22.47	22.06		0.0475	0.0524	0.0476
3	16QAM	1	0		22.14	22.32	22.02		0.0485	0.0506	0.0472
3	16QAM	1	8		21.98	22.26	21.95		0.0468	0.0499	0.0465
3	16QAM	1	14		22.01	22.27	21.82		0.0471	0.0500	0.0451
3	16QAM	8	0		21.13	21.36	21.15		0.0385	0.0406	0.0386
3	16QAM	8	4		20.98	21.36	20.95		0.0372	0.0406	0.0369
3	16QAM	8	7		21.08	21.37	20.92		0.0380	0.0406	0.0366
3	16QAM	15	0		21.15	21.34	20.91		0.0386	0.0404	0.0366
3	64QAM	1	0		21.84	22.25	21.92		0.0453	0.0498	0.0461
3	64QAM	1	8		21.81	22.10	21.88		0.0450	0.0481	0.0457
3	64QAM	1	14		21.82	22.13	21.70		0.0451	0.0484	0.0439
3	64QAM	8	0		21.07	21.27	21.00		0.0379	0.0397	0.0373
3	64QAM	8	4		20.99	21.20	20.92		0.0372	0.0391	0.0366
3	64QAM	8	7		20.95	21.21	20.94		0.0369	0.0392	0.0368
3	64QAM	15	0		21.16	21.34	20.98		0.0387	0.0404	0.0372
Channel					26797	26915	27033	ERP(W)			
Frequency (MHz)					824.7	836.5	848.3		L	M	H
1.4	QPSK	1	0		23.47	23.58	23.32		0.0659	0.0676	0.0637
1.4	QPSK	1	3		23.20	23.49	23.26		0.0619	0.0662	0.0628
1.4	QPSK	1	5		23.30	23.48	23.13		0.0634	0.0661	0.0610
1.4	QPSK	3	0		23.08	23.39	23.15		0.0603	0.0647	0.0612
1.4	QPSK	3	1		23.21	23.31	22.92		0.0621	0.0635	0.0581
1.4	QPSK	3	3		23.12	23.45	23.05		0.0608	0.0656	0.0598
1.4	QPSK	6	0		22.08	22.46	22.00		0.0479	0.0522	0.0470
1.4	16QAM	1	0		22.12	22.41	22.03		0.0483	0.0516	0.0473
1.4	16QAM	1	3		21.90	22.21	21.83		0.0459	0.0493	0.0452
1.4	16QAM	1	5		21.90	22.29	21.84		0.0459	0.0502	0.0453
1.4	16QAM	3	0		22.19	22.40	22.08		0.0491	0.0515	0.0479
1.4	16QAM	3	1		22.01	22.33	22.06		0.0471	0.0507	0.0476
1.4	16QAM	3	3		22.14	22.32	21.89		0.0485	0.0506	0.0458
1.4	16QAM	6	0		21.21	21.38	21.02		0.0392	0.0407	0.0375
1.4	64QAM	1	0		21.93	22.17	21.84		0.0462	0.0489	0.0453
1.4	64QAM	1	3		21.84	22.09	21.83		0.0453	0.0480	0.0452
1.4	64QAM	1	5		21.86	22.17	21.77		0.0455	0.0489	0.0446
1.4	64QAM	3	0		22.02	22.28	22.03		0.0472	0.0501	0.0473
1.4	64QAM	3	1		22.08	22.22	21.91		0.0479	0.0494	0.0460
1.4	64QAM	3	3		21.90	22.21	21.87		0.0459	0.0493	0.0456
1.4	64QAM	6	0		21.05	21.40	20.98		0.0378	0.0409	0.0372



LTE Band 66_ANT13:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	EIRP(W)		
Channel				132072	132322	132572			
Frequency (MHz)				1720	1745	1770	L	M	H
20	QPSK	1	0	23.61	23.86	23.70	0.1567	0.1660	0.1600
20	QPSK	1	49	23.43	23.78	23.52	0.1503	0.1629	0.1535
20	QPSK	1	99	23.48	23.79	23.60	0.1521	0.1633	0.1563
20	QPSK	50	0	22.53	22.80	22.62	0.1222	0.1300	0.1247
20	QPSK	50	24	22.50	22.75	22.52	0.1213	0.1285	0.1219
20	QPSK	50	50	22.32	22.69	22.40	0.1164	0.1268	0.1186
20	QPSK	100	0	22.42	22.68	22.39	0.1191	0.1265	0.1183
20	16QAM	1	0	22.31	22.56	22.27	0.1161	0.1230	0.1151
20	16QAM	1	49	22.20	22.46	22.20	0.1132	0.1202	0.1132
20	16QAM	1	99	22.10	22.46	22.27	0.1107	0.1202	0.1151
20	16QAM	50	0	21.39	21.73	21.50	0.0940	0.1016	0.0964
20	16QAM	50	24	21.30	21.65	21.48	0.0920	0.0998	0.0959
20	16QAM	50	50	21.34	21.70	21.54	0.0929	0.1009	0.0973
20	16QAM	100	0	21.22	21.57	21.31	0.0904	0.0979	0.0923
20	64QAM	1	0	21.79	22.05	21.84	0.1030	0.1094	0.1042
20	64QAM	1	49	21.66	21.91	21.63	0.1000	0.1059	0.0993
20	64QAM	1	99	21.72	21.97	21.69	0.1014	0.1074	0.1007
20	64QAM	50	0	20.36	20.59	20.35	0.0741	0.0782	0.0740
20	64QAM	50	24	20.32	20.55	20.36	0.0735	0.0774	0.0741
20	64QAM	50	50	20.21	20.54	20.33	0.0716	0.0773	0.0736
20	64QAM	100	0	20.18	20.45	20.27	0.0711	0.0757	0.0726
Channel				132047	132322	132597	EIRP(W)		
Frequency (MHz)				1717.5	1745	1772.5	L	M	H
15	QPSK	1	0	23.59	23.79	23.67	0.1560	0.1633	0.1589
15	QPSK	1	37	23.33	23.67	23.37	0.1469	0.1589	0.1483
15	QPSK	1	74	23.43	23.76	23.55	0.1503	0.1622	0.1545
15	QPSK	36	0	22.48	22.72	22.55	0.1208	0.1276	0.1227
15	QPSK	36	20	22.39	22.61	22.46	0.1183	0.1245	0.1202
15	QPSK	36	39	22.19	22.62	22.27	0.1130	0.1247	0.1151
15	QPSK	75	0	22.37	22.65	22.33	0.1178	0.1256	0.1167
15	16QAM	1	0	22.28	22.54	22.17	0.1153	0.1225	0.1125
15	16QAM	1	37	22.17	22.35	22.13	0.1125	0.1172	0.1114
15	16QAM	1	74	22.01	22.43	22.26	0.1084	0.1194	0.1148
15	16QAM	36	0	21.35	21.59	21.35	0.0931	0.0984	0.0931
15	16QAM	36	20	21.28	21.62	21.37	0.0916	0.0991	0.0935
15	16QAM	36	39	21.28	21.63	21.43	0.0916	0.0993	0.0948
15	16QAM	75	0	21.10	21.52	21.17	0.0879	0.0968	0.0893
15	64QAM	1	0	21.71	21.97	21.70	0.1012	0.1074	0.1009
15	64QAM	1	37	21.59	21.88	21.51	0.0984	0.1052	0.0966
15	64QAM	1	74	21.65	21.93	21.64	0.0998	0.1064	0.0995
15	64QAM	36	0	20.31	20.46	20.34	0.0733	0.0759	0.0738
15	64QAM	36	20	20.23	20.45	20.30	0.0719	0.0757	0.0731
15	64QAM	36	39	20.09	20.49	20.24	0.0697	0.0764	0.0721
15	64QAM	75	0	20.07	20.43	20.25	0.0693	0.0753	0.0723



Channel				132022	132322	132622	EIRP(W)		
Frequency (MHz)				1715	1745	1775	L	M	H
10	QPSK	1	0	23.55	23.83	23.65	0.1545	0.1648	0.1581
10	QPSK	1	25	23.36	23.77	23.44	0.1479	0.1626	0.1507
10	QPSK	1	49	23.35	23.70	23.56	0.1476	0.1600	0.1549
10	QPSK	25	0	22.48	22.73	22.50	0.1208	0.1279	0.1213
10	QPSK	25	12	22.38	22.64	22.40	0.1180	0.1253	0.1186
10	QPSK	25	25	22.27	22.55	22.39	0.1151	0.1227	0.1183
10	QPSK	50	0	22.33	22.65	22.24	0.1167	0.1256	0.1143
10	16QAM	1	0	22.22	22.42	22.12	0.1138	0.1191	0.1112
10	16QAM	1	25	22.15	22.44	22.12	0.1119	0.1197	0.1112
10	16QAM	1	49	22.07	22.38	22.15	0.1099	0.1180	0.1119
10	16QAM	25	0	21.35	21.62	21.47	0.0931	0.0991	0.0957
10	16QAM	25	12	21.26	21.51	21.38	0.0912	0.0966	0.0938
10	16QAM	25	25	21.24	21.57	21.50	0.0908	0.0979	0.0964
10	16QAM	50	0	21.17	21.48	21.26	0.0893	0.0959	0.0912
10	64QAM	1	0	21.72	21.94	21.80	0.1014	0.1067	0.1033
10	64QAM	1	25	21.59	21.77	21.59	0.0984	0.1026	0.0984
10	64QAM	1	49	21.59	21.85	21.61	0.0984	0.1045	0.0989
10	64QAM	25	0	20.21	20.47	20.23	0.0716	0.0760	0.0719
10	64QAM	25	12	20.29	20.52	20.29	0.0729	0.0769	0.0729
10	64QAM	25	25	20.07	20.40	20.20	0.0693	0.0748	0.0714
10	64QAM	50	0	20.14	20.44	20.21	0.0705	0.0755	0.0716
Channel				131997	132322	132647	EIRP(W)		
Frequency (MHz)				1712.5	1745	1777.5	L	M	H
5	QPSK	1	0	23.52	23.74	23.69	0.1535	0.1614	0.1596
5	QPSK	1	12	23.39	23.70	23.45	0.1489	0.1600	0.1510
5	QPSK	1	24	23.33	23.66	23.45	0.1469	0.1585	0.1510
5	QPSK	12	0	22.49	22.70	22.55	0.1211	0.1271	0.1227
5	QPSK	12	7	22.42	22.65	22.42	0.1191	0.1256	0.1191
5	QPSK	12	13	22.23	22.55	22.27	0.1140	0.1227	0.1151
5	QPSK	25	0	22.30	22.62	22.38	0.1159	0.1247	0.1180
5	16QAM	1	0	22.29	22.47	22.22	0.1156	0.1205	0.1138
5	16QAM	1	12	22.14	22.39	22.08	0.1117	0.1183	0.1102
5	16QAM	1	24	22.05	22.37	22.16	0.1094	0.1178	0.1122
5	16QAM	12	0	21.34	21.65	21.40	0.0929	0.0998	0.0942
5	16QAM	12	7	21.26	21.57	21.36	0.0912	0.0979	0.0933
5	16QAM	12	13	21.26	21.64	21.48	0.0912	0.0995	0.0959
5	16QAM	25	0	21.09	21.48	21.27	0.0877	0.0959	0.0914
5	64QAM	1	0	21.75	21.94	21.74	0.1021	0.1067	0.1019
5	64QAM	1	12	21.57	21.85	21.56	0.0979	0.1045	0.0977
5	64QAM	1	24	21.71	21.93	21.63	0.1012	0.1064	0.0993
5	64QAM	12	0	20.23	20.52	20.21	0.0719	0.0769	0.0716
5	64QAM	12	7	20.29	20.50	20.25	0.0729	0.0766	0.0723
5	64QAM	12	13	20.10	20.46	20.20	0.0698	0.0759	0.0714
5	64QAM	25	0	20.17	20.34	20.19	0.0710	0.0738	0.0713
Channel				131987	132322	132657	EIRP(W)		
Frequency (MHz)				1711.5	1745	1778.5	L	M	H
3	QPSK	1	0	23.60	23.75	23.68	0.1563	0.1618	0.1592
3	QPSK	1	8	23.32	23.65	23.42	0.1466	0.1581	0.1500



3	QPSK	1	14	23.42	23.72	23.47	0.1500	0.1607	0.1517
3	QPSK	8	0	22.45	22.75	22.59	0.1199	0.1285	0.1239
3	QPSK	8	4	22.35	22.63	22.45	0.1172	0.1250	0.1199
3	QPSK	8	7	22.24	22.60	22.39	0.1143	0.1242	0.1183
3	QPSK	15	0	22.38	22.60	22.36	0.1180	0.1242	0.1175
3	16QAM	1	0	22.26	22.47	22.25	0.1148	0.1205	0.1146
3	16QAM	1	8	22.13	22.34	22.08	0.1114	0.1169	0.1102
3	16QAM	1	14	22.06	22.38	22.20	0.1096	0.1180	0.1132
3	16QAM	8	0	21.35	21.71	21.47	0.0931	0.1012	0.0957
3	16QAM	8	4	21.28	21.60	21.46	0.0916	0.0986	0.0955
3	16QAM	8	7	21.32	21.68	21.42	0.0925	0.1005	0.0946
3	16QAM	15	0	21.16	21.53	21.24	0.0891	0.0971	0.0908
3	64QAM	1	0	21.71	22.02	21.74	0.1012	0.1086	0.1019
3	64QAM	1	8	21.54	21.78	21.57	0.0973	0.1028	0.0979
3	64QAM	1	14	21.63	21.83	21.66	0.0993	0.1040	0.1000
3	64QAM	8	0	20.26	20.47	20.21	0.0724	0.0760	0.0716
3	64QAM	8	4	20.29	20.52	20.23	0.0729	0.0769	0.0719
3	64QAM	8	7	20.20	20.49	20.26	0.0714	0.0764	0.0724
3	64QAM	15	0	20.06	20.36	20.25	0.0692	0.0741	0.0723
Channel				131979	132322	132665	EIRP(W)		
Frequency (MHz)				1710.7	1745	1779.3	L	M	H
1.4	QPSK	1	0	23.54	23.82	23.64	0.1542	0.1644	0.1578
1.4	QPSK	1	3	23.41	23.74	23.42	0.1496	0.1614	0.1500
1.4	QPSK	1	5	23.45	23.65	23.51	0.1510	0.1581	0.1531
1.4	QPSK	3	0	23.38	23.77	23.51	0.1486	0.1626	0.1531
1.4	QPSK	3	1	23.43	23.66	23.40	0.1503	0.1585	0.1493
1.4	QPSK	3	3	23.25	23.67	23.27	0.1442	0.1589	0.1449
1.4	QPSK	6	0	22.40	22.63	22.33	0.1186	0.1250	0.1167
1.4	16QAM	1	0	22.23	22.43	22.12	0.1140	0.1194	0.1112
1.4	16QAM	1	3	22.08	22.39	22.07	0.1102	0.1183	0.1099
1.4	16QAM	1	5	22.06	22.41	22.21	0.1096	0.1189	0.1135
1.4	16QAM	3	0	22.28	22.60	22.48	0.1153	0.1242	0.1208
1.4	16QAM	3	1	22.16	22.61	22.46	0.1122	0.1245	0.1202
1.4	16QAM	3	3	22.26	22.61	22.45	0.1148	0.1245	0.1199
1.4	16QAM	6	0	21.07	21.52	21.30	0.0873	0.0968	0.0920
1.4	64QAM	1	0	21.65	22.00	21.82	0.0998	0.1081	0.1038
1.4	64QAM	1	3	21.64	21.81	21.54	0.0995	0.1035	0.0973
1.4	64QAM	1	5	21.70	21.85	21.61	0.1009	0.1045	0.0989
1.4	64QAM	3	0	21.30	21.48	21.23	0.0920	0.0959	0.0906
1.4	64QAM	3	1	21.22	21.41	21.21	0.0904	0.0944	0.0902
1.4	64QAM	3	3	21.12	21.43	21.23	0.0883	0.0948	0.0906
1.4	64QAM	6	0	20.12	20.37	20.17	0.0701	0.0743	0.0710



LTE Band 2


Peak-to-Average Ratio

Mode	LTE Band 2 / 20MHz			
Mod.	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Result
Middle CH	4.99	5.91	6.35	PASS




LTE Band 2 / 20MHz / QPSK

Middle Channel / Full RB




LTE Band 2 / 20MHz / 16QAM

Middle Channel / Full RB



LTE Band 2 / 20MHz / 64QAM

Middle Channel / Full RB






26dB Bandwidth

Mode	LTE Band 2 : 26dB BW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.28	1.26	3.02	2.99	4.93	4.96	9.91	9.89	14.27	14.24	18.82	18.62




LTE Band 2


Middle Channel / 1.4MHz / QPSK




Middle Channel / 1.4MHz / 16QAM




Middle Channel / 3MHz / QPSK




Middle Channel / 3MHz / 16QAM



Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM






LTE Band 2

Middle Channel / 10MHz / QPSK




Date: 30.JUL.2025 22:43:53

Middle Channel / 10MHz / 16QAM




Date: 30.JUL.2025 22:44:32

Middle Channel / 15MHz / QPSK




Date: 30.JUL.2025 22:57:35

Middle Channel / 15MHz / 16QAM




Date: 30.JUL.2025 22:58:14

Middle Channel / 20MHz / QPSK



Date: 30.JUL.2025 23:11:59

Middle Channel / 20MHz / 16QAM



Date: 30.JUL.2025 23:12:39




Occupied Bandwidth

Mode	LTE Band 2 : 99%OBW(MHz)											
BW	1.4MHz		3MHz		5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	1.10	1.09	2.73	2.70	4.49	4.49	9.05	8.99	13.40	13.40	17.82	17.86




LTE Band 2


Middle Channel / 1.4MHz / QPSK




Middle Channel / 1.4MHz / 16QAM




Middle Channel / 3MHz / QPSK




Middle Channel / 3MHz / 16QAM



Middle Channel / 5MHz / QPSK




Middle Channel / 5MHz / 16QAM






LTE Band 2


Middle Channel / 10MHz / QPSK




Middle Channel / 10MHz / 16QAM




Middle Channel / 15MHz / QPSK




Middle Channel / 15MHz / 16QAM



Middle Channel / 20MHz / QPSK



Middle Channel / 20MHz / 16QAM






Conducted Band Edge


LTE Band 2 / 1.4MHz / QPSK

Lowest Band Edge / 1RB




Date: 30.JUL.2025 21:56:32

Highest Band Edge / 1RB




Date: 30.JUL.2025 22:04:12

Lowest Band Edge / Full RB



Date: 30.JUL.2025 21:59:42

Highest Band Edge / Full RB




Date: 30.JUL.2025 22:07:22




LTE Band 2 / 1.4MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 1.4MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 3MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 3MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 3MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 5MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 5MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 5MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 10MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 10MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 10MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 15MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 15MHz / 16QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 15MHz / 64QAM


Lowest Band Edge / 1 RB




Highest Band Edge / 1 RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 20MHz / QPSK


Lowest Band Edge / 1RB




Highest Band Edge / 1RB



Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 2 / 20MHz / 16QAM


Lowest Band Edge / 1 RB



Highest Band Edge / 1 RB



Lowest Band Edge / Full RB



Highest Band Edge / Full RB

