

A large, light gray, rounded square containing a white circle, resembling a stylized letter 'Q'.

User Manual


Please read this manual carefully before use.

The appearance and operation interface of the product are subject to the actual product. The technology or software will be upgraded without prior notice.


Notice

1. Do not peer into the lens while the projector is working to avoid eye injury.
2. Do not block the ventilation hole of the projector, which may affect dissipation.
3. Projector equipment should not be exposed to water droplets or splashes, and liquid filled objects such as vases should not be placed on the equipment.
4. The projector should be stored and used under dry and clean conditions.
5. In order to ensure the stability of the power supply of the machine, please use the power supply type indicated on the projector and the power supply line in line with the national electricity standards for power supply.
6. If not in use for a long time, please turn off the projector and unplug the power cord.
7. If the projector fails, please contact the distributor. Do not attempt to remove the equipment yourself, or you will lose the warranty service.
8. Please use original foam and other shock-proof materials when transporting.

Product Overview – Front and Back



Product Overview – Top and side




On-off key



Air outlet


Remote control



Bluetooth voice pairing:


When the Bluetooth projection of the remote control is not paired, click the voice key on the remote control, a pairing pop-up will pop up, and the operation can be completed according to the picture prompt.

Network Connection



1. Go to Settings and click "WIFI" to turn on the switch.
2. Select the network to connect to.
3. Click the password box, and then click the green Enter key to connect.

Trapezoidal Correction



1. Go to Settings and click on "Projection".
2. Select "Trapezoidal Correction" or "Foursquare Correction", follow the screen prompts to operate.

Screencast


◀ 投屏



1. Go to Settings, click "Screencast".
2. After entering the software, the mobile phone plays the video, and select the software device name on the screen.



7 days return



90 days exchange



365 days warranty

Warranty Card

Name	
Phone code	
Address	
Order number	
Problems encountered	
Filling date	

Announcements:

1. The goods are guaranteed for one year for non-human damage from the date of sale.
2. Accessories are not covered by warranty.

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Statement

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with minimum distance of 20cm the radiator your body. This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or transmitter.