

Test Result

Project Number: BL-SZ2210335

Test Time: 2022-03-25_00.22.31

Temp.(°C): 23.8

Humidity (%RH): 46

Test Site: 3M-2

Test Standard: FCC PART 15C

Test Engineer: Lin Shuilong

EUT Name: 手机-S02


Model Number: N.A

Serial Number: CTGED01

Work Mode: 2.4G 11B CH1 P=19

Remark: 裸机

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1303.800	41.94	-17.11	74.0	-32.06	Peak	82.00	150	Horizontal	Pass
1**	1303.800	33.54	-17.11	54.0	-20.46	AV	82.00	150	Horizontal	Pass
2	2410.700	103.34	-12.73	74.0	29.34	Peak	326.00	150	Horizontal	N/A
2**	2410.700	100.42	-12.73	54.0	46.42	AV	326.00	150	Horizontal	N/A
3	4824.250	53.62	-2.09	74.0	-20.38	Peak	178.00	150	Horizontal	Pass
3**	4824.250	50.40	-2.09	54.0	-3.60	AV	178.00	150	Horizontal	Pass
4	7559.500	54.77	0.80	74.0	-19.23	Peak	258.00	150	Horizontal	Pass
4**	7559.500	45.44	0.80	54.0	-8.56	AV	258.00	150	Horizontal	Pass
5	10572.500	52.42	-1.62	74.0	-21.58	Peak	340.00	150	Horizontal	Pass
5**	10572.500	43.49	-1.62	54.0	-10.51	AV	340.00	150	Horizontal	Pass
6	13379.000	54.49	1.55	74.0	-19.51	Peak	73.00	150	Horizontal	Pass
6**	13379.000	44.93	1.55	54.0	-9.07	AV	73.00	150	Horizontal	Pass

审核员(Reviewer): 夏龙

日期 (Date): 2022.3.25

Test Result

Project Number: BL-SZ2210335

Test Time: 2022-03-25_00.25.33

Temp.(°C): 23.8

Humidity (%RH): 46

Test Site: 3M-2

Test Standard: FCC PART 15C

Test Engineer: Lin Shuilong

EUT Name: 手机-S02


Model Number: N.A

Serial Number: CTGED01

Work Mode: 2.4G 11B CH1 P=19

Remark: 裸机

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2119.100	46.14	-13.39	74.0	-27.86	Peak	247.00	150	Vertical	Pass
1**	2119.100	36.91	-13.39	54.0	-17.09	AV	247.00	150	Vertical	Pass
2	2413.500	90.91	-12.85	74.0	16.91	Peak	179.00	150	Vertical	N/A
2**	2413.500	87.93	-12.85	54.0	33.93	AV	179.00	150	Vertical	N/A
3	4824.250	52.09	-2.09	74.0	-21.91	Peak	167.00	150	Vertical	Pass
3**	4824.250	47.93	-2.09	54.0	-6.07	AV	167.00	150	Vertical	Pass
4	7208.000	54.31	-0.03	74.0	-19.69	Peak	360.00	150	Vertical	Pass
4**	7208.000	44.44	-0.03	54.0	-9.56	AV	360.00	150	Vertical	Pass
5	10055.999	52.99	-0.60	74.0	-21.01	Peak	60.00	150	Vertical	Pass
5**	10055.999	44.82	-0.60	54.0	-9.18	AV	60.00	150	Vertical	Pass
6	13351.999	54.58	1.70	74.0	-19.42	Peak	288.00	150	Vertical	Pass
6**	13351.999	45.15	1.70	54.0	-8.85	AV	288.00	150	Vertical	Pass

审核员(Reviewer): 夏龙

日期 (Date): 2022.3.25

Test Result

Project Number: BL-SZ2210335

Test Time: 2022-03-25_00.31.19

Temp.(°C): 23.8

Humidity (%RH): 46

Test Site: 3M-2

Test Standard: FCC PART 15C

Test Engineer: Lin Shuilong

EUT Name: 手机-S02


Model Number: N.A

Serial Number: CTGED01

Work Mode: 2.4G 11B CH1 P=19

Remark: 裸机

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1276.200	41.95	-17.18	74.0	-32.05	Peak	118.00	150	Horizontal	Pass
1**	1276.200	31.65	-17.18	54.0	-22.35	AV	118.00	150	Horizontal	Pass
2	2435.400	102.84	-12.36	74.0	28.84	Peak	338.00	150	Horizontal	N/A
2**	2435.400	99.93	-12.36	54.0	45.93	AV	338.00	150	Horizontal	N/A
3	4874.000	52.20	-2.19	74.0	-21.80	Peak	291.00	150	Horizontal	Pass
3**	4874.000	47.75	-2.19	54.0	-6.25	AV	291.00	150	Horizontal	Pass
4	5854.750	53.27	-0.62	74.0	-20.73	Peak	291.00	150	Horizontal	Pass
4**	5854.750	44.13	-0.62	54.0	-9.87	AV	291.00	150	Horizontal	Pass
5	9489.000	52.86	-1.92	74.0	-21.14	Peak	130.00	150	Horizontal	Pass
5**	9489.000	42.16	-1.92	54.0	-11.84	AV	130.00	150	Horizontal	Pass
6	13793.000	53.72	1.61	74.0	-20.28	Peak	69.00	150	Horizontal	Pass
6**	13793.000	44.26	1.61	54.0	-9.74	AV	69.00	150	Horizontal	Pass

审核员(Reviewer): 夏龙

日期 (Date): 2022.3.25

Test Result

Project Number: BL-SZ2210335

Test Time: 2022-03-25_00.28.58

Temp.(°C): 23.8

Humidity (%RH): 46

Test Site: 3M-2

Test Standard: FCC PART 15C

Test Engineer: Lin Shuilong

EUT Name: 手机-S02


Model Number: N.A

Serial Number: CTGED01

Work Mode: 2.4G 11B CH1 P=19

Remark: 裸机

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1673.300	42.46	-17.11	74.0	-31.54	Peak	120.00	150	Vertical	Pass
1**	1673.300	31.81	-17.11	54.0	-22.19	AV	120.00	150	Vertical	Pass
2	2438.200	90.59	-12.58	74.0	16.59	Peak	203.00	150	Vertical	N/A
2**	2438.200	87.65	-12.58	54.0	33.65	AV	203.00	150	Vertical	N/A
3	4874.000	51.45	-2.19	74.0	-22.55	Peak	311.00	150	Vertical	Pass
3**	4874.000	46.48	-2.19	54.0	-7.52	AV	311.00	150	Vertical	Pass
4	6094.500	53.64	-0.66	74.0	-20.36	Peak	245.00	150	Vertical	Pass
4**	6094.500	43.48	-0.66	54.0	-10.52	AV	245.00	150	Vertical	Pass
5	10037.500	52.83	-0.82	74.0	-21.17	Peak	303.00	150	Vertical	Pass
5**	10037.500	42.82	-0.82	54.0	-11.18	AV	303.00	150	Vertical	Pass
6	12501.500	53.25	-0.12	74.0	-20.75	Peak	147.00	150	Vertical	Pass
6**	12501.500	43.90	-0.12	54.0	-10.10	AV	147.00	150	Vertical	Pass

审核员(Reviewer): 夏龙

日期 (Date): 2022.3.25

Test Result

Project Number: BL-SZ2210335

Test Time: 2022-03-25_00.37.26

Temp.(°C): 23.8

Humidity (%RH): 46

Test Site: 3M-2

Test Standard: FCC PART 15C

Test Engineer: Lin Shuilong

EUT Name: 手机-S02


Model Number: N.A

Serial Number: CTGED01

Work Mode: 2.4G 11B CH1 P=19

Remark: 裸机

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1752.400	42.04	-16.87	74.0	-31.96	Peak	118.00	150	Horizontal	Pass
1**	1752.400	32.76	-16.87	54.0	-21.24	AV	118.00	150	Horizontal	Pass
2	2460.200	102.24	-12.90	74.0	28.24	Peak	344.00	150	Horizontal	N/A
2**	2460.200	99.24	-12.90	54.0	45.24	AV	344.00	150	Horizontal	N/A
3	4924.250	50.80	-1.73	74.0	-23.20	Peak	153.00	150	Horizontal	Pass
3**	4924.250	45.63	-1.73	54.0	-8.37	AV	153.00	150	Horizontal	Pass
4	7568.000	55.31	1.42	74.0	-18.69	Peak	165.00	150	Horizontal	Pass
4**	7568.000	46.20	1.42	54.0	-7.80	AV	165.00	150	Horizontal	Pass
5	10052.500	52.41	-0.50	74.0	-21.59	Peak	340.00	150	Horizontal	Pass
5**	10052.500	43.59	-0.50	54.0	-10.41	AV	340.00	150	Horizontal	Pass
6	13357.000	54.27	1.68	74.0	-19.73	Peak	197.00	150	Horizontal	Pass
6**	13357.000	44.74	1.68	54.0	-9.26	AV	197.00	150	Horizontal	Pass

审核员(Reviewer): 夏龙

日期 (Date): 2022.3.25

Test Result

Project Number: BL-SZ2210335

Test Time: 2022-03-25_00.40.13

Temp.(°C): 23.8

Humidity (%RH): 46

Test Site: 3M-2

Test Standard: FCC PART 15C

Test Engineer: Lin Shuilong

EUT Name: 手机-S02


Model Number: N.A

Serial Number: CTGED01

Work Mode: 2.4G 11B CH1 P=19

Remark: 裸机

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.200	41.61	-17.54	74.0	-32.39	Peak	109.00	150	Vertical	Pass
1**	1200.200	31.90	-17.54	54.0	-22.10	AV	109.00	150	Vertical	Pass
2	2460.400	90.55	-12.90	74.0	16.55	Peak	205.00	150	Vertical	N/A
2**	2460.400	87.62	-12.90	54.0	33.62	AV	205.00	150	Vertical	N/A
3	4924.500	48.51	-1.71	74.0	-25.49	Peak	184.00	150	Vertical	Pass
3**	4924.500	44.35	-1.71	54.0	-9.65	AV	184.00	150	Vertical	Pass
4	7461.750	54.94	0.79	74.0	-19.06	Peak	49.00	150	Vertical	Pass
4**	7461.750	45.34	0.79	54.0	-8.66	AV	49.00	150	Vertical	Pass
5	9910.000	52.46	-1.92	74.0	-21.54	Peak	248.00	150	Vertical	Pass
5**	9910.000	43.34	-1.92	54.0	-10.66	AV	248.00	150	Vertical	Pass
6	13823.000	53.90	1.71	74.0	-20.10	Peak	131.00	150	Vertical	Pass
6**	13823.000	44.91	1.71	54.0	-9.09	AV	131.00	150	Vertical	Pass

审核员(Reviewer): 夏龙

日期 (Date): 2022.3.25