


RSE Test Report

Mode:

NB-IOT-B4-CH19951-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-86.05	-64.75	-13.00	51.75	21.30	170	235	Horizontal
2	603.2563	-92.96	-62.54	-13.00	49.54	30.42	155	265	Horizontal
3	1283.196	-64.14	-51.07	-13.00	38.07	13.07	170	175	Horizontal
4	3131.348	-66.87	-41.42	-13.00	28.42	25.45	150	311	Horizontal
5	5989.779	-66.66	-38.51	-13.00	25.51	28.15	150	125	Horizontal
6	17353.33	-93.22	-60.05	-13.00	47.05	33.17	155	357	Horizontal

RSE Test Report

Mode:

NB-IOT-B4-CH19951-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-84.10	-64.66	-13.00	51.66	19.44	155	292	Vertical
2	1338.687	-64.15	-50.64	-13.00	37.64	13.51	175	326	Vertical
3	3122.548	-66.56	-43.18	-13.00	30.18	23.38	160	251	Vertical
4	5981.858	-66.11	-38.08	-13.00	25.08	28.03	150	343	Vertical
5	16394.65	-75.41	-45.40	-13.00	32.40	30.01	145	0	Vertical
6	22097.20	-51.13	-65.06	-13.00	52.06	-13.93	180	292	Vertical

RSE Test Report

Mode:

NB-IOT-B4-CH19951-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	66.2766	-93.18	-67.21	-13.00	54.21	25.97	155	347	Horizontal
2	1270.654	-64.44	-51.50	-13.00	38.50	12.94	170	284	Horizontal
3	3134.208	-66.81	-41.52	-13.00	28.52	25.29	160	14	Horizontal
4	10931.16	-74.18	-53.63	-13.00	40.63	20.55	150	223	Horizontal
5	17351.77	-77.84	-44.56	-13.00	31.56	33.28	155	97	Horizontal
6	21573.95	-51.78	-65.80	-13.00	52.80	-14.02	180	126	Horizontal

RSE Test Report

Mode:

NB-IOT-B4-CH19951-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	38.8819	-89.68	-62.96	-13.00	49.96	26.72	150	3	Vertical
2	1440.928	-60.13	-48.13	-13.00	35.13	12.00	160	3	Vertical
3	3119.688	-67.17	-44.08	-13.00	31.08	23.09	155	265	Vertical
4	5986.259	-66.42	-38.42	-13.00	25.42	28.00	175	72	Vertical
5	16393.09	-77.47	-47.23	-13.00	34.23	30.24	180	224	Vertical
6	22632.46	-51.39	-65.60	-13.00	52.60	-14.21	160	187	Vertical

RSE Test Report

Mode:

NB-IOT-B4-CH20175-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-85.88	-64.17	-13.00	51.17	21.71	155	279	Horizontal
2	1270.654	-64.14	-51.20	-13.00	38.20	12.94	150	360	Horizontal
3	2132.286	-58.06	-41.70	-13.00	28.70	16.36	170	33	Horizontal
4	3132.668	-67.14	-41.76	-13.00	28.76	25.38	150	107	Horizontal
5	5995.719	-66.66	-38.50	-13.00	25.50	28.16	160	171	Horizontal
6	17350.99	-78.56	-45.23	-13.00	32.23	33.33	155	226	Horizontal

RSE Test Report

Mode:

NB-IOT-B4-CH20175-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-83.71	-64.29	-13.00	51.29	19.42	160	156	Vertical
2	1363.772	-64.31	-50.46	-13.00	37.46	13.85	150	278	Vertical
3	3130.468	-66.57	-42.50	-13.00	29.50	24.07	155	137	Vertical
4	6050.723	-66.81	-38.71	-13.00	25.71	28.10	170	167	Vertical
5	16387.63	-77.45	-47.10	-13.00	34.10	30.35	150	319	Vertical
6	22210.02	-51.51	-65.20	-13.00	52.20	-13.69	180	95	Vertical

RSE Test Report

Mode:

NB-IOT-B4-CH20175-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	105.2285	-89.46	-67.83	-13.00	54.83	21.63	155	296	Horizontal
2	1229.986	-63.51	-51.16	-13.00	38.16	12.35	150	82	Horizontal
3	1923.244	-58.08	-42.99	-13.00	29.99	15.09	175	265	Horizontal
4	5542.709	-66.43	-40.09	-13.00	27.09	26.34	180	33	Horizontal
5	17349.43	-78.52	-45.24	-13.00	32.24	33.28	150	75	Horizontal
6	21592.35	-51.69	-65.58	-13.00	52.58	-13.89	155	296	Horizontal

RSE Test Report

Mode:

NB-IOT-B4-CH20175-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	66.2766	-89.02	-64.58	-13.00	51.58	24.44	170	278	Vertical
2	1424.965	-60.72	-48.19	-13.00	35.19	12.53	160	360	Vertical
3	2399.860	-60.71	-42.90	-13.00	29.90	17.81	150	248	Vertical
4	4840.202	-65.64	-41.06	-13.00	28.06	24.58	160	233	Vertical
5	10964.71	-72.27	-52.53	-13.00	39.53	19.74	150	35	Vertical
6	17531.96	-77.76	-46.64	-13.00	33.64	31.12	155	65	Vertical

RSE Test Report

Mode:

NB-IOT-B4-CH20399-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-85.89	-64.59	-13.00	51.59	21.30	155	236	Horizontal
2	1261.532	-63.45	-50.65	-13.00	37.65	12.80	150	114	Horizontal
3	2154.710	-59.43	-42.37	-13.00	29.37	17.06	140	357	Horizontal
4	3132.008	-66.74	-41.33	-13.00	28.33	25.41	155	33	Horizontal
5	4620.188	-65.33	-40.72	-13.00	27.72	24.61	170	253	Horizontal
6	17350.99	-78.01	-44.68	-13.00	31.68	33.33	160	233	Horizontal

RSE Test Report

Mode:

NB-IOT-B4-CH20399-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	49.7970	-92.92	-65.23	-13.00	52.23	27.69	160	236	Vertical
2	1353.890	-63.62	-49.87	-13.00	36.87	13.75	170	297	Vertical
3	3132.668	-66.74	-42.87	-13.00	29.87	23.87	155	319	Vertical
4	6065.464	-67.12	-38.82	-13.00	25.82	28.30	160	226	Vertical
5	16391.53	-78.16	-47.69	-13.00	34.69	30.47	155	357	Vertical
6	21988.39	-51.13	-65.28	-13.00	52.28	-14.15	150	266	Vertical

RSE Test Report

Mode:

NB-IOT-B4-CH20399-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	65.0995	-93.24	-66.97	-13.00	53.97	26.27	160	156	Horizontal
2	125.0255	-87.86	-66.91	-13.00	53.91	20.95	150	308	Horizontal
3	1486.157	-61.94	-47.82	-13.00	34.82	14.12	155	277	Horizontal
4	3132.888	-66.88	-41.52	-13.00	28.52	25.36	180	325	Horizontal
5	13236.22	-73.65	-51.28	-13.00	38.28	22.37	150	67	Horizontal
6	21571.55	-50.43	-64.46	-13.00	51.46	-14.03	160	338	Horizontal

RSE Test Report

Mode:

NB-IOT-B4-CH20399-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-89.44	-62.74	-13.00	49.74	26.70	155	266	Vertical
2	152.2062	-92.65	-68.91	-13.00	55.91	23.74	155	112	Vertical
3	1393.038	-64.21	-50.46	-13.00	37.46	13.75	170	327	Vertical
4	3130.468	-67.19	-43.12	-13.00	30.12	24.07	150	234	Vertical
5	16389.19	-77.90	-47.33	-13.00	34.33	30.57	180	261	Vertical
6	22148.41	-51.23	-65.03	-13.00	52.03	-13.80	160	202	Vertical

RSE Test Report

Mode:

NB-IOT-B12-CH23011-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-85.59	-63.88	-13.00	50.88	21.71	150	34	Horizontal
2	534.4484	-92.08	-63.87	-13.00	50.87	28.21	150	187	Horizontal
3	1242.528	-63.46	-50.94	-13.00	37.94	12.52	140	218	Horizontal
4	3130.468	-67.31	-41.81	-13.00	28.81	25.50	155	173	Horizontal
5	17361.13	-78.09	-45.36	-13.00	32.36	32.73	150	157	Horizontal
6	21941.19	-51.29	-65.42	-13.00	52.42	-14.13	155	360	Horizontal

RSE Test Report

Mode:

NB-IOT-B12-CH23011-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.5240	-91.17	-64.48	-13.00	51.48	26.69	155	126	Vertical
2	106.6197	-84.24	-64.80	-13.00	51.80	19.44	150	278	Vertical
3	1397.979	-59.61	-46.06	-13.00	33.06	13.55	140	360	Vertical
4	3125.628	-66.86	-43.18	-13.00	30.18	23.68	150	203	Vertical
5	6047.643	-66.88	-38.82	-13.00	25.82	28.06	150	80	Vertical
6	16390.75	-76.81	-46.23	-13.00	33.23	30.58	180	63	Vertical

RSE Test Report

Mode:

NB-IOT-B12-CH23011-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.18	-63.86	-13.00	50.86	21.32	150	248	Horizontal
2	616.0976	-92.36	-61.96	-13.00	48.96	30.40	150	185	Horizontal
3	1729.786	-63.73	-47.62	-13.00	34.62	16.11	170	359	Horizontal
4	3126.948	-66.51	-41.37	-13.00	28.37	25.14	150	12	Horizontal
5	17367.37	-77.96	-45.29	-13.00	32.29	32.67	155	95	Horizontal
6	21580.35	-50.86	-64.83	-13.00	51.83	-13.97	160	248	Horizontal

RSE Test Report

Mode:

NB-IOT-B12-CH23011-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-91.58	-64.88	-13.00	51.88	26.70	170	276	Vertical
2	106.6197	-83.42	-63.98	-13.00	50.98	19.44	150	33	Vertical
3	1355.791	-64.28	-50.49	-13.00	37.49	13.79	155	33	Vertical
4	3133.988	-66.21	-42.46	-13.00	29.46	23.75	150	16	Vertical
5	16392.31	-76.45	-46.10	-13.00	33.10	30.35	160	348	Vertical
6	22134.81	-51.45	-65.29	-13.00	52.29	-13.84	150	155	Vertical

RSE Test Report

Mode:

NB-IOT-B12-CH23095-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	57.2877	-94.06	-67.00	-13.00	54.00	27.06	180	112	Horizontal
2	106.7267	-86.22	-64.92	-13.00	51.92	21.30	150	357	Horizontal
3	1307.521	-63.96	-51.01	-13.00	38.01	12.95	155	112	Horizontal
4	3130.908	-67.16	-41.68	-13.00	28.68	25.48	150	97	Horizontal
5	17356.45	-78.30	-45.33	-13.00	32.33	32.97	160	205	Horizontal
6	22102.01	-51.42	-65.44	-13.00	52.44	-14.02	165	174	Horizontal

RSE Test Report

Mode:

NB-IOT-B12-CH23095-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.5240	-90.88	-64.19	-13.00	51.19	26.69	155	81	Vertical
2	106.6197	-83.82	-64.38	-13.00	51.38	19.44	150	142	Vertical
3	504.5925	-91.93	-63.76	-13.00	50.76	28.17	170	295	Vertical
4	1391.138	-63.89	-50.07	-13.00	37.07	13.82	150	326	Vertical
5	3539.476	-65.80	-42.65	-13.00	29.65	23.15	130	65	Vertical
6	17740.24	-78.82	-47.01	-13.00	34.01	31.81	155	327	Vertical

RSE Test Report

Mode:

NB-IOT-B12-CH23095-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-85.62	-63.91	-13.00	50.91	21.71	165	47	Horizontal
2	1723.324	-64.89	-48.63	-13.00	35.63	16.26	150	138	Horizontal
3	3129.588	-66.38	-40.91	-13.00	27.91	25.47	160	312	Horizontal
4	5983.618	-66.63	-38.50	-13.00	25.50	28.13	180	248	Horizontal
5	17350.99	-78.71	-45.38	-13.00	32.38	33.33	155	203	Horizontal
6	21648.36	-50.97	-64.81	-13.00	51.81	-13.84	150	289	Horizontal

RSE Test Report

Mode:

NB-IOT-B12-CH23095-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-91.43	-64.73	-13.00	51.73	26.70	150	360	Vertical
2	106.6197	-83.94	-64.50	-13.00	51.50	19.44	140	339	Vertical
3	1317.783	-63.85	-50.73	-13.00	37.73	13.12	155	339	Vertical
4	3132.448	-66.29	-42.40	-13.00	29.40	23.89	160	357	Vertical
5	16386.85	-77.22	-46.98	-13.00	33.98	30.24	150	127	Vertical
6	21560.35	-50.94	-64.97	-13.00	51.97	-14.03	155	155	Vertical

RSE Test Report

Mode:

NB-IOT-B12-CH23179-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.26	-63.94	-13.00	50.94	21.32	140	360	Horizontal
2	607.2157	-93.30	-62.72	-13.00	49.72	30.58	150	341	Horizontal
3	1270.274	-64.05	-51.12	-13.00	38.12	12.93	155	64	Horizontal
4	3130.688	-66.82	-41.33	-13.00	28.33	25.49	155	263	Horizontal
5	5799.686	-66.30	-39.12	-13.00	26.12	27.18	170	201	Horizontal
6	17360.35	-77.47	-44.73	-13.00	31.73	32.74	150	315	Horizontal

RSE Test Report

Mode:

NB-IOT-B12-CH23179-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-84.42	-65.00	-13.00	52.00	19.42	155	19	Vertical
2	516.4706	-92.35	-63.63	-13.00	50.63	28.72	150	357	Vertical
3	1343.248	-63.64	-50.06	-13.00	37.06	13.58	170	19	Vertical
4	3131.788	-66.43	-42.48	-13.00	29.48	23.95	165	160	Vertical
5	5997.919	-66.75	-38.84	-13.00	25.84	27.91	150	190	Vertical
6	16450.81	-75.31	-47.22	-13.00	34.22	28.09	140	233	Vertical

RSE Test Report

Mode:

NB-IOT-B12-CH23179-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.5240	-92.49	-66.41	-13.00	53.41	26.08	145	64	Horizontal
2	104.6935	-85.84	-64.13	-13.00	51.13	21.71	150	247	Horizontal
3	1711.542	-63.73	-47.76	-13.00	34.76	15.97	155	339	Horizontal
4	3130.688	-67.08	-41.59	-13.00	28.59	25.49	170	260	Horizontal
5	7389.732	-70.82	-52.86	-13.00	39.86	17.96	150	193	Horizontal
6	17358.01	-78.35	-45.48	-13.00	32.48	32.87	180	35	Horizontal

RSE Test Report

Mode:

NB-IOT-B12-CH23179-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.5240	-89.84	-63.15	-13.00	50.15	26.69	155	360	Vertical
2	106.6197	-83.36	-63.92	-13.00	50.92	19.44	160	33	Vertical
3	1360.352	-64.56	-50.71	-13.00	37.71	13.85	150	340	Vertical
4	3126.508	-66.28	-42.51	-13.00	29.51	23.77	150	105	Vertical
5	5992.859	-65.88	-37.93	-13.00	24.93	27.95	170	263	Vertical
6	16389.97	-78.16	-47.47	-13.00	34.47	30.69	155	251	Vertical

RSE Test Report

Mode:

NB-IOT-B13-CH23181-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.71	-64.39	-13.00	51.39	21.32	140	235	Horizontal
2	641.0311	-91.48	-61.58	-13.00	48.58	29.90	150	205	Horizontal
3	1554.190	-58.23	-45.51	-13.00	32.51	12.72	130	205	Horizontal
4	3125.848	-66.65	-41.66	-13.00	28.66	24.99	150	276	Horizontal
5	5980.098	-66.21	-38.08	-13.00	25.08	28.13	165	125	Horizontal
6	16960.19	-78.49	-46.77	-13.00	33.77	31.72	155	237	Horizontal

RSE Test Report

Mode:

NB-IOT-B13-CH23181-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.91	-64.47	-13.00	51.47	19.44	155	156	Vertical
2	485.5446	-93.18	-64.93	-13.00	51.93	28.25	150	3	Vertical
3	1385.437	-63.61	-49.75	-13.00	36.75	13.86	130	187	Vertical
4	3128.928	-67.12	-43.11	-13.00	30.11	24.01	165	108	Vertical
5	6046.103	-66.80	-38.77	-13.00	25.77	28.03	150	14	Vertical
6	17720.74	-78.98	-47.26	-13.00	34.26	31.72	155	33	Vertical

RSE Test Report

Mode:

NB-IOT-B13-CH23181-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.73	-64.41	-13.00	51.41	21.32	155	34	Horizontal
2	1554.190	-52.50	-39.78	-13.00	26.78	12.72	150	247	Horizontal
3	3134.869	-67.13	-41.88	-13.00	28.88	25.25	150	14	Horizontal
4	5984.499	-66.12	-37.98	-13.00	24.98	28.14	170	0	Horizontal
5	17349.43	-77.45	-44.17	-13.00	31.17	33.28	150	65	Horizontal
6	22063.60	-51.51	-65.62	-13.00	52.62	-14.11	155	216	Horizontal

RSE Test Report

Mode:

NB-IOT-B13-CH23181-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	38.8819	-91.27	-64.55	-13.00	51.55	26.72	150	189	Vertical
2	106.6197	-83.77	-64.33	-13.00	51.33	19.44	160	3	Vertical
3	1554.190	-55.66	-43.64	-13.00	30.64	12.02	150	3	Vertical
4	3131.128	-67.11	-43.10	-13.00	30.10	24.01	155	170	Vertical
5	16390.75	-78.00	-47.42	-13.00	34.42	30.58	165	316	Vertical
6	21597.95	-51.81	-65.64	-13.00	52.64	-13.83	155	96	Vertical

RSE Test Report

Mode:

NB-IOT-B13-CH23230-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-86.21	-64.91	-13.00	51.91	21.30	145	65	Horizontal
2	618.0238	-92.61	-62.35	-13.00	49.35	30.26	150	3	Horizontal
3	1564.072	-39.54	-27.26	-13.00	14.26	12.28	150	217	Horizontal
4	3479.191	-59.34	-37.22	-13.00	24.22	22.12	170	77	Horizontal
5	16962.53	-78.02	-46.54	-13.00	33.54	31.48	150	283	Horizontal
6	21543.55	-50.88	-65.10	-13.00	52.10	-14.22	155	217	Horizontal

RSE Test Report

Mode:

NB-IOT-B13-CH23230-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-84.35	-64.91	-13.00	51.91	19.44	150	126	Vertical
2	1564.072	-43.45	-31.60	-13.00	18.60	11.85	155	126	Vertical
3	2345.509	-58.27	-40.27	-13.00	27.27	18.00	150	65	Vertical
4	2345.509	-58.27	-40.27	-13.00	27.27	18.00	160	65	Vertical
5	4535.922	-66.48	-42.18	-13.00	29.18	24.30	160	357	Vertical
6	16394.65	-77.74	-47.73	-13.00	34.73	30.01	150	36	Vertical

RSE Test Report

Mode:

NB-IOT-B13-CH23230-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.6310	-92.53	-66.48	-13.00	53.48	26.05	155	112	Horizontal
2	106.7267	-85.89	-64.59	-13.00	51.59	21.30	150	20	Horizontal
3	1564.072	-50.66	-38.38	-13.00	25.38	12.28	175	81	Horizontal
4	3143.449	-66.21	-41.45	-13.00	28.45	24.76	150	35	Horizontal
5	15457.81	-74.82	-48.03	-13.00	35.03	26.79	165	262	Horizontal
6	22212.42	-51.72	-65.53	-13.00	52.53	-13.81	155	81	Horizontal

RSE Test Report

Mode:

NB-IOT-B13-CH23230-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.97	-64.53	-13.00	51.53	19.44	150	108	Vertical
2	492.7143	-92.46	-64.23	-13.00	51.23	28.23	155	200	Vertical
3	1563.692	-54.66	-42.80	-13.00	29.80	11.86	150	294	Vertical
4	2427.605	-58.43	-40.99	-13.00	27.99	17.44	165	0	Vertical
5	6084.825	-67.18	-38.91	-13.00	25.91	28.27	155	189	Vertical
6	17284.69	-77.88	-46.59	-13.00	33.59	31.29	150	327	Vertical

RSE Test Report

Mode:

NB-IOT-B13-CH23279-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-86.06	-64.74	-13.00	51.74	21.32	155	357	Horizontal
2	608.9279	-93.02	-62.39	-13.00	49.39	30.63	150	326	Horizontal
3	1573.574	-56.68	-44.77	-13.00	31.77	11.91	170	19	Horizontal
4	3130.248	-66.72	-41.21	-13.00	28.21	25.51	150	219	Horizontal
5	6164.691	-67.09	-38.84	-13.00	25.84	28.25	185	360	Horizontal
6	17350.21	-78.81	-45.43	-13.00	32.43	33.38	155	42	Horizontal

RSE Test Report

Mode:

NB-IOT-B13-CH23279-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-84.39	-64.97	-13.00	51.97	19.42	140	265	Vertical
2	455.6886	-92.46	-64.98	-13.00	51.98	27.48	170	265	Vertical
3	1573.574	-39.67	-27.80	-13.00	14.80	11.87	150	79	Vertical
4	2360.712	-54.45	-36.57	-13.00	23.57	17.88	155	45	Vertical
5	6048.743	-66.33	-38.26	-13.00	25.26	28.07	150	36	Vertical
6	16389.97	-77.19	-46.50	-13.00	33.50	30.69	155	231	Vertical

RSE Test Report

Mode:

NB-IOT-B13-CH23279-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-85.39	-64.09	-13.00	51.09	21.30	150	234	Horizontal
2	606.8947	-93.06	-62.49	-13.00	49.49	30.57	155	172	Horizontal
3	1573.574	-48.36	-36.45	-13.00	23.45	11.91	150	234	Horizontal
4	2476.635	-61.31	-42.07	-13.00	29.07	19.24	170	326	Horizontal
5	5983.398	-66.42	-38.29	-13.00	25.29	28.13	175	189	Horizontal
6	17350.21	-78.43	-45.05	-13.00	32.05	33.38	150	139	Horizontal

RSE Test Report

Mode:

NB-IOT-B13-CH23279-15KHz

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-84.10	-64.66	-13.00	51.66	19.44	160	125	Vertical
2	517.4337	-93.21	-64.51	-13.00	51.51	28.70	150	247	Vertical
3	1573.574	-54.26	-42.39	-13.00	29.39	11.87	165	187	Vertical
4	3128.928	-66.62	-42.61	-13.00	29.61	24.01	150	235	Vertical
5	6069.644	-67.40	-39.04	-13.00	26.04	28.36	180	77	Vertical
6	17358.01	-76.58	-47.18	-13.00	34.18	29.40	150	360	Vertical