

Specification for approval

Model Name	北京播思/ DUCATI	Frequency band	902-928MHz
VLG P/N	V1129-007	Versions	A
RF engineer	Hushuai	Reviewed by	
Structural engineer	Qunyan Wu		
Quality engineer	Hong Yu		
PM	Xia Yin		
date	2014-01-07		
Customer project name			
Customer P/N			
Customer Confirm			
VLG Wireless Technology			

Report Name	DUCATI	Customer	北京播思
Date	2014-01-07	Ver	1.0
Owner	Hushuai	Reviewed by	

深圳市维力谷无线技术有限公司

SHEN ZHEN VLG WIRELESS TECHNOLOGY CO.,LTD

CONTENT


Specification for approval	1
1 General Information.....	3
2 Test information	4
2.1 The whole fixture.....	4
3 Measurement information.....	6
3.1 S11	6
3.2 Peak Gain and Average Gain(azimuth plane).....	6
4. Mechanical information	9
4.1 CAD drawings.....	10

Report Name	DUCATI	Customer	北京播思
Date	2014-01-07	Ver	1.0
Owner	Hushuai	Reviewed by	

1 General Information

- Antenna type is Integrated antenna .
- Antenna shape size: Meet the requirement of DUCATI.
- Antenna band: 902-928MHz
- Antenna material: Antenna material meet the requirement of DUCATI
- Mechanical Information


Mechanical Dimension	
Description	Material
MAX Antenna gain	1.5649dBi
Metal	SUS304 1/2H Nickel preplating
Coaxial Cable	50Ohm/O.D.0.4mm
Mini Coaxial Connector	N/A
Environmental	
Operation Temperature	-40 to +85 deg C
Storage Temperature	-40 to +85 deg C



Report Name	DUCATI	Customer	北京播思
Date	2014-01-07	Ver	1.0
Owner	Hushuai	Reviewed by	

2 Test information


2.1 Test environment



Report Name	DUCATI	Customer	北京播思
Date	2014-01-07	Ver	1.0
Owner	Hushuai	Reviewed by	

3 Measurement information

3.1 S11



Report Name	DUCATI	Customer	北京播思
Date	2014-01-07	Ver	1.0
Owner	Hushuai	Reviewed by	


3.2 Peak Gain and Average Gain(azimuth plane)

The efficiency is tested in VLG's SATIMO Starlab chamber.

Antenna

Frequency (MHz)	Efficiency	Frequency (MHz)	Efficiency
900	48.6%	914	50.4%
902	50.0%	916	50.3%
904	50.5%	918	50.1%
906	51.4%	920	49.6%
908	50.8%	930	48.3%
910	50.6%		
912	50.4%		

Report Name	DUCATI	Customer	北京播思
Date	2014-01-07	Ver	1.0
Owner	Hushuai	Reviewed by	



- 1.材质: SUS304 1/2H 预镀镍
- 2.厚度: 0.4mm