

Congratulations!

You can now enhance the performance of septic systems by helping to break down waste & maintain the bacterial ecosystem.

Installs in as little as 5 minutes.
...let's get you started!



Download iFLO® App For Easy Installation




Available on the
App Store

GET IT ON
Google Play


Check us out at www.iflo.com

CONTENTS


1. iFLO® SEPTIC Device & Silicone Tubing
2. 4 AA Batteries
3. Drill Bit Guide
4. Silicone Drain Connector
5. 72oz Cartridge Septic Cleaning Solution



2



4



3



5

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

FOLLOW THE DIRECTIONS ON OTHER SIDE FOR EASY SET UP OF THE iFLO SEPTIC SYSTEM 

1

DOWNLOAD & INSTALL iFLO® APP




To start, download the iFLO® SEPTIC APP or scan QR code above. Then install the batteries into device to begin setting up.

2

PLACE CARTRIDGE UNDER SINK NEAR DRAIN LINE


Locate a place under your sink where cartridge will fit and attach device by placing over opening of cartridge and twist till it clicks.

Locate a spot on drainline about 3-6 inches away from device

**3**


DRILL INTO DRAIN LINE USING DRILL GUIDE

Once spot is confirmed, using drill guide provided, safely drill into pvc drain pipe.

**4**


ATTACH DRAIN CONNECTOR

Remove drill guide and carefully wrap silicone drain connector around drain pipe and snapping into place.

**5**

ATTACH SILICONE TUBE TO DRAIN CONNECTOR

Measure out enough tubing to reach drain connector without kinking and carefully cut with scissor. Then slide tubing over connector.

**6**

FINISH INSTALL WITH APP

Scan QR code on cartridge to validate the cartridge & you can complete the install following directions from app.



Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF exposure guidelines, the distance must be at least 20cm between the radiator and your body, and fully supported by the operating and installation configurations of the transmitter and its antenna(s).