






NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.9775	-56.09	-72.98	-16.9	-13.0	60.0	Vertical	PK	200	PASS
2	198.78	-52.45	-73.82	-21.4	-13.0	60.8	Vertical	PK	20	PASS
3	1903.5	-57.21	-51.32	5.9	-13.0	38.3	Vertical	PK	320	PASS
4	2722	-55.61	-43.16	12.5	-13.0	30.2	Vertical	PK	160	PASS
5	7942.6545	-59.75	-47.05	12.7	-13.0	34.1	Vertical	PK	60	PASS
6	16922.7788	-65.99	-30.30	35.7	-13.0	17.3	Vertical	PK	240	PASS

N5 165300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-55.28	-71.08	-15.8	-13.0	58.1	Horizontal	PK	20	PASS
2	199.265	-52.73	-70.49	-17.8	-13.0	57.5	Horizontal	PK	80	PASS
3	1558	-56.51	-53.95	2.6	-13.0	41.0	Horizontal	PK	100	PASS
4	2465	-53.93	-43.62	10.3	-13.0	30.6	Horizontal	PK	200	PASS
5	7989.9997	-60.54	-47.17	13.4	-13.0	34.2	Horizontal	PK	60	PASS
6	17454.3579	-66.36	-30.40	36.0	-13.0	17.4	Horizontal	PK	360	PASS

N5 167300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-55.27	-72.20	-16.9	-13.0	59.2	Vertical	PK	360	PASS
2	715.1838	-55.79	-63.72	-7.9	-13.0	50.7	Vertical	PK	20	PASS
3	1859.5	-56.21	-51.12	5.1	-13.0	38.1	Vertical	PK	200	PASS
4	2439	-56.16	-45.20	11.0	-13.0	32.2	Vertical	PK	0	PASS
5	11090.8778	-64.80	-42.42	22.4	-13.0	29.4	Vertical	PK	360	PASS
6	16927.4665	-66.27	-30.65	35.6	-13.0	17.7	Vertical	PK	300	PASS

N5 167300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-54.89	-70.40	-15.5	-13.0	57.4	Horizontal	PK	220	PASS
2	191.99	-37.80	-56.79	-19.0	-13.0	43.8	Horizontal	PK	20	PASS
3	2694.5	-56.54	-43.89	12.7	-13.0	30.9	Horizontal	PK	140	PASS
4	5004.9064	-60.20	-54.10	6.1	-13.0	41.1	Horizontal	PK	360	PASS
5	7889.6841	-60.08	-47.09	13.0	-13.0	34.1	Horizontal	PK	280	PASS
6	17950.7797	-66.58	-29.91	36.7	-13.0	16.9	Horizontal	PK	60	PASS

N5 169300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-54.54	-71.69	-17.2	-13.0	58.7	Vertical	PK	20	PASS
2	191.99	-38.03	-59.78	-21.8	-13.0	46.8	Vertical	PK	20	PASS
3	1694.5	-56.86	-53.79	3.1	-13.0	40.8	Vertical	PK	280	PASS
4	2998.5	-57.67	-40.57	17.1	-13.0	27.6	Vertical	PK	280	PASS
5	7938.9043	-60.27	-47.58	12.7	-13.0	34.6	Vertical	PK	260	PASS
6	16886.2152	-66.13	-30.40	35.7	-13.0	17.4	Vertical	PK	120	PASS

N5 169300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-55.10	-70.90	-15.8	-25.0	45.9	Horizontal	PK	200	PASS
2	191.99	-37.43	-56.42	-19.0	-25.0	31.4	Horizontal	PK	360	PASS
3	1883	-56.86	-50.90	6.0	-25.0	25.9	Horizontal	PK	300	PASS
4	5010.5316	-59.84	-53.74	6.1	-25.0	28.7	Horizontal	PK	20	PASS
5	11617.3005	-63.53	-42.66	20.9	-25.0	17.7	Horizontal	PK	260	PASS
6	17510.6097	-67.68	-31.75	35.9	-25.0	6.8	Horizontal	PK	300	PASS

N7 500500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-55.11	-72.07	-17.0	-25.0	47.1	Vertical	PK	20	PASS
2	191.99	-37.46	-59.21	-21.8	-25.0	34.2	Vertical	PK	340	PASS
3	2234	-55.63	-47.14	8.5	-25.0	22.1	Vertical	PK	160	PASS
4	2998.5	-57.40	-40.30	17.1	-25.0	15.3	Vertical	PK	220	PASS
5	7956.717	-60.50	-47.72	12.8	-25.0	22.7	Vertical	PK	320	PASS
6	17508.26	-64.75	-29.28	35.5	-25.0	4.3	Vertical	PK	60	PASS

N7 500500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-55.92	-71.43	-15.5	-25.0	46.4	Horizontal	PK	160	PASS
2	191.99	-38.12	-57.11	-19.0	-25.0	32.1	Horizontal	PK	280	PASS
3	2996.5	-56.44	-41.46	15.0	-25.0	16.5	Horizontal	PK	120	PASS
4	3570.4866	-57.32	-55.84	1.5	-25.0	30.8	Horizontal	PK	240	PASS
5	7884.9964	-60.46	-47.49	13.0	-25.0	22.5	Horizontal	PK	180	PASS
6	17423.8882	-66.27	-30.23	36.0	-25.0	5.2	Horizontal	PK	260	PASS

N7 507500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-55.70	-72.66	-17.0	-25.0	47.7	Vertical	PK	20	PASS
2	191.99	-37.50	-59.25	-21.8	-25.0	34.3	Vertical	PK	160	PASS
3	2999.5	-57.04	-39.83	17.2	-25.0	14.8	Vertical	PK	180	PASS
4	3666.5833	-56.30	-54.62	1.7	-25.0	29.6	Vertical	PK	60	PASS
5	7863.902	-58.64	-46.63	12.0	-25.0	21.6	Vertical	PK	280	PASS
6	17809.6816	-66.33	-30.08	36.3	-25.0	5.1	Vertical	PK	280	PASS

N7 507500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.705	-56.01	-71.68	-15.7	-25.0	46.7	Horizontal	PK	20	PASS
2	191.99	-38.19	-57.18	-19.0	-25.0	32.2	Horizontal	PK	360	PASS
3	1439.5	-55.95	-55.48	0.5	-25.0	30.5	Horizontal	PK	240	PASS
4	2961	-57.56	-42.51	15.1	-25.0	17.5	Horizontal	PK	40	PASS
5	12118.8787	-63.84	-42.48	21.4	-25.0	17.5	Horizontal	PK	120	PASS
6	17416.8568	-65.74	-29.69	36.1	-25.0	4.7	Horizontal	PK	360	PASS

N7 513500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.4625	-55.69	-72.68	-17.0	-25.0	47.7	Vertical	PK	20	PASS
2	191.99	-38.34	-60.09	-21.8	-25.0	35.1	Vertical	PK	20	PASS
3	1494.5	-57.34	-55.84	1.5	-25.0	30.8	Vertical	PK	120	PASS
4	2988	-56.57	-40.63	15.9	-25.0	15.6	Vertical	PK	280	PASS
5	7997.0312	-60.70	-47.69	13.0	-25.0	22.7	Vertical	PK	300	PASS
6	16960.7488	-66.02	-30.89	35.1	-25.0	5.9	Vertical	PK	280	PASS

N7 513500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-55.92	-71.47	-15.6	-13.0	58.5	Horizontal	PK	140	PASS
2	191.99	-37.79	-56.78	-19.0	-13.0	43.8	Horizontal	PK	80	PASS
3	1898	-56.42	-51.04	5.4	-13.0	38.0	Horizontal	PK	200	PASS
4	2950	-55.68	-40.79	14.9	-13.0	27.8	Horizontal	PK	340	PASS
5	7975.468	-60.41	-47.09	13.3	-13.0	34.1	Horizontal	PK	200	PASS
6	17892.6529	-66.84	-30.17	36.7	-13.0	17.2	Horizontal	PK	120	PASS

N12 140300 15M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-54.99	-71.95	-17.0	-13.0	59.0	Vertical	PK	20	PASS
2	191.99	-37.82	-59.57	-21.8	-13.0	46.6	Vertical	PK	60	PASS
3	2432.5	-57.28	-46.01	11.3	-13.0	33.0	Vertical	PK	320	PASS
4	2999.5	-56.62	-39.41	17.2	-13.0	26.4	Vertical	PK	240	PASS
5	7968.4365	-60.65	-47.80	12.9	-13.0	34.8	Vertical	PK	120	PASS
6	17342.792	-65.28	-30.09	35.2	-13.0	17.1	Vertical	PK	240	PASS

N12 140300 15M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-55.83	-71.63	-15.8	-13.0	58.6	Horizontal	PK	20	PASS
2	191.99	-37.44	-56.43	-19.0	-13.0	43.4	Horizontal	PK	200	PASS
3	1500.5	-57.18	-55.36	1.8	-13.0	42.4	Horizontal	PK	240	PASS
4	2921.5	-55.73	-41.87	13.9	-13.0	28.9	Horizontal	PK	320	PASS
5	7828.7446	-60.08	-47.47	12.6	-13.0	34.5	Horizontal	PK	120	PASS
6	17428.1071	-65.22	-29.19	36.0	-13.0	16.2	Horizontal	PK	340	PASS

N12 141500 15M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-55.97	-72.93	-17.0	-13.0	59.9	Vertical	PK	40	PASS
2	191.99	-37.60	-59.35	-21.8	-13.0	46.4	Vertical	PK	180	PASS
3	1547	-57.06	-54.49	2.6	-13.0	41.5	Vertical	PK	140	PASS
4	2992	-56.96	-40.59	16.4	-13.0	27.6	Vertical	PK	220	PASS
5	7946.4046	-60.76	-48.04	12.7	-13.0	35.0	Vertical	PK	240	PASS
6	17420.1381	-65.80	-30.20	35.6	-13.0	17.2	Vertical	PK	280	PASS

N12 141500 15M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-55.45	-71.25	-15.8	-13.0	58.3	Horizontal	PK	20	PASS
2	191.99	-38.26	-57.25	-19.0	-13.0	44.3	Horizontal	PK	20	PASS
3	1873.5	-56.72	-50.90	5.8	-13.0	37.9	Horizontal	PK	40	PASS
4	5014.2817	-60.77	-54.67	6.1	-13.0	41.7	Horizontal	PK	260	PASS
5	7940.3106	-59.52	-46.32	13.2	-13.0	33.3	Horizontal	PK	280	PASS
6	17440.7638	-66.04	-30.04	36.0	-13.0	17.0	Horizontal	PK	160	PASS

N12 142700 15M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-55.73	-72.66	-16.9	-13.0	59.7	Vertical	PK	360	PASS
2	191.99	-37.10	-58.85	-21.8	-13.0	45.9	Vertical	PK	20	PASS
3	1715.5	-55.86	-52.68	3.2	-13.0	39.7	Vertical	PK	300	PASS
4	2998	-56.50	-39.46	17.0	-13.0	26.5	Vertical	PK	220	PASS
5	7969.8428	-59.84	-46.99	12.9	-13.0	34.0	Vertical	PK	140	PASS
6	17956.4049	-65.93	-29.59	36.3	-13.0	16.6	Vertical	PK	100	PASS

N12 142700 15M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1562.9206	-67.39	-64.84	2.6	-40.0	24.8	Horizontal	PK	240	PASS
2	1570.9978	-67.41	-64.89	2.5	-40.0	24.9	Horizontal	PK	300	PASS
3	1579.8399	-67.12	-64.62	2.5	-40.0	24.6	Horizontal	PK	20	PASS
4	1586.4571	-67.05	-64.57	2.5	-40.0	24.6	Horizontal	PK	20	PASS
5	1598.6206	-67.41	-64.99	2.4	-40.0	25.0	Horizontal	PK	200	PASS
6	1605.4674	-67.38	-64.98	2.4	-40.0	25.0	Horizontal	PK	320	PASS

1559-1610 -40 H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1562.7039	-67.24	-64.56	2.7	-40.0	24.6	Vertical	PK	280	PASS
2	1570.3284	-67.07	-64.57	2.5	-40.0	24.6	Vertical	PK	140	PASS
3	1580.9172	-67.15	-64.83	2.3	-40.0	24.8	Vertical	PK	280	PASS
4	1587.6556	-67.02	-64.64	2.4	-40.0	24.6	Vertical	PK	360	PASS
5	1597.7218	-67.37	-64.89	2.5	-40.0	24.9	Vertical	PK	240	PASS
6	1605.9838	-67.45	-64.90	2.6	-40.0	24.9	Vertical	PK	320	PASS

1559-1610 -40 V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1563.1565	-67.59	-64.92	2.7	-50.0	14.9	Vertical	PK	60	PASS
2	1573.0632	-67.02	-64.58	2.4	-50.0	14.6	Vertical	PK	220	PASS
3	1581.9309	-67.02	-64.69	2.3	-50.0	14.7	Vertical	PK	140	PASS
4	1591.0025	-67.07	-64.66	2.4	-50.0	14.7	Vertical	PK	60	PASS
5	1598.9904	-67.10	-64.61	2.5	-50.0	14.6	Vertical	PK	100	PASS
6	1605.2506	-67.10	-64.55	2.6	-50.0	14.6	Vertical	PK	240	PASS

1559-1610 -50 H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1562.3278	-67.47	-64.78	2.7	-50.0	14.8	Vertical	PK	220	PASS
2	1570.2391	-67.46	-64.96	2.5	-50.0	15.0	Vertical	PK	340	PASS
3	1580.6559	-66.81	-64.49	2.3	-50.0	14.5	Vertical	PK	60	PASS
4	1587.2412	-67.22	-64.84	2.4	-50.0	14.8	Vertical	PK	240	PASS
5	1599.8191	-67.38	-64.88	2.5	-50.0	14.9	Vertical	PK	120	PASS
6	1606.0539	-67.10	-64.55	2.6	-50.0	14.6	Vertical	PK	100	PASS

1559-1610 -50 V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.9475	-55.40	-71.16	-15.8	-13.0	58.2	Horizontal	PK	20	PASS
2	197.9312	-52.80	-70.78	-18.0	-13.0	57.8	Horizontal	PK	160	PASS
3	1561.5	-56.42	-53.87	2.6	-13.0	40.9	Horizontal	PK	200	PASS
4	2968	-56.75	-41.82	14.9	-13.0	28.8	Horizontal	PK	160	PASS
5	7998.9062	-60.39	-46.99	13.4	-13.0	34.0	Horizontal	PK	40	PASS
6	17383.1057	-65.72	-30.01	35.7	-13.0	17.0	Horizontal	PK	20	PASS

N14 158100 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




N14 158100 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-54.41	-70.21	-15.8	-13.0	57.2	Horizontal	PK	340	PASS
2	191.99	-37.94	-56.93	-19.0	-13.0	43.9	Horizontal	PK	20	PASS
3	1286.5	-56.11	-56.20	-0.1	-13.0	43.2	Horizontal	PK	300	PASS
4	2992.5	-56.09	-41.19	14.9	-13.0	28.2	Horizontal	PK	260	PASS
5	7973.1242	-60.02	-46.71	13.3	-13.0	33.7	Horizontal	PK	260	PASS
6	17532.1729	-65.36	-29.27	36.1	-13.0	16.3	Horizontal	PK	200	PASS

N14 158600 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-55.68	-72.61	-16.9	-13.0	59.6	Vertical	PK	120	PASS
2	191.99	-37.28	-59.03	-21.8	-13.0	46.0	Vertical	PK	320	PASS
3	1559	-57.79	-55.03	2.8	-13.0	42.0	Vertical	PK	100	PASS
4	2999.5	-57.12	-39.91	17.2	-13.0	26.9	Vertical	PK	60	PASS
5	7982.9682	-60.31	-47.38	12.9	-13.0	34.4	Vertical	PK	220	PASS
6	16925.5914	-65.63	-29.99	35.6	-13.0	17.0	Vertical	PK	300	PASS

N14 158600 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-56.25	-71.76	-15.5	-13.0	58.8	Horizontal	PK	340	PASS
2	191.99	-39.52	-58.51	-19.0	-13.0	45.5	Horizontal	PK	240	PASS
3	1283	-56.26	-56.40	-0.1	-13.0	43.4	Horizontal	PK	280	PASS
4	2996.5	-56.76	-41.78	15.0	-13.0	28.8	Horizontal	PK	0	PASS
5	7998.4375	-60.36	-46.96	13.4	-13.0	34.0	Horizontal	PK	100	PASS
6	17461.3894	-65.92	-29.98	35.9	-13.0	17.0	Horizontal	PK	140	PASS

N14 159100 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.5838	-55.56	-72.58	-17.0	-13.0	59.6	Vertical	PK	20	PASS
2	191.99	-38.19	-59.94	-21.8	-13.0	46.9	Vertical	PK	100	PASS
3	1442	-56.48	-56.31	0.2	-13.0	43.3	Vertical	PK	100	PASS
4	2992.5	-56.72	-40.29	16.4	-13.0	27.3	Vertical	PK	120	PASS
5	7822.6507	-59.21	-47.72	11.5	-13.0	34.7	Vertical	PK	320	PASS
6	16892.3091	-65.88	-30.02	35.9	-13.0	17.0	Vertical	PK	120	PASS

N14 159100 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.4625	-55.94	-71.53	-15.6	-13.0	58.5	Horizontal	PK	240	PASS
2	191.99	-37.22	-56.21	-19.0	-13.0	43.2	Horizontal	PK	20	PASS
3	1883.5	-56.86	-50.92	5.9	-13.0	37.9	Horizontal	PK	280	PASS
4	2971	-55.86	-40.99	14.9	-13.0	28.0	Horizontal	PK	100	PASS
5	7859.2144	-59.47	-46.66	12.8	-13.0	33.7	Horizontal	PK	240	PASS
6	17927.3415	-66.71	-29.98	36.7	-13.0	17.0	Horizontal	PK	20	PASS

N25 370500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	73.7712	-37.39	-59.00	-21.6	-13.0	46.0	Vertical	PK	100	PASS
2	191.99	-38.19	-59.94	-21.8	-13.0	46.9	Vertical	PK	280	PASS
3	2460.5	-53.87	-43.57	10.3	-13.0	30.6	Vertical	PK	0	PASS
4	3000	-56.71	-39.45	17.3	-13.0	26.5	Vertical	PK	120	PASS
5	7982.4995	-60.75	-47.82	12.9	-13.0	34.8	Vertical	PK	140	PASS
6	16918.0912	-65.50	-29.74	35.8	-13.0	16.7	Vertical	PK	320	PASS

N25 370500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.705	-54.29	-69.96	-15.7	-13.0	57.0	Horizontal	PK	360	PASS
2	191.99	-37.91	-56.90	-19.0	-13.0	43.9	Horizontal	PK	60	PASS
3	1289.5	-56.77	-56.82	-0.1	-13.0	43.8	Horizontal	PK	0	PASS
4	2953	-56.36	-41.30	15.1	-13.0	28.3	Horizontal	PK	220	PASS
5	7994.6873	-60.70	-47.32	13.4	-13.0	34.3	Horizontal	PK	360	PASS
6	17398.575	-66.25	-30.19	36.1	-13.0	17.2	Horizontal	PK	80	PASS

N25 376500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-54.55	-71.48	-16.9	-13.0	58.5	Vertical	PK	160	PASS
2	191.99	-37.26	-59.01	-21.8	-13.0	46.0	Vertical	PK	20	PASS
3	1604.5	-57.05	-54.50	2.6	-13.0	41.5	Vertical	PK	300	PASS
4	2999	-57.13	-39.98	17.2	-13.0	27.0	Vertical	PK	0	PASS
5	7969.374	-60.52	-47.67	12.9	-13.0	34.7	Vertical	PK	240	PASS
6	17794.2123	-66.63	-30.41	36.2	-13.0	17.4	Vertical	PK	320	PASS

N25 376500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-55.94	-71.74	-15.8	-13.0	58.7	Horizontal	PK	300	PASS
2	191.99	-37.96	-56.95	-19.0	-13.0	44.0	Horizontal	PK	60	PASS
3	1310	-56.98	-56.94	0.0	-13.0	43.9	Horizontal	PK	160	PASS
4	2953.5	-55.75	-40.67	15.1	-13.0	27.7	Horizontal	PK	120	PASS
5	7994.6873	-59.99	-46.61	13.4	-13.0	33.6	Horizontal	PK	360	PASS
6	17928.279	-66.74	-30.01	36.7	-13.0	17.0	Horizontal	PK	220	PASS


N25 382500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-55.48	-72.63	-17.2	-13.0	59.6	Vertical	PK	20	PASS
2	191.99	-38.46	-60.21	-21.8	-13.0	47.2	Vertical	PK	340	PASS
3	907.85	-53.42	-57.84	-4.4	-13.0	44.8	Vertical	PK	220	PASS
4	2995	-57.09	-40.39	16.7	-13.0	27.4	Vertical	PK	100	PASS
5	7918.2787	-60.10	-47.54	12.6	-13.0	34.5	Vertical	PK	280	PASS
6	17437.4824	-66.05	-30.47	35.6	-13.0	17.5	Vertical	PK	280	PASS


N25 382500 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V

PART22




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-56.91	-72.42	-15.5	-13.0	59.4	Horizontal	PK	240	PASS
2	191.99	-38.23	-57.22	-19.0	-13.0	44.2	Horizontal	PK	60	PASS
3	2951.5	-56.45	-41.48	15.0	-13.0	28.5	Horizontal	PK	240	PASS
4	3496.8905	-53.13	-52.10	1.0	-13.0	39.1	Horizontal	PK	220	PASS
5	7921.56	-59.94	-46.80	13.1	-13.0	33.8	Horizontal	PK	280	PASS
6	17414.0442	-65.50	-29.43	36.1	-13.0	16.4	Horizontal	PK	60	PASS

N26 163300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-59.84	-76.99	-17.2	-13.0	64.0	Vertical	PK	220	PASS
2	191.99	-38.19	-59.94	-21.8	-13.0	46.9	Vertical	PK	20	PASS
3	1406.5	-55.71	-55.69	0.0	-13.0	42.7	Vertical	PK	280	PASS
4	2988.5	-56.14	-40.15	16.0	-13.0	27.2	Vertical	PK	120	PASS
5	7990.4685	-60.33	-47.35	13.0	-13.0	34.4	Vertical	PK	40	PASS
6	17950.7797	-66.86	-30.58	36.3	-13.0	17.6	Vertical	PK	220	PASS

N26 163300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.4625	-57.08	-72.67	-15.6	-13.0	59.7	Horizontal	PK	160	PASS
2	191.99	-37.80	-56.79	-19.0	-13.0	43.8	Horizontal	PK	20	PASS
3	1947.5	-55.86	-50.73	5.1	-13.0	37.7	Horizontal	PK	240	PASS
4	2947.5	-55.63	-40.88	14.8	-13.0	27.9	Horizontal	PK	200	PASS
5	7974.9992	-59.99	-46.68	13.3	-13.0	33.7	Horizontal	PK	340	PASS
6	17457.1705	-65.59	-29.64	36.0	-13.0	16.6	Horizontal	PK	160	PASS

N26 163800 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.9475	-59.69	-76.81	-17.1	-13.0	63.8	Vertical	PK	20	PASS
2	191.99	-38.30	-60.05	-21.8	-13.0	47.1	Vertical	PK	20	PASS
3	1981	-56.25	-50.58	5.7	-13.0	37.6	Vertical	PK	160	PASS
4	2994	-56.53	-39.94	16.6	-13.0	26.9	Vertical	PK	200	PASS
5	7877.4962	-59.33	-47.15	12.2	-13.0	34.2	Vertical	PK	140	PASS
6	16915.7474	-65.62	-29.83	35.8	-13.0	16.8	Vertical	PK	220	PASS

N26 163800 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.9775	-57.26	-72.70	-15.4	-13.0	59.7	Horizontal	PK	40	PASS
2	191.99	-37.53	-56.52	-19.0	-13.0	43.5	Horizontal	PK	300	PASS
3	1884.5	-56.74	-50.84	5.9	-13.0	37.8	Horizontal	PK	60	PASS
4	2963.5	-56.81	-41.80	15.0	-13.0	28.8	Horizontal	PK	0	PASS
5	7947.8109	-59.77	-46.54	13.2	-13.0	33.5	Horizontal	PK	100	PASS
6	17392.0122	-66.03	-30.12	35.9	-13.0	17.1	Horizontal	PK	60	PASS


N26 164300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-57.85	-74.78	-16.9	-13.0	61.8	Vertical	PK	240	PASS
2	191.99	-38.53	-60.28	-21.8	-13.0	47.3	Vertical	PK	160	PASS
3	2432.5	-56.86	-45.59	11.3	-13.0	32.6	Vertical	PK	200	PASS
4	2997.5	-56.78	-39.79	17.0	-13.0	26.8	Vertical	PK	60	PASS
5	7942.1857	-59.57	-46.87	12.7	-13.0	33.9	Vertical	PK	180	PASS
6	16891.8404	-65.79	-29.94	35.9	-13.0	16.9	Vertical	PK	40	PASS


N26 164300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V

PART90




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-60.05	-75.85	-15.8	-13.0	62.9	Horizontal	PK	140	PASS
2	191.99	-38.24	-57.23	-19.0	-13.0	44.2	Horizontal	PK	200	PASS
3	1292	-56.89	-56.90	0.0	-13.0	43.9	Horizontal	PK	0	PASS
4	2990	-56.62	-41.77	14.9	-13.0	28.8	Horizontal	PK	60	PASS
5	6234.0073	-60.29	-50.45	9.8	-13.0	37.5	Horizontal	PK	200	PASS
6	17406.544	-66.39	-30.30	36.1	-13.0	17.3	Horizontal	PK	100	PASS

N26 165300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.3412	-59.13	-76.09	-17.0	-13.0	63.1	Vertical	PK	140	PASS
2	191.99	-38.07	-59.82	-21.8	-13.0	46.8	Vertical	PK	20	PASS
3	1484.5	-55.69	-54.23	1.5	-13.0	41.2	Vertical	PK	100	PASS
4	2999	-57.07	-39.92	17.2	-13.0	26.9	Vertical	PK	60	PASS
5	7946.8733	-59.83	-47.11	12.7	-13.0	34.1	Vertical	PK	280	PASS
6	16919.0287	-66.00	-30.26	35.7	-13.0	17.3	Vertical	PK	40	PASS

N26 165300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-57.69	-73.49	-15.8	-13.0	60.5	Horizontal	PK	200	PASS
2	191.99	-38.58	-57.57	-19.0	-13.0	44.6	Horizontal	PK	260	PASS
3	1538	-56.54	-54.27	2.3	-13.0	41.3	Horizontal	PK	220	PASS
4	2982.5	-56.50	-41.79	14.7	-13.0	28.8	Horizontal	PK	340	PASS
5	7914.9973	-59.38	-46.27	13.1	-13.0	33.3	Horizontal	PK	360	PASS
6	17401.8563	-66.37	-30.27	36.1	-13.0	17.3	Horizontal	PK	280	PASS

N26 167300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.9475	-58.92	-76.04	-17.1	-13.0	63.0	Vertical	PK	20	PASS
2	191.99	-38.15	-59.90	-21.8	-13.0	46.9	Vertical	PK	20	PASS
3	1884.5	-56.81	-50.92	5.9	-13.0	37.9	Vertical	PK	140	PASS
4	2992	-56.38	-40.01	16.4	-13.0	27.0	Vertical	PK	260	PASS
5	7935.623	-60.68	-48.02	12.7	-13.0	35.0	Vertical	PK	220	PASS
6	16887.6215	-66.09	-30.34	35.8	-13.0	17.3	Vertical	PK	320	PASS

N26 167300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.8262	-58.74	-74.45	-15.7	-13.0	61.5	Horizontal	PK	20	PASS
2	191.99	-37.64	-56.63	-19.0	-13.0	43.6	Horizontal	PK	20	PASS
3	2609	-55.82	-43.74	12.1	-13.0	30.7	Horizontal	PK	100	PASS
4	2973.5	-56.37	-41.55	14.8	-13.0	28.6	Horizontal	PK	240	PASS
5	7724.6789	-59.48	-46.93	12.6	-13.0	33.9	Horizontal	PK	360	PASS
6	17390.606	-65.97	-30.08	35.9	-13.0	17.1	Horizontal	PK	200	PASS

N26 169300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Height [cm]	Angle [°]	Verdict
1	56.0688	-59.34	-76.49	-17.2	-13.0	63.5	Vertical	150	20	PASS
2	191.99	-38.20	-59.95	-21.8	-13.0	47.0	Vertical	150	360	PASS
3	2999.5	-56.29	-39.08	17.2	-13.0	26.1	Vertical	150	200	PASS
4	7993.281	-60.82	-47.82	13.0	-13.0	34.8	Vertical	150	40	PASS
5	11126.0352	-63.54	-41.50	22.0	-13.0	28.5	Vertical	150	60	PASS
6	16911.9972	-65.62	-29.77	35.9	-13.0	16.8	Vertical	150	120	PASS

N26 169300 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	47.8237	-54.96	-70.27	-15.3	-40.0	30.3	Horizontal	PK	260	PASS
2	104.205	-54.17	-76.68	-22.5	-40.0	36.7	Horizontal	PK	60	PASS
3	1886.5	-57.99	-52.17	5.8	-40.0	12.2	Horizontal	PK	140	PASS
4	2702.5	-56.46	-43.85	12.6	-40.0	3.9	Horizontal	PK	320	PASS
5	6984.0308	-70.69	-59.10	11.6	-40.0	19.1	Horizontal	PK	40	PASS
6	17642.3326	-81.83	-45.30	36.5	-40.0	5.3	Horizontal	PK	120	PASS

N30 461500 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	52.31	-55.08	-72.82	-17.7	-40.0	32.8	Vertical	PK	260	PASS
2	77.1662	-53.22	-75.65	-22.4	-40.0	35.7	Vertical	PK	200	PASS
3	1834	-57.04	-51.70	5.3	-40.0	11.7	Vertical	PK	320	PASS
4	2902	-57.46	-43.50	14.0	-40.0	3.5	Vertical	PK	280	PASS
5	11072.596	-75.86	-53.56	22.3	-40.0	13.6	Vertical	PK	40	PASS
6	16895.1217	-81.04	-45.12	35.9	-40.0	5.1	Vertical	PK	40	PASS

N30 461500 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	52.0675	-53.56	-68.93	-15.4	-40.0	28.9	Horizontal	PK	100	PASS
2	77.1662	-51.58	-74.42	-22.8	-40.0	34.4	Horizontal	PK	220	PASS
3	1854	-57.27	-52.26	5.0	-40.0	12.3	Horizontal	PK	40	PASS
4	2791	-56.34	-43.84	12.5	-40.0	3.8	Horizontal	PK	100	PASS
5	10970.8741	-75.86	-54.89	21.0	-40.0	14.9	Horizontal	PK	60	PASS
6	17629.2072	-81.97	-45.42	36.6	-40.0	5.4	Horizontal	PK	220	PASS

N30 462000 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	50.4912	-55.47	-73.80	-18.3	-40.0	33.8	Vertical	PK	360	PASS
2	77.1662	-52.82	-75.25	-22.4	-40.0	35.3	Vertical	PK	20	PASS
3	1855	-57.41	-52.50	4.9	-40.0	12.5	Vertical	PK	280	PASS
4	2921.5	-56.48	-43.07	13.4	-40.0	3.1	Vertical	PK	280	PASS
5	11079.1587	-75.90	-53.58	22.3	-40.0	13.6	Vertical	PK	40	PASS
6	16869.3397	-80.11	-44.74	35.4	-40.0	4.7	Vertical	PK	340	PASS

N30 462000 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	48.0662	-54.46	-69.77	-15.3	-40.0	29.8	Horizontal	PK	100	PASS
2	225.455	-63.64	-78.66	-15.0	-40.0	38.7	Horizontal	PK	200	PASS
3	1550	-56.01	-53.52	2.5	-40.0	13.5	Horizontal	PK	320	PASS
4	2871	-57.24	-43.63	13.6	-40.0	3.6	Horizontal	PK	340	PASS
5	10814.7755	-74.86	-54.56	20.3	-40.0	14.6	Horizontal	PK	200	PASS
6	17412.6379	-81.81	-45.74	36.1	-40.0	5.7	Horizontal	PK	320	PASS

N30 462500 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	52.31	-56.29	-74.03	-17.7	-40.0	34.0	Vertical	PK	280	PASS
2	1851	-56.81	-51.81	5.0	-40.0	11.8	Vertical	PK	80	PASS
3	2630	-56.34	-43.69	12.7	-40.0	3.7	Vertical	PK	260	PASS
4	7309.3534	-71.92	-59.83	12.1	-40.0	19.8	Vertical	PK	360	PASS
5	11055.2517	-76.00	-53.78	22.2	-40.0	13.8	Vertical	PK	220	PASS
6	16889.4965	-80.77	-44.97	35.8	-40.0	5.0	Vertical	PK	320	PASS

N30 462500 10M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 15HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-59.92	-75.43	-15.5	-25.0	50.4	Horizontal	PK	360	PASS
2	191.99	-36.81	-55.80	-19.0	-25.0	30.8	Horizontal	PK	340	PASS
3	2996	-55.63	-40.66	15.0	-25.0	15.7	Horizontal	PK	340	PASS
4	4995.9999	-59.96	-53.94	6.0	-25.0	28.9	Horizontal	PK	120	PASS
5	10865.8708	-63.49	-42.78	20.7	-25.0	17.8	Horizontal	PK	120	PASS
6	17939.0606	-66.59	-29.89	36.7	-25.0	4.9	Horizontal	PK	160	PASS

N41 501204 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.0988	-58.14	-75.05	-16.9	-25.0	50.1	Vertical	PK	280	PASS
2	191.99	-38.21	-59.96	-21.8	-25.0	35.0	Vertical	PK	20	PASS
3	1736	-54.04	-50.82	3.2	-25.0	25.8	Vertical	PK	100	PASS
4	2998.5	-57.18	-40.08	17.1	-25.0	15.1	Vertical	PK	180	PASS
5	7907.9659	-60.12	-47.61	12.5	-25.0	22.6	Vertical	PK	160	PASS
6	16910.1222	-66.19	-30.32	35.9	-25.0	5.3	Vertical	PK	160	PASS

N41 501204 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7625	-58.36	-73.65	-15.3	-25.0	48.7	Horizontal	PK	20	PASS
2	191.99	-38.41	-57.40	-19.0	-25.0	32.4	Horizontal	PK	80	PASS
3	1300.5	-56.20	-56.08	0.1	-25.0	31.1	Horizontal	PK	280	PASS
4	2997	-56.74	-41.75	15.0	-25.0	16.8	Horizontal	PK	0	PASS
5	7991.8747	-60.67	-47.30	13.4	-25.0	22.3	Horizontal	PK	320	PASS
6	17462.7957	-65.62	-29.68	35.9	-25.0	4.7	Horizontal	PK	20	PASS

N41 518598 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.22	-57.98	-74.91	-16.9	-25.0	49.9	Vertical	PK	20	PASS
2	191.99	-38.20	-59.95	-21.8	-25.0	35.0	Vertical	PK	280	PASS
3	2999	-56.67	-39.52	17.2	-25.0	14.5	Vertical	PK	240	PASS
4	3669.3959	-57.61	-55.93	1.7	-25.0	30.9	Vertical	PK	220	PASS
5	7898.5906	-59.33	-46.88	12.5	-25.0	21.9	Vertical	PK	160	PASS
6	17996.7186	-67.16	-30.43	36.7	-25.0	5.4	Vertical	PK	240	PASS

N41 518598 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.9475	-57.46	-73.22	-15.8	-25.0	48.2	Horizontal	PK	20	PASS
2	191.99	-38.02	-57.01	-19.0	-25.0	32.0	Horizontal	PK	340	PASS
3	2969.5	-56.54	-41.64	14.9	-25.0	16.6	Horizontal	PK	20	PASS
4	7919.2162	-60.36	-47.24	13.1	-25.0	22.2	Horizontal	PK	100	PASS
5	10865.8708	-63.48	-42.77	20.7	-25.0	17.8	Horizontal	PK	60	PASS
6	17424.357	-65.17	-29.13	36.0	-25.0	4.1	Horizontal	PK	180	PASS

N41 535998 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.9775	-59.14	-76.03	-16.9	-25.0	51.0	Vertical	PK	160	PASS
2	191.99	-38.78	-60.53	-21.8	-25.0	35.5	Vertical	PK	260	PASS
3	3000	-57.37	-40.11	17.3	-25.0	15.1	Vertical	PK	240	PASS
4	7869.0584	-59.40	-47.33	12.1	-25.0	22.3	Vertical	PK	260	PASS
5	11117.5974	-64.16	-42.00	22.2	-25.0	17.0	Vertical	PK	340	PASS
6	16890.4341	-66.29	-30.48	35.8	-25.0	5.5	Vertical	PK	120	PASS

N41 535998 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V




NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	56.0688	-59.78	-75.58	-15.8	-40.0	35.6	Horizontal	PK	180	PASS
2	191.99	-38.23	-57.22	-19.0	-40.0	17.2	Horizontal	PK	20	PASS
3	499.2375	-59.22	-70.80	-11.6	-40.0	30.8	Horizontal	PK	20	PASS
4	2956	-66.84	-51.70	15.1	-40.0	11.7	Horizontal	PK	120	PASS
5	10855.558	-75.01	-54.38	20.6	-40.0	14.4	Horizontal	PK	120	PASS
6	17680.3025	-81.34	-44.86	36.5	-40.0	4.9	Horizontal	PK	180	PASS

N48 637000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	55.8262	-58.82	-75.91	-17.1	-40.0	35.9	Vertical	PK	220	PASS
2	191.99	-38.12	-59.87	-21.8	-40.0	19.9	Vertical	PK	260	PASS
3	2868.5	-56.55	-44.03	12.5	-40.0	4.0	Vertical	PK	220	PASS
4	5005.8439	-69.08	-63.56	5.5	-40.0	23.6	Vertical	PK	360	PASS
5	11079.6275	-75.70	-53.38	22.3	-40.0	13.4	Vertical	PK	260	PASS
6	16900.2781	-80.40	-44.39	36.0	-40.0	4.4	Vertical	PK	160	PASS

N48 637000 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G V



NO.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	54.9775	-58.28	-73.72	-15.4	-40.0	33.7	Horizontal	PK	340	PASS
2	191.99	-38.31	-57.30	-19.0	-40.0	17.3	Horizontal	PK	240	PASS
3	614.425	-57.97	-67.86	-9.9	-40.0	27.9	Horizontal	PK	20	PASS
4	2999	-67.05	-52.03	15.0	-40.0	12.0	Horizontal	PK	220	PASS
5	10800.2438	-74.98	-54.79	20.2	-40.0	14.8	Horizontal	PK	320	PASS
6	17972.3429	-81.75	-45.14	36.6	-40.0	5.1	Horizontal	PK	80	PASS

N48 641666 20M DFT-S-OFDM QPSK RB Size-1 RB OFFset-1 SCS 30HHz 30M-18G H