



Quickstart Guide (draft)

Note: This is an 80mm x 50mm double-sided, single sheet insert that is folded in half horizontally.

English – Front/Back

In the box:

BOWdometer, Charging cable,
Universal mounting system

The BOWdometer™ App
gives you **more**



Full User Manual:

www.bowdometer.com/use



Regulatory Statements:

www.bowdometer.com/regulatory



English – Inside (squares will be replaced with images, still in progress)

Navigating the Screen:

Turn on by holding the TOP BUTTON down.



Use the TOP BUTTON to move to the "NEXT" menu item. Use the BOTTOM BUTTON to "SELECT" the item.

QUICKSTART GUIDE

#1: INSTALL



BOWdometer easily attaches to the RISER of any type of BOW.

#2: SETUP



Put your BOWdometer into BOW SETUP mode, shoot 3 or 4 rows and save the setup.

GO!



Shoot like normal and see what happens!

French – Front/Back

Dans la boîte:

BOWdometer, Câble de charge,
Système de montage universel

L'application BOWdometer
vous en donne **plus**



Manuel d'utilisation complet:

www.bowdometer.com/use



Déclarations réglementaires:

www.bowdometer.com/regulatory



French – Inside (squares will be replaced with images, still in progress)

DÉMARRAGE RAPIDE

Navigation dans l'écran:

Allumez en maintenant le BOUTON.



Utilisez le BOUTON SUPÉRIEUR pour passer à l'élément de menu «SUIVANT».

Utilisez le BOUTON INFÉRIEUR pour «SÉLECTIONNER» l'élément.

#1: INSTALLER



Le BOWdometer se fixe facilement au RISER de tout type d'ARC.

#2: CONFIGURER



Mettez votre BOWdometer dans En mode BOWSETUP, tirez 3 flèches et enregistrez la configuration.

#3: ALLEZ!



Tirez comme d'habitude et voyez ce qui se passe!

Regulatory Statements

Regulatory Statements

The BOWdometer is certified for use in the United States and Canada. For full regulatory details and statements please visit www.bowdometer.com/regulatory

FCC – United States

BOWdometer™

Model: BD01

FCCID: 2AUQD-BD01

This device complies with FCC part 15 FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference and 2. This device must accept any interference received, including interference that may cause undesired operation

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End users must follow the specific operating instructions for satisfying RF exposure compliance. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

ISED - Canada

BOWdometer™

Model: BD01

IC: 24876-BD01

This device complies with Industry Canada's licence-exempt RSSs. Operation is subject to the following two conditions: (1) This device may not cause interference; and (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes : (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

CAN ICES-3 (B)/NMB-3(B) – This Class B Digital Apparatus Complies with Canadian ICES-003. Cet Appareil numerique de la classe (B) est conforme a la norme NMB-003 du Canada.