














Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.381
NVNT	a	5785	Ant1	16.399
NVNT	a	5825	Ant1	16.384
NVNT	n20	5745	Ant1	17.641
NVNT	n20	5785	Ant1	17.593
NVNT	n20	5825	Ant1	17.458
NVNT	ac20	5745	Ant1	17.548
NVNT	ac20	5785	Ant1	17.626
NVNT	ac20	5825	Ant1	17.491
NVNT	ax20	5745	Ant1	18.838
NVNT	ax20	5785	Ant1	18.793
NVNT	ax20	5825	Ant1	18.823


Test Graphs


OBW NVNT a 5745MHz Ant1





OBW NVNT a 5785MHz Ant1















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-18.12	0.13	-17.99	30	Pass
NVNT	a	5785	Ant1	-9.67	0.13	-9.54	30	Pass
NVNT	a	5825	Ant1	-9.31	0.13	-9.18	30	Pass
NVNT	n20	5745	Ant1	-3.87	0.09	-3.78	30	Pass
NVNT	n20	5785	Ant1	-3.87	0.09	-3.78	30	Pass
NVNT	n20	5825	Ant1	-3.6	0.01	-3.59	30	Pass
NVNT	ac20	5745	Ant1	-4.52	0.08	-4.44	30	Pass
NVNT	ac20	5785	Ant1	-4.18	0.08	-4.1	30	Pass
NVNT	ac20	5825	Ant1	-3.37	0.08	-3.29	30	Pass
NVNT	ax20	5745	Ant1	-4.53	0.11	-4.42	30	Pass
NVNT	ax20	5785	Ant1	-4.44	0.11	-4.33	30	Pass
NVNT	ax20	5825	Ant1	-4.14	0.11	-4.03	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1



PSD NVNT a 5785MHz Ant1

