






















Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm /100KHz]	Result[dBm /100KHz]	Limit[dBm /100KHz]	Verdict
11B-CDD	Ant10	Low	2412	9.94	-37.6	≤-10.06	PASS
	Ant7	Low	2412	9.15	-39.19	≤-10.85	PASS
	Ant10	High	2462	8.89	-42.94	≤-11.11	PASS
	Ant7	High	2462	8.09	-42.65	≤-11.91	PASS
11G-CDD	Ant10	Low	2412	7.41	-30.72	≤-12.59	PASS
	Ant7	Low	2412	7.65	-23.96	≤-12.35	PASS
	Ant10	High	2462	7.08	-41.45	≤-12.92	PASS
	Ant7	High	2462	6.04	-42.54	≤-13.96	PASS
11AX20MIMO	Ant10	Low	2412	7.63	-28.58	≤-12.37	PASS
	Ant7	Low	2412	5.65	-22.27	≤-14.35	PASS
	Ant10	High	2462	5.33	-39.46	≤-14.67	PASS
	Ant7	High	2462	6.35	-42.5	≤-13.65	PASS
11AX40MIMO	Ant10	Low	2422	5.01	-25.63	≤-14.99	PASS
	Ant7	Low	2422	4.47	-28.06	≤-15.53	PASS
	Ant10	High	2452	3.82	-37.36	≤-16.18	PASS
	Ant7	High	2452	3.73	-40.33	≤-16.27	PASS





Test Graphs























Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
11B-CDD	Ant10	2412	30~1000	9.94	-44.88	≤-10.06	PASS
			1000~26500	9.94	-35.37	≤-10.06	PASS
	Ant7	2412	30~1000	9.15	-43.97	≤-10.85	PASS
			1000~26500	9.15	-35.74	≤-10.85	PASS
	Ant10	2437	30~1000	10.56	-44.21	≤-9.44	PASS
			1000~26500	10.56	-33.97	≤-9.44	PASS
	Ant7	2437	30~1000	9.71	-44.66	≤-10.29	PASS
			1000~26500	9.71	-35.65	≤-10.29	PASS
	Ant10	2462	30~1000	8.89	-44.59	≤-11.11	PASS
			1000~26500	8.89	-35.98	≤-11.11	PASS
	Ant7	2462	30~1000	8.09	-44.86	≤-11.91	PASS
			1000~26500	8.09	-35.28	≤-11.91	PASS
11G-CDD	Ant10	2412	30~1000	7.41	-43.65	≤-12.59	PASS
			1000~26500	7.41	-35.32	≤-12.59	PASS
	Ant7	2412	30~1000	7.65	-45.02	≤-12.35	PASS
			1000~26500	7.65	-35.58	≤-12.35	PASS
	Ant10	2437	30~1000	6.82	-45.06	≤-13.18	PASS
			1000~26500	6.82	-36.46	≤-13.18	PASS
	Ant7	2437	30~1000	6.58	-44.24	≤-13.42	PASS
			1000~26500	6.58	-34.94	≤-13.42	PASS
	Ant10	2462	30~1000	7.08	-44.89	≤-12.92	PASS
			1000~26500	7.08	-36.27	≤-12.92	PASS
	Ant7	2462	30~1000	6.04	-44.67	≤-13.96	PASS
			1000~26500	6.04	-35.79	≤-13.96	PASS
11AX20MIMO	Ant10	2412	30~1000	7.63	-44.05	≤-12.37	PASS
			1000~26500	7.63	-35.55	≤-12.37	PASS
	Ant7	2412	30~1000	5.65	-44.24	≤-14.35	PASS
			1000~26500	5.65	-34.94	≤-14.35	PASS
	Ant10	2437	30~1000	7.61	-44.92	≤-12.39	PASS
			1000~26500	7.61	-36.04	≤-12.39	PASS
	Ant7	2437	30~1000	6.62	-44.12	≤-13.38	PASS
			1000~26500	6.62	-35.53	≤-13.38	PASS
	Ant10	2462	30~1000	5.33	-43.9	≤-14.67	PASS
			1000~26500	5.33	-34.89	≤-14.67	PASS
	Ant7	2462	30~1000	6.35	-42.96	≤-13.65	PASS
			1000~26500	6.35	-35.86	≤-13.65	PASS
11AX40MIMO	Ant10	2422	30~1000	5.01	-44.6	≤-14.99	PASS
			1000~26500	5.01	-36.04	≤-14.99	PASS
	Ant7	2422	30~1000	4.47	-44.93	≤-15.53	PASS
			1000~26500	4.47	-35.86	≤-15.53	PASS
	Ant10	2437	30~1000	3.72	-44.75	≤-16.28	PASS
			1000~26500	3.72	-36.3	≤-16.28	PASS
	Ant7	2437	30~1000	3.46	-44.73	≤-16.54	PASS
			1000~26500	3.46	-35.88	≤-16.54	PASS
	Ant10	2452	30~1000	3.82	-44.8	≤-16.18	PASS
			1000~26500	3.82	-35.76	≤-16.18	PASS
	Ant7	2452	30~1000	3.73	-44.6	≤-16.27	PASS
			1000~26500	3.73	-35.28	≤-16.27	PASS





Test Graphs






































































Partial RU


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant10	2412	26Tone	RU0	-12.87	≤8.00	PASS
			52Tone	RU37	-13.10	≤8.00	PASS
			106Tone	RU53	-11.15	≤8.00	PASS
	Ant7	2412	26Tone	RU0	-10.85	≤8.00	PASS
			52Tone	RU37	-10.84	≤8.00	PASS
			106Tone	RU53	-12.75	≤8.00	PASS
	total	2412	26Tone	RU0	-8.73	≤8.00	PASS
			52Tone	RU37	-8.81	≤8.00	PASS
			106Tone	RU53	-8.87	≤8.00	PASS
	Ant10	2437	26Tone	RU0	-9.40	≤8.00	PASS
			52Tone	RU37	-9.68	≤8.00	PASS
			106Tone	RU53	-9.47	≤8.00	PASS
	Ant7	2437	26Tone	RU0	-9.72	≤8.00	PASS
			52Tone	RU37	-10.28	≤8.00	PASS
			106Tone	RU53	-9.82	≤8.00	PASS
	total	2437	26Tone	RU0	-6.55	≤8.00	PASS
			52Tone	RU37	-6.96	≤8.00	PASS
			106Tone	RU53	-6.63	≤8.00	PASS
	Ant10	2462	26Tone	RU8	-11.87	≤8.00	PASS
			52Tone	RU40	-10.27	≤8.00	PASS
			106Tone	RU54	-11.03	≤8.00	PASS
	Ant7	2462	26Tone	RU8	-9.15	≤8.00	PASS
			52Tone	RU40	-9.71	≤8.00	PASS
			106Tone	RU54	-9.32	≤8.00	PASS
	total	2462	26Tone	RU8	-7.29	≤8.00	PASS
			52Tone	RU40	-6.97	≤8.00	PASS
			106Tone	RU54	-7.08	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant10_2412_106Tone_RU53




11AX20MIMO_Ant7_2412_26Tone_RU0






11AX20MIMO_Ant7_2412_52Tone_RU37




Date: 26.MAY.2025 14:50:42

11AX20MIMO_Ant7_2412_106Tone_RU53




Date: 26.MAY.2025 14:52:43






11AX20MIMO_Ant10_2437_106Tone_RU53





Date: 4.JUN.2025 11:56:03

11AX20MIMO_Ant7_2437_26Tone_RU0




Date: 4.JUN.2025 11:19:11








11AX20MIMO_Ant10_2462_106Tone_RU54



Date: 26.MAY.2025 15:24:56


11AX20MIMO_Ant7_2462_26Tone_RU8




Date: 26.MAY.2025 15:23:04



11AX20MIMO_Ant7_2462_52Tone_RU40




11AX20MIMO_Ant7_2462_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	44.07	-21.58	65.65	33.51	0.11	10.45	QP
2	0.156	39.17	-16.48	55.65	28.61	0.11	10.45	Average
3	0.165	43.16	-22.05	65.21	32.60	0.11	10.45	QP
4	0.165	35.16	-20.05	55.21	24.60	0.11	10.45	Average
5	0.377	39.29	-19.05	58.34	28.80	0.00	10.49	QP
6	0.377	28.69	-19.65	48.34	18.20	0.00	10.49	Average
7	0.573	37.45	-18.55	56.00	27.20	-0.13	10.38	QP
8	0.573	24.75	-21.25	46.00	14.50	-0.13	10.38	Average
9 *	0.647	40.71	-15.29	56.00	30.50	-0.14	10.35	QP
10	0.647	28.01	-17.99	46.00	17.80	-0.14	10.35	Average
11	0.705	39.69	-16.31	56.00	29.50	-0.15	10.34	QP
12	0.705	27.49	-18.51	46.00	17.30	-0.15	10.34	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.156	43.37	-22.32	65.69	32.80	0.12	10.45	QP
2	0.156	38.10	-17.59	55.69	27.53	0.12	10.45	Average
3	0.322	35.16	-24.50	59.66	24.80	-0.12	10.48	QP
4	0.322	25.86	-23.80	49.66	15.50	-0.12	10.48	Average
5	0.383	37.55	-20.66	58.21	27.19	-0.13	10.49	QP
6	0.383	26.95	-21.26	48.21	16.59	-0.13	10.49	Average
7	0.576	35.72	-20.28	56.00	25.50	-0.16	10.38	QP
8	0.576	22.42	-23.58	46.00	12.20	-0.16	10.38	Average
9 *	0.651	40.39	-15.61	56.00	30.20	-0.16	10.35	QP
10	0.651	26.49	-19.51	46.00	16.30	-0.16	10.35	Average
11	0.716	37.77	-18.23	56.00	27.61	-0.17	10.33	QP
12	0.716	27.37	-18.63	46.00	17.21	-0.17	10.33	Average

Note:

- Level(dBuV) = Read Level(dBuV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBuV) – Limit Line(dBuV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	21.2~22.5℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	7+10	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	7+10	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	7+10	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	7+10	802.11g	01	2412	6Mbps	-	-
Mode 5	2400-2483.5	7+10	802.11g	06	2437	6Mbps	-	-
Mode 6	2400-2483.5	7+10	802.11g	11	2462	6Mbps	-	-
Mode 7	2400-2483.5	7+10	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 8	2400-2483.5	7+10	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 9	2400-2483.5	7+10	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 10	2400-2483.5	7+10	802.11ax HE40	3	2422	MCS0	Full RU	-
Mode 11	2400-2483.5	7+10	802.11ax HE40	6	2437	MCS0	Full RU	-
Mode 12	2400-2483.5	7+10	802.11ax HE40	9	2452	MCS0	Full RU	-
Mode 13	2400-2483.5	7+10	802.11ax HE20	01	2412	MCS0	26/0	-
Mode 14	2400-2483.5	7+10	802.11ax HE20	11	2462	MCS0	45895	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2387.48	50.75	54.00	-3.25	V	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	52.22	54.00	-1.78	V	AVERAGE	Pass	Harmonic
2	802.11b	06	2483.80	44.30	54.00	-9.70	V	AVERAGE	Pass	Band Edge
2	802.11b	06	7311.00	52.10	54.00	-1.90	H	AVERAGE	Pass	Harmonic
3	802.11b	11	2484.94	48.08	54.00	-5.92	V	AVERAGE	Pass	Band Edge
3	802.11b	11	7386.00	51.44	54.00	-2.56	H	AVERAGE	Pass	Harmonic
4	802.11g	01	2389.95	52.41	54.00	-1.59	V	AVERAGE	Pass	Band Edge
4	802.11g	01	4824.00	41.71	54.00	-12.29	H	AVERAGE	Pass	Harmonic
5	802.11g	06	2388.13	44.71	54.00	-9.29	V	AVERAGE	Pass	Band Edge
5	802.11g	06	7311.00	49.63	54.00	-4.37	H	AVERAGE	Pass	Harmonic
6	802.11g	11	2483.92	50.00	54.00	-4.00	V	AVERAGE	Pass	Band Edge
6	802.11g	11	7386.00	44.89	54.00	-9.11	H	AVERAGE	Pass	Harmonic
7	802.11ax HE20	01	2389.95	52.24	54.00	-1.76	V	AVERAGE	Pass	Band Edge
7	802.11ax HE20	01	4824.00	40.26	74.00	-33.74	H	PEAK	Pass	Harmonic
8	802.11ax HE20	06	2388.91	46.50	54.00	-7.50	V	AVERAGE	Pass	Band Edge
8	802.11ax HE20	06	7311.00	47.50	54.00	-6.50	H	AVERAGE	Pass	Harmonic



9	802.11ax HE20	11	2483.92	52.43	54.00	-1.57	V	AVERAGE	Pass	Band Edge
9	802.11ax HE20	11	7386.00	43.42	54.00	-10.58	H	AVERAGE	Pass	Harmonic
10	802.11ax HE40	3	2389.95	52.11	54.00	-1.89	V	AVERAGE	Pass	Band Edge
10	802.11ax HE40	3	7266.00	42.13	54.00	-11.87	H	AVERAGE	Pass	Harmonic
11	802.11ax HE40	6	2483.80	52.15	54.00	-1.85	V	AVERAGE	Pass	Band Edge
11	802.11ax HE40	6	7311.00	42.57	74.00	-31.43	V	PEAK	Pass	Harmonic
12	802.11ax HE40	9	2487.64	52.04	54.00	-1.96	V	AVERAGE	Pass	Band Edge
12	802.11ax HE40	9	7356.00	42.16	54.00	-11.84	H	AVERAGE	Pass	Harmonic
13	802.11ax HE20 RU26/0	01	2389.95	52.17	54.00	-1.83	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20 RU26/0	01	-	-	-	-	-	-	-	Harmonic
14	802.11ax HE20 RU26/8	11	2485.30	69.72	74.00	-4.28	V	PEAK	Pass	Band Edge
14	802.11ax HE20 RU26/8	11	-	-	-	-	-	-	-	Harmonic

Co-location





Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 15	2400-2483.5	0	Bluetooth-LE_GSKF	39	2480	2Mbps	-	-
	2400-2483.5	0+1	802.11ax HE20	11	2462	MCS0	Full RU	-
	N77							





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
15	Bluetooth-LE_GSKF	39	2483.74	46.87	54.00	-7.13	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	39	-	-	-	-	-	-	-	Harmonic
	802.11ax HE20	11	2483.50	46.35	54.00	-7.65	V	AVERAGE	Pass	Band Edge
	802.11ax HE20	11	4924.00	41.21	74.00	-32.79	V	PEAK	Pass	Harmonic





Mode	1																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																																									
ANT	7+10																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>39.60</td><td>32.12</td><td>8.46</td><td>30.69</td><td>6.00</td><td>266</td><td>130</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2386.05	55.49	74.00	-18.51	39.60	32.12	8.46	30.69	6.00	266	130	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.42</td><td>-----</td><td>-----</td><td>90.38</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>266</td><td>130</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	106.42	-----	-----	90.38	32.22	8.50	30.68	6.00	266	130	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2386.05	55.49	74.00	-18.51	39.60	32.12	8.46	30.69	6.00	266	130	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2412.00	106.42	-----	-----	90.38	32.22	8.50	30.68	6.00	266	130	PEAK																																																																														
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.48</td><td>46.67</td><td>54.00</td><td>-7.33</td><td>30.78</td><td>32.12</td><td>8.46</td><td>30.69</td><td>6.00</td><td>266</td><td>130</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.48	46.67	54.00	-7.33	30.78	32.12	8.46	30.69	6.00	266	130	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.91</td><td>-----</td><td>-----</td><td>85.87</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>266</td><td>130</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	101.91	-----	-----	85.87	32.22	8.50	30.68	6.00	266	130	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2387.48	46.67	54.00	-7.33	30.78	32.12	8.46	30.69	6.00	266	130	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2412.00	101.91	-----	-----	85.87	32.22	8.50	30.68	6.00	266	130	AVERAGE																																																																														







Mode	1																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11b_CH01_2412MHz																																																																																							
ANT	7+10																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.87</td><td>58.96</td><td>74.00</td><td>-15.04</td><td>43.06</td><td>32.13</td><td>8.46</td><td>30.69</td><td>6.00</td><td>100</td><td>102 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.87	58.96	74.00	-15.04	43.06	32.13	8.46	30.69	6.00	100	102 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>108.98</td><td>-----</td><td>-----</td><td>92.94</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>100</td><td>102 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	108.98	-----	-----	92.94	32.22	8.50	30.68	6.00	100	102 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2387.87	58.96	74.00	-15.04	43.06	32.13	8.46	30.69	6.00	100	102 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	108.98	-----	-----	92.94	32.22	8.50	30.68	6.00	100	102 PEAK																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.48</td><td>50.75</td><td>54.00</td><td>-3.25</td><td>34.86</td><td>32.12</td><td>8.46</td><td>30.69</td><td>6.00</td><td>100</td><td>102 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.48	50.75	54.00	-3.25	34.86	32.12	8.46	30.69	6.00	100	102 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>104.52</td><td>-----</td><td>-----</td><td>88.48</td><td>32.22</td><td>8.50</td><td>30.68</td><td>6.00</td><td>100</td><td>102 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2412.00	104.52	-----	-----	88.48	32.22	8.50	30.68	6.00	100	102 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2387.48	50.75	54.00	-3.25	34.86	32.12	8.46	30.69	6.00	100	102 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2412.00	104.52	-----	-----	88.48	32.22	8.50	30.68	6.00	100	102 AVERAGE																																																																													



Mode	1																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11b_CH01_2412MHz																																																																													
ANT	7+10																																																																													
Pol.	Horizontal																																																																													
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>51.55</td><td>74.00</td><td>-22.45</td><td>69.33</td><td>34.15</td><td>12.19</td><td>64.12</td><td>0.00</td><td>300</td><td>202 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>66.77</td><td>34.15</td><td>12.19</td><td>64.12</td><td>0.00</td><td>300</td><td>202 AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>59.30</td><td>84.97</td><td>-25.67</td><td>72.64</td><td>35.66</td><td>14.98</td><td>63.98</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	51.55	74.00	-22.45	69.33	34.15	12.19	64.12	0.00	300	202 PEAK	2	4824.00	48.99	54.00	-5.01	66.77	34.15	12.19	64.12	0.00	300	202 AVERAGE	3	7236.00	59.30	84.97	-25.67	72.64	35.66	14.98	63.98	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4824.00	51.55	74.00	-22.45	69.33	34.15	12.19	64.12	0.00	300	202 PEAK																																																																			
2	4824.00	48.99	54.00	-5.01	66.77	34.15	12.19	64.12	0.00	300	202 AVERAGE																																																																			
3	7236.00	59.30	84.97	-25.67	72.64	35.66	14.98	63.98	0.00	--	-- PEAK																																																																			
Peak Avg																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>54.53</td><td>74.00</td><td>-19.47</td><td>72.31</td><td>34.15</td><td>12.19</td><td>64.12</td><td>0.00</td><td>244</td><td>192 PEAK</td></tr><tr><td>2</td><td>4824.00</td><td>52.22</td><td>54.00</td><td>-1.78</td><td>70.00</td><td>34.15</td><td>12.19</td><td>64.12</td><td>0.00</td><td>244</td><td>192 AVERAGE</td></tr><tr><td>3</td><td>7236.00</td><td>54.23</td><td>76.98</td><td>-22.75</td><td>67.57</td><td>35.66</td><td>14.98</td><td>63.98</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	54.53	74.00	-19.47	72.31	34.15	12.19	64.12	0.00	244	192 PEAK	2	4824.00	52.22	54.00	-1.78	70.00	34.15	12.19	64.12	0.00	244	192 AVERAGE	3	7236.00	54.23	76.98	-22.75	67.57	35.66	14.98	63.98	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	4824.00	54.53	74.00	-19.47	72.31	34.15	12.19	64.12	0.00	244	192 PEAK																																																																			
2	4824.00	52.22	54.00	-1.78	70.00	34.15	12.19	64.12	0.00	244	192 AVERAGE																																																																			
3	7236.00	54.23	76.98	-22.75	67.57	35.66	14.98	63.98	0.00	--	-- PEAK																																																																			







Mode	2																																																																																					
	Band Edge - L																																																																																					
	2400-2483.5_802.11b_CH06_2437MHz																																																																																					
ANT	7+10																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2362.78</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>39.49</td><td>31.98</td><td>8.42</td><td>30.70</td><td>6.00</td><td>290 130 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2362.78	55.19	74.00	-18.81	39.49	31.98	8.42	30.70	6.00	290 130 PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>107.30</td><td>-----</td><td>-----</td><td>91.15</td><td>32.27</td><td>8.55</td><td>30.67</td><td>6.00</td><td>290 130 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	107.30	-----	-----	91.15	32.27	8.55	30.67	6.00	290 130 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2362.78	55.19	74.00	-18.81	39.49	31.98	8.42	30.70	6.00	290 130 PEAK																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2437.00	107.30	-----	-----	91.15	32.27	8.55	30.67	6.00	290 130 PEAK																																																																												
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>43.52</td><td>54.00</td><td>-10.48</td><td>27.62</td><td>32.13</td><td>8.46</td><td>30.69</td><td>6.00</td><td>290 130 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2388.13	43.52	54.00	-10.48	27.62	32.13	8.46	30.69	6.00	290 130 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>102.90</td><td>-----</td><td>-----</td><td>86.75</td><td>32.27</td><td>8.55</td><td>30.67</td><td>6.00</td><td>290 130 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2437.00	102.90	-----	-----	86.75	32.27	8.55	30.67	6.00	290 130 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2388.13	43.52	54.00	-10.48	27.62	32.13	8.46	30.69	6.00	290 130 AVERAGE																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																												
1	2437.00	102.90	-----	-----	86.75	32.27	8.55	30.67	6.00	290 130 AVERAGE																																																																												





Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																							
ANT	7+10																																																							
Pol.	Horizontal										Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.26</td><td>55.45</td><td>74.00</td><td>-18.55</td><td>39.04</td><td>32.40</td><td>8.66</td><td>30.65</td><td>6.00</td><td>290</td><td>130</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.26	55.45	74.00	-18.55	39.04	32.40	8.66	30.65	6.00	290	130	PEAK	Blank	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2498.26	55.45	74.00	-18.55	39.04	32.40	8.66	30.65	6.00	290	130	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>27.53</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>290</td><td>130</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	43.89	54.00	-10.11	27.53	32.37	8.64	30.65	6.00	290	130	AVERAGE	Blank	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2484.28	43.89	54.00	-10.11	27.53	32.37	8.64	30.65	6.00	290	130	AVERAGE																																												





Mode	2																																																						
	Band Edge - L																																																						
	2400-2483.5_802.11b_CH06_2437MHz																																																						
ANT	7+10																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.16</td><td>55.51</td><td>74.00</td><td>-18.49</td><td>39.69</td><td>32.07</td><td>8.44</td><td>30.69</td><td>6.00</td><td>103</td><td>130</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.16	55.51	74.00	-18.49	39.69	32.07	8.44	30.69	6.00	103	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2379.16	55.51	74.00	-18.49	39.69	32.07	8.44	30.69	6.00	103	130	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>109.70</td><td>-----</td><td>-----</td><td>93.55</td><td>32.27</td><td>8.55</td><td>30.67</td><td>6.00</td><td>103</td><td>130</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	109.70	-----	-----	93.55	32.27	8.55	30.67	6.00	103	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	109.70	-----	-----	93.55	32.27	8.55	30.67	6.00	103	130	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.27</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>28.26</td><td>32.11</td><td>8.45</td><td>30.69</td><td>6.00</td><td>103</td><td>130</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.27	44.13	54.00	-9.87	28.26	32.11	8.45	30.69	6.00	103	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2385.27	44.13	54.00	-9.87	28.26	32.11	8.45	30.69	6.00	103	130	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2437.00</td><td>105.29</td><td>-----</td><td>-----</td><td>89.14</td><td>32.27</td><td>8.55</td><td>30.67</td><td>6.00</td><td>103</td><td>130</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2437.00	105.29	-----	-----	89.14	32.27	8.55	30.67	6.00	103	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2437.00	105.29	-----	-----	89.14	32.27	8.55	30.67	6.00	103	130	AVERAGE																																											







Mode	2																																																							
	Band Edge - R																																																							
	2400-2483.5_802.11b_CH06_2437MHz																																																							
ANT	7+10																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.74</td><td>55.48</td><td>74.00</td><td>-18.52</td><td>39.12</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>103</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.74	55.48	74.00	-18.52	39.12	32.37	8.64	30.65	6.00	103	130	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2486.74	55.48	74.00	-18.52	39.12	32.37	8.64	30.65	6.00	103	130	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.80</td><td>44.30</td><td>54.00</td><td>-9.70</td><td>27.94</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>103</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	44.30	54.00	-9.70	27.94	32.37	8.64	30.65	6.00	103	130	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2483.80	44.30	54.00	-9.70	27.94	32.37	8.64	30.65	6.00	103	130	AVERAGE																																												



Mode	2																																																																																																																																																	
	Harmonic																																																																																																																																																	
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																	
ANT	7+10																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																											
Peak Avg																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>39.55</td><td>74.00</td><td>-34.45</td><td>57.44</td><td>34.15</td><td>12.25</td><td>64.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>55.81</td><td>74.00</td><td>-18.19</td><td>68.95</td><td>35.78</td><td>15.09</td><td>64.01</td><td>0.00</td><td>128</td><td>167 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>52.10</td><td>54.00</td><td>-1.90</td><td>65.24</td><td>35.78</td><td>15.09</td><td>64.01</td><td>0.00</td><td>128</td><td>167 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	39.55	74.00	-34.45	57.44	34.15	12.25	64.29	0.00	--	PEAK	2	7311.00	55.81	74.00	-18.19	68.95	35.78	15.09	64.01	0.00	128	167 PEAK	3	7311.00	52.10	54.00	-1.90	65.24	35.78	15.09	64.01	0.00	128	167 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>40.34</td><td>74.00</td><td>-33.66</td><td>58.23</td><td>34.15</td><td>12.25</td><td>64.29</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>51.08</td><td>74.00</td><td>-22.92</td><td>64.22</td><td>35.78</td><td>15.09</td><td>64.01</td><td>0.00</td><td>256</td><td>202 PEAK</td></tr><tr><td>3</td><td>7311.00</td><td>46.53</td><td>54.00</td><td>-7.47</td><td>59.67</td><td>35.78</td><td>15.09</td><td>64.01</td><td>0.00</td><td>256</td><td>202 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	40.34	74.00	-33.66	58.23	34.15	12.25	64.29	0.00	--	PEAK	2	7311.00	51.08	74.00	-22.92	64.22	35.78	15.09	64.01	0.00	256	202 PEAK	3	7311.00	46.53	54.00	-7.47	59.67	35.78	15.09	64.01	0.00	256	202 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4874.00	39.55	74.00	-34.45	57.44	34.15	12.25	64.29	0.00	--	PEAK																																																																																																																																							
2	7311.00	55.81	74.00	-18.19	68.95	35.78	15.09	64.01	0.00	128	167 PEAK																																																																																																																																							
3	7311.00	52.10	54.00	-1.90	65.24	35.78	15.09	64.01	0.00	128	167 AVERAGE																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4874.00	40.34	74.00	-33.66	58.23	34.15	12.25	64.29	0.00	--	PEAK																																																																																																																																							
2	7311.00	51.08	74.00	-22.92	64.22	35.78	15.09	64.01	0.00	256	202 PEAK																																																																																																																																							
3	7311.00	46.53	54.00	-7.47	59.67	35.78	15.09	64.01	0.00	256	202 AVERAGE																																																																																																																																							



Mode	3																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																		
ANT	7+10																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.06</td><td>55.95</td><td>74.00</td><td>-18.05</td><td>39.59</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>229</td><td>126</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.06	55.95	74.00	-18.05	39.59	32.37	8.64	30.65	6.00	229	126	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.87</td><td>-----</td><td>-----</td><td>89.62</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>229</td><td>126</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.87	-----	-----	89.62	32.32	8.59	30.66	6.00	229	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2485.06	55.95	74.00	-18.05	39.59	32.37	8.64	30.65	6.00	229	126	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	105.87	-----	-----	89.62	32.32	8.59	30.66	6.00	229	126	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.82</td><td>46.42</td><td>54.00</td><td>-7.58</td><td>30.06</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>229</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	46.42	54.00	-7.58	30.06	32.37	8.64	30.65	6.00	229	126	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>101.45</td><td>-----</td><td>-----</td><td>85.20</td><td>32.32</td><td>8.59</td><td>30.66</td><td>6.00</td><td>229</td><td>126</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.45	-----	-----	85.20	32.32	8.59	30.66	6.00	229	126
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.82	46.42	54.00	-7.58	30.06	32.37	8.64	30.65	6.00	229	126	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	101.45	-----	-----	85.20	32.32	8.59	30.66	6.00	229	126	AVERAGE																																																																																							