










Mode	46																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																									
ANT	9+10																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>65.36</td><td>68.20</td><td>-2.84</td><td>47.42</td><td>34.60</td><td>13.20</td><td>29.86</td><td>0.00</td><td>285</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>65.36</td><td>68.20</td><td>-2.84</td><td>47.42</td><td>34.60</td><td>13.20</td><td>29.86</td><td>0.00</td><td>285</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>74.72</td><td>105.64</td><td>-30.92</td><td>56.87</td><td>34.60</td><td>13.25</td><td>30.00</td><td>0.00</td><td>285</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>73.23</td><td>112.72</td><td>-39.49</td><td>55.27</td><td>34.64</td><td>13.27</td><td>29.95</td><td>0.00</td><td>285</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5650.00	65.36	68.20	-2.84	47.42	34.60	13.20	29.86	0.00	285	0	PEAK	2	5650.00	65.36	68.20	-2.84	47.42	34.60	13.20	29.86	0.00	285	0	PEAK	3	5701.20	74.72	105.64	-30.92	56.87	34.60	13.25	30.00	0.00	285	0	PEAK	4	5720.80	73.23	112.72	-39.49	55.27	34.64	13.27	29.95	0.00	285	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>105.45</td><td>-----</td><td>-----</td><td>87.18</td><td>34.75</td><td>13.33</td><td>29.81</td><td>0.00</td><td>285</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.45	-----	-----	87.18	34.75	13.33	29.81	0.00	285	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5650.00	65.36	68.20	-2.84	47.42	34.60	13.20	29.86	0.00	285	0	PEAK																																																																																																																														
2	5650.00	65.36	68.20	-2.84	47.42	34.60	13.20	29.86	0.00	285	0	PEAK																																																																																																																														
3	5701.20	74.72	105.64	-30.92	56.87	34.60	13.25	30.00	0.00	285	0	PEAK																																																																																																																														
4	5720.80	73.23	112.72	-39.49	55.27	34.64	13.27	29.95	0.00	285	0	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	105.45	-----	-----	87.18	34.75	13.33	29.81	0.00	285	0	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>97.27</td><td>-----</td><td>-----</td><td>79.00</td><td>34.75</td><td>13.33</td><td>29.81</td><td>0.00</td><td>285</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	97.27	-----	-----	79.00	34.75	13.33	29.81	0.00	285	0	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	97.27	-----	-----	79.00	34.75	13.33	29.81	0.00	285	0	AVERAGE																																																																																																																														




Mode	46																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																
ANT	9+10																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>68.57</td><td>111.36</td><td>-42.79</td><td>50.14</td><td>34.83</td><td>13.42</td><td>29.82</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr><tr><td>2</td><td>5864.40</td><td>69.75</td><td>108.27</td><td>-38.52</td><td>51.26</td><td>34.89</td><td>13.43</td><td>29.83</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.68</td><td>68.64</td><td>-10.96</td><td>38.93</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>59.07</td><td>68.20</td><td>-9.13</td><td>40.32</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>285</td><td>0 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	68.57	111.36	-42.79	50.14	34.83	13.42	29.82	0.00	285	0 PEAK	2	5864.40	69.75	108.27	-38.52	51.26	34.89	13.43	29.83	0.00	285	0 PEAK	3	5924.40	57.68	68.64	-10.96	38.93	35.10	13.50	29.85	0.00	285	0 PEAK	4	5928.00	59.07	68.20	-9.13	40.32	35.10	13.50	29.85	0.00	285	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5854.00	68.57	111.36	-42.79	50.14	34.83	13.42	29.82	0.00	285	0 PEAK																																																																						
2	5864.40	69.75	108.27	-38.52	51.26	34.89	13.43	29.83	0.00	285	0 PEAK																																																																						
3	5924.40	57.68	68.64	-10.96	38.93	35.10	13.50	29.85	0.00	285	0 PEAK																																																																						
4	5928.00	59.07	68.20	-9.13	40.32	35.10	13.50	29.85	0.00	285	0 PEAK																																																																						





Mode	46																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																									
ANT	9+10																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5636.00</td><td>66.37</td><td>68.20</td><td>-1.83</td><td>48.44</td><td>34.57</td><td>13.19</td><td>29.83</td><td>0.00</td><td>300</td><td>341</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>63.26</td><td>68.20</td><td>-4.94</td><td>45.32</td><td>34.60</td><td>13.20</td><td>29.86</td><td>0.00</td><td>300</td><td>341</td><td>PEAK</td></tr><tr><td>3</td><td>5710.00</td><td>73.75</td><td>108.10</td><td>-34.35</td><td>55.85</td><td>34.62</td><td>13.26</td><td>29.98</td><td>0.00</td><td>300</td><td>341</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>72.42</td><td>111.81</td><td>-39.39</td><td>54.46</td><td>34.64</td><td>13.27</td><td>29.95</td><td>0.00</td><td>300</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5636.00	66.37	68.20	-1.83	48.44	34.57	13.19	29.83	0.00	300	341	PEAK	2	5650.00	63.26	68.20	-4.94	45.32	34.60	13.20	29.86	0.00	300	341	PEAK	3	5710.00	73.75	108.10	-34.35	55.85	34.62	13.26	29.98	0.00	300	341	PEAK	4	5720.40	72.42	111.81	-39.39	54.46	34.64	13.27	29.95	0.00	300	341	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>103.43</td><td>-----</td><td>-----</td><td>85.16</td><td>34.75</td><td>13.33</td><td>29.81</td><td>0.00</td><td>300</td><td>341</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	103.43	-----	-----	85.16	34.75	13.33	29.81	0.00	300	341
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5636.00	66.37	68.20	-1.83	48.44	34.57	13.19	29.83	0.00	300	341	PEAK																																																																																																																														
2	5650.00	63.26	68.20	-4.94	45.32	34.60	13.20	29.86	0.00	300	341	PEAK																																																																																																																														
3	5710.00	73.75	108.10	-34.35	55.85	34.62	13.26	29.98	0.00	300	341	PEAK																																																																																																																														
4	5720.40	72.42	111.81	-39.39	54.46	34.64	13.27	29.95	0.00	300	341	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	103.43	-----	-----	85.16	34.75	13.33	29.81	0.00	300	341	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>94.66</td><td>-----</td><td>-----</td><td>76.37</td><td>34.76</td><td>13.33</td><td>29.80</td><td>0.00</td><td>300</td><td>341</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.66	-----	-----	76.37	34.76	13.33	29.80	0.00	300	341	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	94.66	-----	-----	76.37	34.76	13.33	29.80	0.00	300	341	AVERAGE																																																																																																																														



Mode	46																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																									
ANT	9+10																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>69.57</td><td>111.36</td><td>-41.79</td><td>51.14</td><td>34.83</td><td>13.42</td><td>29.82</td><td>0.00</td><td>360</td><td>341 PEAK</td></tr><tr><td>2</td><td>5864.40</td><td>67.75</td><td>108.27</td><td>-40.52</td><td>49.26</td><td>34.09</td><td>13.43</td><td>29.83</td><td>0.00</td><td>360</td><td>341 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>57.68</td><td>68.64</td><td>-10.96</td><td>38.93</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>360</td><td>341 PEAK</td></tr><tr><td>4</td><td>5928.00</td><td>58.07</td><td>68.20</td><td>-10.13</td><td>39.32</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>360</td><td>341 PEAK</td></tr></table>		Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	69.57	111.36	-41.79	51.14	34.83	13.42	29.82	0.00	360	341 PEAK	2	5864.40	67.75	108.27	-40.52	49.26	34.09	13.43	29.83	0.00	360	341 PEAK	3	5924.40	57.68	68.64	-10.96	38.93	35.10	13.50	29.85	0.00	360	341 PEAK	4	5928.00	58.07	68.20	-10.13	39.32	35.10	13.50	29.85	0.00	360	341 PEAK	Blank
	Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	5854.00	69.57	111.36	-41.79	51.14	34.83	13.42	29.82	0.00	360	341 PEAK																																																															
2	5864.40	67.75	108.27	-40.52	49.26	34.09	13.43	29.83	0.00	360	341 PEAK																																																															
3	5924.40	57.68	68.64	-10.96	38.93	35.10	13.50	29.85	0.00	360	341 PEAK																																																															
4	5928.00	58.07	68.20	-10.13	39.32	35.10	13.50	29.85	0.00	360	341 PEAK																																																															






Mode	46																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																
ANT	9+10																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7699.98</td><td>41.55</td><td>74.00</td><td>-32.45</td><td>54.48</td><td>35.70</td><td>15.39</td><td>64.02</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>44.30</td><td>74.00</td><td>-29.70</td><td>48.85</td><td>38.05</td><td>18.99</td><td>61.59</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7699.98	41.55	74.00	-32.45	54.48	35.70	15.39	64.02	0.00	--	-- PEAK	2	11550.00	44.30	74.00	-29.70	48.85	38.05	18.99	61.59	0.00	--	-- PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7699.98</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>55.37</td><td>35.70</td><td>15.39</td><td>64.02</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>44.26</td><td>74.00</td><td>-29.74</td><td>48.81</td><td>38.05</td><td>18.99</td><td>61.59</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	7699.98	42.44	74.00	-31.56	55.37	35.70	15.39	64.02	0.00	--	-- PEAK	2	11550.00	44.26	74.00	-29.74	48.81	38.05	18.99	61.59	0.00	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7699.98	41.55	74.00	-32.45	54.48	35.70	15.39	64.02	0.00	--	-- PEAK																																																																																																																						
2	11550.00	44.30	74.00	-29.70	48.85	38.05	18.99	61.59	0.00	--	-- PEAK																																																																																																																						
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	7699.98	42.44	74.00	-31.56	55.37	35.70	15.39	64.02	0.00	--	-- PEAK																																																																																																																						
2	11550.00	44.26	74.00	-29.74	48.81	38.05	18.99	61.59	0.00	--	-- PEAK																																																																																																																						






Mode	47										
	Band Edge										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz										
ANT	9+10										
Pol.	Horizontal										
Peak	<										






Mode	47																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																									
ANT	9+10																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>66.03</td><td>68.20</td><td>-2.17</td><td>48.10</td><td>34.55</td><td>13.17</td><td>29.79</td><td>0.00</td><td>323</td><td>332</td><td>PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>67.21</td><td>69.39</td><td>-2.18</td><td>49.28</td><td>34.60</td><td>13.20</td><td>29.87</td><td>0.00</td><td>323</td><td>332</td><td>PEAK</td></tr><tr><td>3</td><td>5701.20</td><td>87.68</td><td>-----</td><td>-----</td><td>69.83</td><td>34.60</td><td>13.25</td><td>30.00</td><td>0.00</td><td>323</td><td>332</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>79.08</td><td>114.55</td><td>-35.47</td><td>61.12</td><td>34.64</td><td>13.27</td><td>29.95</td><td>0.00</td><td>323</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5624.00	66.03	68.20	-2.17	48.10	34.55	13.17	29.79	0.00	323	332	PEAK	2	5651.60	67.21	69.39	-2.18	49.28	34.60	13.20	29.87	0.00	323	332	PEAK	3	5701.20	87.68	-----	-----	69.83	34.60	13.25	30.00	0.00	323	332	PEAK	4	5721.60	79.08	114.55	-35.47	61.12	34.64	13.27	29.95	0.00	323	332	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>114.50</td><td>-----</td><td>-----</td><td>96.47</td><td>34.67</td><td>13.28</td><td>29.92</td><td>0.00</td><td>323</td><td>332</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	114.50	-----	-----	96.47	34.67	13.28	29.92	0.00	323	332
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5624.00	66.03	68.20	-2.17	48.10	34.55	13.17	29.79	0.00	323	332	PEAK																																																																																																																														
2	5651.60	67.21	69.39	-2.18	49.28	34.60	13.20	29.87	0.00	323	332	PEAK																																																																																																																														
3	5701.20	87.68	-----	-----	69.83	34.60	13.25	30.00	0.00	323	332	PEAK																																																																																																																														
4	5721.60	79.08	114.55	-35.47	61.12	34.64	13.27	29.95	0.00	323	332	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	114.50	-----	-----	96.47	34.67	13.28	29.92	0.00	323	332	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.85</td><td>-----</td><td>-----</td><td>89.82</td><td>34.67</td><td>13.28</td><td>29.92</td><td>0.00</td><td>323</td><td>332</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	107.85	-----	-----	89.82	34.67	13.28	29.92	0.00	323	332	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	107.85	-----	-----	89.82	34.67	13.28	29.92	0.00	323	332	AVERAGE																																																																																																																														







Mode	48																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																										
ANT	9+10																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.20</td><td>67.59</td><td>115.00</td><td>-47.41</td><td>49.17</td><td>34.82</td><td>13.41</td><td>29.81</td><td>0.00</td><td>247</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>83.58</td><td>107.71</td><td>-24.13</td><td>65.08</td><td>34.90</td><td>13.43</td><td>29.83</td><td>0.00</td><td>247</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>55.54</td><td>68.94</td><td>-13.40</td><td>36.79</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>247</td><td>0</td><td>PEAK</td></tr><tr><td>4</td><td>5927.20</td><td>56.98</td><td>68.20</td><td>-11.22</td><td>38.23</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>247</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5853.20	67.59	115.00	-47.41	49.17	34.82	13.41	29.81	0.00	247	0	PEAK	2	5866.40	83.58	107.71	-24.13	65.08	34.90	13.43	29.83	0.00	247	0	PEAK	3	5924.00	55.54	68.94	-13.40	36.79	35.10	13.50	29.85	0.00	247	0	PEAK	4	5927.20	56.98	68.20	-11.22	38.23	35.10	13.50	29.85	0.00	247	0	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>115.89</td><td>-----</td><td>-----</td><td>97.49</td><td>34.80</td><td>13.39</td><td>29.79</td><td>0.00</td><td>247</td><td>0</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	115.89	-----	-----	97.49	34.80	13.39	29.79	0.00	247	0	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5853.20	67.59	115.00	-47.41	49.17	34.82	13.41	29.81	0.00	247	0	PEAK																																																																																																																															
2	5866.40	83.58	107.71	-24.13	65.08	34.90	13.43	29.83	0.00	247	0	PEAK																																																																																																																															
3	5924.00	55.54	68.94	-13.40	36.79	35.10	13.50	29.85	0.00	247	0	PEAK																																																																																																																															
4	5927.20	56.98	68.20	-11.22	38.23	35.10	13.50	29.85	0.00	247	0	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	115.89	-----	-----	97.49	34.80	13.39	29.79	0.00	247	0	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.67</td><td>-----</td><td>-----</td><td>91.27</td><td>34.80</td><td>13.39</td><td>29.79</td><td>0.00</td><td>247</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.67	-----	-----	91.27	34.80	13.39	29.79	0.00	247	0	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	109.67	-----	-----	91.27	34.80	13.39	29.79	0.00	247	0	AVERAGE																																																																																																																															







		48																																																																																			
Mode		Band Edge																																																																																			
		U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																			
ANT		9+10																																																																																			
Pol.		Vertical					Fundamental																																																																														
Peak																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5852.00</td><td>67.06</td><td>117.74</td><td>-50.68</td><td>48.65</td><td>34.81</td><td>13.41</td><td>29.81</td><td>0.00</td><td>138 332 PEAK</td></tr><tr><td>2</td><td>5863.60</td><td>69.97</td><td>108.49</td><td>-38.52</td><td>51.49</td><td>34.88</td><td>13.43</td><td>29.83</td><td>0.00</td><td>138 332 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.84</td><td>69.23</td><td>-13.39</td><td>37.09</td><td>35.10</td><td>13.50</td><td>29.85</td><td>0.00</td><td>138 332 PEAK</td></tr><tr><td>4</td><td>5983.60</td><td>58.09</td><td>68.20</td><td>-10.11</td><td>39.22</td><td>35.10</td><td>13.57</td><td>29.80</td><td>0.00</td><td>138 332 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5852.00	67.06	117.74	-50.68	48.65	34.81	13.41	29.81	0.00	138 332 PEAK	2	5863.60	69.97	108.49	-38.52	51.49	34.88	13.43	29.83	0.00	138 332 PEAK	3	5923.60	55.84	69.23	-13.39	37.09	35.10	13.50	29.85	0.00	138 332 PEAK	4	5983.60	58.09	68.20	-10.11	39.22	35.10	13.57	29.80	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5852.00	67.06	117.74	-50.68	48.65	34.81	13.41	29.81	0.00	138 332 PEAK																																																																											
2	5863.60	69.97	108.49	-38.52	51.49	34.88	13.43	29.83	0.00	138 332 PEAK																																																																											
3	5923.60	55.84	69.23	-13.39	37.09	35.10	13.50	29.85	0.00	138 332 PEAK																																																																											
4	5983.60	58.09	68.20	-10.11	39.22	35.10	13.57	29.80	0.00	138 332 PEAK																																																																											
Avg																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>113.28</td><td>-----</td><td>-----</td><td>94.88</td><td>34.80</td><td>13.39</td><td>29.79</td><td>0.00</td><td>138 332 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.28	-----	-----	94.88	34.80	13.39	29.79	0.00	138 332 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5825.00	113.28	-----	-----	94.88	34.80	13.39	29.79	0.00	138 332 PEAK																																																																											
Blank																																																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.20</td><td>-----</td><td>-----</td><td>88.80</td><td>34.80</td><td>13.39</td><td>29.79</td><td>0.00</td><td>138 332 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	107.20	-----	-----	88.80	34.80	13.39	29.79	0.00	138 332 AVERAGE																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5825.00	107.20	-----	-----	88.80	34.80	13.39	29.79	0.00	138 332 AVERAGE																																																																											





Co-location

		49																																																				
Mode		Band Edge																																																				
		2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																				
ANT		10																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.60</td><td>55.26</td><td>74.00</td><td>-18.74</td><td>38.90</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>123</td><td>140</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.60	55.26	74.00	-18.74	38.90	32.37	8.64	30.65	6.00	123	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2485.60	55.26	74.00	-18.74	38.90	32.37	8.64	30.65	6.00	123	140	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.68</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>29.31</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>123</td><td>140</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.68	45.67	54.00	-8.33	29.31	32.37	8.64	30.65	6.00	123	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2486.68	45.67	54.00	-8.33	29.31	32.37	8.64	30.65	6.00	123	140	AVERAGE																																										
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>88.63</td><td>-----</td><td>-----</td><td>72.30</td><td>32.36</td><td>8.63</td><td>30.66</td><td>6.00</td><td>123</td><td>140</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	88.63	-----	-----	72.30	32.36	8.63	30.66	6.00	123	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	88.63	-----	-----	72.30	32.36	8.63	30.66	6.00	123	140	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>86.44</td><td>-----</td><td>-----</td><td>70.11</td><td>32.36</td><td>8.63</td><td>30.66</td><td>6.00</td><td>123</td><td>140</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	86.44	-----	-----	70.11	32.36	8.63	30.66	6.00	123	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	86.44	-----	-----	70.11	32.36	8.63	30.66	6.00	123	140	AVERAGE																																										







Mode	49																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																		
ANT	10																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2494.18</td><td>55.97</td><td>74.00</td><td>-18.03</td><td>39.58</td><td>32.39</td><td>8.65</td><td>30.65</td><td>6.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.18	55.97	74.00	-18.03	39.58	32.39	8.65	30.65	6.00	100	120	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.20</td><td>-----</td><td>-----</td><td>76.87</td><td>32.36</td><td>8.63</td><td>30.66</td><td>6.00</td><td>100</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.20	-----	-----	76.87	32.36	8.63	30.66	6.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2494.18	55.97	74.00	-18.03	39.58	32.39	8.65	30.65	6.00	100	120	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	93.20	-----	-----	76.87	32.36	8.63	30.66	6.00	100	120	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>45.43</td><td>54.00</td><td>-8.57</td><td>29.07</td><td>32.37</td><td>8.64</td><td>30.65</td><td>6.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	45.43	54.00	-8.57	29.07	32.37	8.64	30.65	6.00	100	120	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>90.86</td><td>-----</td><td>-----</td><td>74.53</td><td>32.36</td><td>8.63</td><td>30.66</td><td>6.00</td><td>100</td><td>120</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	90.86	-----	-----	74.53	32.36	8.63	30.66	6.00	100	120
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2486.44	45.43	54.00	-8.57	29.07	32.37	8.64	30.65	6.00	100	120	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	90.86	-----	-----	74.53	32.36	8.63	30.66	6.00	100	120	AVERAGE																																																																																							



Mode	49																																																																																																																						
	Harmonic																																																																																																																						
	2400-2483.5_2400-2483.5_Bluetooth-LE_GSKF_CH39_2480MHz																																																																																																																						
ANT	10																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																
Peak Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>41.10</td><td>74.00</td><td>-32.90</td><td>59.15</td><td>33.94</td><td>12.34</td><td>64.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	1	4960.00	41.10	74.00	-32.90	59.15	33.94	12.34	64.33								0.00	--								--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4960.00</td><td>40.54</td><td>74.00</td><td>-33.46</td><td>58.59</td><td>33.94</td><td>12.34</td><td>64.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB	1	4960.00	40.54	74.00	-33.46	58.59	33.94	12.34	64.33								0.00	--								--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB																																																																																																															
1	4960.00	41.10	74.00	-32.90	59.15	33.94	12.34	64.33																																																																																																															
							0.00	--																																																																																																															
							--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	dB																																																																																																															
1	4960.00	40.54	74.00	-33.46	58.59	33.94	12.34	64.33																																																																																																															
							0.00	--																																																																																																															
							--	PEAK																																																																																																															



Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.







Mode	49																																																						
	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																						
ANT	9+10																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.61</td><td>63.85</td><td>74.00</td><td>-10.15</td><td>47.06</td><td>34.13</td><td>12.53</td><td>29.87</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.61	63.85	74.00	-10.15	47.06	34.13	12.53	29.87	0.00	100	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5143.61	63.85	74.00	-10.15	47.06	34.13	12.53	29.87	0.00	100	179	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.16</td><td>-----</td><td>-----</td><td>90.21</td><td>34.26</td><td>12.58</td><td>29.89</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	107.16	-----	-----	90.21	34.26	12.58	29.89	0.00	100	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	107.16	-----	-----	90.21	34.26	12.58	29.89	0.00	100	179	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5143.10</td><td>52.35</td><td>54.00</td><td>-1.65</td><td>35.56</td><td>34.13</td><td>12.53</td><td>29.87</td><td>0.00</td><td>100</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.10	52.35	54.00	-1.65	35.56	34.13	12.53	29.87	0.00	100	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5143.10	52.35	54.00	-1.65	35.56	34.13	12.53	29.87	0.00	100	179	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.57</td><td>-----</td><td>-----</td><td>80.62</td><td>34.26</td><td>12.58</td><td>29.89</td><td>0.00</td><td>100</td><td>179</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	97.57	-----	-----	80.62	34.26	12.58	29.89	0.00	100	179
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	97.57	-----	-----	80.62	34.26	12.58	29.89	0.00	100	179	AVERAGE																																											

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.





Mode	49																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																													
ANT	9+10																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.28</td><td>56.88</td><td>74.00</td><td>-17.12</td><td>39.17</td><td>34.60</td><td>12.94</td><td>29.83</td><td>0.00</td><td>100</td><td>179</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.28	56.88	74.00	-17.12	39.17	34.60	12.94	29.83	0.00	100	179	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5428.28	56.88	74.00	-17.12	39.17	34.60	12.94	29.83	0.00	100	179	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.78</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>27.78</td><td>34.59</td><td>12.97</td><td>29.87</td><td>0.00</td><td>100</td><td>179</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.78	45.47	54.00	-8.53	27.78	34.59	12.97	29.87	0.00	100	179	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5456.78	45.47	54.00	-8.53	27.78	34.59	12.97	29.87	0.00	100	179	AVERAGE																																		





		49																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																						
ANT	9+10																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.77</td><td>63.32</td><td>74.00</td><td>-10.68</td><td>46.54</td><td>34.11</td><td>12.54</td><td>29.87</td><td>0.00</td><td>269</td><td>192</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.77	63.32	74.00	-10.68	46.54	34.11	12.54	29.87	0.00	269	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.77	63.32	74.00	-10.68	46.54	34.11	12.54	29.87	0.00	269	192	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.44</td><td>51.92</td><td>54.00</td><td>-2.08</td><td>35.14</td><td>34.11</td><td>12.54</td><td>29.87</td><td>0.00</td><td>269</td><td>192</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.44	51.92	54.00	-2.08	35.14	34.11	12.54	29.87	0.00	269	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5147.44	51.92	54.00	-2.08	35.14	34.11	12.54	29.87	0.00	269	192	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>112.67</td><td>-----</td><td>-----</td><td>99.34</td><td>33.01</td><td>10.60</td><td>30.28</td><td>0.00</td><td>269</td><td>192</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	112.67	-----	-----	99.34	33.01	10.60	30.28	0.00	269	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	112.67	-----	-----	99.34	33.01	10.60	30.28	0.00	269	192	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>108.28</td><td>-----</td><td>-----</td><td>94.95</td><td>33.01</td><td>10.60</td><td>30.28</td><td>0.00</td><td>269</td><td>192</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	108.28	-----	-----	94.95	33.01	10.60	30.28	0.00	269	192
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	108.28	-----	-----	94.95	33.01	10.60	30.28	0.00	269	192	AVERAGE																																											

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.



Mode	49																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																						
ANT	9+10																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.55</td><td>56.56</td><td>74.00</td><td>-17.44</td><td>38.87</td><td>34.59</td><td>12.97</td><td>29.87</td><td>0.00</td><td>269</td><td>192</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.55	56.56	74.00	-17.44	38.87	34.59	12.97	29.87	0.00	269	192	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5455.55	56.56	74.00	-17.44	38.87	34.59	12.97	29.87	0.00	269	192	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.28</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>27.74</td><td>34.60</td><td>12.97</td><td>29.86</td><td>0.00</td><td>269</td><td>192</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.28	45.45	54.00	-8.55	27.74	34.60	12.97	29.86	0.00	269	192	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5452.28	45.45	54.00	-8.55	27.74	34.60	12.97	29.86	0.00	269	192	AVERAGE																																											




Mode	49																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_Full_5190MHz																																																																																																	
ANT	9+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.99</td><td>68.30</td><td>-23.31</td><td>51.96</td><td>37.48</td><td>18.03</td><td>62.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	44.99	68.30	-23.31	51.96	37.48	18.03	62.48	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.03</td><td>68.30</td><td>-22.27</td><td>53.00</td><td>37.48</td><td>18.03</td><td>62.48</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.03	68.30	-22.27	53.00	37.48	18.03	62.48	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10380.00	44.99	68.30	-23.31	51.96	37.48	18.03	62.48	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10380.00	46.03	68.30	-22.27	53.00	37.48	18.03	62.48	0.00	--	PEAK																																																																																							

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.15	-	-	0.01Khz
802.11ax HE20	99.70	-	-	0.01Khz
802.11ax HE40	99.07	-	-	0.01Khz
802.11ax HE80	99.08	-	-	0.01Khz
802.11ax HE20 RU26	99.22	-	-	0.01Khz

802.11a






802.11ax HE20




802.11ax HE40





802.11ax HE80



802.11ax HE20 RU26

