





11AX20MIMO_Ant10_6515_26Tone_RU8




11AX20MIMO_Ant10_6515_52Tone_RU40






11AX20MIMO_Ant10_6515_106Tone_RU54




11AX20MIMO_Ant9_6515_26Tone_RU8






11AX20MIMO_Ant9_6515_52Tone_RU40




11AX20MIMO_Ant9_6515_106Tone_RU54






11AX20MIMO_Ant10_6535_26Tone_RU0




11AX20MIMO_Ant10_6535_52Tone_RU37






11AX20MIMO_Ant10_6535_106Tone_RU53




11AX20MIMO_Ant9_6535_26Tone_RU0






11AX20MIMO_Ant9_6535_52Tone_RU37




11AX20MIMO_Ant9_6535_106Tone_RU53






11AX20MIMO_Ant10_6695_26Tone_RU0




11AX20MIMO_Ant10_6695_52Tone_RU37






11AX20MIMO_Ant10_6695_106Tone_RU53




11AX20MIMO_Ant9_6695_26Tone_RU0






11AX20MIMO_Ant9_6695_52Tone_RU37




11AX20MIMO_Ant9_6695_106Tone_RU53






11AX20MIMO_Ant10_6855_26Tone_RU8




11AX20MIMO_Ant10_6855_52Tone_RU40






11AX20MIMO_Ant10_6855_106Tone_RU54




11AX20MIMO_Ant9_6855_26Tone_RU8






11AX20MIMO_Ant9_6855_52Tone_RU40




11AX20MIMO_Ant9_6855_106Tone_RU54






11AX20MIMO_Ant10_6875_26Tone_RU8




11AX20MIMO_Ant10_6875_52Tone_RU40






11AX20MIMO_Ant10_6875_106Tone_RU54




11AX20MIMO_Ant9_6875_26Tone_RU8






11AX20MIMO_Ant9_6875_52Tone_RU40




11AX20MIMO_Ant9_6875_106Tone_RU54






11AX20MIMO_Ant10_6895_26Tone_RU0




11AX20MIMO_Ant10_6895_52Tone_RU37






11AX20MIMO_Ant10_6895_106Tone_RU53




11AX20MIMO_Ant9_6895_26Tone_RU0






11AX20MIMO_Ant9_6895_52Tone_RU37




11AX20MIMO_Ant9_6895_106Tone_RU53






11AX20MIMO_Ant10_6995_26Tone_RU0




11AX20MIMO_Ant10_6995_52Tone_RU37






11AX20MIMO_Ant10_6995_106Tone_RU53




11AX20MIMO_Ant9_6995_26Tone_RU0






11AX20MIMO_Ant9_6995_52Tone_RU37




11AX20MIMO_Ant9_6995_106Tone_RU53






11AX20MIMO_Ant10_7095_26Tone_RU8




11AX20MIMO_Ant10_7095_52Tone_RU40






11AX20MIMO_Ant10_7095_106Tone_RU54




11AX20MIMO_Ant9_7095_26Tone_RU8






11AX20MIMO_Ant9_7095_52Tone_RU40



11AX20MIMO_Ant9_7095_106Tone_RU54





In-Band Emissions

Test Result


Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result	Limit	Verdict
11AX2 0MIMO	Ant10	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	5955	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6195	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6415	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant10	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6435	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6475	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	6515	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant10	6535	26Tone	RU0	See test graph	See test graph	PASS



			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6535	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
	Ant10	6695	106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
	Ant9	6695	106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
	Ant10	6855	106Tone	RU53	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
	Ant9	6855	106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
	Ant10	6875	106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
	Ant9	6875	106Tone	RU54	See test graph	See test graph	PASS
			26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
	Ant10	6895	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6895	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	6995	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant9	6995	26Tone	RU0	See test graph	See test graph	PASS
			52Tone	RU37	See test graph	See test graph	PASS
			106Tone	RU53	See test graph	See test graph	PASS
	Ant10	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS
	Ant9	7095	26Tone	RU8	See test graph	See test graph	PASS
			52Tone	RU40	See test graph	See test graph	PASS
			106Tone	RU54	See test graph	See test graph	PASS




Test Graphs






11AX20MIMO_Ant10_5955_106Tone_RU53




11AX20MIMO_Ant9_5955_26Tone_RU0






11AX20MIMO_Ant9_5955_52Tone_RU37




11AX20MIMO_Ant9_5955_106Tone_RU53






11AX20MIMO_Ant10_6195_26Tone_RU0




11AX20MIMO_Ant10_6195_52Tone_RU37






11AX20MIMO_Ant10_6195_106Tone_RU53




11AX20MIMO_Ant9_6195_26Tone_RU0






11AX20MIMO_Ant9_6195_52Tone_RU37




11AX20MIMO_Ant9_6195_106Tone_RU53






11AX20MIMO_Ant10_6415_26Tone_RU8




11AX20MIMO_Ant10_6415_52Tone_RU40






11AX20MIMO_Ant10_6415_106Tone_RU54




11AX20MIMO_Ant9_6415_26Tone_RU6






11AX20MIMO_Ant9_6415_52Tone_RU40



Date: 18.MAY.2025 00:11:19


11AX20MIMO_Ant9_6415_106Tone_RU54



Date: 18.MAY.2025 00:14:31




11AX20MIMO_Ant10_6435_26Tone_RU0



Date: 18.MAY.2025 00:17:14


11AX20MIMO_Ant10_6435_52Tone_RU37



Date: 18.MAY.2025 00:21:22




11AX20MIMO_Ant10_6435_106Tone_RU53



Date: 18.MAY.2025 00:24:43


11AX20MIMO_Ant9_6435_26Tone_RU0




Date: 18.MAY.2025 00:17:57



11AX20MIMO_Ant9_6435_52Tone_RU37




11AX20MIMO_Ant9_6435_106Tone_RU53






11AX20MIMO_Ant10_6475_26Tone_RU0




11AX20MIMO_Ant10_6475_52Tone_RU37






11AX20MIMO_Ant10_6475_106Tone_RU53



Date: 18.MAY.2025 00:30:54


11AX20MIMO_Ant9_6475_26Tone_RU0




Date: 18.MAY.2025 00:27:10



11AX20MIMO_Ant9_6475_52Tone_RU37




11AX20MIMO_Ant9_6475_106Tone_RU53






11AX20MIMO_Ant10_6515_26Tone_RU8




11AX20MIMO_Ant10_6515_52Tone_RU40






11AX20MIMO_Ant10_6515_106Tone_RU54




11AX20MIMO_Ant9_6515_26Tone_RU6






11AX20MIMO_Ant9_6515_52Tone_RU40




11AX20MIMO_Ant9_6515_106Tone_RU54






11AX20MIMO_Ant10_6535_26Tone_RU0




11AX20MIMO_Ant10_6535_52Tone_RU37






11AX20MIMO_Ant10_6535_106Tone_RU53




11AX20MIMO_Ant9_6535_26Tone_RU0






11AX20MIMO_Ant9_6535_52Tone_RU37




11AX20MIMO_Ant9_6535_106Tone_RU53






11AX20MIMO_Ant10_6695_26Tone_RU0




11AX20MIMO_Ant10_6695_52Tone_RU37






11AX20MIMO_Ant10_6695_106Tone_RU53




11AX20MIMO_Ant9_6695_26Tone_RU0






11AX20MIMO_Ant9_6695_52Tone_RU37




11AX20MIMO_Ant9_6695_106Tone_RU53






11AX20MIMO_Ant10_6855_26Tone_RU8




11AX20MIMO_Ant10_6855_52Tone_RU40






11AX20MIMO_Ant10_6855_106Tone_RU54



Date: 18.MAY.2025 01:26:18


11AX20MIMO_Ant9_6855_26Tone_RU8




Date: 18.MAY.2025 01:23:07



11AX20MIMO_Ant9_6855_52Tone_RU40




11AX20MIMO_Ant9_6855_106Tone_RU54






11AX20MIMO_Ant10_6875_26Tone_RU8



Date: 18.MAY.2025 01:31:14


11AX20MIMO_Ant10_6875_52Tone_RU40



Date: 18.MAY.2025 01:32:52




11AX20MIMO_Ant10_6875_106Tone_RU54



Date: 18.MAY.2025 01:34:24


11AX20MIMO_Ant9_6875_26Tone_RU8




Date: 18.MAY.2025 01:31:57



11AX20MIMO_Ant9_6875_52Tone_RU40




11AX20MIMO_Ant9_6875_106Tone_RU54






11AX20MIMO_Ant10_6895_26Tone_RU0




11AX20MIMO_Ant10_6895_52Tone_RU37






11AX20MIMO_Ant10_6895_106Tone_RU53



Date: 18.MAY.2025 01:56:02


11AX20MIMO_Ant9_6895_26Tone_RU0




Date: 18.MAY.2025 01:38:52



11AX20MIMO_Ant9_6895_52Tone_RU37




11AX20MIMO_Ant9_6895_106Tone_RU53






11AX20MIMO_Ant10_6995_26Tone_RU0



Date: 18.MAY.2025 01:58:19


11AX20MIMO_Ant10_6995_52Tone_RU37




Date: 18.MAY.2025 01:59:59



11AX20MIMO_Ant10_6995_106Tone_RU53




11AX20MIMO_Ant9_6995_26Tone_RU60






11AX20MIMO_Ant9_6995_52Tone_RU37




11AX20MIMO_Ant9_6995_106Tone_RU53






11AX20MIMO_Ant10_7095_26Tone_RU8




11AX20MIMO_Ant10_7095_52Tone_RU40






11AX20MIMO_Ant10_7095_106Tone_RU54




11AX20MIMO_Ant9_7095_26Tone_RU6






11AX20MIMO_Ant9_7095_52Tone_RU40




11AX20MIMO_Ant9_7095_106Tone_RU54





Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

IMEI : 355870094599898/355870094599880 #98

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.158	44.66	-20.90	65.56	34.10	0.11	10.45	QP
2	0.158	39.76	-16.80	55.56	29.20	0.11	10.45	Average
3	0.373	39.12	-19.31	58.43	28.63	0.00	10.49	QP
4	0.373	28.69	-19.74	48.43	18.20	0.00	10.49	Average
5	0.408	36.65	-21.03	57.68	26.20	-0.03	10.48	QP
6	0.408	25.95	-21.73	47.68	15.50	-0.03	10.48	Average
7	0.579	37.05	-18.95	56.00	26.80	-0.13	10.38	QP
8	0.579	24.35	-21.65	46.00	14.10	-0.13	10.38	Average
9 *	0.647	41.41	-14.59	56.00	31.20	-0.14	10.35	QP
10	0.647	28.51	-17.49	46.00	18.30	-0.14	10.35	Average
11	0.720	41.28	-14.72	56.00	31.10	-0.15	10.33	QP
12	0.720	29.38	-16.62	46.00	19.20	-0.15	10.33	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

IMEI : 355870094599898/355870094599880 #98

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.154	43.77	-22.01	65.78	33.20	0.12	10.45	QP
2	0.154	38.17	-17.61	55.78	27.60	0.12	10.45	Average
3	0.165	42.48	-22.73	65.21	31.91	0.12	10.45	QP
4	0.165	34.18	-21.03	55.21	23.61	0.12	10.45	Average
5	0.363	37.55	-21.10	58.65	27.19	-0.13	10.49	QP
6	0.363	27.25	-21.40	48.65	16.89	-0.13	10.49	Average
7	0.567	34.73	-21.27	56.00	24.51	-0.16	10.38	QP
8	0.567	21.73	-24.27	46.00	11.51	-0.16	10.38	Average
9 *	0.651	40.69	-15.31	56.00	30.50	-0.16	10.35	QP
10	0.651	27.09	-18.91	46.00	16.90	-0.16	10.35	Average
11	0.727	37.36	-18.64	56.00	27.20	-0.17	10.33	QP
12	0.727	24.76	-21.24	46.00	14.60	-0.17	10.33	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Jake	Relative Humidity :	50%
		Temperature :	20°C~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	MIMO	802.11a	1	5955	6Mbps	Full	-
Mode 2	U-NII-5	5.925-6.425	MIMO	802.11a	49	6195	6Mbps	Full	-
Mode 3	U-NII-5	5.925-6.425	MIMO	802.11a	93	6415	6Mbps	Full	-
Mode 4	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	1	5955	MCS0	Full	-
Mode 5	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	49	6195	MCS0	Full	-
Mode 6	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	93	6415	MCS0	Full	-
Mode 7	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	1	5955	MCS0	RU26/0	-
Mode 8	U-NII-5	5.925-6.425	MIMO	802.11ax HE40	3	5965	MCS0	Full	-
Mode 9	U-NII-5	5.925-6.425	MIMO	802.11ax HE40	51	6205	MCS0	Full	-
Mode 10	U-NII-5	5.925-6.425	MIMO	802.11ax HE40	91	6405	MCS0	Full	-
Mode 11	U-NII-5	5.925-6.425	MIMO	802.11ax HE80	7	5985	MCS0	Full	-
Mode 12	U-NII-5	5.925-6.425	MIMO	802.11ax HE80	55	6225	MCS0	Full	-
Mode 13	U-NII-5	5.925-6.425	MIMO	802.11ax HE80	87	6385	MCS0	Full	-
Mode 14	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	15	6025	MCS0	Full	-
Mode 15	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	47	6185	MCS0	Full	-
Mode 16	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	79	6345	MCS0	Full	-
Mode 17	U-NII-5	5.925-6.425	MIMO	802.11a	97	6435	6Mbps	Full	-
Mode 18	U-NII-6	6.425-6.525	MIMO	802.11a	105	6475	6Mbps	Full	-
Mode 19	U-NII-5	6.425-6.525	MIMO	802.11a	113	6515	6Mbps	Full	-
Mode 20	U-NII-5	5.925-6.425	MIMO	802.11ax HE20	97	6435	MCS0	Full	-
Mode 21	U-NII-6	6.425-6.525	MIMO	802.11ax HE20	105	6475	MCS0	Full	-
Mode 22	U-NII-5	6.425-6.525	MIMO	802.11ax HE20	113	6515	MCS0	Full	-
Mode 23	U-NII-5	6.425-6.525	MIMO	802.11ax HE40	99	6445	MCS0	Full	-
Mode 24	U-NII-6	6.425-6.525	MIMO	802.11ax HE40	107	6485	MCS0	Full	-
Mode 25	U-NII-8	6.425-6.525	MIMO	802.11ax HE40	115	6525	MCS0	Full	-
Mode 26	U-NII-8	6.425-6.525	MIMO	802.11ax HE80	103	6465	MCS0	Full	-
Mode 27	U-NII-8	6.425-6.525	MIMO	802.11ax HE80	119	6545	MCS0	Full	-
Mode 28	U-NII-8	5.925-6.425	MIMO	802.11ax HE160	111	6505	MCS0	Full	-
Mode 29	U-NII-8	6.525-6.875	MIMO	802.11a	117	6535	6Mbps	Full	-
Mode 30	U-NII-7	6.525-6.875	MIMO	802.11a	149	6695	6Mbps	Full	-
Mode 31	U-NII-5	6.525-6.875	MIMO	802.11a	181	6855	6Mbps	Full	-



Mode 32	U-NII-8	6.525-6.875	MIMO	802.11a	185	6875	6Mbps	Full	-
Mode 33	U-NII-8	6.525-6.875	MIMO	802.11ax HE20	117	6535	MCS0	Full	-
Mode 34	U-NII-7	6.525-6.875	MIMO	802.11ax HE20	149	6695	MCS0	Full	-
Mode 35	U-NII-5	6.525-6.875	MIMO	802.11ax HE20	181	6855	MCS0	Full	-
Mode 36	U-NII-8	6.525-6.875	MIMO	802.11ax HE20	185	6875	MCS0	Full	-
Mode 37	U-NII-7	6.525-6.875	MIMO	802.11ax HE40	123	6565	MCS0	Full	-
Mode 38	U-NII-7	6.525-6.875	MIMO	802.11ax HE40	147	6685	MCS0	Full	-
Mode 39	U-NII-8	6.875-7.125	MIMO	802.11ax HE40	179	6845	MCS0	Full	-
Mode 40	U-NII-8	6.875-7.125	MIMO	802.11ax HE40	187	6885	MCS0	Full	-
Mode 41	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	135	6625	MCS0	Full	-
Mode 42	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	151	6705	MCS0	Full	-
Mode 43	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	167	6785	MCS0	Full	-
Mode 44	U-NII-7	6.525-6.875	MIMO	802.11ax HE80	183	6865	MCS0	Full	-
Mode 45	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	143	6665	MCS0	Full	-
Mode 46	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	175	6825	MCS0	Full	-
Mode 47	U-NII-8	6.875-7.125	MIMO	802.11a	189	6895	6Mbps	Full	-
Mode 48	U-NII-8	6.875-7.125	MIMO	802.11a	209	6995	6Mbps	Full	-
Mode 50	U-NII-8	6.875-7.125	MIMO	802.11ax HE20	189	6895	MCS0	Full	-
Mode 51	U-NII-8	6.875-7.125	MIMO	802.11ax HE20	209	6995	MCS0	Full	-
Mode 54	U-NII-8	6.875-7.125	MIMO	802.11ax HE40	195	6925	MCS0	Full	-
Mode 55	U-NII-8	6.875-7.125	MIMO	802.11ax HE40	211	7005	MCS0	Full	-
Mode 56	U-NII-8	6.875-7.125	MIMO	802.11ax HE40	227	7085	MCS0	Full	-
Mode 57	U-NII-8	6.875-7.125	MIMO	802.11ax HE80	199	6945	MCS0	Full	-
Mode 58	U-NII-8	6.875-7.125	MIMO	802.11ax HE80	215	7025	MCS0	Full	-
Mode 59	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	207	6985	MCS0	Full	-
Mode 60	U-NII-8	6.875-7.125	MIMO	802.11a	229	7095	6Mbps	-	-
Mode 61	U-NII-8	6.875-7.125	MIMO	802.11ax HE20	229	7095	MCS0	Full	-
Mode 62	U-NII-8	6.875-7.125	MIMO	802.11ax HE20	229	7095	MCS0	RU26/8	-

For Co-location:

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 63	U-NII-5	5.925-6.425	MIMO	802.11ax HE160	15	6025	MCS0	Full	-
	2400-2483.5	2400-2483.5	SISO	Bluetooth-LE_GSFK	38	2480	2Mbps	-	-
	N77 BW=100M								



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5924.97	55.45	68.20	-12.75	H	AVERAGE	Pass	Band Edge
1	802.11a	1	11910.00	46.42	74.00	-27.58	V	PEAK	Pass	Harmonic
2	802.11a	49	-	-	-	-	-	-	-	Band Edge
2	802.11a	49	12390.00	46.57	74.00	-27.43	H	PEAK	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	46.49	88.20	-41.71	H	PEAK	Pass	Harmonic
4	802.11ax HE20	1	5924.97	52.82	68.20	-15.38	H	AVERAGE	Pass	Band Edge
4	802.11ax HE20	1	11910.00	46.40	74.00	-27.60	V	PEAK	Pass	Harmonic
5	802.11ax HE20	49	-	-	-	-	-	-	-	Band Edge
5	802.11ax HE20	49	12390.00	46.27	74.00	-27.73	V	PEAK	Pass	Harmonic
6	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
6	802.11ax HE20	93	12830.00	46.41	88.20	-41.79	H	PEAK	Pass	Harmonic
7	802.11ax HE20	1	5923.80	40.28	68.20	-27.92	H	AVERAGE	Pass	Band Edge
7	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
8	802.11ax HE40	3	5924.82	55.88	68.20	-12.32	H	AVERAGE	Pass	Band Edge
8	802.11ax HE40	3	11930.00	46.37	74.00	-27.63	H	PEAK	Pass	Harmonic
9	802.11ax HE40	51	-	-	-	-	-	-	-	Band Edge
9	802.11ax HE40	51	12410.00	46.63	74.00	-27.37	H	PEAK	Pass	Harmonic
10	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
10	802.11ax HE40	91	12810.00	46.16	88.20	-42.04	H	PEAK	Pass	Harmonic
11	802.11ax HE80	7	5919.56	61.29	68.20	-6.91	H	AVERAGE	Pass	Band Edge
11	802.11ax HE80	7	11970.00	45.63	74.00	-28.37	H	PEAK	Pass	Harmonic
12	802.11ax HE80	55	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE80	55	12450.00	46.42	74.00	-27.58	H	PEAK	Pass	Harmonic
13	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE80	87	12770.00	46.83	88.20	-41.37	V	PEAK	Pass	Harmonic
14	802.11ax HE160	15	5921.60	64.98	68.20	-3.22	H	AVERAGE	Pass	Band Edge
14	802.11ax HE160	15	12050.00	45.60	74.00	-28.40	H	PEAK	Pass	Harmonic
15	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE160	47	12370.00	46.21	74.00	-27.79	V	PEAK	Pass	Harmonic
16	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE160	79	12690.00	46.94	74.00	-27.06	H	PEAK	Pass	Harmonic
17	802.11a	97	-	-	-	-	-	-	-	Band Edge
17	802.11a	97	12870.00	45.98	88.20	-42.22	H	PEAK	Pass	Harmonic
18	802.11a	105	-	-	-	-	-	-	-	Band Edge
18	802.11a	105	12950.00	46.03	88.20	-42.17	V	PEAK	Pass	Harmonic
19	802.11a	113	-	-	-	-	-	-	-	Band Edge
19	802.11a	113	13030.00	46.65	88.20	-41.55	H	PEAK	Pass	Harmonic
20	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	97	12870.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
21	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	105	12950.00	46.34	88.20	-41.86	H	PEAK	Pass	Harmonic



22	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	113	13030.00	46.28	88.20	-41.92	V	PEAK	Pass	Harmonic
23	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE40	99	12890.00	47.13	88.20	-41.07	H	PEAK	Pass	Harmonic
24	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE40	107	12970.00	46.30	88.20	-41.90	H	PEAK	Pass	Harmonic
25	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
25	802.11ax HE40	115	13050.00	46.85	88.20	-41.35	V	PEAK	Pass	Harmonic
26	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE80	103	12930.00	46.37	88.20	-41.83	H	PEAK	Pass	Harmonic
27	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE80	119	13090.00	45.87	88.20	-42.33	H	PEAK	Pass	Harmonic
28	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE160	111	13010.00	45.94	88.20	-42.26	V	PEAK	Pass	Harmonic
29	802.11a	117	-	-	-	-	-	-	-	Band Edge
29	802.11a	117	13070.00	46.45	88.20	-41.75	V	PEAK	Pass	Harmonic
30	802.11a	149	-	-	-	-	-	-	-	Band Edge
30	802.11a	149	13390.00	46.64	74.00	-27.36	H	PEAK	Pass	Harmonic
31	802.11a	181	-	-	-	-	-	-	-	Band Edge
31	802.11a	181	13710.00	45.70	88.20	-42.50	H	PEAK	Pass	Harmonic
32	802.11a	185	-	-	-	-	-	-	-	Band Edge
32	802.11a	185	13750.00	46.17	88.20	-42.03	H	PEAK	Pass	Harmonic
33	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	117	13070.00	46.78	88.20	-41.42	H	PEAK	Pass	Harmonic
34	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE20	149	13390.00	45.85	74.00	-28.15	H	PEAK	Pass	Harmonic
35	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	181	13710.00	46.07	88.20	-42.13	H	PEAK	Pass	Harmonic
36	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE20	185	13750.00	46.84	88.20	-41.36	V	PEAK	Pass	Harmonic
37	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE40	123	13130.00	46.26	88.20	-41.94	V	PEAK	Pass	Harmonic
38	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE40	147	13370.00	46.00	74.00	-28.00	H	PEAK	Pass	Harmonic
39	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	179	13690.00	45.85	88.20	-42.35	V	PEAK	Pass	Harmonic
40	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	187	13770.00	46.01	88.20	-42.19	H	PEAK	Pass	Harmonic
41	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	135	13250.00	45.43	74.00	-28.57	H	PEAK	Pass	Harmonic
42	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	151	13410.00	46.25	88.20	-41.95	V	PEAK	Pass	Harmonic
43	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	167	13570.00	46.48	88.20	-41.72	H	PEAK	Pass	Harmonic
44	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	183	13730.00	45.90	88.20	-42.30	V	PEAK	Pass	Harmonic







45	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE160	143	13330.00	45.39	74.00	-28.61	H	PEAK	Pass	Harmonic
46	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	175	13650.00	45.88	88.20	-42.32	V	PEAK	Pass	Harmonic
47	802.11a	189	-	-	-	-	-	-	-	Band Edge
47	802.11a	189	13790.00	45.84	88.20	-42.36	H	PEAK	Pass	Harmonic
48	802.11a	209	-	-	-	-	-	-	-	Band Edge
48	802.11a	209	13990.00	45.93	88.20	-42.27	H	PEAK	Pass	Harmonic
50	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	189	13790.00	45.99	88.20	-42.21	V	PEAK	Pass	Harmonic
51	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	209	13990.00	46.14	88.20	-42.06	H	PEAK	Pass	Harmonic
54	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	195	13850.00	46.02	88.20	-42.18	H	PEAK	Pass	Harmonic
55	802.11ax HE40	211	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	211	14010.00	45.61	88.20	-42.59	V	PEAK	Pass	Harmonic
56	802.11ax HE40	227	5671.00	64.61	68.20	-3.59	H	Average	Pass	Band Edge
56	802.11ax HE40	227	14170.00	46.02	88.20	-42.18	H	PEAK	Pass	Harmonic
57	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE80	199	13890.00	45.26	88.20	-42.94	V	PEAK	Pass	Harmonic
58	802.11ax HE80	215	7125.98	49.47	68.20	-18.73	H	AVERAGE	Pass	Band Edge
58	802.11ax HE80	215	14050.00	45.13	88.20	-43.07	H	PEAK	Pass	Harmonic
59	802.11ax HE160	207	7125.16	57.12	68.20	-11.08	H	AVERAGE	Pass	Band Edge
59	802.11ax HE160	207	13970.00	45.82	88.20	-42.38	V	PEAK	Pass	Harmonic
60	802.11a	229	7125.00	58.21	68.20	-9.99	H	AVERAGE	Pass	Band Edge
60	802.11a	229	14190.00	47.11	88.20	-41.09	H	PEAK	Pass	Harmonic
61	802.11ax HE20	229	7125.00	56.96	68.20	-11.24	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	229	14190.00	46.55	88.20	-41.65	H	PEAK	Pass	Harmonic
62	802.11ax HE20	229	7136.84	42.06	68.20	-26.14	H	AVERAGE	Pass	Band Edge
62	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic





For Colocation:

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
63	802.11ax HE160	15	5875.00	59.67	68.20	-8.53	H	AVERAGE	Pass	Band Edge
	802.11ax HE160	15	12050.00	43.68	74.00	-30.32	V	PEAK	Pass	Harmonic
	Bluetooth-LE_GSKF	38	2491.84	43.03	54.00	-10.97	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSKF	38	4960.00	39.71	74.00	-34.29	V	PEAK	Pass	Harmonic



Mode	1																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																				
ANT	MIMO																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5923.41</td><td>66.61</td><td>88.20</td><td>-21.59</td><td>57.06</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>288</td><td>10 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.41	66.61	88.20	-21.59	57.06	34.97	11.40	36.82	0.00	288	10 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>112.40</td><td>-----</td><td>-----</td><td>102.87</td><td>35.08</td><td>11.43</td><td>36.98</td><td>0.00</td><td>288</td><td>10 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	112.40	-----	-----	102.87	35.08	11.43	36.98	0.00	288	10 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5923.41	66.61	88.20	-21.59	57.06	34.97	11.40	36.82	0.00	288	10 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	112.40	-----	-----	102.87	35.08	11.43	36.98	0.00	288	10 PEAK																																																																																										
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5924.97</td><td>55.45</td><td>68.20</td><td>-12.75</td><td>45.90</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>288</td><td>10 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	55.45	68.20	-12.75	45.90	34.97	11.40	36.82	0.00	288	10 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>103.84</td><td>-----</td><td>-----</td><td>94.31</td><td>35.08</td><td>11.43</td><td>36.98</td><td>0.00</td><td>288</td><td>10 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	103.84	-----	-----	94.31	35.08	11.43	36.98	0.00	288	10 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	55.45	68.20	-12.75	45.90	34.97	11.40	36.82	0.00	288	10 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	103.84	-----	-----	94.31	35.08	11.43	36.98	0.00	288	10 AVERAGE																																																																																										





Mode	1																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																						
ANT	MIMO																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.58</td><td>68.00</td><td>88.20</td><td>-20.20</td><td>58.45</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>136</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.58	68.00	88.20	-20.20	58.45	34.97	11.40	36.82	0.00	136	360	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.66</td><td>-----</td><td>-----</td><td>99.12</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>136</td><td>360</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.66	-----	-----	99.12	35.05	11.43	36.94	0.00	136	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.58	68.00	88.20	-20.20	58.45	34.97	11.40	36.82	0.00	136	360	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	100.66	-----	-----	99.12	35.05	11.43	36.94	0.00	136	360	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.32</td><td>54.58</td><td>68.20</td><td>-13.62</td><td>45.03</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>136</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.32	54.58	68.20	-13.62	45.03	34.97	11.40	36.82	0.00	136	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>100.54</td><td>-----</td><td>-----</td><td>91.00</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>136</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	100.54	-----	-----	91.00	35.05	11.43	36.94	0.00	136	360
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5924.32	54.58	68.20	-13.62	45.03	34.97	11.40	36.82	0.00	136	360	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5955.00	100.54	-----	-----	91.00	35.05	11.43	36.94	0.00	136	360	AVERAGE																																																																																											





Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_Full_5955MHz																																																																																																									
ANT	MIMO																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>56.89</td><td>38.62</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	45.85	74.00	-28.15	56.89	38.62	16.62	66.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>57.46</td><td>38.62</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.42	74.00	-27.58	57.46	38.62	16.62	66.28	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	45.85	74.00	-28.15	56.89	38.62	16.62	66.28	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	11910.00	46.42	74.00	-27.58	57.46	38.62	16.62	66.28	0.00	---	---	PEAK																																																																																														







Mode	2																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH49_Full_6195MHz																																																																																																									
ANT	MIMO																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>56.49</td><td>38.86</td><td>16.93</td><td>65.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	46.57	74.00	-27.43	56.49	38.86	16.93	65.71	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>55.97</td><td>38.86</td><td>16.93</td><td>65.71</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12390.00	46.05	74.00	-27.95	55.97	38.86	16.93	65.71	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12390.00	46.57	74.00	-27.43	56.49	38.86	16.93	65.71	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12390.00	46.05	74.00	-27.95	55.97	38.86	16.93	65.71	0.00	---	---	PEAK																																																																																														







Mode	3																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH93_Full_6415MHz																																																																																																					
ANT	MIMO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>46.49</td><td>88.20</td><td>-41.71</td><td>56.04</td><td>39.03</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	46.49	88.20	-41.71	56.04	39.03	17.22	65.80	0.00	---	---	PEAK	<table><tr><td></td><td>Limit</td><td>Over</td><td>Read</td><td>Ant</td><td>Cable</td><td>Preamp</td><td>Aux</td><td>APos</td><td>TPos</td><td></td></tr><tr><td>Freq</td><td>Level</td><td>Line</td><td>Limit</td><td>Level</td><td>Factor</td><td>Loss</td><td>Factor</td><td>Factor</td><td></td><td>Remark</td></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12830.00</td><td>46.46</td><td>88.20</td><td>-41.74</td><td>56.01</td><td>39.03</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 12830.00	46.46	88.20	-41.74	56.01	39.03	17.22	65.80	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12830.00	46.49	88.20	-41.71	56.04	39.03	17.22	65.80	0.00	---	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1 12830.00	46.46	88.20	-41.74	56.01	39.03	17.22	65.80	0.00	---	---	PEAK																																																																																											





Mode	4																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																											
ANT	MIMO																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5920.81</td><td>67.04</td><td>88.20</td><td>-21.16</td><td>57.48</td><td>34.96</td><td>11.40</td><td>36.80</td><td>0.00</td><td>290</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5920.81	67.04	88.20	-21.16	57.48	34.96	11.40	36.80	0.00	290	0 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>110.83</td><td>-----</td><td>-----</td><td>101.30</td><td>35.08</td><td>11.43</td><td>36.98</td><td>0.00</td><td>290</td><td>0 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	110.83	-----	-----	101.30	35.08	11.43	36.98	0.00	290	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5920.81	67.04	88.20	-21.16	57.48	34.96	11.40	36.80	0.00	290	0 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	110.83	-----	-----	101.30	35.08	11.43	36.98	0.00	290	0 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>52.82</td><td>68.20</td><td>-15.38</td><td>43.27</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>290</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	52.82	68.20	-15.38	43.27	34.97	11.40	36.82	0.00	290	0 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.52</td><td>-----</td><td>-----</td><td>92.99</td><td>35.08</td><td>11.43</td><td>36.98</td><td>0.00</td><td>290</td><td>0 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	102.52	-----	-----	92.99	35.08	11.43	36.98	0.00	290	0 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.97	52.82	68.20	-15.38	43.27	34.97	11.40	36.82	0.00	290	0 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	102.52	-----	-----	92.99	35.08	11.43	36.98	0.00	290	0 AVERAGE																																																																																	





Mode	4																																																																																																				
	Band Edge																																																																																																				
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																				
ANT	MIMO																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5921.33</td><td>64.86</td><td>88.20</td><td>-23.34</td><td>55.31</td><td>34.96</td><td>11.40</td><td>36.81</td><td>0.00</td><td>164</td><td>10 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5921.33	64.86	88.20	-23.34	55.31	34.96	11.40	36.81	0.00	164	10 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>108.14</td><td>-----</td><td>-----</td><td>98.61</td><td>35.08</td><td>11.43</td><td>36.98</td><td>0.00</td><td>164</td><td>10 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	108.14	-----	-----	98.61	35.08	11.43	36.98	0.00	164
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5921.33	64.86	88.20	-23.34	55.31	34.96	11.40	36.81	0.00	164	10 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	108.14	-----	-----	98.61	35.08	11.43	36.98	0.00	164	10 PEAK																																																																																										
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.97</td><td>50.24</td><td>68.20</td><td>-17.96</td><td>40.69</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>164</td><td>10 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.97	50.24	68.20	-17.96	40.69	34.97	11.40	36.82	0.00	164	10 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>99.52</td><td>-----</td><td>-----</td><td>89.98</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>164</td><td>10 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.52	-----	-----	89.98	35.05	11.43	36.94	0.00	164
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5924.97	50.24	68.20	-17.96	40.69	34.97	11.40	36.82	0.00	164	10 AVERAGE																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5955.00	99.52	-----	-----	89.98	35.05	11.43	36.94	0.00	164	10 AVERAGE																																																																																										





Mode	4																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Full_5955MHz																																																																																																								
ANT	MIMO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>57.20</td><td>38.62</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.16	74.00	-27.84	57.20	38.62	16.62	66.28	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>57.44</td><td>38.62</td><td>16.62</td><td>66.28</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11910.00	46.40	74.00	-27.60	57.44	38.62	16.62	66.28	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	46.16	74.00	-27.84	57.20	38.62	16.62	66.28	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11910.00	46.40	74.00	-27.60	57.44	38.62	16.62	66.28	0.00	---	---	PEAK																																																																																													







Mode	5																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH49_Full_6195MHz																																																																																																					
ANT	MIMO																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>46.17</td><td>74.00</td><td>-27.83</td><td>56.09</td><td>38.86</td><td>16.93</td><td>65.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	46.17	74.00	-27.83	56.09	38.86	16.93	65.71	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>56.19</td><td>38.86</td><td>16.93</td><td>65.71</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	46.27	74.00	-27.73	56.19	38.86	16.93	65.71	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	12390.00	46.17	74.00	-27.83	56.09	38.86	16.93	65.71	0.00	---	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	12390.00	46.27	74.00	-27.73	56.19	38.86	16.93	65.71	0.00	---	PEAK																																																																																											







Mode	6																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_Full_6415MHz																																																																																																									
ANT	MIMO																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>46.41</td><td>88.20</td><td>-41.79</td><td>55.96</td><td>39.03</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	46.41	88.20	-41.79	55.96	39.03	17.22	65.80	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>45.97</td><td>88.20</td><td>-42.23</td><td>55.52</td><td>39.03</td><td>17.22</td><td>65.80</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12830.00	45.97	88.20	-42.23	55.52	39.03	17.22	65.80	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	46.41	88.20	-41.79	55.96	39.03	17.22	65.80	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12830.00	45.97	88.20	-42.23	55.52	39.03	17.22	65.80	0.00	---	---	PEAK																																																																																														







		7																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																													
ANT		MIMO																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																				
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.43</td><td>52.07</td><td>88.20</td><td>-36.13</td><td>42.52</td><td>34.95</td><td>11.39</td><td>36.79</td><td>0.00</td><td>379</td><td>0 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5917.43	52.07	88.20	-36.13	42.52	34.95	11.39	36.79	0.00	379	0 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>111.45</td><td>-----</td><td>-----</td><td>101.91</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>379</td><td>0 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	111.45	-----	-----	101.91	35.05	11.43	36.94	0.00	379
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5917.43	52.07	88.20	-36.13	42.52	34.95	11.39	36.79	0.00	379	0 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5955.00	111.45	-----	-----	101.91	35.05	11.43	36.94	0.00	379	0 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.00</td><td>40.28</td><td>68.20</td><td>-27.92</td><td>30.73</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>379</td><td>0 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5923.00	40.28	68.20	-27.92	30.73	34.97	11.40	36.82	0.00	379	0 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>102.87</td><td>-----</td><td>-----</td><td>93.33</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>379</td><td>0 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5955.00	102.87	-----	-----	93.33	35.05	11.43	36.94	0.00	379
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5923.00	40.28	68.20	-27.92	30.73	34.97	11.40	36.82	0.00	379	0 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																				
1	5955.00	102.87	-----	-----	93.33	35.05	11.43	36.94	0.00	379	0 AVERAGE																																																																																																				







		7																																																																																																											
Mode		Band Edge																																																																																																											
		U-NII-5_5.925-6.425_802.11ax HE20_CH1_RU26/0_5955MHz																																																																																																											
ANT		MIMO																																																																																																											
Pol.		Vertical					Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5913.01</td><td>51.81</td><td>88.20</td><td>-36.39</td><td>42.25</td><td>34.94</td><td>11.39</td><td>36.77</td><td>0.00</td><td>138</td><td>24 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5913.01	51.81	88.20	-36.39	42.25	34.94	11.39	36.77	0.00	138	24 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>109.87</td><td>-----</td><td>-----</td><td>100.33</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>138</td><td>24 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	109.87	-----	-----	100.33	35.05	11.43	36.94	0.00	138
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5913.01	51.81	88.20	-36.39	42.25	34.94	11.39	36.77	0.00	138	24 PEAK																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5955.00	109.87	-----	-----	100.33	35.05	11.43	36.94	0.00	138	24 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5910.67</td><td>40.12</td><td>68.20</td><td>-28.08</td><td>30.56</td><td>34.93</td><td>11.39</td><td>36.76</td><td>0.00</td><td>138</td><td>24 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5910.67	40.12	68.20	-28.08	30.56	34.93	11.39	36.76	0.00	138	24 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>101.46</td><td>-----</td><td>-----</td><td>91.92</td><td>35.05</td><td>11.43</td><td>36.94</td><td>0.00</td><td>138</td><td>24 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	101.46	-----	-----	91.92	35.05	11.43	36.94	0.00	138
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5910.67	40.12	68.20	-28.08	30.56	34.93	11.39	36.76	0.00	138	24 AVERAGE																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5955.00	101.46	-----	-----	91.92	35.05	11.43	36.94	0.00	138	24 AVERAGE																																																																																																		





		8																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																																													
ANT		MIMO																																																																																																													
Pol.		Horizontal					Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>69.30</td><td>88.20</td><td>-18.90</td><td>59.75</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>300</td><td>7 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	69.30	88.20	-18.90	59.75	34.97	11.40	36.82	0.00	300	7 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>106.84</td><td>-----</td><td>-----</td><td>97.32</td><td>35.10</td><td>11.44</td><td>37.02</td><td>0.00</td><td>300</td><td>7 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	106.84	-----	-----	97.32	35.10	11.44	37.02	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.68	69.30	88.20	-18.90	59.75	34.97	11.40	36.82	0.00	300	7 PEAK																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	106.84	-----	-----	97.32	35.10	11.44	37.02	0.00	300	7 PEAK																																																																																																				
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>55.88</td><td>68.20</td><td>-12.32</td><td>46.33</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>300</td><td>7 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	55.88	68.20	-12.32	46.33	34.97	11.40	36.82	0.00	300	7 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>99.26</td><td>-----</td><td>-----</td><td>89.74</td><td>35.10</td><td>11.44</td><td>37.02</td><td>0.00</td><td>300</td><td>7 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	99.26	-----	-----	89.74	35.10	11.44	37.02	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5924.82	55.88	68.20	-12.32	46.33	34.97	11.40	36.82	0.00	300	7 AVERAGE																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5965.00	99.26	-----	-----	89.74	35.10	11.44	37.02	0.00	300	7 AVERAGE																																																																																																				





Mode	8																																																																																											
	Band Edge																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																											
ANT	MIMO																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.82</td><td>66.71</td><td>88.20</td><td>-21.49</td><td>57.16</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>186</td><td>19 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.82	66.71	88.20	-21.49	57.16	34.97	11.40	36.82	0.00	186	19 PEAK	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>105.97</td><td>-----</td><td>-----</td><td>96.45</td><td>35.10</td><td>11.44</td><td>37.02</td><td>0.00</td><td>186</td><td>19 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	105.97	-----	-----	96.45	35.10	11.44	37.02	0.00	186	19 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.82	66.71	88.20	-21.49	57.16	34.97	11.40	36.82	0.00	186	19 PEAK																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	105.97	-----	-----	96.45	35.10	11.44	37.02	0.00	186	19 PEAK																																																																																	
Avg	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.54</td><td>54.54</td><td>68.20</td><td>-13.66</td><td>44.99</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>186</td><td>19 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5924.54	54.54	68.20	-13.66	44.99	34.97	11.40	36.82	0.00	186	19 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>96.80</td><td>-----</td><td>-----</td><td>87.28</td><td>35.10</td><td>11.44</td><td>37.02</td><td>0.00</td><td>186</td><td>19 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	96.80	-----	-----	87.28	35.10	11.44	37.02	0.00	186	19 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.54	54.54	68.20	-13.66	44.99	34.97	11.40	36.82	0.00	186	19 AVERAGE																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	96.80	-----	-----	87.28	35.10	11.44	37.02	0.00	186	19 AVERAGE																																																																																	





Mode	8																																																																																	
	Harmonic																																																																																	
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_Full_5965MHz																																																																																	
ANT	MIMO																																																																																	
Pol.	Horizontal						Vertical																																																																											
Peak Avg																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>57.37</td><td>38.64</td><td>16.63</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11930.00	46.37	74.00	-27.63	57.37	38.64	16.63	66.27	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11930.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>57.05</td><td>38.64</td><td>16.63</td><td>66.27</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	11930.00	46.05	74.00	-27.95	57.05	38.64	16.63	66.27	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	11930.00	46.37	74.00	-27.63	57.37	38.64	16.63	66.27	0.00	---	---	PEAK																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																								
1	11930.00	46.05	74.00	-27.95	57.05	38.64	16.63	66.27	0.00	---	---	PEAK																																																																						







Mode	9																																																																																																							
	Harmonic																																																																																																							
	U-NII-5_5.925-6.425_802.11ax HE40_CH51_Full_6205MHz																																																																																																							
ANT	MIMO																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>56.51</td><td>38.86</td><td>16.95</td><td>65.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	46.63	74.00	-27.37	56.51	38.86	16.95	65.69	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12410.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>56.29</td><td>38.86</td><td>16.95</td><td>65.69</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12410.00	46.41	74.00	-27.59	56.29	38.86	16.95	65.69	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12410.00	46.63	74.00	-27.37	56.51	38.86	16.95	65.69	0.00	---	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12410.00	46.41	74.00	-27.59	56.29	38.86	16.95	65.69	0.00	---	---	PEAK																																																																																												







Mode	10																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_Full_6405MHz																																																																																																									
ANT	MIMO																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>46.16</td><td>88.20</td><td>-42.04</td><td>55.72</td><td>39.02</td><td>17.21</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	46.16	88.20	-42.04	55.72	39.02	17.21	65.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>45.84</td><td>88.20</td><td>-42.36</td><td>55.40</td><td>39.02</td><td>17.21</td><td>65.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	12810.00	45.84	88.20	-42.36	55.40	39.02	17.21	65.79	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	46.16	88.20	-42.04	55.72	39.02	17.21	65.79	0.00	---	---	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	12810.00	45.84	88.20	-42.36	55.40	39.02	17.21	65.79	0.00	---	---	PEAK																																																																																														





		11																																																						
Mode		Band Edge																																																						
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																						
ANT		MIMO																																																						
Pol.		Horizontal																																																						
Peak																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5917.48</td><td>72.63</td><td>88.20</td><td>-15.57</td><td>63.08</td><td>34.95</td><td>11.39</td><td>36.79</td><td>0.00</td><td>100</td><td>186</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5917.48	72.63	88.20	-15.57	63.08	34.95	11.39	36.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5917.48	72.63	88.20	-15.57	63.08	34.95	11.39	36.79	0.00	100	186	PEAK																																												
Fundamental																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>104.25</td><td>-----</td><td>-----</td><td>94.73</td><td>35.13</td><td>11.45</td><td>37.06</td><td>0.00</td><td>100</td><td>186</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	104.25	-----	-----	94.73	35.13	11.45	37.06	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5985.00	104.25	-----	-----	94.73	35.13	11.45	37.06	0.00	100	186	PEAK																																												
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.56</td><td>61.29</td><td>68.20</td><td>-6.91</td><td>51.73</td><td>34.96</td><td>11.40</td><td>36.80</td><td>0.00</td><td>100</td><td>186</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5919.56	61.29	68.20	-6.91	51.73	34.96	11.40	36.80	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5919.56	61.29	68.20	-6.91	51.73	34.96	11.40	36.80	0.00	100	186	AVERAGE																																												
																																																								
		<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.21</td><td>-----</td><td>-----</td><td>86.69</td><td>35.16</td><td>11.46</td><td>37.10</td><td>0.00</td><td>100</td><td>186</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.21	-----	-----	86.69	35.16	11.46	37.10	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5985.00	96.21	-----	-----	86.69	35.16	11.46	37.10	0.00	100	186	AVERAGE																																												



Mode	11																																																																																																						
	Band Edge																																																																																																						
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																						
ANT	MIMO																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.40</td><td>70.06</td><td>88.20</td><td>-18.14</td><td>60.51</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>210</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.40	70.06	88.20	-18.14	60.51	34.97	11.40	36.82	0.00	100	210	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>102.89</td><td>-----</td><td>-----</td><td>93.37</td><td>35.16</td><td>11.46</td><td>37.10</td><td>0.00</td><td>100</td><td>210</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	102.89	-----	-----	93.37	35.16	11.46	37.10	0.00	100	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.40	70.06	88.20	-18.14	60.51	34.97	11.40	36.82	0.00	100	210	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5985.00	102.89	-----	-----	93.37	35.16	11.46	37.10	0.00	100	210	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5923.56</td><td>58.59</td><td>68.20</td><td>-9.61</td><td>49.04</td><td>34.97</td><td>11.40</td><td>36.82</td><td>0.00</td><td>100</td><td>210</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.56	58.59	68.20	-9.61	49.04	34.97	11.40	36.82	0.00	100	210	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>93.90</td><td>-----</td><td>-----</td><td>84.38</td><td>35.16</td><td>11.46</td><td>37.10</td><td>0.00</td><td>100</td><td>210</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	93.90	-----	-----	84.38	35.16	11.46	37.10	0.00	100	210
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5923.56	58.59	68.20	-9.61	49.04	34.97	11.40	36.82	0.00	100	210	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5985.00	93.90	-----	-----	84.38	35.16	11.46	37.10	0.00	100	210	AVERAGE																																																																																											



Mode	11																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																								
ANT	MIMO																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.63</td><td>74.00</td><td>-28.37</td><td>56.54</td><td>38.67</td><td>16.66</td><td>66.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	45.63	74.00	-28.37	56.54	38.67	16.66	66.24	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>56.10</td><td>38.67</td><td>16.66</td><td>66.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	45.19	74.00	-28.81	56.10	38.67	16.66	66.24	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11970.00	45.63	74.00	-28.37	56.54	38.67	16.66	66.24	0.00	---	---	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	11970.00	45.19	74.00	-28.81	56.10	38.67	16.66	66.24	0.00	---	---	PEAK																																																																																													