

Appendix: Bluetooth LE

Contents

Contents2

Duty Cycle3

Maximum Peak Conducted Output Power7

-6dB Bandwidth11

Occupied Channel Bandwidth15


Maximum Power Spectral Density Level19


Band Edge23

Conducted RF Spurious Emission28


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	62.56	2.04	2.56
NVNT	BLE 1M	2440	Ant1	62.56	2.04	2.56
NVNT	BLE 1M	2480	Ant1	62.56	2.04	2.56
NVNT	BLE 2M	2402	Ant1	33.28	4.78	4.81
NVNT	BLE 2M	2440	Ant1	33.39	4.76	4.78
NVNT	BLE 2M	2480	Ant1	33.28	4.78	4.81







Date: 24.JUN.2025 09:07:49



Date: 24.JUN.2025 09:10:27




Date: 24.JUN.2025 09:12:11




Date: 24.JUN.2025 09:14:09


Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	2.97	30	Pass
NVNT	BLE 1M	2440	Ant1	2.64	30	Pass
NVNT	BLE 1M	2480	Ant1	2.22	30	Pass
NVNT	BLE 2M	2402	Ant1	2.96	30	Pass
NVNT	BLE 2M	2440	Ant1	2.6	30	Pass
NVNT	BLE 2M	2480	Ant1	2.21	30	Pass






Date: 24 JUN 2025 09:07:58





Date: 24 JUN 2025 09:10:12




-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.681	0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.676	0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.68	0.5	Pass
NVNT	BLE 2M	2402	Ant1	1.113	0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.115	0.5	Pass
NVNT	BLE 2M	2480	Ant1	1.127	0.5	Pass







Date: 24 JUN 2025 09:08:21



Date: 24 JUN 2025 09:10:49




Date: 24 JUN 2025 09:12:43




Date: 24 JUN 2025 09:14:41


Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 1M	2402	Ant1	1.04
NVNT	BLE 1M	2440	Ant1	1.036
NVNT	BLE 1M	2480	Ant1	1.035
NVNT	BLE 2M	2402	Ant1	2.044
NVNT	BLE 2M	2440	Ant1	2.041
NVNT	BLE 2M	2480	Ant1	2.041







Date: 24 JUN 2025 09:08:10



Date: 24 JUN 2025 09:10:38




Date: 24 JUN 2025 09:12:32




Date: 24 JUN 2025 09:14:30


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-12.07	8	Pass
NVNT	BLE 1M	2440	Ant1	-12.6	8	Pass
NVNT	BLE 1M	2480	Ant1	-13.27	8	Pass
NVNT	BLE 2M	2402	Ant1	-14.59	8	Pass
NVNT	BLE 2M	2440	Ant1	-14.98	8	Pass
NVNT	BLE 2M	2480	Ant1	-15.22	8	Pass







Date: 24 JUN 2025 09:08:39



Date: 24 JUN 2025 09:11:10




Date: 24.JUN.2025 09:13:05





Date: 24.JUN.2025 09:15:03


Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-48.9	-20	Pass
NVNT	BLE 1M	2480	Ant1	-46.08	-20	Pass
NVNT	BLE 2M	2402	Ant1	-35.52	-20	Pass
NVNT	BLE 2M	2480	Ant1	-46.91	-20	Pass













Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-61.94	-20	Pass
NVNT	BLE 1M	2440	Ant1	-61.48	-20	Pass
NVNT	BLE 1M	2480	Ant1	-60.29	-20	Pass
NVNT	BLE 2M	2402	Ant1	-60.91	-20	Pass
NVNT	BLE 2M	2440	Ant1	-61.32	-20	Pass
NVNT	BLE 2M	2480	Ant1	-61.08	-20	Pass














*** End of Report ***