





HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	34.17	10.18	44.35	74.00	-29.65	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	36.14	9.30	45.44	68.20	-22.76	peak		
2	*	5460.000	39.10	9.31	48.41	68.20	-19.79	peak		




Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	36.60	9.70	46.30	74.00	-27.70	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.68	9.16	54.84	68.20	-13.36	peak		
2		5700.000	45.85	9.10	54.95	105.20	-50.25	peak		
3		5720.000	46.52	9.08	55.60	110.80	-55.20	peak		
4		5725.000	49.81	9.08	58.89	122.20	-63.31	peak		




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	33.55	9.70	43.25	74.00	-30.75	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.32	9.16	54.48	68.20	-13.72	peak		
2		5700.000	46.13	9.10	55.23	105.20	-49.97	peak		
3		5720.000	46.38	9.08	55.46	110.80	-55.34	peak		
4		5725.000	47.05	9.08	56.13	122.20	-66.07	peak		




Above 1G (1GHz~18GHz)

Test mode: 11N20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11650.000	35.95	10.18	46.13	74.00	-27.87	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	49.14	9.24	58.38	122.20	-63.82	peak		
2		5855.000	47.02	9.26	56.28	110.80	-54.52	peak		
3		5875.000	44.81	9.36	54.17	105.20	-51.03	peak		
4	*	5925.000	47.02	9.61	56.63	68.20	-11.57	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11650.000	33.43	10.18	43.61	74.00	-30.39	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	46.36	9.24	55.60	122.20	-66.60	peak		
2		5855.000	45.35	9.26	54.61	110.80	-56.19	peak		
3		5875.000	45.00	9.36	54.36	105.20	-50.84	peak		
4	*	5925.000	45.56	9.61	55.17	68.20	-13.03	peak		




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	36.09	9.24	45.33	68.20	-22.87	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.58	7.17	43.75	68.20	-24.45	peak		
2	*	5150.000	42.12	9.17	51.29	68.20	-16.91	peak		




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	33.01	9.24	42.25	68.20	-25.95	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.85	7.17	44.02	68.20	-24.18	peak		
2	*	5150.000	40.05	9.17	49.22	68.20	-18.98	peak		




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:62


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	37.05	9.54	46.59	74.00	-27.41	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	40.51	9.30	49.81	68.20	-18.39	peak		
2		5460.000	35.99	9.31	45.30	68.20	-22.90	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10620.000	33.53	9.54	43.07	74.00	-30.93	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	35.53	9.30	44.83	68.20	-23.37	peak	
2	*	5460.000	36.23	9.31	45.54	68.20	-22.66	peak	




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11020.000	35.82	10.15	45.97	74.00	-28.03	peak			

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5350.000	35.48	9.30	44.78	68.20	-23.42	peak			
2	*	5460.000	39.25	9.31	48.56	68.20	-19.64	peak			




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	33.43	10.15	43.58	74.00	-30.42	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.22	9.30	43.52	68.20	-24.68	peak		
2	*	5460.000	36.05	9.31	45.36	68.20	-22.84	peak		




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	37.57	9.76	47.33	74.00	-26.67	peak	

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	45.93	9.16	55.09	68.20	-13.11	peak	
2		5700.000	46.33	9.10	55.43	105.20	-49.77	peak	
3		5720.000	46.08	9.08	55.16	110.80	-55.64	peak	
4		5725.000	48.15	9.08	57.23	122.20	-64.97	peak	




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	34.89	9.76	44.65	74.00	-29.35	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.06	9.16	54.22	68.20	-13.98	peak		
2		5700.000	45.62	9.10	54.72	105.20	-50.48	peak		
3		5720.000	45.14	9.08	54.22	110.80	-56.58	peak		
4		5725.000	45.77	9.08	54.85	122.20	-67.35	peak		




Above 1G (1GHz~18GHz)

Test mode: 11N40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	37.38	9.99	47.37	74.00	-26.63	peak	

Radiated Emission




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table
		MHz	Level	Factor	ment			Height	Degree
			dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	45.59	9.24	54.83	122.20	-67.37	peak	
2		5855.000	44.12	9.26	53.38	110.80	-57.42	peak	
3		5875.000	45.60	9.36	54.96	105.20	-50.24	peak	
4	*	5925.000	46.18	9.61	55.79	68.20	-12.41	peak	




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	dBuV	Factor	ment	dBuV/m	dB	Height	Degree	Comment
1	*	11590.000	34.83	9.99	44.82	74.00	-29.18	peak		

Radiated Emission




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Over	Antenna	Table	
		MHz	dBuV	Factor	ment	dBuV/m	dB	Height	Degree	Comment
1		5850.000	45.20	9.24	54.44	122.20	-67.76	peak		
2		5855.000	44.69	9.26	53.95	110.80	-56.85	peak		
3		5875.000	44.83	9.36	54.19	105.20	-51.01	peak		
4	*	5925.000	45.41	9.61	55.02	68.20	-13.18	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	35.04	9.21	44.25	68.20	-23.95	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.20	7.17	44.37	68.20	-23.83	peak		
2	*	5150.000	40.07	9.17	49.24	68.20	-18.96	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10640.000	37.90	9.58	47.48	74.00	-26.52	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	41.12	9.30	50.42	68.20	-17.78	peak		
2		5460.000	36.69	9.31	46.00	68.20	-22.20	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10640.000	34.70	9.58	44.28	74.00	-29.72	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	38.17	9.30	47.47	68.20	-20.73	peak		
2		5460.000	36.19	9.31	45.50	68.20	-22.70	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	37.71	10.18	47.89	74.00	-26.11	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.22	9.30	44.52	68.20	-23.68	peak		
2	*	5460.000	40.26	9.31	49.57	68.20	-18.63	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	35.55	10.18	45.73	74.00	-28.27	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.92	9.30	45.22	68.20	-22.98	peak		
2	*	5460.000	38.60	9.31	47.91	68.20	-20.29	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	37.12	9.70	46.82	74.00	-27.18	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.46	9.16	54.62	68.20	-13.58	peak		
2		5700.000	45.83	9.10	54.93	105.20	-50.27	peak		
3		5720.000	45.87	9.08	54.95	110.80	-55.85	peak		
4		5725.000	49.60	9.08	58.68	122.20	-63.52	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	11490.000	34.92	9.70	44.62	74.00	-29.38	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	5650.000	45.70	9.16	54.86	68.20	-13.34	peak		
2		5700.000	45.63	9.10	54.73	105.20	-50.47	peak		
3		5720.000	47.04	9.08	56.12	110.80	-54.68	peak		
4		5725.000	47.82	9.08	56.90	122.20	-65.30	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC20MIMO

Test Channel:165


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1	*	11650.000	37.36	10.18	47.54	74.00	-26.46	peak			

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree		
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree	Comment
1		5850.000	47.49	9.24	56.73	122.20	-65.47	peak			
2		5855.000	47.03	9.26	56.29	110.80	-54.51	peak			
3		5875.000	46.78	9.36	56.14	105.20	-49.06	peak			
4	*	5925.000	45.98	9.61	55.59	68.20	-12.61	peak			




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11650.000	34.09	10.18	44.27	74.00	-29.73	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	46.94	9.24	56.18	122.20	-66.02	peak		
2		5855.000	47.26	9.26	56.52	110.80	-54.28	peak		
3		5875.000	46.35	9.36	55.71	105.20	-49.49	peak		
4	*	5925.000	45.37	9.61	54.98	68.20	-13.22	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	38.01	9.24	47.25	68.20	-20.95	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.75	7.17	43.92	68.20	-24.28	peak		
2	*	5150.000	41.78	9.17	50.95	68.20	-17.25	peak		




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	35.48	9.24	44.72	68.20	-23.48	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.78	7.17	43.95	68.20	-24.25	peak		
2	*	5150.000	40.60	9.17	49.77	68.20	-18.43	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:62


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	38.27	9.54	47.81	74.00	-26.19	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	41.71	9.30	51.01	68.20	-17.19	peak		
2		5460.000	36.22	9.31	45.53	68.20	-22.67	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	36.19	9.54	45.73	74.00	-28.27	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	38.12	9.30	47.42	68.20	-20.78	peak		
2		5460.000	35.97	9.31	45.28	68.20	-22.92	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	36.90	10.15	47.05	74.00	-26.95	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	36.23	9.30	45.53	68.20	-22.67	peak		
2	*	5460.000	39.25	9.31	48.56	68.20	-19.64	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	35.16	10.15	45.31	74.00	-28.69	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.55	9.30	44.85	68.20	-23.35	peak		
2	*	5460.000	37.04	9.31	46.35	68.20	-21.85	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	36.47	9.76	46.23	74.00	-27.77	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	46.08	9.16	55.24	68.20	-12.96	peak		
2		5700.000	45.24	9.10	54.34	105.20	-50.86	peak		
3		5720.000	45.82	9.08	54.90	110.80	-55.90	peak		
4		5725.000	48.50	9.08	57.58	122.20	-64.62	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC40MIMO

Test Channel:159


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.000	36.73	9.99	46.72	74.00	-27.28	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	46.09	9.24	55.33	122.20	-66.87	peak		
2		5855.000	45.12	9.26	54.38	110.80	-56.42	peak		
3		5875.000	46.10	9.36	55.46	105.20	-49.74	peak		
4	*	5925.000	46.18	9.61	55.79	68.20	-12.41	peak		



HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.000	34.64	9.99	44.63	74.00	-29.37	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	44.70	9.24	53.94	122.20	-68.26	peak		
2		5855.000	44.69	9.26	53.95	110.80	-56.85	peak		
3		5875.000	44.33	9.36	53.69	105.20	-51.51	peak		
4	*	5925.000	44.91	9.61	54.52	68.20	-13.68	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	36.97	9.28	46.25	68.20	-21.95	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.16	7.17	44.33	68.20	-23.87	peak		
2	*	5150.000	42.94	9.17	52.11	68.20	-16.09	peak		




HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.000	33.98	9.28	43.26	68.20	-24.94	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		4500.000	35.53	7.17	42.70	68.20	-25.50	peak		
2	*	5150.000	39.50	9.17	48.67	68.20	-19.53	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	38.83	9.49	48.32	68.20	-19.88	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	42.23	9.30	51.53	68.20	-16.67	peak		
2		5460.000	36.03	9.31	45.34	68.20	-22.86	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	36.24	9.49	45.73	68.20	-22.47	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.000	38.29	9.30	47.59	68.20	-20.61	peak	
2		5460.000	35.87	9.31	45.18	68.20	-23.02	peak	




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	36.69	10.07	46.76	74.00	-27.24	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	36.23	9.30	45.53	68.20	-22.67	peak		
2	*	5460.000	39.95	9.31	49.26	68.20	-18.94	peak		




HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	34.76	10.07	44.83	74.00	-29.17	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.92	9.30	44.22	68.20	-23.98	peak		
2	*	5460.000	37.45	9.31	46.76	68.20	-21.44	peak		




Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11550.000	37.66	9.87	47.53	74.00	-26.47	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	47.82	9.16	56.98	68.20	-11.22	peak		
2		5700.000	47.75	9.10	56.85	105.20	-48.35	peak		
3		5720.000	50.46	9.08	59.54	110.80	-51.26	peak		
4		5725.000	52.63	9.08	61.71	122.20	-60.49	peak		
5		5850.000	46.84	9.24	56.08	122.20	-66.12	peak		
6		5855.000	46.50	9.26	55.76	110.80	-55.04	peak		
7		5875.000	46.53	9.36	55.89	105.20	-49.31	peak		
8		5925.000	47.33	9.61	56.94	68.20	-11.26	peak		