

Photo Report on

Multimedia Equipment with WLAN and Bluetooth BCI3L4PTN1(Star 3.5 / Star 3.0)

FCC ID: 2AUXS- BCI3L4PTN1
IC: 25847-BCI3L4PTN1

Report Reference: MDE_BOSCH_2411_FCC_Photo_Setups_01

Test Laboratory:

7layers GmbH
Borsigstrasse 11
40880 Ratingen
Germany



Deutsche
Akkreditierungsstelle
D-PL-12140-01-00

Note:

The following test results relate only to the devices specified in this document. This report shall not be reproduced in parts without the written approval of the test laboratory.

7layers GmbH

Borsigstraße 11
40880 Ratingen, Germany
T +49 (0) 2102 749 0
F +49 (0) 2102 749 350

Geschäftsführer/
Managing Directors:
Jörg-Timm Kilisch
Bernhard Retka

Registergericht/registered:
Düsseldorf HRB 75554
USt-Id.-Nr./VAT-No. DE203159652
Steuer-Nr./TAX-No. 147/5869/0385

a Bureau Veritas
Group Company

www.7layers.com

Commerzbank AG Account No. 303 016 000 Bank Code 300 400 00 IBAN DE81 3004 0000 0303 0160 00 Swift Code COBADEFF




Photo 1: Test setup "Star 3.5" for radiated measurements (stand-alone, semi-anechoic chamber 30 MHz – 1 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 2: Test setup "Star 3.5" for radiated measurements (stand-alone, semi-anechoic chamber 1 – 18 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 3: Test setup "Star 3.5" for radiated measurements (stand-alone, anechoic chamber 18 GHz – 26 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 4: Test setup "Star 3.5" for radiated measurements (stand-alone, anechoic chamber 26 GHz – 40 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 5: Test setup "Star 3.0" for radiated measurements (stand-alone, semi-anechoic chamber 30 MHz – 1 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 6: Test setup "Star 3.0" for radiated measurements (stand-alone, semi-anechoic chamber 1 – 18 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 7: Test setup "Star 3.0" for radiated measurements (stand-alone, anechoic chamber 18 GHz – 26 GHz; unintentional radiator §15.109, ANSI C63.4)




Photo 8: Test setup "Star 3.0" for radiated measurements (stand-alone, anechoic chamber 26 GHz – 40 GHz; unintentional radiator §15.109, ANSI C63.4)



Photo 9: Test setup "Star 3.5 / Star 3.0" for radiated measurements (semi-anechoic chamber 9 kHz – 30 MHz; FCC Part 15.247 and 15.407, ANSI C63.10)




Photo 10: Test setup "Star 3.5 / Star 3.0" for radiated measurements (semi-anechoic chamber 30 MHz – 1 GHz; FCC Part 15.247 and 15.407, ANSI C63.10)



Photo 11: Test setup "Star 3.5 / Star 3.0" for radiated measurements (above 1 GHz; Fully anechoic chamber, FCC Part 15.247 and 15.407; ANSI C63.10)




Photo 12: Test setup "Star 3.5 / Star 3.0" for radiated measurements, detailed view (above 1 GHz; Fully anechoic chamber, FCC Part 15.247 and 15.407; ANSI C63.10)



Photo 13: Test setup "Star 3.5 / Star 3.0" for radiated measurements, detailed view (above 1 GHz; Fully anechoic chamber, FCC Part 15.407; ANSI C63.10)




Photo 14: Test setup "Star 3.5" for conducted measurements (FCC Part 15.247 and 15.407; ANSI C63.10)



Photo 15: ancillary equipment for radiated measurements.