


Radio Technology = WLAN a Diversity, Operating Frequency = high, Subband = U-NII-3,
 Measurement range = 1 GHz - 26 GHz
 (S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1955.247	---	36.7	---	---	1000.0	1000.000	150.0	H	-169.0	-5.0	6.7
1955.247	50.2	---	68.20	18.01	1000.0	1000.000	150.0	H	-169.0	-5.0	6.7
5849.479	---	45.1	---	---	1000.0	1000.000	150.0	V	-171.0	9.0	15.8
5849.479	57.9	---	---	---	1000.0	1000.000	150.0	V	-171.0	9.0	15.8
5860.000	---	45.0	---	---	1000.0	1000.000	150.0	V	-86.0	105.0	15.9
5860.000	57.6	---	109.40	51.76	1000.0	1000.000	150.0	V	-86.0	105.0	15.9

(Note: the peak at 5825 MHz is the wanted signal)

Radio Technology = WLAN n20 MIMO, Operating Frequency = low, Subband = U-NII-1,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5148.213	---	44.7	54.00	9.25	1000.0	1000.000	150.0	H	1.0	92.0	15.0
5148.213	57.6	---	74.00	16.44	1000.0	1000.000	150.0	H	1.0	92.0	15.0

(Note: the peak at 5180 MHz is the wanted signal)

Radio Technology = WLAN n20 MIMO, Operating Frequency = mid, Subband = U-NII-1,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
2690.840	---	39.0	54.00	15.03	1000.0	1000.000	150.0	V	88.0	15.0	9.0
2690.840	51.7	---	74.00	22.30	1000.0	1000.000	150.0	V	88.0	15.0	9.0
5545.470	---	45.6	---	---	1000.0	1000.000	150.0	V	135.0	12.0	16.0
5545.470	58.3	---	68.20	9.94	1000.0	1000.000	150.0	V	135.0	12.0	16.0

(Note: the peak at 5199 MHz is the wanted signal)

Radio Technology = WLAN n20 MIMO, Operating Frequency = high, Subband = U-NII-1,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5149.188	---	44.7	54.00	9.27	1000.0	1000.000	150.0	V	43.0	105.0	15.0
5149.188	57.4	---	74.00	16.63	1000.0	1000.000	150.0	V	43.0	105.0	15.0
5350.440	---	44.6	54.00	9.44	1000.0	1000.000	150.0	H	-144.0	14.0	15.2
5350.440	57.4	---	74.00	16.65	1000.0	1000.000	150.0	H	-144.0	14.0	15.2

(Note: the peak at 5233 MHz is the wanted signal)

Radio Technology = WLAN n20 MIMO, Operating Frequency = low, Subband = U-NII-3,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
2830.700	---	39.2	54.00	14.84	1000.0	1000.000	150.0	H	86.0	8.0	9.0
2830.700	51.8	---	74.00	22.22	1000.0	1000.000	150.0	H	86.0	8.0	9.0
4439.700	---	44.9	---	---	1000.0	1000.000	150.0	V	-186.0	12.0	14.7
4439.700	57.5	---	68.20	10.72	1000.0	1000.000	150.0	V	-186.0	12.0	14.7
4812.813	---	45.2	54.00	8.81	1000.0	1000.000	150.0	V	101.0	105.0	15.3
4812.813	58.1	---	74.00	15.93	1000.0	1000.000	150.0	V	101.0	105.0	15.3
5724.000	---	45.2	---	---	1000.0	1000.000	150.0	V	56.0	105.0	15.7
5724.000	58.2	---	119.92	61.72	1000.0	1000.000	150.0	V	56.0	105.0	15.7
6940.948	---	47.8	---	---	1000.0	1000.000	150.0	H	-101.0	4.0	19.2
6940.948	61.0	---	68.20	7.19	1000.0	1000.000	150.0	H	-101.0	4.0	19.2

(Note: the peak at 5745 MHz is the wanted signal)

Radio Technology = WLAN n20 MIMO, Operating Frequency = mid, Subband = U-NII-3,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5194.200	---	49.2	---	---	1000.0	1000.000	150.0	V	-54.0	105.0	14.9
5194.200	59.9	---	68.20	8.30	1000.0	1000.000	150.0	V	-54.0	105.0	14.9

(Note: the peak at 5785 MHz is the wanted signal)

Radio Technology = WLAN n20 MIMO, Operating Frequency = high, Subband = U-NII-3,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	CAverage (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5850.000	---	45.0	---	---	1000.0	1000.000	150.0	H	-5.0	75.0	15.8
5850.000	58.1	---	122.20	64.09	1000.0	1000.000	150.0	H	-5.0	75.0	15.8

(Note: the peak at 5825 MHz is the wanted signal)

Radio Technology = WLAN n40 MIMO, Operating Frequency = low, Subband = U-NII-1,
Measurement range = 1 GHz - 26 GHz
(S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5147.725	---	44.6	54.00	9.36	1000.0	1000.000	150.0	V	-38.0	-11.0	15.0
5147.725	57.7	---	74.00	16.31	1000.0	1000.000	150.0	V	-38.0	-11.0	15.0
5148.538	---	44.7	54.00	9.35	1000.0	1000.000	150.0	V	-34.0	6.0	15.0
5148.538	57.6	---	74.00	16.42	1000.0	1000.000	150.0	V	-34.0	6.0	15.0

(Note: the peak at 5190 MHz is the wanted signal)

Radio Technology = WLAN n40 MIMO, Operating Frequency = high, Subband = U-NII-1,
Measurement range = 1 GHz - 26 GHz
(S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5149.838	57.4	---	74.00	16.62	1000.0	1000.000	150.0	H	-87.0	6.0	15.0
5149.838	---	44.7	54.00	9.35	1000.0	1000.000	150.0	H	-87.0	6.0	15.0
5351.870	57.6	---	74.00	16.42	1000.0	1000.000	150.0	H	-189.0	-10.0	15.2
5351.870	---	44.5	54.00	9.50	1000.0	1000.000	150.0	H	-189.0	-10.0	15.2

(Note: the peak at 5238 MHz is the wanted signal)

Radio Technology = WLAN n40 MIMO, Operating Frequency = low, Subband = U-NII-3,
 Measurement range = 1 GHz - 26 GHz
 (S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5755 MHz is the wanted signal)

Radio Technology = WLAN n40 MIMO, Operating Frequency = high, Subband = U-NII-3,
Measurement range = 1 GHz - 26 GHz
(S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dB μ V/m)	CAverage (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
1742.387	---	36.0	---	---	1000.0	1000.000	150.0	H	-141.0	105.0	5.8
1742.387	48.9	---	68.20	19.30	1000.0	1000.000	150.0	H	-141.0	105.0	5.8
1942.944	---	36.6	---	---	1000.0	1000.000	150.0	H	-87.0	104.0	6.5
1942.944	50.1	---	68.20	18.14	1000.0	1000.000	150.0	H	-87.0	104.0	6.5
5851.500	---	45.0	---	---	1000.0	1000.000	150.0	H	90.0	85.0	15.8
5851.500	58.5	---	118.78	60.28	1000.0	1000.000	150.0	H	90.0	85.0	15.8

(Note: the peak at 5784 MHz is the wanted signal)

Radio Technology = WLAN n40 MIMO, Operating Frequency = high, Subband = U-NII-3,
Measurement range = 1 GHz - 26 GHz
(S01_AA01#S3.0)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5050.225	---	44.3	54.00	9.67	1000.0	1000.000	150.0	H	-91.0	98.0	15.1
5050.225	57.7	---	74.00	16.31	1000.0	1000.000	150.0	H	-91.0	98.0	15.1
5845.313	---	44.8	---	---	1000.0	1000.000	150.0	H	-124.0	99.0	15.8
5845.313	57.4	---	---	---	1000.0	1000.000	150.0	H	-124.0	99.0	15.8

(Note: the peak at 5789 MHz is the wanted signal)

Radio Technology = WLAN ac40 MIMO, Operating Frequency = low, Subband = U-NII-1,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5146.913	---	44.7	54.00	9.32	1000.0	1000.000	150.0	H	82.0	15.0	15.0
5146.913	57.5	---	74.00	16.51	1000.0	1000.000	150.0	H	82.0	15.0	15.0
5150.000	---	44.7	---	---	1000.0	1000.000	150.0	H	134.0	84.0	15.0
5150.000	58.6	---	---	---	1000.0	1000.000	150.0	H	134.0	84.0	15.0

(Note: the peak at 5178 MHz is the wanted signal)

Radio Technology = WLAN ac40 MIMO, Operating Frequency = high, Subband = U-NII-1,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5850.400	---	45.1	---	---	1000.0	1000.000	150.0	V	44.0	15.0	15.8
5850.400	58.2	---	121.29	63.10	1000.0	1000.000	150.0	V	44.0	15.0	15.8

(Note: the peak at 5230 MHz is the wanted signal)

Radio Technology = WLAN ac40 MIMO, Operating Frequency = low, Subband = U-NII-3,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	CAverage (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5721.200	---	45.1	---	---	1000.0	1000.000	150.0	H	138.0	104.0	15.7
5721.200	58.2	---	113.54	55.36	1000.0	1000.000	150.0	H	138.0	104.0	15.7
5725.000	---	45.2	---	---	1000.0	1000.000	150.0	H	-40.0	-8.0	15.7
5725.000	58.7	---	122.20	63.49	1000.0	1000.000	150.0	H	-40.0	-8.0	15.7

(Note: the peak at 5755 MHz is the wanted signal)

Radio Technology = WLAN ac40 MIMO, Operating Frequency = high, Subband = U-NII-3,
Measurement range = 1 GHz - 18 GHz
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5850.400	---	45.1	---	---	1000.0	1000.000	150.0	V	44.0	15.0	15.8
5850.400	58.2	---	121.29	63.10	1000.0	1000.000	150.0	V	44.0	15.0	15.8

(Note: the peak at 5795 MHz is the wanted signal)

Radio Technology = WLAN ax20 MIMO(SU), Operating Frequency = low, Subband = U-NII-1,
Measurement range = 4.5 GHz – 23.4 GHz (only Harmonics)
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5145.125	---	44.7	54.00	9.31	1000.0	1000.000	150.0	H	130.0	15.0	15.1
5145.125	57.9	---	74.00	16.08	1000.0	1000.000	150.0	H	130.0	15.0	15.1
5150.000	---	44.6	54.00	9.43	1000.0	1000.000	150.0	H	130.0	15.0	15.0
5150.000	57.5	---	74.00	16.50	1000.0	1000.000	150.0	H	130.0	15.0	15.0

(Note: the peak at 5180 MHz is the wanted signal)

Radio Technology = WLAN ax20 MIMO(SU), Operating Frequency = high, Subband = U-NII-3,
 Measurement range = 5.64 GHz – 23.4 GHz (only Harmonics)
 (S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5825 MHz is the wanted signal)

Radio Technology = WLAN ax40 MIMO(SU), Operating Frequency = low, Subband = U-NII-1,
Measurement range = 4.5 GHz – 23.4 GHz (only Harmonics)
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5148.538	---	44.6	54.00	9.36	1000.0	1000.000	150.0	H	84.0	15.0	15.0
5148.538	57.7	---	74.00	16.28	1000.0	1000.000	150.0	H	84.0	15.0	15.0
5150.000	---	44.8	---	---	1000.0	1000.000	150.0	V	-186.0	80.0	15.0
5150.000	58.0	---	---	---	1000.0	1000.000	150.0	V	-186.0	80.0	15.0

(Note: the peak at 5195 MHz is the wanted signal)

Radio Technology = WLAN ax40 MIMO(SU), Operating Frequency = high, Subband = U-NII-3,
 Measurement range = 5.64 GHz – 23.4 GHz (only Harmonics)
 (S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5795 MHz is the wanted signal)

Radio Technology = WLAN ax80 MIMO(SU), Operating Frequency = mid, Subband = U-NII-1,
Measurement range = 4.5 GHz - 26 GHz (only Harmonics)
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
4937.775	---	45.9	54.00	8.12	1000.0	1000.000	150.0	H	-52.0	78.0	15.8
4937.775	59.7	---	74.00	14.31	1000.0	1000.000	150.0	H	-52.0	78.0	15.8
5148.538	---	44.8	54.00	9.23	1000.0	1000.000	150.0	H	40.0	6.0	15.0
5148.538	57.6	---	74.00	16.43	1000.0	1000.000	150.0	H	40.0	6.0	15.0
5351.540	---	44.5	54.00	9.49	1000.0	1000.000	150.0	V	141.0	15.0	15.2
5351.540	57.3	---	74.00	16.75	1000.0	1000.000	150.0	V	141.0	15.0	15.2
15642.231	---	39.0	54.00	14.98	1000.0	1000.000	150.0	V	-52.0	75.0	11.4
15642.231	52.5	---	74.00	21.54	1000.0	1000.000	150.0	V	-52.0	75.0	11.4

(Note: the peak at 5192 MHz is the wanted signal)

Radio Technology = WLAN ax80 MIMO(SU), Operating Frequency = low, Subband = U-NII-3,
 Measurement range = 5.64 GHz – 23.4 GHz (only Harmonics)
 (S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5775 MHz is the wanted signal)

Radio Technology = WLAN ax20 MIMO(MU), Operating Frequency = low, Subband = U-NII-1,
Measurement range = 4.5 GHz - 26 GHz (only Harmonics)
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5148.538	---	44.6	54.00	9.39	1000.0	1000.000	150.0	V	-39.0	-15.0	15.0
5148.538	57.4	---	74.00	16.61	1000.0	1000.000	150.0	V	-39.0	-15.0	15.0
5150.000	---	44.6	54.00	9.44	1000.0	1000.000	150.0	H	45.0	15.0	15.0
5150.000	57.3	---	74.00	16.74	1000.0	1000.000	150.0	H	45.0	15.0	15.0

(Note: the peak at 5180 MHz is the wanted signal)

Radio Technology = WLAN ax20 MIMO(MU), Operating Frequency = high, Subband = U-NII-3,
 Measurement range = 5.64 GHz – 23.4 GHz (only Harmonics)
 (S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5825 MHz is the wanted signal)

Radio Technology = WLAN ax40 MIMO(MU), Operating Frequency = low, Subband = U-NII-1,
Measurement range = 4.5 GHz - 26 GHz (only Harmonics)
(S01_AB01#S3.5)




Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	CAverage (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5146.588	---	44.7	54.00	9.34	1000.0	1000.000	150.0	V	50.0	-9.0	15.0
5146.588	58.0	---	74.00	15.97	1000.0	1000.000	150.0	V	50.0	-9.0	15.0
5150.000	---	44.6	---	---	1000.0	1000.000	150.0	H	-130.0	-10.0	15.0
5150.000	57.4	---	---	---	1000.0	1000.000	150.0	H	-130.0	-10.0	15.0

(Note: the peak at 5191 MHz is the wanted signal)

Radio Technology = WLAN ax40 MIMO(MU), Operating Frequency = high, Subband = U-NII-3,
 Measurement range = 5.64 GHz – 23.4 GHz (only Harmonics)
 (S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5795 MHz is the wanted signal)

Radio Technology = WLAN ax80 MIMO(MU), Operating Frequency = mid, Subband = U-NII-1,
Measurement range = 4.5 GHz - 26 GHz (only Harmonics)
(S01_AB01#S3.5)




Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
4801.600	---	45.4	54.00	8.60	1000.0	1000.000	150.0	V	-184.0	4.0	15.4
4801.600	58.7	---	74.00	15.30	1000.0	1000.000	150.0	V	-184.0	4.0	15.4
4939.400	---	45.8	54.00	8.15	1000.0	1000.000	150.0	H	88.0	15.0	15.8
4939.400	59.4	---	74.00	14.60	1000.0	1000.000	150.0	H	88.0	15.0	15.8
5148.375	---	44.7	54.00	9.31	1000.0	1000.000	150.0	H	-93.0	105.0	15.0
5148.375	58.8	---	74.00	15.16	1000.0	1000.000	150.0	H	-93.0	105.0	15.0
5351.760	---	44.5	54.00	9.51	1000.0	1000.000	150.0	V	38.0	105.0	15.2
5351.760	57.3	---	74.00	16.72	1000.0	1000.000	150.0	V	38.0	105.0	15.2

(Note: the peak at 5248 MHz is the wanted signal)

Radio Technology = WLAN ax80 MIMO(MU), Operating Frequency = low, Subband = U-NII-3,
 Measurement range = 5.64 GHz – 23.4 GHz (only Harmonics)
 (S01_AB01#S3.5)




Final_Result


Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 5775 MHz is the wanted signal)


Radio Technology = WLAN a Diversity, Operating Frequency = mid, Subband = U-NII-1,
Measurement range = 26 GHz - 40 GHz
(S01_AB01#S3.5)



Radio Technology = WLAN a Diversity, Operating Frequency = mid, Subband = U-NII-3,
Measurement range = 26 GHz - 40 GHz
(S01_AB01#S3.5)



Radio Technology = Simultaneous Transmission A
Measurement range = 1 GHz - 26 GHz
(S01_AB01#S3.5)



Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---	---	---

(Note: the peak at 2402, 2436, 2480 and 5177 MHz are the wanted signals)