












Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4986.750000	-52.929	25.9	-27.000	PASS
4992.750000	-53.301	26.3	-27.000	PASS
4986.250000	-53.686	26.7	-27.000	PASS
4985.750000	-53.773	26.8	-27.000	PASS
4989.250000	-53.816	26.8	-27.000	PASS
4982.250000	-53.925	26.9	-27.000	PASS
4989.750000	-53.956	27.0	-27.000	PASS
4994.250000	-54.021	27.0	-27.000	PASS
4987.250000	-54.065	27.1	-27.000	PASS
4981.750000	-54.087	27.1	-27.000	PASS
4993.750000	-54.091	27.1	-27.000	PASS
4991.750000	-54.096	27.1	-27.000	PASS
4990.750000	-54.129	27.1	-27.000	PASS
4995.250000	-54.202	27.2	-27.000	PASS
4995.750000	-54.262	27.3	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5240.00000 Modulation = 802.11n HT20 (OFDM MCS0)

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5432.250000	-54.610	27.6	-27.000	PASS
5430.250000	-54.643	27.6	-27.000	PASS
5409.750000	-54.712	27.7	-27.000	PASS
5425.750000	-54.772	27.8	-27.000	PASS
5431.250000	-54.806	27.8	-27.000	PASS
5430.750000	-54.818	27.8	-27.000	PASS
5427.250000	-54.866	27.9	-27.000	PASS
5429.250000	-54.936	27.9	-27.000	PASS
5435.250000	-54.986	28.0	-27.000	PASS
5424.250000	-55.053	28.1	-27.000	PASS
5411.250000	-55.059	28.1	-27.000	PASS
5425.250000	-55.142	28.1	-27.000	PASS
5433.250000	-55.176	28.2	-27.000	PASS
5416.750000	-55.201	28.2	-27.000	PASS
5438.750000	-55.217	28.2	-27.000	PASS

Modulation: 802.11n HT40 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5190.00000	5149.750000	-51.4
[5150, 5250]	3+4	5190.00000	5147.250000	-51.7
[5150, 5250]	3+4	5190.00000	5148.750000	-52.1
[5150, 5250]	3+4	5190.00000	5149.250000	-52.2
[5150, 5250]	3+4	5190.00000	5147.750000	-52.3
[5150, 5250]	3+4	5190.00000	5146.250000	-52.3
[5150, 5250]	3+4	5190.00000	5146.750000	-52.4
[5150, 5250]	3+4	5190.00000	5148.250000	-52.6
[5150, 5250]	3+4	5190.00000	5143.250000	-52.7
[5150, 5250]	3+4	5190.00000	5144.750000	-53.0
[5150, 5250]	3+4	5190.00000	5144.250000	-53.3
[5150, 5250]	3+4	5190.00000	5145.750000	-53.5
[5150, 5250]	3+4	5190.00000	5145.250000	-53.5
[5150, 5250]	3+4	5190.00000	5103.250000	-54.0
[5150, 5250]	3+4	5190.00000	5008.250000	-54.0
[5150, 5250]	3+4	5230.00000	5387.750000	-54.3
[5150, 5250]	3+4	5230.00000	5363.750000	-54.5
[5150, 5250]	3+4	5230.00000	5424.250000	-54.6
[5150, 5250]	3+4	5230.00000	5376.250000	-54.6
[5150, 5250]	3+4	5230.00000	5418.250000	-54.6
[5150, 5250]	3+4	5230.00000	5370.750000	-54.6
[5150, 5250]	3+4	5230.00000	5418.750000	-54.7
[5150, 5250]	3+4	5230.00000	5427.750000	-54.7
[5150, 5250]	3+4	5230.00000	5432.750000	-54.8
[5150, 5250]	3+4	5230.00000	5401.750000	-54.8
[5150, 5250]	3+4	5230.00000	5384.250000	-54.8
[5150, 5250]	3+4	5230.00000	5373.750000	-54.8
[5150, 5250]	3+4	5230.00000	5438.750000	-54.8
[5150, 5250]	3+4	5230.00000	5351.750000	-54.8
[5150, 5250]	3+4	5230.00000	5366.750000	-54.8



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5190.00000 Modulation = 802.11n HT40 (OFDM MCS0)

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5149.750000	-51.377	24.4	-27.000	PASS
5147.250000	-51.699	24.7	-27.000	PASS
5148.750000	-52.103	25.1	-27.000	PASS
5149.250000	-52.199	25.2	-27.000	PASS
5147.750000	-52.254	25.3	-27.000	PASS
5146.250000	-52.271	25.3	-27.000	PASS
5146.750000	-52.375	25.4	-27.000	PASS
5148.250000	-52.612	25.6	-27.000	PASS
5143.250000	-52.735	25.7	-27.000	PASS
5144.750000	-53.023	26.0	-27.000	PASS
5144.250000	-53.337	26.3	-27.000	PASS
5145.750000	-53.516	26.5	-27.000	PASS
5145.250000	-53.542	26.5	-27.000	PASS
5103.250000	-53.985	27.0	-27.000	PASS
5008.250000	-54.049	27.0	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5230.00000 Modulation = 802.11n HT40 (OFDM MCS0)

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5387.750000	-54.287	27.3	-27.000	PASS
5363.750000	-54.506	27.5	-27.000	PASS
5424.250000	-54.588	27.6	-27.000	PASS
5376.250000	-54.597	27.6	-27.000	PASS
5418.250000	-54.613	27.6	-27.000	PASS
5370.750000	-54.647	27.6	-27.000	PASS
5418.750000	-54.671	27.7	-27.000	PASS
5427.750000	-54.696	27.7	-27.000	PASS
5432.750000	-54.753	27.8	-27.000	PASS
5401.750000	-54.759	27.8	-27.000	PASS
5384.250000	-54.762	27.8	-27.000	PASS
5373.750000	-54.763	27.8	-27.000	PASS
5438.750000	-54.771	27.8	-27.000	PASS
5351.750000	-54.795	27.8	-27.000	PASS
5366.750000	-54.800	27.8	-27.000	PASS

Modulation: 802.11ac VHT40 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5190.00000	5148.750000	-51.0
[5150, 5250]	3+4	5190.00000	5148.250000	-51.0
[5150, 5250]	3+4	5190.00000	5149.750000	-51.1
[5150, 5250]	3+4	5190.00000	5147.750000	-51.7
[5150, 5250]	3+4	5190.00000	5146.250000	-51.8
[5150, 5250]	3+4	5190.00000	5149.250000	-51.9
[5150, 5250]	3+4	5190.00000	5146.750000	-52.2
[5150, 5250]	3+4	5190.00000	5147.250000	-52.3
[5150, 5250]	3+4	5190.00000	5145.750000	-52.9
[5150, 5250]	3+4	5190.00000	5145.250000	-53.3
[5150, 5250]	3+4	5190.00000	5143.750000	-53.5
[5150, 5250]	3+4	5190.00000	5143.250000	-53.6
[5150, 5250]	3+4	5190.00000	5144.750000	-53.6
[5150, 5250]	3+4	5190.00000	4995.750000	-53.8
[5150, 5250]	3+4	5190.00000	4999.750000	-54.1
[5150, 5250]	3+4	5230.00000	5415.750000	-54.4
[5150, 5250]	3+4	5230.00000	5386.250000	-54.5
[5150, 5250]	3+4	5230.00000	5427.750000	-54.5
[5150, 5250]	3+4	5230.00000	5375.250000	-54.5
[5150, 5250]	3+4	5230.00000	5406.750000	-54.5
[5150, 5250]	3+4	5230.00000	5411.750000	-54.6
[5150, 5250]	3+4	5230.00000	5417.750000	-54.6
[5150, 5250]	3+4	5230.00000	5410.750000	-54.6
[5150, 5250]	3+4	5230.00000	5414.750000	-54.7
[5150, 5250]	3+4	5230.00000	5365.250000	-54.7
[5150, 5250]	3+4	5230.00000	5358.250000	-54.7
[5150, 5250]	3+4	5230.00000	5380.250000	-54.7
[5150, 5250]	3+4	5230.00000	5382.750000	-54.7
[5150, 5250]	3+4	5230.00000	5359.750000	-54.8
[5150, 5250]	3+4	5230.00000	5376.750000	-54.8



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5148.750000	-50.968	24.0	-27.000	PASS
5148.250000	-51.000	24.0	-27.000	PASS
5149.750000	-51.071	24.1	-27.000	PASS
5147.750000	-51.675	24.7	-27.000	PASS
5146.250000	-51.831	24.8	-27.000	PASS
5149.250000	-51.857	24.9	-27.000	PASS
5146.750000	-52.181	25.2	-27.000	PASS
5147.250000	-52.343	25.3	-27.000	PASS
5145.750000	-52.893	25.9	-27.000	PASS
5145.250000	-53.270	26.3	-27.000	PASS
5143.750000	-53.511	26.5	-27.000	PASS
5143.250000	-53.634	26.6	-27.000	PASS
5144.750000	-53.639	26.6	-27.000	PASS
4995.750000	-53.820	26.8	-27.000	PASS
4999.750000	-54.129	27.1	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5415.750000	-54.438	27.4	-27.000	PASS
5386.250000	-54.458	27.5	-27.000	PASS
5427.750000	-54.491	27.5	-27.000	PASS
5375.250000	-54.507	27.5	-27.000	PASS
5406.750000	-54.522	27.5	-27.000	PASS
5411.750000	-54.580	27.6	-27.000	PASS
5417.750000	-54.593	27.6	-27.000	PASS
5410.750000	-54.642	27.6	-27.000	PASS
5414.750000	-54.651	27.7	-27.000	PASS
5365.250000	-54.682	27.7	-27.000	PASS
5358.250000	-54.720	27.7	-27.000	PASS
5380.250000	-54.722	27.7	-27.000	PASS
5382.750000	-54.726	27.7	-27.000	PASS
5359.750000	-54.753	27.8	-27.000	PASS
5376.750000	-54.756	27.8	-27.000	PASS

Modulation: 802.11ac VHT80 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5210.00000	5147.250000	-48.5
[5150, 5250]	3+4	5210.00000	5380.750000	-53.4
[5150, 5250]	3+4	5210.00000	5148.750000	-48.6
[5150, 5250]	3+4	5210.00000	5384.750000	-53.4
[5150, 5250]	3+4	5210.00000	5149.250000	-48.6
[5150, 5250]	3+4	5210.00000	5371.250000	-53.5
[5150, 5250]	3+4	5210.00000	5148.250000	-48.7
[5150, 5250]	3+4	5210.00000	5367.750000	-53.6
[5150, 5250]	3+4	5210.00000	5146.750000	-48.7
[5150, 5250]	3+4	5210.00000	5370.750000	-53.7
[5150, 5250]	3+4	5210.00000	5144.750000	-48.9
[5150, 5250]	3+4	5210.00000	5351.750000	-53.7
[5150, 5250]	3+4	5210.00000	5149.750000	-49.2
[5150, 5250]	3+4	5210.00000	5374.250000	-53.8
[5150, 5250]	3+4	5210.00000	5147.750000	-49.2
[5150, 5250]	3+4	5210.00000	5415.250000	-53.8
[5150, 5250]	3+4	5210.00000	5140.750000	-49.2
[5150, 5250]	3+4	5210.00000	5375.750000	-53.8
[5150, 5250]	3+4	5210.00000	5145.250000	-49.3
[5150, 5250]	3+4	5210.00000	5413.250000	-53.8
[5150, 5250]	3+4	5210.00000	5145.750000	-49.4
[5150, 5250]	3+4	5210.00000	5386.250000	-53.8
[5150, 5250]	3+4	5210.00000	5136.750000	-49.4
[5150, 5250]	3+4	5210.00000	5383.250000	-53.8
[5150, 5250]	3+4	5210.00000	5144.250000	-49.4
[5150, 5250]	3+4	5210.00000	5146.250000	-49.5
[5150, 5250]	3+4	5210.00000	5378.750000	-53.8
[5150, 5250]	3+4	5210.00000	5364.750000	-53.9
[5150, 5250]	3+4	5210.00000	5142.250000	-49.5
[5150, 5250]	3+4	5210.00000	5377.750000	-53.9



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 (OFDM MCS0)

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5147.250000	-48.477	21.5	-27.000	PASS
5148.750000	-48.557	21.6	-27.000	PASS
5149.250000	-48.628	21.6	-27.000	PASS
5148.250000	-48.740	21.7	-27.000	PASS
5146.750000	-48.746	21.7	-27.000	PASS
5144.750000	-48.947	21.9	-27.000	PASS
5149.750000	-49.172	22.2	-27.000	PASS
5147.750000	-49.182	22.2	-27.000	PASS
5140.750000	-49.233	22.2	-27.000	PASS
5145.250000	-49.342	22.3	-27.000	PASS
5145.750000	-49.430	22.4	-27.000	PASS
5136.750000	-49.436	22.4	-27.000	PASS
5144.250000	-49.439	22.4	-27.000	PASS
5146.250000	-49.470	22.5	-27.000	PASS
5142.250000	-49.505	22.5	-27.000	PASS

Modulation: 802.11ax HE20 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4988.750000	-53.7
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4986.750000	-53.8
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4984.250000	-54.1
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4993.250000	-54.1
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4983.750000	-54.2
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4992.750000	-54.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4994.250000	-54.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4992.250000	-54.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4981.250000	-54.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4988.250000	-54.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4984.750000	-54.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4994.750000	-54.4
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4991.250000	-54.4
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4996.250000	-54.4
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	SU	4983.250000	-54.4
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4979.750000	-48.6
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4979.250000	-48.8
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4978.750000	-49.9
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4980.250000	-50.3
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4978.250000	-51.6
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4980.750000	-51.8
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5075.750000	-52.0
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5075.250000	-52.3

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5027.250000	-52.6
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5076.250000	-52.9
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4989.750000	-53.0
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5146.250000	-53.0
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5147.250000	-53.1
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	4988.250000	-53.2
[5150, 5250]	3+4	5180.00000	MIMO CDD Mode 2x2	RU	5143.750000	-53.2
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5437.250000	-54.5
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5427.250000	-54.6
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5425.750000	-54.6
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5423.750000	-54.8
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5441.250000	-54.9
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5436.750000	-54.9
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5430.750000	-54.9
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5431.250000	-54.9
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5381.250000	-55.0
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5439.750000	-55.0
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5429.250000	-55.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5435.750000	-55.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5418.750000	-55.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5438.250000	-55.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	SU	5431.750000	-55.2
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5440.750000	-51.4
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5440.250000	-51.7
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5439.750000	-52.2

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5441.250000	-52.4
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5439.250000	-53.2
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5392.250000	-53.9
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5430.750000	-54.0
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5430.250000	-54.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5431.750000	-54.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5379.250000	-54.1
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5442.250000	-54.2
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5399.750000	-54.3
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5441.750000	-54.4
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5391.750000	-54.4
[5150, 5250]	3+4	5240.00000	MIMO CDD Mode 2x2	RU	5432.250000	-54.4



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = SU

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4988.750000	-53.717	26.7	-27.000	PASS
4986.750000	-53.762	26.8	-27.000	PASS
4984.250000	-54.115	27.1	-27.000	PASS
4993.250000	-54.133	27.1	-27.000	PASS
4983.750000	-54.153	27.2	-27.000	PASS
4992.750000	-54.260	27.3	-27.000	PASS
4994.250000	-54.284	27.3	-27.000	PASS
4992.250000	-54.317	27.3	-27.000	PASS
4981.250000	-54.334	27.3	-27.000	PASS
4988.250000	-54.338	27.3	-27.000	PASS
4984.750000	-54.342	27.3	-27.000	PASS
4994.750000	-54.364	27.4	-27.000	PASS
4991.250000	-54.381	27.4	-27.000	PASS
4996.250000	-54.388	27.4	-27.000	PASS
4983.250000	-54.409	27.4	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = RU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4979.750000	-48.574	21.6	-27.000	PASS
4979.250000	-48.779	21.8	-27.000	PASS
4978.750000	-49.913	22.9	-27.000	PASS
4980.250000	-50.290	23.3	-27.000	PASS
4978.250000	-51.551	24.6	-27.000	PASS
4980.750000	-51.831	24.8	-27.000	PASS
5075.750000	-52.023	25.0	-27.000	PASS
5075.250000	-52.305	25.3	-27.000	PASS
5027.250000	-52.605	25.6	-27.000	PASS
5076.250000	-52.890	25.9	-27.000	PASS
4989.750000	-52.956	26.0	-27.000	PASS
5146.250000	-53.021	26.0	-27.000	PASS
5147.250000	-53.133	26.1	-27.000	PASS
4988.250000	-53.159	26.2	-27.000	PASS
5143.750000	-53.187	26.2	-27.000	PASS

Operation Band MHz = [5150, 5250]



Active Port = 3+4



Frequency MHz = 5240.00000


Modulation = 802.11ax HE20 (OFDMA MCS0)

Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = SU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5437.250000	-54.487	27.5	-27.000	PASS
5427.250000	-54.565	27.6	-27.000	PASS
5425.750000	-54.571	27.6	-27.000	PASS
5423.750000	-54.806	27.8	-27.000	PASS
5441.250000	-54.875	27.9	-27.000	PASS
5436.750000	-54.903	27.9	-27.000	PASS
5430.750000	-54.905	27.9	-27.000	PASS
5431.250000	-54.917	27.9	-27.000	PASS
5381.250000	-55.003	28.0	-27.000	PASS
5439.750000	-55.019	28.0	-27.000	PASS
5429.250000	-55.060	28.1	-27.000	PASS
5435.750000	-55.064	28.1	-27.000	PASS
5418.750000	-55.065	28.1	-27.000	PASS
5438.250000	-55.090	28.1	-27.000	PASS
5431.750000	-55.170	28.2	-27.000	PASS

Operation Band MHz = [5150, 5250]



Active Port = 3+4



Frequency MHz = 5240.00000


Modulation = 802.11ax HE20 (OFDMA MCS0)

Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = RU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5440.750000	-51.448	24.4	-27.000	PASS
5440.250000	-51.651	24.7	-27.000	PASS
5439.750000	-52.163	25.2	-27.000	PASS
5441.250000	-52.387	25.4	-27.000	PASS
5439.250000	-53.227	26.2	-27.000	PASS
5392.250000	-53.873	26.9	-27.000	PASS
5430.750000	-53.958	27.0	-27.000	PASS
5430.250000	-54.053	27.1	-27.000	PASS
5431.750000	-54.122	27.1	-27.000	PASS
5379.250000	-54.144	27.1	-27.000	PASS
5442.250000	-54.183	27.2	-27.000	PASS
5399.750000	-54.326	27.3	-27.000	PASS
5441.750000	-54.363	27.4	-27.000	PASS
5391.750000	-54.374	27.4	-27.000	PASS
5432.250000	-54.431	27.4	-27.000	PASS

Modulation: 802.11ax HE40 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5149.750000	-50.6
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5148.250000	-50.9
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5149.250000	-51.4
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5147.750000	-51.4
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5146.250000	-51.5
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5145.750000	-51.9
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5146.750000	-52.0
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5148.750000	-52.1
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5147.250000	-52.3
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5145.250000	-52.4
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5143.750000	-52.6
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5143.250000	-53.2
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5144.250000	-53.4
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5142.250000	-53.8
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	SU	5144.750000	-53.8
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	4980.250000	-48.9
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	4979.750000	-49.3
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	4979.250000	-50.1
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	4980.750000	-50.3
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5098.250000	-51.7
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5097.750000	-51.9
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5075.250000	-51.9
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5098.750000	-52.0

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	4978.750000	-52.0
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5097.250000	-52.2
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5075.750000	-52.3
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5104.250000	-52.5
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5101.250000	-52.7
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5000.750000	-52.9
[5150, 5250]	3+4	5190.00000	MIMO CDD Mode 2x2	RU	5100.250000	-52.9
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5412.750000	-54.0
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5420.750000	-54.1
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5416.750000	-54.2
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5407.750000	-54.2
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5380.750000	-54.3
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5378.250000	-54.3
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5424.250000	-54.4
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5377.250000	-54.4
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5415.750000	-54.5
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5372.750000	-54.5
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5409.750000	-54.5
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5379.250000	-54.5
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5404.250000	-54.6
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5403.750000	-54.6
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	SU	5375.250000	-54.6
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5439.750000	-51.9
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5440.250000	-52.4
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5439.250000	-52.5

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5440.750000	-52.7
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5438.750000	-53.2
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5392.750000	-53.8
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5384.250000	-53.8
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5442.750000	-53.8
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5394.250000	-53.8
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5408.250000	-53.8
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5379.250000	-53.9
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5355.250000	-53.9
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5446.750000	-53.9
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5372.250000	-53.9
[5150, 5250]	3+4	5230.00000	MIMO CDD Mode 2x2	RU	5353.250000	-53.9



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = SU

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5149.750000	-50.587	23.6	-27.000	PASS
5148.250000	-50.858	23.9	-27.000	PASS
5149.250000	-51.422	24.4	-27.000	PASS
5147.750000	-51.428	24.4	-27.000	PASS
5146.250000	-51.522	24.5	-27.000	PASS
5145.750000	-51.885	24.9	-27.000	PASS
5146.750000	-52.042	25.0	-27.000	PASS
5148.750000	-52.129	25.1	-27.000	PASS
5147.250000	-52.279	25.3	-27.000	PASS
5145.250000	-52.358	25.4	-27.000	PASS
5143.750000	-52.633	25.6	-27.000	PASS
5143.250000	-53.243	26.2	-27.000	PASS
5144.250000	-53.426	26.4	-27.000	PASS
5142.250000	-53.761	26.8	-27.000	PASS
5144.750000	-53.804	26.8	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = RU

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4980.250000	-48.938	21.9	-27.000	PASS
4979.750000	-49.321	22.3	-27.000	PASS
4979.250000	-50.077	23.1	-27.000	PASS
4980.750000	-50.279	23.3	-27.000	PASS
5098.250000	-51.742	24.7	-27.000	PASS
5097.750000	-51.891	24.9	-27.000	PASS
5075.250000	-51.943	24.9	-27.000	PASS
5098.750000	-51.971	25.0	-27.000	PASS
4978.750000	-52.026	25.0	-27.000	PASS
5097.250000	-52.249	25.2	-27.000	PASS
5075.750000	-52.297	25.3	-27.000	PASS
5104.250000	-52.537	25.5	-27.000	PASS
5101.250000	-52.731	25.7	-27.000	PASS
5000.750000	-52.862	25.9	-27.000	PASS
5100.250000	-52.871	25.9	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5230.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = SU

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5412.750000	-54.050	27.0	-27.000	PASS
5420.750000	-54.080	27.1	-27.000	PASS
5416.750000	-54.202	27.2	-27.000	PASS
5407.750000	-54.244	27.2	-27.000	PASS
5380.750000	-54.304	27.3	-27.000	PASS
5378.250000	-54.319	27.3	-27.000	PASS
5424.250000	-54.424	27.4	-27.000	PASS
5377.250000	-54.443	27.4	-27.000	PASS
5415.750000	-54.464	27.5	-27.000	PASS
5372.750000	-54.539	27.5	-27.000	PASS
5409.750000	-54.541	27.5	-27.000	PASS
5379.250000	-54.543	27.5	-27.000	PASS
5404.250000	-54.572	27.6	-27.000	PASS
5403.750000	-54.585	27.6	-27.000	PASS
5375.250000	-54.629	27.6	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5230.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = RU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5439.750000	-51.874	24.9	-27.000	PASS
5440.250000	-52.417	25.4	-27.000	PASS
5439.250000	-52.461	25.5	-27.000	PASS
5440.750000	-52.683	25.7	-27.000	PASS
5438.750000	-53.240	26.2	-27.000	PASS
5392.750000	-53.756	26.8	-27.000	PASS
5384.250000	-53.774	26.8	-27.000	PASS
5442.750000	-53.775	26.8	-27.000	PASS
5394.250000	-53.776	26.8	-27.000	PASS
5408.250000	-53.780	26.8	-27.000	PASS
5379.250000	-53.855	26.9	-27.000	PASS
5355.250000	-53.896	26.9	-27.000	PASS
5446.750000	-53.899	26.9	-27.000	PASS
5372.250000	-53.915	26.9	-27.000	PASS
5353.250000	-53.934	26.9	-27.000	PASS

Modulation: 802.11ax HE80 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5145.750000	-48.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5357.750000	-54.1
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5148.750000	-49.2
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5374.250000	-54.2
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5149.250000	-49.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5149.750000	-49.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5384.250000	-54.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5135.250000	-49.4
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5386.750000	-54.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5356.750000	-54.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5148.250000	-49.5
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5389.250000	-54.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5146.750000	-49.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5371.750000	-54.8
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5147.750000	-49.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5143.750000	-49.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5377.250000	-54.8
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5375.750000	-54.8
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5141.250000	-49.8
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5142.750000	-49.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5365.250000	-54.8
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5147.250000	-49.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5369.250000	-54.9

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5143.250000	-50.0
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5378.250000	-54.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5387.750000	-54.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5140.750000	-50.0
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5144.750000	-50.1
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5388.250000	-54.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	SU	5375.250000	-54.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5023.250000	-46.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5022.750000	-46.5
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5363.750000	-49.2
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5018.250000	-46.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5364.250000	-49.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	4979.750000	-47.2
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5363.250000	-50.0
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5364.750000	-50.2
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5017.750000	-47.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5018.750000	-47.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5362.750000	-51.5
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	4980.250000	-47.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5365.250000	-52.0
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5148.750000	-47.9
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5374.250000	-52.1
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5148.250000	-48.0
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5381.750000	-52.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5376.750000	-52.5

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	4980.750000	-48.1
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5375.250000	-52.5
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5134.250000	-48.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5356.750000	-52.5
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5123.250000	-48.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5357.250000	-52.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5121.250000	-48.3
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5411.750000	-52.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	4979.250000	-48.4
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5386.750000	-52.6
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5147.750000	-48.7
[5150, 5250]	3+4	5210.00000	MIMO CDD Mode 2x2	RU	5352.250000	-52.6

Verdict

Pass

Attachments

Operation Band MHz = [5150, 5250] Active Port = 3+4
Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = SU

Images:

