












Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4987.250000	-52.669	25.7	-27.000	PASS
4984.750000	-53.064	26.1	-27.000	PASS
4982.250000	-53.137	26.1	-27.000	PASS
4989.250000	-53.185	26.2	-27.000	PASS
4991.750000	-53.188	26.2	-27.000	PASS
4986.250000	-53.284	26.3	-27.000	PASS
4992.250000	-53.315	26.3	-27.000	PASS
4995.750000	-53.375	26.4	-27.000	PASS
4990.250000	-53.386	26.4	-27.000	PASS
4992.750000	-53.408	26.4	-27.000	PASS
4993.750000	-53.419	26.4	-27.000	PASS
4988.750000	-53.422	26.4	-27.000	PASS
4981.750000	-53.455	26.5	-27.000	PASS
4986.750000	-53.554	26.6	-27.000	PASS
4994.250000	-53.596	26.6	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5240.00000 Modulation = 802.11a (OFDM 6 Mbit/s)
Antenna configuration = MIMO CDD Mode 2x2

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5428.750000	-54.177	27.2	-27.000	PASS
5434.750000	-54.318	27.3	-27.000	PASS
5447.250000	-54.422	27.4	-27.000	PASS
5428.250000	-54.440	27.4	-27.000	PASS
5440.750000	-54.478	27.5	-27.000	PASS
5431.250000	-54.486	27.5	-27.000	PASS
5437.750000	-54.573	27.6	-27.000	PASS
5429.750000	-54.577	27.6	-27.000	PASS
5408.750000	-54.581	27.6	-27.000	PASS
5427.750000	-54.583	27.6	-27.000	PASS
5433.750000	-54.588	27.6	-27.000	PASS
5373.750000	-54.633	27.6	-27.000	PASS
5402.250000	-54.677	27.7	-27.000	PASS
5425.750000	-54.686	27.7	-27.000	PASS
5372.750000	-54.688	27.7	-27.000	PASS

Modulation: 802.11ac VHT20 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5180.00000	4992.250000	-53.8
[5150, 5250]	2+3	5180.00000	4990.750000	-53.8
[5150, 5250]	2+3	5180.00000	4991.250000	-53.9
[5150, 5250]	2+3	5180.00000	4995.750000	-53.9
[5150, 5250]	2+3	5180.00000	4989.250000	-53.9
[5150, 5250]	2+3	5180.00000	4988.750000	-54.1
[5150, 5250]	2+3	5180.00000	4987.250000	-54.2
[5150, 5250]	2+3	5180.00000	4992.750000	-54.2
[5150, 5250]	2+3	5180.00000	4994.250000	-54.3
[5150, 5250]	2+3	5180.00000	4995.250000	-54.3
[5150, 5250]	2+3	5180.00000	4982.250000	-54.3
[5150, 5250]	2+3	5180.00000	4981.750000	-54.3
[5150, 5250]	2+3	5180.00000	4991.750000	-54.3
[5150, 5250]	2+3	5180.00000	4985.250000	-54.3
[5150, 5250]	2+3	5180.00000	4986.750000	-54.3
[5150, 5250]	2+3	5240.00000	5429.250000	-54.9
[5150, 5250]	2+3	5240.00000	5424.750000	-55.0
[5150, 5250]	2+3	5240.00000	5426.250000	-55.0
[5150, 5250]	2+3	5240.00000	5434.250000	-55.1
[5150, 5250]	2+3	5240.00000	5428.250000	-55.2
[5150, 5250]	2+3	5240.00000	5385.250000	-55.2
[5150, 5250]	2+3	5240.00000	5428.750000	-55.2
[5150, 5250]	2+3	5240.00000	5432.250000	-55.2
[5150, 5250]	2+3	5240.00000	5452.250000	-55.2
[5150, 5250]	2+3	5240.00000	5395.250000	-55.2
[5150, 5250]	2+3	5240.00000	5389.250000	-55.3
[5150, 5250]	2+3	5240.00000	5450.750000	-55.3
[5150, 5250]	2+3	5240.00000	5436.250000	-55.3
[5150, 5250]	2+3	5240.00000	5404.750000	-55.3
[5150, 5250]	2+3	5240.00000	5430.750000	-55.4



Verdict


Pass


Attachments


Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5180.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)

Images:












Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4992.250000	-53.788	26.8	-27.000	PASS
4990.750000	-53.847	26.8	-27.000	PASS
4991.250000	-53.859	26.9	-27.000	PASS
4995.750000	-53.864	26.9	-27.000	PASS
4989.250000	-53.944	26.9	-27.000	PASS
4988.750000	-54.099	27.1	-27.000	PASS
4987.250000	-54.159	27.2	-27.000	PASS
4992.750000	-54.236	27.2	-27.000	PASS
4994.250000	-54.260	27.3	-27.000	PASS
4995.250000	-54.273	27.3	-27.000	PASS
4982.250000	-54.293	27.3	-27.000	PASS
4981.750000	-54.297	27.3	-27.000	PASS
4991.750000	-54.310	27.3	-27.000	PASS
4985.250000	-54.317	27.3	-27.000	PASS
4986.750000	-54.334	27.3	-27.000	PASS


Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5240.00000 Modulation = 802.11ac VHT20 (OFDM MCS0)

Images:









Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5429.250000	-54.926	27.9	-27.000	PASS
5424.750000	-54.956	28.0	-27.000	PASS
5426.250000	-55.027	28.0	-27.000	PASS
5434.250000	-55.113	28.1	-27.000	PASS
5428.250000	-55.161	28.2	-27.000	PASS
5385.250000	-55.170	28.2	-27.000	PASS
5428.750000	-55.221	28.2	-27.000	PASS
5432.250000	-55.223	28.2	-27.000	PASS
5452.250000	-55.227	28.2	-27.000	PASS
5395.250000	-55.237	28.2	-27.000	PASS
5389.250000	-55.261	28.3	-27.000	PASS
5450.750000	-55.275	28.3	-27.000	PASS
5436.250000	-55.298	28.3	-27.000	PASS
5404.750000	-55.344	28.3	-27.000	PASS
5430.750000	-55.353	28.4	-27.000	PASS

Modulation: 802.11ac VHT40 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5190.00000	5147.750000	-49.4
[5150, 5250]	2+3	5190.00000	5149.250000	-49.6
[5150, 5250]	2+3	5190.00000	5148.250000	-49.8
[5150, 5250]	2+3	5190.00000	5149.750000	-50.2
[5150, 5250]	2+3	5190.00000	5148.750000	-50.5
[5150, 5250]	2+3	5190.00000	5146.750000	-50.6
[5150, 5250]	2+3	5190.00000	5146.250000	-50.9
[5150, 5250]	2+3	5190.00000	5147.250000	-50.9
[5150, 5250]	2+3	5190.00000	5145.750000	-51.7
[5150, 5250]	2+3	5190.00000	5145.250000	-51.8
[5150, 5250]	2+3	5190.00000	5144.750000	-52.0
[5150, 5250]	2+3	5190.00000	5144.250000	-52.1
[5150, 5250]	2+3	5190.00000	5142.750000	-52.7
[5150, 5250]	2+3	5190.00000	5143.750000	-52.7
[5150, 5250]	2+3	5190.00000	5001.750000	-52.7
[5150, 5250]	2+3	5230.00000	5368.750000	-53.1
[5150, 5250]	2+3	5230.00000	5429.750000	-53.2
[5150, 5250]	2+3	5230.00000	5366.250000	-53.3
[5150, 5250]	2+3	5230.00000	5369.250000	-53.3
[5150, 5250]	2+3	5230.00000	5437.750000	-53.3
[5150, 5250]	2+3	5230.00000	5378.250000	-53.3
[5150, 5250]	2+3	5230.00000	5367.250000	-53.4
[5150, 5250]	2+3	5230.00000	5386.750000	-53.4
[5150, 5250]	2+3	5230.00000	5358.250000	-53.5
[5150, 5250]	2+3	5230.00000	5370.750000	-53.5
[5150, 5250]	2+3	5230.00000	5384.250000	-53.5
[5150, 5250]	2+3	5230.00000	5437.250000	-53.5
[5150, 5250]	2+3	5230.00000	5374.250000	-53.6
[5150, 5250]	2+3	5230.00000	5369.750000	-53.6
[5150, 5250]	2+3	5230.00000	5378.750000	-53.6



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5147.750000	-49.424	22.4	-27.000	PASS
5149.250000	-49.564	22.6	-27.000	PASS
5148.250000	-49.759	22.8	-27.000	PASS
5149.750000	-50.170	23.2	-27.000	PASS
5148.750000	-50.467	23.5	-27.000	PASS
5146.750000	-50.635	23.6	-27.000	PASS
5146.250000	-50.885	23.9	-27.000	PASS
5147.250000	-50.896	23.9	-27.000	PASS
5145.750000	-51.652	24.7	-27.000	PASS
5145.250000	-51.775	24.8	-27.000	PASS
5144.750000	-51.954	25.0	-27.000	PASS
5144.250000	-52.134	25.1	-27.000	PASS
5142.750000	-52.675	25.7	-27.000	PASS
5143.750000	-52.679	25.7	-27.000	PASS
5001.750000	-52.714	25.7	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5368.750000	-53.105	26.1	-27.000	PASS
5429.750000	-53.195	26.2	-27.000	PASS
5366.250000	-53.269	26.3	-27.000	PASS
5369.250000	-53.294	26.3	-27.000	PASS
5437.750000	-53.335	26.3	-27.000	PASS
5378.250000	-53.346	26.3	-27.000	PASS
5367.250000	-53.375	26.4	-27.000	PASS
5386.750000	-53.377	26.4	-27.000	PASS
5358.250000	-53.469	26.5	-27.000	PASS
5370.750000	-53.473	26.5	-27.000	PASS
5384.250000	-53.500	26.5	-27.000	PASS
5437.250000	-53.547	26.5	-27.000	PASS
5374.250000	-53.557	26.6	-27.000	PASS
5369.750000	-53.561	26.6	-27.000	PASS
5378.750000	-53.575	26.6	-27.000	PASS

Modulation: 802.11ac VHT80 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5210.00000	5148.750000	-49.9
[5150, 5250]	2+3	5210.00000	5365.250000	-53.7
[5150, 5250]	2+3	5210.00000	5147.250000	-49.9
[5150, 5250]	2+3	5210.00000	5352.250000	-53.7
[5150, 5250]	2+3	5210.00000	5145.750000	-50.0
[5150, 5250]	2+3	5210.00000	5140.750000	-50.3
[5150, 5250]	2+3	5210.00000	5372.250000	-53.8
[5150, 5250]	2+3	5210.00000	5147.750000	-50.4
[5150, 5250]	2+3	5210.00000	5366.750000	-53.9
[5150, 5250]	2+3	5210.00000	5144.250000	-50.4
[5150, 5250]	2+3	5210.00000	5368.250000	-54.0
[5150, 5250]	2+3	5210.00000	5379.750000	-54.2
[5150, 5250]	2+3	5210.00000	5145.250000	-50.6
[5150, 5250]	2+3	5210.00000	5376.750000	-54.2
[5150, 5250]	2+3	5210.00000	5144.750000	-50.6
[5150, 5250]	2+3	5210.00000	5148.250000	-50.6
[5150, 5250]	2+3	5210.00000	5390.750000	-54.2
[5150, 5250]	2+3	5210.00000	5149.750000	-50.6
[5150, 5250]	2+3	5210.00000	5366.250000	-54.2
[5150, 5250]	2+3	5210.00000	5142.750000	-50.7
[5150, 5250]	2+3	5210.00000	5388.250000	-54.2
[5150, 5250]	2+3	5210.00000	5146.750000	-50.7
[5150, 5250]	2+3	5210.00000	5371.750000	-54.2
[5150, 5250]	2+3	5210.00000	5146.250000	-50.7
[5150, 5250]	2+3	5210.00000	5390.250000	-54.2
[5150, 5250]	2+3	5210.00000	5394.750000	-54.3
[5150, 5250]	2+3	5210.00000	5134.750000	-50.8
[5150, 5250]	2+3	5210.00000	5392.250000	-54.3
[5150, 5250]	2+3	5210.00000	5143.250000	-50.8
[5150, 5250]	2+3	5210.00000	5373.250000	-54.3



Verdict


Pass


Attachments


Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 (OFDM MCS0)

Images:









Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5148.750000	-49.882	22.9	-27.000	PASS
5147.250000	-49.940	22.9	-27.000	PASS
5145.750000	-50.004	23.0	-27.000	PASS
5140.750000	-50.320	23.3	-27.000	PASS
5147.750000	-50.364	23.4	-27.000	PASS
5144.250000	-50.438	23.4	-27.000	PASS
5145.250000	-50.551	23.6	-27.000	PASS
5144.750000	-50.600	23.6	-27.000	PASS
5148.250000	-50.616	23.6	-27.000	PASS
5149.750000	-50.627	23.6	-27.000	PASS
5142.750000	-50.686	23.7	-27.000	PASS
5146.750000	-50.713	23.7	-27.000	PASS
5146.250000	-50.742	23.7	-27.000	PASS
5134.750000	-50.759	23.8	-27.000	PASS
5143.250000	-50.793	23.8	-27.000	PASS

Modulation: 802.11ax HE20 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5180.00000	SU	4982.250000	-54.0
[5150, 5250]	2+3	5180.00000	SU	4992.250000	-54.0
[5150, 5250]	2+3	5180.00000	SU	4991.750000	-54.0
[5150, 5250]	2+3	5180.00000	SU	4993.250000	-54.0
[5150, 5250]	2+3	5180.00000	SU	4990.250000	-54.1
[5150, 5250]	2+3	5180.00000	SU	4988.750000	-54.1
[5150, 5250]	2+3	5180.00000	SU	4995.750000	-54.1
[5150, 5250]	2+3	5180.00000	SU	4984.250000	-54.1
[5150, 5250]	2+3	5180.00000	SU	4985.750000	-54.2
[5150, 5250]	2+3	5180.00000	SU	4987.750000	-54.3
[5150, 5250]	2+3	5180.00000	SU	4986.250000	-54.3
[5150, 5250]	2+3	5180.00000	SU	4988.250000	-54.3
[5150, 5250]	2+3	5180.00000	SU	4986.750000	-54.4
[5150, 5250]	2+3	5180.00000	SU	4994.750000	-54.4
[5150, 5250]	2+3	5180.00000	SU	4990.750000	-54.4
[5150, 5250]	2+3	5180.00000	RU	4979.750000	-49.2
[5150, 5250]	2+3	5180.00000	RU	4978.750000	-49.3
[5150, 5250]	2+3	5180.00000	RU	4979.250000	-49.6
[5150, 5250]	2+3	5180.00000	RU	4980.250000	-50.2
[5150, 5250]	2+3	5180.00000	RU	4980.750000	-51.6
[5150, 5250]	2+3	5180.00000	RU	4978.250000	-52.4
[5150, 5250]	2+3	5180.00000	RU	5146.750000	-52.4
[5150, 5250]	2+3	5180.00000	RU	4931.250000	-52.7
[5150, 5250]	2+3	5180.00000	RU	5147.250000	-52.8
[5150, 5250]	2+3	5180.00000	RU	5074.750000	-52.8
[5150, 5250]	2+3	5180.00000	RU	5075.250000	-52.8
[5150, 5250]	2+3	5180.00000	RU	5136.250000	-52.9
[5150, 5250]	2+3	5180.00000	RU	5135.750000	-52.9
[5150, 5250]	2+3	5180.00000	RU	5075.750000	-53.0
[5150, 5250]	2+3	5180.00000	RU	5146.250000	-53.0
[5150, 5250]	2+3	5240.00000	SU	5406.750000	-54.9
[5150, 5250]	2+3	5240.00000	SU	5439.750000	-55.2
[5150, 5250]	2+3	5240.00000	SU	5430.250000	-55.3
[5150, 5250]	2+3	5240.00000	SU	5417.750000	-55.3
[5150, 5250]	2+3	5240.00000	SU	5429.250000	-55.3
[5150, 5250]	2+3	5240.00000	SU	5429.750000	-55.3
[5150, 5250]	2+3	5240.00000	SU	5427.750000	-55.4
[5150, 5250]	2+3	5240.00000	SU	5378.750000	-55.4
[5150, 5250]	2+3	5240.00000	SU	5436.250000	-55.4

Operation Band (MHz)	Port	Freq (MHz)	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5240.00000	SU	5433.250000	-55.4
[5150, 5250]	2+3	5240.00000	SU	5387.250000	-55.4
[5150, 5250]	2+3	5240.00000	SU	5439.250000	-55.4
[5150, 5250]	2+3	5240.00000	SU	5362.750000	-55.4
[5150, 5250]	2+3	5240.00000	SU	5440.250000	-55.5
[5150, 5250]	2+3	5240.00000	SU	5363.750000	-55.5
[5150, 5250]	2+3	5240.00000	RU	5440.250000	-52.9
[5150, 5250]	2+3	5240.00000	RU	5440.750000	-53.1
[5150, 5250]	2+3	5240.00000	RU	5441.250000	-53.2
[5150, 5250]	2+3	5240.00000	RU	5439.750000	-53.3
[5150, 5250]	2+3	5240.00000	RU	5392.750000	-54.3
[5150, 5250]	2+3	5240.00000	RU	5439.250000	-54.4
[5150, 5250]	2+3	5240.00000	RU	5388.250000	-54.6
[5150, 5250]	2+3	5240.00000	RU	5447.750000	-54.6
[5150, 5250]	2+3	5240.00000	RU	5406.750000	-54.7
[5150, 5250]	2+3	5240.00000	RU	5392.250000	-54.7
[5150, 5250]	2+3	5240.00000	RU	5393.750000	-54.8
[5150, 5250]	2+3	5240.00000	RU	5362.750000	-54.8
[5150, 5250]	2+3	5240.00000	RU	5441.750000	-54.8
[5150, 5250]	2+3	5240.00000	RU	5377.250000	-54.9
[5150, 5250]	2+3	5240.00000	RU	5433.750000	-54.9



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
Subcarrier Mode = SU

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4982.250000	-54.006	27.0	-27.000	PASS
4992.250000	-54.032	27.0	-27.000	PASS
4991.750000	-54.039	27.0	-27.000	PASS
4993.250000	-54.044	27.0	-27.000	PASS
4990.250000	-54.070	27.1	-27.000	PASS
4988.750000	-54.094	27.1	-27.000	PASS
4995.750000	-54.115	27.1	-27.000	PASS
4984.250000	-54.118	27.1	-27.000	PASS
4985.750000	-54.199	27.2	-27.000	PASS
4987.750000	-54.257	27.3	-27.000	PASS
4986.250000	-54.277	27.3	-27.000	PASS
4988.250000	-54.288	27.3	-27.000	PASS
4986.750000	-54.400	27.4	-27.000	PASS
4994.750000	-54.433	27.4	-27.000	PASS
4990.750000	-54.449	27.4	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
Subcarrier Mode = RU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
4979.750000	-49.155	22.2	-27.000	PASS
4978.750000	-49.305	22.3	-27.000	PASS
4979.250000	-49.556	22.6	-27.000	PASS
4980.250000	-50.249	23.2	-27.000	PASS
4980.750000	-51.624	24.6	-27.000	PASS
4978.250000	-52.396	25.4	-27.000	PASS
5146.750000	-52.405	25.4	-27.000	PASS
4931.250000	-52.689	25.7	-27.000	PASS
5147.250000	-52.756	25.8	-27.000	PASS
5074.750000	-52.761	25.8	-27.000	PASS
5075.250000	-52.806	25.8	-27.000	PASS
5136.250000	-52.862	25.9	-27.000	PASS
5135.750000	-52.868	25.9	-27.000	PASS
5075.750000	-53.004	26.0	-27.000	PASS
5146.250000	-53.011	26.0	-27.000	PASS



Operation Band MHz = [5150, 5250] Active Port = 2+3



Frequency MHz = 5240.00000


Modulation = 802.11ax HE20 (OFDMA MCS0)

Subcarrier Mode = SU

Images:











Tables:
Spectrum Analyzer Parameters


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5406.750000	-54.870	27.9	-27.000	PASS
5439.750000	-55.177	28.2	-27.000	PASS
5430.250000	-55.272	28.3	-27.000	PASS
5417.750000	-55.273	28.3	-27.000	PASS
5429.250000	-55.293	28.3	-27.000	PASS
5429.750000	-55.306	28.3	-27.000	PASS
5427.750000	-55.358	28.4	-27.000	PASS
5378.750000	-55.363	28.4	-27.000	PASS
5436.250000	-55.383	28.4	-27.000	PASS
5433.250000	-55.406	28.4	-27.000	PASS
5387.250000	-55.406	28.4	-27.000	PASS
5439.250000	-55.422	28.4	-27.000	PASS
5362.750000	-55.430	28.4	-27.000	PASS
5440.250000	-55.473	28.5	-27.000	PASS
5363.750000	-55.501	28.5	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
Subcarrier Mode = RU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5440.250000	-52.911	25.9	-27.000	PASS
5440.750000	-53.088	26.1	-27.000	PASS
5441.250000	-53.177	26.2	-27.000	PASS
5439.750000	-53.337	26.3	-27.000	PASS
5392.750000	-54.275	27.3	-27.000	PASS
5439.250000	-54.386	27.4	-27.000	PASS
5388.250000	-54.587	27.6	-27.000	PASS
5447.750000	-54.612	27.6	-27.000	PASS
5406.750000	-54.697	27.7	-27.000	PASS
5392.250000	-54.734	27.7	-27.000	PASS
5393.750000	-54.820	27.8	-27.000	PASS
5362.750000	-54.830	27.8	-27.000	PASS
5441.750000	-54.835	27.8	-27.000	PASS
5377.250000	-54.878	27.9	-27.000	PASS
5433.750000	-54.892	27.9	-27.000	PASS

Modulation: 802.11ax HE40 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5190.00000	SU	5147.250000	-49.1
[5150, 5250]	2+3	5190.00000	SU	5149.250000	-49.3
[5150, 5250]	2+3	5190.00000	SU	5149.750000	-49.7
[5150, 5250]	2+3	5190.00000	SU	5147.750000	-50.0
[5150, 5250]	2+3	5190.00000	SU	5148.250000	-50.3
[5150, 5250]	2+3	5190.00000	SU	5148.750000	-50.6
[5150, 5250]	2+3	5190.00000	SU	5146.750000	-50.8
[5150, 5250]	2+3	5190.00000	SU	5146.250000	-51.0
[5150, 5250]	2+3	5190.00000	SU	5143.750000	-51.3
[5150, 5250]	2+3	5190.00000	SU	5145.750000	-51.6
[5150, 5250]	2+3	5190.00000	SU	5144.250000	-51.7
[5150, 5250]	2+3	5190.00000	SU	5145.250000	-51.7
[5150, 5250]	2+3	5190.00000	SU	5144.750000	-51.8
[5150, 5250]	2+3	5190.00000	SU	5143.250000	-52.5
[5150, 5250]	2+3	5190.00000	SU	5142.750000	-52.6
[5150, 5250]	2+3	5190.00000	RU	4996.250000	-46.5
[5150, 5250]	2+3	5190.00000	RU	4996.750000	-46.8
[5150, 5250]	2+3	5190.00000	RU	4997.250000	-47.2
[5150, 5250]	2+3	5190.00000	RU	4997.750000	-48.5
[5150, 5250]	2+3	5190.00000	RU	4995.750000	-48.7
[5150, 5250]	2+3	5190.00000	RU	5093.250000	-50.3
[5150, 5250]	2+3	5190.00000	RU	5092.750000	-50.5
[5150, 5250]	2+3	5190.00000	RU	5092.250000	-50.6
[5150, 5250]	2+3	5190.00000	RU	5149.750000	-50.7
[5150, 5250]	2+3	5190.00000	RU	4995.250000	-50.8
[5150, 5250]	2+3	5190.00000	RU	5044.250000	-51.0
[5150, 5250]	2+3	5190.00000	RU	5140.250000	-51.0
[5150, 5250]	2+3	5190.00000	RU	5147.750000	-51.0
[5150, 5250]	2+3	5190.00000	RU	5091.750000	-51.1
[5150, 5250]	2+3	5190.00000	RU	5139.250000	-51.1
[5150, 5250]	2+3	5230.00000	SU	5383.750000	-52.8
[5150, 5250]	2+3	5230.00000	SU	5382.750000	-52.9
[5150, 5250]	2+3	5230.00000	SU	5350.250000	-53.3
[5150, 5250]	2+3	5230.00000	SU	5380.750000	-53.3
[5150, 5250]	2+3	5230.00000	SU	5371.250000	-53.3
[5150, 5250]	2+3	5230.00000	SU	5364.750000	-53.4
[5150, 5250]	2+3	5230.00000	SU	5415.750000	-53.4
[5150, 5250]	2+3	5230.00000	SU	5363.750000	-53.4
[5150, 5250]	2+3	5230.00000	SU	5356.750000	-53.5

Operation Band (MHz)	Port	Freq (MHz)	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5150, 5250]	2+3	5230.00000	SU	5362.250000	-53.5
[5150, 5250]	2+3	5230.00000	SU	5360.250000	-53.5
[5150, 5250]	2+3	5230.00000	SU	5384.250000	-53.6
[5150, 5250]	2+3	5230.00000	SU	5379.250000	-53.6
[5150, 5250]	2+3	5230.00000	SU	5391.750000	-53.6
[5150, 5250]	2+3	5230.00000	SU	5364.250000	-53.6
[5150, 5250]	2+3	5230.00000	RU	5423.250000	-50.2
[5150, 5250]	2+3	5230.00000	RU	5423.750000	-50.6
[5150, 5250]	2+3	5230.00000	RU	5422.750000	-50.7
[5150, 5250]	2+3	5230.00000	RU	5375.250000	-51.8
[5150, 5250]	2+3	5230.00000	RU	5424.250000	-52.1
[5150, 5250]	2+3	5230.00000	RU	5422.250000	-52.2
[5150, 5250]	2+3	5230.00000	RU	5365.750000	-52.4
[5150, 5250]	2+3	5230.00000	RU	5356.250000	-52.5
[5150, 5250]	2+3	5230.00000	RU	5388.750000	-52.5
[5150, 5250]	2+3	5230.00000	RU	5409.750000	-52.5
[5150, 5250]	2+3	5230.00000	RU	5433.250000	-52.6
[5150, 5250]	2+3	5230.00000	RU	5426.750000	-52.6
[5150, 5250]	2+3	5230.00000	RU	5375.750000	-52.7
[5150, 5250]	2+3	5230.00000	RU	5374.750000	-52.7
[5150, 5250]	2+3	5230.00000	RU	5379.250000	-52.7



Verdict



Pass


Attachments

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
Subcarrier Mode = SU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5147.250000	-49.072	22.1	-27.000	PASS
5149.250000	-49.313	22.3	-27.000	PASS
5149.750000	-49.654	22.7	-27.000	PASS
5147.750000	-50.005	23.0	-27.000	PASS
5148.250000	-50.259	23.3	-27.000	PASS
5148.750000	-50.563	23.6	-27.000	PASS
5146.750000	-50.842	23.8	-27.000	PASS
5146.250000	-51.047	24.0	-27.000	PASS
5143.750000	-51.324	24.3	-27.000	PASS
5145.750000	-51.570	24.6	-27.000	PASS
5144.250000	-51.688	24.7	-27.000	PASS
5145.250000	-51.739	24.7	-27.000	PASS
5144.750000	-51.837	24.8	-27.000	PASS
5143.250000	-52.504	25.5	-27.000	PASS
5142.750000	-52.585	25.6	-27.000	PASS

Operation Band MHz = [5150, 5250] Active Port = 2+3
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
Subcarrier Mode = RU

Images:

