


## **Annex A.5. Spurious Emission at Antenna Terminals**

## 1. GSM\_GSM850


### 1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -56.71      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -54.56      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 442.188         | -44.49      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 824.165         | 32.7        | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 6924.723        | -22.65      | -13         | Pass    | 9000        |




## 1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -57.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.33            | -54.41      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 483.897         | -43.99      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 836.567         | 32.47       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 6963.728        | -22.81      | -13         | Pass    | 9000        |



### 1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.012           | -56.6       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.23            | -55.53      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 487.297         | -44.18      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 848.77          | 32.39       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 7257.764        | -22.93      | -13         | Pass    | 9000        |



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -63.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.31            | -59.29      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 436.85          | -48.84      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | Peak     | 1849.425        | 29.53       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | Peak     | 19972.956       | -21.05      | -13         | Pass    | 17000       |




## 2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -63.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.75            | -61.29      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 829.498         | -49.12      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | Peak     | 1880.44         | 23.82       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | Peak     | 19553.275       | -21.44      | -13         | Pass    | 17000       |



### 2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -63.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.19            | -60.39      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 791.393         | -48.97      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | Peak     | 1910.455        | 29.03       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | Peak     | 19995.993       | -20.86      | -13         | Pass    | 17000       |



### 3. EGPRS\_GSM850


#### 3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -57.03      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.46            | -53.96      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 365.971         | -43.28      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 824.265         | 29.89       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 7194.756        | -22.92      | -13         | Pass    | 9000        |




### 3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -58.36      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -54.51      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 394.378         | -44.2       | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 836.567         | 27.16       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 7364.777        | -22.5       | -13         | Pass    | 9000        |



### 3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -58.07      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.8             | -54.2       | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 426.384         | -44.5       | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 848.87          | 29.5        | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 8192.878        | -22.78      | -13         | Pass    | 9000        |



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.013           | -62.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.24            | -61.01      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 743.987         | -48.92      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | Peak     | 1850.425        | 29.86       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | Peak     | 19993.99        | -21.18      | -13         | Pass    | 17000       |




#### 4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.016           | -64.33      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.19            | -61.03      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 850.702         | -49.29      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | Peak     | 1880.44         | 29.63       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | Peak     | 19549.268       | -20.89      | -13         | Pass    | 17000       |



#### 4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -64.09      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.28            | -60.75      | -13         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | Peak     | 998.198         | -49.23      | -13         | Pass    | 9699        |
| 1000                  | 3000                 | 1         | Peak     | 1910.455        | 28.63       | -13         | N/A     | 2000        |
| 3000                  | 20000                | 1         | Peak     | 19557.281       | -21.15      | -13         | Pass    | 17000       |



## 5. WCDMA\_Band5


### 5.1. WCDMA Spurious Emission at Antenna Terminals(NTHV)(Channel:4132)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.14      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -65.56      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 388.976         | -54.04      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 826.965         | 18.52       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 7351.775        | -33.06      | -13         | Pass    | 9000        |




## 5.2. WCDMA Spurious Emission at Antenna Terminals(NTHV)(Channel:4182)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.71      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.64            | -65.38      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 481.896         | -54.17      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 836.667         | 17.78       | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 6935.725        | -32.96      | -13         | Pass    | 9000        |



### 5.3. WCDMA Spurious Emission at Antenna Terminals(NTHV)(Channel:4233)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -68.56      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -65.07      | -13         | Pass    | 2985        |
| 30                    | 500                  | 0.1       | Peak     | 479.796         | -54.29      | -13         | Pass    | 4700        |
| 500                   | 1000                 | 0.1       | Peak     | 847.169         | 18.8        | -13         | N/A     | 5000        |
| 1000                  | 10000                | 1         | Peak     | 6933.724        | -32.47      | -13         | Pass    | 9000        |



## 6. LTE\_Band5


**6.1. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:1,  
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.149           | -65.92      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.411           | -44.4       | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 806.399         | -64.94      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.222         | 20.39       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 863.302         | -64.48      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -48.1       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.42      | -13         | Pass    | 7000        |




**6.2. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:2,  
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.097           | -68.53      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.361           | -43.49      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 728.189         | -64.89      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.222         | 19.41       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 860.1           | -64.64      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -48.92      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.39      | -13         | Pass    | 7000        |




**6.3. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:3,  
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.142           | -66.38      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -43.07      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 807.999         | -64.94      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 836.048         | 20.64       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 967.577         | -64.76      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1671.336        | -48.56      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 7204.601        | -44.38      | -13         | Pass    | 7000        |




**6.4. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:4,  
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.133           | -68.28      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.331           | -42.71      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 736.59          | -64.84      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 836.048         | 19.63       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 861.401         | -64.72      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1671.336        | -49.42      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.43      | -13         | Pass    | 7000        |




**6.5. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:5,  
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.145           | -64.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.341           | -42.07      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 806.199         | -64.8       | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 847.874         | 20.46       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 865.804         | -64.69      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1695.348        | -48.55      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.34      | -13         | Pass    | 7000        |




**6.6. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:6,  
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.142           | -65.84      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.371           | -42.2       | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 739.39          | -64.78      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 847.874         | 19.5        | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 860.801         | -64.59      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1695.348        | -49.25      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.32      | -13         | Pass    | 7000        |




**6.7. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:7,  
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -64.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -43.88      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -64.79      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.222         | 20.67       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 955.568         | -64.86      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -47.89      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 7213.602        | -44.39      | -13         | Pass    | 7000        |




**6.8. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:8,  
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.149           | -68.61      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.271           | -45.52      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 813.6           | -64.94      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.222         | 19.73       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 865.604         | -64.75      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -48.68      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.3       | -13         | Pass    | 7000        |




**6.9. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:9,  
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -65.05      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.271           | -43.25      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -64.87      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 835.246         | 20.62       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 867.706         | -64.82      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1670.335        | -48.97      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.38      | -13         | Pass    | 7000        |




**6.10. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:10,  
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.144           | -67.49      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.271           | -43.32      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 750.192         | -64.91      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 835.246         | 19.67       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 861.501         | -64.69      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2944.972        | -49.82      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6949.564        | -44.39      | -13         | Pass    | 7000        |




**6.11. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:11,  
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.148           | -64.72      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.261           | -42.47      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 737.09          | -64.91      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 846.27          | 20.5        | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 864.403         | -64.78      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1692.346        | -48.79      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.39      | -13         | Pass    | 7000        |




**6.12. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:12,  
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.138           | -66.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.341           | -43.62      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 809.899         | -64.93      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 846.27          | 19.53       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 872.309         | -64.75      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1692.346        | -49.64      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.37      | -13         | Pass    | 7000        |




**6.13. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:13,  
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.102           | -65.07      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.241           | -42.02      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 796.398         | -64.89      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.322         | 20.51       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 869.407         | -64.69      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -47.39      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6951.565        | -44.37      | -13         | Pass    | 7000        |




**6.14. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:14,  
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.096           | -67.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.351           | -42.16      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 799.998         | -64.72      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.322         | 19.66       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 870.107         | -64.63      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -48.2       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 7210.602        | -44.43      | -13         | Pass    | 7000        |




**6.15. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:15,  
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.094           | -65.91      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -41.47      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 813.3           | -64.8       | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 834.344         | 20.51       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 874.31          | -64.74      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1668.334        | -48.82      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 7200.6          | -44.44      | -13         | Pass    | 7000        |




**6.16. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:16,  
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.135           | -66.44      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.381           | -44.59      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 812.6           | -64.71      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 834.344         | 19.74       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 878.013         | -64.8       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1668.334        | -49.56      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.33      | -13         | Pass    | 7000        |




**6.17. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:17,  
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.147           | -63.99      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.271           | -43.52      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 801.598         | -64.92      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 844.366         | 20.27       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 860.701         | -64.6       | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1688.344        | -47.12      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6947.564        | -44.42      | -13         | Pass    | 7000        |




**6.18. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:18,  
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.142           | -67.19      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.311           | -42.26      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 813             | -64.89      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 844.366         | 19.76       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 993.295         | -64.77      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1688.344        | -47.98      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.38      | -13         | Pass    | 7000        |




**6.19. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:19,  
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.103           | -64.98      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.351           | -43.62      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -64.76      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.623         | 20.39       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 862.802         | -64.71      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -47.88      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.39      | -13         | Pass    | 7000        |




**6.20. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:20,  
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.102           | -67.01      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -44.76      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 813.9           | -64.78      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 824.623         | 19.68       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 862.102         | -64.74      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1648.324        | -48.63      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6952.565        | -44.41      | -13         | Pass    | 7000        |




**6.21. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:21,  
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.101           | -64.93      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.291           | -42.9       | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 811.5           | -64.85      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 832.139         | 19.96       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 868.406         | -64.75      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1663.332        | -49.53      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6949.564        | -44.36      | -13         | Pass    | 7000        |




**6.22. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:22,  
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.135           | -67.48      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.351           | -42.95      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 810.6           | -64.75      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 832.139         | 18.98       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 862.802         | -64.78      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 2945.973        | -49.79      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6955.565        | -44.38      | -13         | Pass    | 7000        |




**6.23. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:23,  
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.1             | -65.1       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.331           | -42.34      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 798.598         | -64.92      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 839.556         | 20.48       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 867.706         | -64.55      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1678.339        | -47.07      | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 6950.564        | -44.37      | -13         | Pass    | 7000        |



**6.24. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:24,  
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.143           | -67.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -45.02      | -13         | Pass    | 2985        |
| 30                    | 814                  | 0.1       | RMS      | 747.792         | -64.91      | -13         | Pass    | 7840        |
| 814                   | 860                  | 0.1       | RMS      | 839.556         | 19.55       | 60          | Pass    | 460         |
| 860                   | 1000                 | 0.1       | RMS      | 860.901         | -64.65      | -13         | Pass    | 1400        |
| 1000                  | 3000                 | 1         | RMS      | 1678.339        | -47.9       | -13         | Pass    | 2000        |
| 3000                  | 10000                | 1         | RMS      | 7200.6          | -44.41      | -13         | Pass    | 7000        |



## 7. LTE\_Band7


**7.1. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:1,  
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.106           | -63.51      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.311           | -43.35      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 847.9           | -64.51      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.47      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2500.125        | 22.49       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2949.881        | -49.85      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -54.02      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25802.966       | -41.56      | -25         | Pass    | 14000       |




**7.2. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:2,  
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.1             | -66.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -43.23      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 836.198         | -64.58      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -50.66      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2500.125        | 21.59       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2949.881        | -49.84      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -53.97      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25797.965       | -41.49      | -25         | Pass    | 14000       |




### 7.3. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.106           | -63.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.281           | -46.35      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 572.166         | -63.8       | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2482.995        | -51.53      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2532.75         | 22.86       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2948.878        | -49.87      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11550.444       | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25798.965       | -41.48      | -25         | Pass    | 14000       |




**7.4. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:4,  
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.15            | -65.62      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.301           | -44.14      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 856.61          | -64.41      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2488.999        | -51.56      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2532.75         | 22.12       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2945.871        | -49.85      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -54.06      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25764.96        | -41.57      | -25         | Pass    | 14000       |




**7.5. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:5,  
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.115           | -63.41      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.221           | -45.8       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 604.67          | -61.75      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -51.57      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2565.15         | 22.86       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2949.881        | -49.86      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 7559.557        | -54         | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25788.964       | -41.59      | -25         | Pass    | 14000       |




**7.6. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:6,  
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.117           | -63.95      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.511           | -42.84      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 604.67          | -62.34      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2487.999        | -51.56      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2565.15         | 22.12       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2948.878        | -49.84      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11997.998       | -54.04      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25794.965       | -41.45      | -25         | Pass    | 14000       |




**7.7. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:7,  
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -62.22      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.561           | -47.42      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 842.199         | -64.48      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2486.998        | -50.21      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2500.575        | 22.58       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2946.874        | -49.86      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -54.01      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25797.965       | -41.57      | -25         | Pass    | 14000       |




**7.8. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:8,  
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.104           | -66.51      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.341           | -45.08      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 838.699         | -64.57      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2486.998        | -50.57      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2500.575        | 21.72       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2946.874        | -49.86      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11997.998       | -54.03      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25778.962       | -41.56      | -25         | Pass    | 14000       |




**7.9. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:9,  
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.113           | -62.59      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.361           | -46.75      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 569.866         | -64.39      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2488.999        | -51.49      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2530.5          | 22.92       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2951.885        | -49.84      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -54.04      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25793.965       | -41.56      | -25         | Pass    | 14000       |




**7.10. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:10,  
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.105           | -66.02      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.341           | -43.31      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 569.866         | -64.42      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2481.995        | -51.59      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2530.5          | 22.05       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2951.885        | -49.87      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -54.02      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25804.966       | -41.55      | -25         | Pass    | 14000       |




**7.11. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:11,  
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.116           | -64.95      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.301           | -46.31      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 599.87          | -61.74      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2481.995        | -51.58      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2560.425        | 22.95       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2582.005        | -49.8       | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11549.442       | -54.03      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25788.964       | -41.56      | -25         | Pass    | 14000       |




**7.12. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:12,  
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -64.93      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.221           | -44.38      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 599.87          | -62.11      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2486.998        | -51.55      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2560.425        | 22.04       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2945.871        | -49.87      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -54         | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25781.962       | -41.48      | -25         | Pass    | 14000       |




**7.13. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:13,  
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.112           | -63.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.261           | -46.61      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 844.899         | -64.49      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2486.998        | -50.2       | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2500.8          | 22.66       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2949.881        | -49.87      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 7560.557        | -53.98      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25806.967       | -41.57      | -25         | Pass    | 14000       |




**7.14. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:14,  
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.106           | -65.91      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.331           | -45.22      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 843.199         | -64.59      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2486.998        | -50.37      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2500.8          | 21.86       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2950.883        | -49.82      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 7561.557        | -53.97      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25771.961       | -41.51      | -25         | Pass    | 14000       |




**7.15. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:15,  
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.111           | -63.52      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.251           | -45.88      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 846.7           | -64.51      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2487.999        | -51.52      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2528.25         | 22.84       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2948.878        | -49.85      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11553.447       | -53.97      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 26000           | -41.55      | -25         | Pass    | 14000       |




**7.16. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:16,  
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.106           | -66.72      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.241           | -44.18      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 844.499         | -64.54      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2487.999        | -51.49      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2528.25         | 21.93       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2944.869        | -49.81      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -54.03      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25797.965       | -41.52      | -25         | Pass    | 14000       |




**7.17. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:17,  
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.115           | -63.9       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.311           | -47.15      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 595.169         | -61.35      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2487.999        | -51.54      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2555.7          | 23.02       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2582.005        | -48.29      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -53.9       | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25800.966       | -41.55      | -25         | Pass    | 14000       |




**7.18. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:18,  
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.106           | -65.69      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.311           | -44.99      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 595.169         | -61.98      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2487.999        | -51.54      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2555.7          | 22.18       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2582.005        | -48.93      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11550.444       | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25753.958       | -41.54      | -25         | Pass    | 14000       |




**7.19. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:19,  
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.111           | -63.01      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.291           | -45.46      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 835.198         | -64.46      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -48.69      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2501.025        | 22.67       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2949.881        | -49.86      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11995.995       | -53.97      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25797.965       | -41.51      | -25         | Pass    | 14000       |




**7.20. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:20,  
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.105           | -66.46      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.271           | -45.26      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 842.499         | -64.53      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -49.87      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2501.025        | 21.9        | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2947.876        | -49.85      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -53.9       | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25736.955       | -41.58      | -25         | Pass    | 14000       |




**7.21. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:21,  
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.108           | -64.65      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.291           | -45.86      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 840.999         | -64.59      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2490            | -51.49      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2526            | 22.85       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2945.871        | -49.83      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25793.965       | -41.5       | -25         | Pass    | 14000       |




**7.22. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:22,  
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -66.03      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.281           | -44.51      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 810.595         | -64.57      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2480.994        | -51.56      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2526            | 21.97       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2947.876        | -49.84      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11554.449       | -54.02      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25776.962       | -41.52      | -25         | Pass    | 14000       |




**7.23. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:23,  
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.112           | -64.06      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.511           | -42.93      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 590.368         | -61.04      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2480.994        | -51.52      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2550.975        | 22.93       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2948.878        | -49.83      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 11996.996       | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25797.965       | -41.55      | -25         | Pass    | 14000       |



**7.24. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:24,  
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.105           | -65.66      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.351           | -45.83      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 590.368         | -62.08      | -25         | Pass    | 9699        |
| 1000                  | 2490                 | 1         | RMS      | 2477.992        | -51.52      | -25         | Pass    | 1490        |
| 2490                  | 2580                 | 1         | RMS      | 2550.975        | 21.97       | 60          | Pass    | 401         |
| 2580                  | 3000                 | 1         | RMS      | 2950.883        | -49.89      | -25         | Pass    | 420         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -53.98      | -25         | Pass    | 9000        |
| 12000                 | 26000                | 1         | RMS      | 25807.967       | -41.53      | -25         | Pass    | 14000       |



## 8. LTE\_Band38


### 8.1. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.113           | -64.88      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -51.13      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 609.571         | -63.51      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2558.999        | -50.34      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 19.31       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2944.5          | -49.85      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7562.557        | -54.02      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25401.826       | -44.32      | -25         | Pass    | 14500       |




## 8.2. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.116           | -71.83      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.371           | -49.09      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 837.699         | -64.51      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -50.01      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 19.1        | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2949.125        | -49.84      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11549.442       | -54.04      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25393.825       | -44.29      | -25         | Pass    | 14500       |




### 8.3. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.132           | -60.36      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.431           | -47.29      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 835.298         | -64.41      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2533.983        | -51.59      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2592.725        | 19.92       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2943.575        | -49.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11550.444       | -54.02      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25396.825       | -44.39      | -25         | Pass    | 14500       |




#### 8.4. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.11            | -66.97      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.341           | -49.1       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 854.407         | -64.6       | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2534.984        | -51.56      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2592.725        | 18.81       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2948.2          | -49.88      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7778.583        | -54.03      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25404.826       | -44.38      | -25         | Pass    | 14500       |




**8.5. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:5,  
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.125           | -63.03      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -43.69      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 842.699         | -64.52      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2478.948        | -51.55      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2615.125        | 19.82       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2950.05         | -49.87      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7846.592        | -53.25      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25775.885       | -44.37      | -25         | Pass    | 14500       |




# **8.6. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.119           | -67.26      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -50.1       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 859.313         | -64.6       | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2479.949        | -51.58      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2615.3          | 19.29       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2950.05         | -49.83      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7846.592        | -53.47      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25396.825       | -44.35      | -25         | Pass    | 14500       |




**8.7. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:7,  
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.118           | -66.46      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.431           | -47.28      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 609.971         | -63.72      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2557.999        | -49.81      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2570.5          | 20.17       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2949.125        | -49.84      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11548.441       | -54.03      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25782.886       | -44.41      | -25         | Pass    | 14500       |




**8.8. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:8,  
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.107           | -68.11      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.471           | -50.46      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 609.971         | -64.23      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2556.998        | -50.08      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 18.98       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2950.05         | -49.87      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7711.575        | -53.41      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25392.824       | -44.2       | -25         | Pass    | 14500       |




**8.9. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:9,  
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.117           | -64.66      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.501           | -46.89      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 831.098         | -64.44      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2488.954        | -51.57      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2590.45         | 19.93       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2945.425        | -49.88      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7558.556        | -54.02      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25411.827       | -44.38      | -25         | Pass    | 14500       |




# 8.10. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.115           | -71.13      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -46.42      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 849.5           | -64.58      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2481.95         | -51.59      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2590.45         | 18.58       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2950.975        | -49.88      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25399.826       | -44.29      | -25         | Pass    | 14500       |




**8.11. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:11,  
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.119           | -65.94      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -43.15      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 842.299         | -64.42      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2486.953        | -51.59      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2610.4          | 19.69       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2631.85         | -49.53      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7831.59         | -52.72      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25393.825       | -44.33      | -25         | Pass    | 14500       |



# **8.12. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.123           | -69.04      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.361           | -45.63      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 844.099         | -64.53      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2534.984        | -51.56      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2610.4          | 19.17       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2947.275        | -49.85      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11998.999       | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25398.825       | -44.33      | -25         | Pass    | 14500       |




**8.13. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:13,  
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.123           | -64.74      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.171           | -48.58      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 610.171         | -63.88      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2550.994        | -50.48      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2570.675        | 19.89       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2948.2          | -49.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7712.575        | -53.51      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25781.886       | -44.33      | -25         | Pass    | 14500       |




#### 8.14. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.137           | -70.06      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.491           | -49.19      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 610.071         | -64.3       | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2550.994        | -50.73      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2570.675        | 19.21       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2945.425        | -49.81      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11550.444       | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25400.826       | -44.34      | -25         | Pass    | 14500       |




**8.15. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:15,  
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.112           | -67.24      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.561           | -50.86      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 858.612         | -64.59      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2488.954        | -51.58      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2588.35         | 19.54       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2948.2          | -49.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11549.442       | -53.98      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25400.826       | -44.33      | -25         | Pass    | 14500       |




# **8.16. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.118           | -69.4       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.321           | -46.94      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 824.797         | -64.57      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2480.949        | -51.56      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2588.175        | 18.63       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2944.5          | -49.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7559.557        | -53.99      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25397.825       | -44.39      | -25         | Pass    | 14500       |



**8.17. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:17,  
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.125           | -66.06      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.481           | -48         | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 842.799         | -64.54      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2481.95         | -51.54      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2605.675        | 19.86       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2946.35         | -49.88      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7817.588        | -53.44      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25406.827       | -44.39      | -25         | Pass    | 14500       |




**8.18. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:18,  
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.117           | -68.33      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.501           | -46.15      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 845.2           | -64.56      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2481.95         | -51.54      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2605.675        | 19.33       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2948.2          | -49.85      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7817.588        | -53.66      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25401.826       | -44.39      | -25         | Pass    | 14500       |




**8.19. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:19,  
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.114           | -62.6       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.451           | -45.9       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 610.371         | -64.03      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2552.996        | -50.5       | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2571.025        | 19.53       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2945.425        | -49.88      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -54.03      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25402.826       | -44.39      | -25         | Pass    | 14500       |




**8.20. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:20,  
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.114           | -69.25      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.181           | -45.71      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 610.371         | -63.97      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2552.996        | -50.37      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2571.025        | 18.89       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2947.275        | -49.86      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 12000           | -54         | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25759.883       | -44.41      | -25         | Pass    | 14500       |




**8.21. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:21,  
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.122           | -65.14      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.341           | -46.38      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 848.4           | -64.46      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2558.999        | -50.26      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2586.075        | 19.24       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2949.125        | -49.83      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7758.581        | -54.01      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25388.824       | -44.32      | -25         | Pass    | 14500       |




## 8.22. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.113           | -68.22      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -49.99      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 625.373         | -64.38      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2558.999        | -50.49      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2586.075        | 18.55       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2945.425        | -49.87      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11548.441       | -53.98      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25400.826       | -44.4       | -25         | Pass    | 14500       |




**8.23. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:23,  
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.115           | -65.85      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.421           | -46.56      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 830.998         | -64.53      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2482.951        | -51.51      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2601.125        | 19.76       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2946.35         | -49.85      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7803.586        | -53.03      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25368.821       | -44.39      | -25         | Pass    | 14500       |



### 3.24. LTE Spurious Emission at Antenna Terminals(NTHV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.115           | -69.64      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 2.471           | -46.09      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 848.8           | -64.56      | -25         | Pass    | 9699        |
| 1000                  | 2560                 | 1         | RMS      | 2484.952        | -51.57      | -25         | Pass    | 1560        |
| 2560                  | 2630                 | 1         | RMS      | 2601.125        | 18.98       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2944.5          | -49.87      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 7559.557        | -54.07      | -25         | Pass    | 9000        |
| 12000                 | 26500                | 1         | RMS      | 25400.826       | -44.39      | -25         | Pass    | 14500       |



## 9. LTE\_Band41 120M OPPO


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,  
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.31      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.859          | -72.37      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 925.592         | -60.74      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -48.44      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2535.145        | 19.5        | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2998.543        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11400.933       | -38.78      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25869.925       | -41.15      | -25         | Pass    | 15000       |




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.36      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 22.838          | -72.68      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 934.693         | -60.73      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2522.999        | -48.68      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2535.145        | 19.62       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2997.572        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11403.934       | -38.84      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25822.922       | -41.1       | -25         | Pass    | 15000       |




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:40765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.33      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.368          | -72.59      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 914.991         | -60.71      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2510.991        | -49         | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2605.145        | 20.08       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2999.514        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11399.933       | -38.92      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 26501.967       | -41.09      | -25         | Pass    | 15000       |




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:40765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.26      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 22.908          | -72.46      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 892.689         | -60.65      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2517.995        | -48.95      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2605.551        | 19.36       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2993.203        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11420.936       | -38.92      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25839.923       | -41.04      | -25         | Pass    | 15000       |




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.38      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.2             | -72.25      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 991.099         | -60.66      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2513.993        | -48.96      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2650.594        | 20.58       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2665.486        | -47.31      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11402.934       | -38.9       | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25843.923       | -41.05      | -25         | Pass    | 15000       |




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.33      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 27.559          | -72.48      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 918.692         | -60.62      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2512.992        | -48.91      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2650.391        | 19.69       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2665            | -47.27      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11401.934       | -38.91      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25839.923       | -41.06      | -25         | Pass    | 15000       |




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.33      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -71.54      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 879.988         | -60.72      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -48.51      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2535.551        | 20.36       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2998.058        | -47.74      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11399.933       | -38.87      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25851.923       | -41.06      | -25         | Pass    | 15000       |




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.2       | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.52           | -72.61      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 971.797         | -60.63      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2522.999        | -47.99      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2535.551        | 18.91       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 3000            | -47.74      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11403.934       | -38.85      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25806.92        | -41.12      | -25         | Pass    | 15000       |




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:40765, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.3       | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 25.539          | -72.71      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 949.995         | -60.71      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2510.991        | -48.99      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2602.913        | 20.69       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2999.514        | -47.74      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11406.934       | -38.83      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25845.923       | -41.06      | -25         | Pass    | 15000       |




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:40765, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.29      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 22.397          | -72.54      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 918.592         | -60.65      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2510.991        | -49         | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2603.116        | 20.07       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2997.572        | -47.78      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11402.934       | -38.89      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25798.92        | -41.05      | -25         | Pass    | 15000       |




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.35      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.68      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 894.289         | -60.66      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2520.997        | -48.99      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2645.725        | 20.18       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2667.428        | -47.36      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11397.933       | -38.88      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25813.921       | -41.08      | -25         | Pass    | 15000       |




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.28      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.37      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 986.299         | -60.67      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2511.991        | -48.99      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2645.522        | 20.12       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2667.428        | -47.58      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11408.934       | -38.81      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25842.923       | -41.08      | -25         | Pass    | 15000       |




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.31      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.85           | -72.37      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 934.893         | -60.64      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2522.999        | -48.24      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2535.957        | 20.46       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2999.514        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11399.933       | -38.74      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25834.922       | -41.07      | -25         | Pass    | 15000       |




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.3       | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.41      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 957.996         | -60.7       | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2523.999        | -48.7       | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2535.754        | 19.79       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2999.514        | -47.78      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11399.933       | -38.9       | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25851.923       | -41.17      | -25         | Pass    | 15000       |




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:40765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.32      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.22      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 935.993         | -60.72      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2517.995        | -48.95      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2600.884        | 20.2        | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2998.543        | -47.78      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11395.933       | -38.91      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25850.923       | -41.09      | -25         | Pass    | 15000       |




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:40765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.39      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -72.39      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 926.992         | -60.65      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2520.997        | -48.94      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2600.884        | 19.63       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2999.514        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11409.934       | -38.78      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 26493.966       | -41.08      | -25         | Pass    | 15000       |




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.41      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 26.039          | -72.01      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 898.79          | -60.72      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2518.996        | -48.93      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2641.058        | 20.17       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2667.428        | -41.66      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11401.934       | -38.88      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 26481.965       | -41.14      | -25         | Pass    | 15000       |




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.29      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.47            | -72.82      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 995.099         | -60.58      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2517.995        | -48.93      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2641.058        | 20.33       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2667.428        | -41.33      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11403.934       | -38.87      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25808.921       | -41.09      | -25         | Pass    | 15000       |




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.33      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -72.6       | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 938.994         | -60.7       | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -48.24      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2536.159        | 20.69       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2999.029        | -47.77      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11400.933       | -38.87      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25806.92        | -41.12      | -25         | Pass    | 15000       |




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.35      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 28.379          | -72.45      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 993.399         | -60.72      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2525            | -48.62      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2536.159        | 19.92       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 3000            | -47.79      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11398.933       | -38.84      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25800.92        | -41.12      | -25         | Pass    | 15000       |




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,  
Channel:40765, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.36      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.22            | -72.29      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 924.792         | -60.64      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2519.997        | -48.99      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2598.652        | 21.16       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 3000            | -47.82      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11399.933       | -38.87      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25832.922       | -41.08      | -25         | Pass    | 15000       |




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,  
Channel:40765, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.31      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.12      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 957.396         | -60.7       | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2513.993        | -48.96      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2598.652        | 19.25       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2997.087        | -47.73      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11401.934       | -38.76      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25838.923       | -41.09      | -25         | Pass    | 15000       |




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,  
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.37      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -72.42      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 948.095         | -60.7       | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2519.997        | -48.98      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2636.188        | 20.87       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2671.312        | -40.14      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11398.933       | -38.93      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25846.923       | -41.15      | -25         | Pass    | 15000       |



**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,  
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -75.22      | -25         | Pass    | 691         |
| 0.15                  | 30                   | 0.01      | RMS      | 26.179          | -72.52      | -25         | Pass    | 2985        |
| 30                    | 1000                 | 0.1       | RMS      | 984.998         | -60.57      | -25         | Pass    | 9700        |
| 1000                  | 2525                 | 1         | RMS      | 2518.996        | -49.02      | -25         | Pass    | 1525        |
| 2525                  | 2665                 | 1         | RMS      | 2636.188        | 19.79       | 60          | Pass    | 691         |
| 2665                  | 3000                 | 1         | RMS      | 2671.797        | -41.18      | -25         | Pass    | 691         |
| 3000                  | 12000                | 1         | RMS      | 11405.934       | -38.88      | -25         | Pass    | 9000        |
| 12000                 | 27000                | 1         | RMS      | 25830.922       | -41.12      | -25         | Pass    | 15000       |



END