


21.24. CA Band Edge(NTNV)(Subtest:24, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	0.1	RMS	2588.733	-3.94	30	Pass	601
2620	2621	1	RMS	2620	-32.98	-10	Pass	2
2621	2625	1	RMS	2621.507	-33.61	-10	Pass	601
2625	2660	1	RMS	2625.758	-33.8	-13	Pass	601
2660	2665	1	RMS	2660.058	-41.56	-25	Pass	601



22. CA_41C_full


22.1. CA Band Edge(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.625	-32.99	-25	Pass	601
2490	2495	1	RMS	2495	-40.89	-13	Pass	6
2495	2496	0.3	RMS	2496	-34.46	-13	Pass	601
2496	2521	0.1	RMS	2515.542	8.82	30	Pass	601




22.2. CA Band Edge(NTNV)(Subtest:2, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2475.025	-45.3	-25	Pass	601
2490	2495	1	RMS	2495	-41.2	-13	Pass	6
2495	2496	0.3	RMS	2495.997	-35.6	-13	Pass	601
2496	2521	0.1	RMS	2519.875	7.96	30	Pass	601




22.3. CA Band Edge(NTNV)(Subtest:3, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-33.72	-25	Pass	601
2490	2495	1	RMS	2495	-33.05	-13	Pass	6
2495	2496	0.3	RMS	2495.985	-36.73	-13	Pass	601
2496	2521	0.1	RMS	2517.708	1.76	30	Pass	601




22.4. CA Band Edge(NTNV)(Subtest:4, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2478.6	-39.49	-25	Pass	601
2490	2495	1	RMS	2495	-40.87	-13	Pass	6
2495	2496	0.3	RMS	2495.997	-35.5	-13	Pass	601
2496	2521	0.1	RMS	2515.583	7.59	30	Pass	601




22.5. CA Band Edge(NTNV)(Subtest:5, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.9	-45.28	-25	Pass	601
2490	2495	1	RMS	2495	-40.52	-13	Pass	6
2495	2496	0.3	RMS	2496	-34.25	-13	Pass	601
2496	2521	0.1	RMS	2519.875	7.56	30	Pass	601




22.6. CA Band Edge(NTNV)(Subtest:6, Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.9	-35.39	-25	Pass	601
2490	2495	1	RMS	2495	-34.03	-13	Pass	6
2495	2496	0.3	RMS	2495.987	-37.18	-13	Pass	601
2496	2521	0.1	RMS	2517.75	0.64	30	Pass	601




22.7. CA Band Edge(NTNV)(Subtest:7, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	8.35	30	Pass	601
2690	2691	0.51	RMS	2690.003	-39.22	-10	Pass	601
2691	2695	1	RMS	2691	-41.24	-10	Pass	5
2695	2715	3	RMS	2711.433	-29.92	-13	Pass	601
2715	2735	1	RMS	2715.067	-45.42	-25	Pass	601




22.8. CA Band Edge(NTNV)(Subtest:8, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.833	8.44	30	Pass	601
2690	2691	0.51	RMS	2690.015	-40.63	-10	Pass	601
2691	2695	1	RMS	2694	-26.35	-10	Pass	5
2695	2715	3	RMS	2695.033	-27.94	-13	Pass	601
2715	2735	1	RMS	2715.467	-45.41	-25	Pass	601




22.9. CA Band Edge(NTNV)(Subtest:9, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2686.417	2.41	30	Pass	601
2690	2691	0.51	RMS	2690.002	-30.08	-10	Pass	601
2691	2695	1	RMS	2695	-27.88	-10	Pass	5
2695	2715	3	RMS	2696.2	-22.44	-13	Pass	601
2715	2735	1	RMS	2715.2	-41.29	-25	Pass	601




22.10. CA Band Edge(NTNV)(Subtest:10, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2688.875	7.75	30	Pass	601
2690	2691	0.51	RMS	2690	-40.14	-10	Pass	601
2691	2695	1	RMS	2691	-41.79	-10	Pass	5
2695	2715	3	RMS	2711.433	-30.27	-13	Pass	601
2715	2735	1	RMS	2715.467	-45.42	-25	Pass	601




22.11. CA Band Edge(NTNV)(Subtest:11, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2683.875	8.72	30	Pass	601
2690	2691	0.51	RMS	2690.013	-40.66	-10	Pass	601
2691	2695	1	RMS	2694	-27.09	-10	Pass	5
2695	2715	3	RMS	2695.033	-28.15	-13	Pass	601
2715	2735	1	RMS	2715.267	-45.39	-25	Pass	601




22.12. CA Band Edge(NTNV)(Subtest:12, Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2665	2690	0.1	RMS	2687.292	1.06	30	Pass	601
2690	2691	0.51	RMS	2690.008	-30.27	-10	Pass	601
2691	2695	1	RMS	2691	-28.66	-10	Pass	5
2695	2715	3	RMS	2695.3	-23.73	-13	Pass	601
2715	2735	1	RMS	2715.1	-42.33	-25	Pass	601




22.13. CA Band Edge(NTNV)(Subtest:13, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.3	-34.78	-25	Pass	601
2490	2495	1	RMS	2495	-41.9	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-32.11	-13	Pass	601
2496	2536	0.1	RMS	2516.867	7.44	30	Pass	601




22.14. CA Band Edge(NTNV)(Subtest:14, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-45.57	-25	Pass	601
2490	2495	1	RMS	2495	-41.31	-13	Pass	6
2495	2496	0.51	RMS	2496	-31.11	-13	Pass	601
2496	2536	0.1	RMS	2497.067	7.66	30	Pass	601




22.15. CA Band Edge(NTNV)(Subtest:15, Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.95	-34.38	-25	Pass	601
2490	2495	1	RMS	2495	-33.9	-13	Pass	6
2495	2496	0.51	RMS	2495.992	-34.63	-13	Pass	601
2496	2536	0.1	RMS	2506.333	-3.79	30	Pass	601




22.16. CA Band Edge(NTNV)(Subtest:16, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2477.275	-35.29	-25	Pass	601
2490	2495	1	RMS	2495	-40.73	-13	Pass	6
2495	2496	0.51	RMS	2495.998	-30.75	-13	Pass	601
2496	2536	0.1	RMS	2516.867	7.72	30	Pass	601




22.17. CA Band Edge(NTNV)(Subtest:17, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.97	-25	Pass	601
2490	2495	1	RMS	2495	-39.73	-13	Pass	6
2495	2496	0.51	RMS	2495.995	-30.18	-13	Pass	601
2496	2536	0.1	RMS	2497.067	8.17	30	Pass	601




22.18. CA Band Edge(NTNV)(Subtest:18, Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:Low+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.975	-35.36	-25	Pass	601
2490	2495	1	RMS	2495	-34.81	-13	Pass	6
2495	2496	0.51	RMS	2495.985	-35.97	-13	Pass	601
2496	2536	0.1	RMS	2509.4	-4.89	30	Pass	601




22.19. CA Band Edge(NTNV)(Subtest:19, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2651.267	7.66	30	Pass	601
2690	2691	1	RMS	2690	-27.38	-10	Pass	2
2691	2695	1	RMS	2691	-40.37	-10	Pass	5
2695	2730	3	RMS	2695.058	-39.1	-13	Pass	601
2730	2735	1	RMS	2730	-45.77	-25	Pass	601




22.20. CA Band Edge(NTNV)(Subtest:20, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.933	8.79	30	Pass	601
2690	2691	1	RMS	2690	-26.57	-10	Pass	2
2691	2695	1	RMS	2691	-40.32	-10	Pass	5
2695	2730	3	RMS	2708.592	-29.01	-13	Pass	601
2730	2735	1	RMS	2731.275	-45.77	-25	Pass	601




22.21. CA Band Edge(NTNV)(Subtest:21, Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2677	-3.48	30	Pass	601
2690	2691	1	RMS	2690.003	-15.43	-10	Pass	601
2691	2695	1	RMS	2691	-29.57	-10	Pass	5
2695	2730	3	RMS	2695.175	-23.94	-13	Pass	601
2730	2735	1	RMS	2730.35	-45.71	-25	Pass	601




22.22. CA Band Edge(NTNV)(Subtest:22, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:Low+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.867	7.94	30	Pass	601
2690	2691	1	RMS	2690	-26.75	-10	Pass	2
2691	2695	1	RMS	2691	-41.48	-10	Pass	5
2695	2730	3	RMS	2695	-39.27	-13	Pass	601
2730	2735	1	RMS	2733.7	-45.77	-25	Pass	601




22.23. CA Band Edge(NTNV)(Subtest:23, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2688.867	8.08	30	Pass	601
2690	2691	1	RMS	2690	-26.56	-10	Pass	2
2691	2695	1	RMS	2691	-40.63	-10	Pass	5
2695	2730	3	RMS	2708.592	-29.59	-13	Pass	601
2730	2735	1	RMS	2730.983	-45.76	-25	Pass	601



22.24. CA Band Edge(NTNV)(Subtest:24, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:Full+Full, RB Position:High+High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2690	0.1	RMS	2679.6	-4.69	30	Pass	601
2690	2691	1	RMS	2690.002	-16.84	-10	Pass	601
2691	2695	1	RMS	2691	-30.73	-10	Pass	5
2695	2730	3	RMS	2695.117	-25.72	-13	Pass	601
2730	2735	1	RMS	2730.567	-45.75	-25	Pass	601




NR

23. n5 15kHz


23.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.1	-48.18	-13	Pass	401
823	824	0.051	RMS	824	-20.31	-13	Pass	401
824	844	0.1	RMS	824.35	18.83	30	Pass	401




23.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-33.35	-13	Pass	401
823	824	0.051	RMS	823.998	-29.29	-13	Pass	401
824	844	0.1	RMS	827.2	6.15	30	Pass	401




23.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-48.4	-13	Pass	401
823	824	0.051	RMS	824	-19.02	-13	Pass	401
824	844	0.1	RMS	824.35	20.38	30	Pass	401




23.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-32.36	-13	Pass	401
823	824	0.051	RMS	823.97	-30	-13	Pass	401
824	844	0.1	RMS	825.35	7.36	30	Pass	401




23.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.98	30	Pass	401
849	850	0.051	RMS	849	-20.68	-13	Pass	401
850	874	0.1	RMS	850	-49.17	-13	Pass	401




23.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.15	6.19	30	Pass	401
849	850	0.051	RMS	849.003	-30.33	-13	Pass	401
850	874	0.1	RMS	850	-33.57	-13	Pass	401




23.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20.1	30	Pass	401
849	850	0.051	RMS	849.005	-18.41	-13	Pass	401
850	874	0.1	RMS	850	-48.78	-13	Pass	401




23.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.35	7.31	30	Pass	401
849	850	0.051	RMS	849.005	-29.77	-13	Pass	401
850	874	0.1	RMS	850.06	-33.82	-13	Pass	401




23.9. Band Edge for SA(NTNV)(Subtest:9, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.5	-49.34	-13	Pass	401
823	824	0.15	RMS	824	-18.84	-13	Pass	401
824	844	0.1	RMS	824.5	18.99	30	Pass	401




23.10. Band Edge for SA(NTNV)(Subtest:10, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-35.69	-13	Pass	401
823	824	0.15	RMS	823.985	-31.21	-13	Pass	401
824	844	0.1	RMS	825.3	2.43	30	Pass	401




23.11. Band Edge for SA(NTNV)(Subtest:11, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	818.56	-48.5	-13	Pass	401
823	824	0.15	RMS	823.99	-18.33	-13	Pass	401
824	844	0.1	RMS	824.5	20.24	30	Pass	401




23.12. Band Edge for SA(NTNV)(Subtest:12, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-34.36	-13	Pass	401
823	824	0.15	RMS	823.998	-29.09	-13	Pass	401
824	844	0.1	RMS	825.35	2.85	30	Pass	401




23.13. Band Edge for SA(NTNV)(Subtest:13, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.91	30	Pass	401
849	850	0.15	RMS	849.008	-20.22	-13	Pass	401
850	874	0.1	RMS	850.06	-49.68	-13	Pass	401




23.14. Band Edge for SA(NTNV)(Subtest:14, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	847.75	1.69	30	Pass	401
849	850	0.15	RMS	849.03	-34	-13	Pass	401
850	874	0.1	RMS	850.12	-37.27	-13	Pass	401




23.15. Band Edge for SA(NTNV)(Subtest:15, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.55	20.2	30	Pass	401
849	850	0.15	RMS	849.005	-17.96	-13	Pass	401
850	874	0.1	RMS	850	-49.25	-13	Pass	401




23.16. Band Edge for SA(NTNV)(Subtest:16, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.1	2.9	30	Pass	401
849	850	0.15	RMS	849.858	-35.78	-13	Pass	401
850	874	0.1	RMS	850	-38.65	-13	Pass	401




23.17. Band Edge for SA(NTNV)(Subtest:17, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-48.04	-13	Pass	401
823	824	0.2	RMS	824	-17.2	-13	Pass	6
824	844	0.1	RMS	824.55	18.6	30	Pass	401




23.18. Band Edge for SA(NTNV)(Subtest:18, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-37.53	-13	Pass	401
823	824	0.2	RMS	823.993	-29.64	-13	Pass	401
824	844	0.1	RMS	827.9	0.81	30	Pass	401




23.19. Band Edge for SA(NTNV)(Subtest:19, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-47.63	-13	Pass	401
823	824	0.05	RMS	824	-22.43	-13	Pass	21
824	844	0.1	RMS	824.55	20.01	30	Pass	401




23.20. Band Edge for SA(NTNV)(Subtest:20, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-36.36	-13	Pass	401
823	824	0.2	RMS	823.998	-29.85	-13	Pass	401
824	844	0.1	RMS	825.5	1.59	30	Pass	401




23.21. Band Edge for SA(NTNV)(Subtest:21, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.92	30	Pass	401
849	850	0.2	RMS	849.008	-16.19	-13	Pass	401
850	874	0.1	RMS	850	-48.69	-13	Pass	401




23.22. Band Edge for SA(NTNV)(Subtest:22, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.05	0.75	30	Pass	401
849	850	0.2	RMS	849.03	-36.98	-13	Pass	401
850	874	0.1	RMS	850.12	-40.4	-13	Pass	401




23.23. Band Edge for SA(NTNV)(Subtest:23, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	20.14	30	Pass	401
849	850	0.05	RMS	849	-21.02	-13	Pass	21
850	874	0.1	RMS	850	-46.24	-13	Pass	401



23.24. Band Edge for SA(NTNV)(Subtest:24, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	831.95	1.25	30	Pass	401
849	850	0.2	RMS	849.128	-36.6	-13	Pass	401
850	874	0.1	RMS	850.42	-40.14	-13	Pass	401



24. n7 15kHz


24.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-48.07	-25	Pass	401
2494	2496	1	RMS	2495.91	-42.91	-13	Pass	401
2496	2499	1	RMS	2499	-37.8	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-20.6	-10	Pass	401
2500	2520	1	RMS	2500.35	20.91	30	Pass	401




24.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-38.4	-25	Pass	401
2494	2496	1	RMS	2495.995	-33.83	-13	Pass	401
2496	2499	1	RMS	2499	-27.29	-10	Pass	4
2499	2500	0.1	RMS	2500	-29.72	-10	Pass	401
2500	2520	1	RMS	2502.55	14.84	30	Pass	401




24.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-47.79	-25	Pass	401
2494	2496	1	RMS	2495.98	-42.65	-13	Pass	401
2496	2499	1	RMS	2499	-37.58	-10	Pass	4
2499	2500	0.051	RMS	2500	-18.18	-10	Pass	401
2500	2520	1	RMS	2500.35	21.82	30	Pass	401




24.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37.43	-25	Pass	401
2494	2496	1	RMS	2495.99	-31.47	-13	Pass	401
2496	2499	1	RMS	2499	-25.19	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-28.44	-10	Pass	401
2500	2520	1	RMS	2503.25	15.74	30	Pass	401




24.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.7	21.06	30	Pass	401
2570	2571	0.051	RMS	2570	-21.01	-10	Pass	401
2571	2575	1	RMS	2571	-37.71	-10	Pass	5
2575	2576	1	RMS	2575.098	-44.97	-13	Pass	401
2576	2595	1	RMS	2576	-48.14	-25	Pass	401




24.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.5	14.98	30	Pass	401
2570	2571	0.1	RMS	2570.008	-27.94	-10	Pass	401
2571	2575	1	RMS	2571	-24.98	-10	Pass	5
2575	2576	1	RMS	2575.008	-35.85	-13	Pass	401
2576	2595	1	RMS	2576	-38.05	-25	Pass	401




24.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.65	21.98	30	Pass	401
2570	2571	0.051	RMS	2570.005	-22.04	-10	Pass	401
2571	2575	1	RMS	2571	-37.27	-10	Pass	5
2575	2576	1	RMS	2575.015	-44.93	-13	Pass	401
2576	2595	1	RMS	2576	-47.99	-25	Pass	401




24.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.35	15.88	30	Pass	401
2570	2571	0.1	RMS	2570.005	-26.66	-10	Pass	401
2571	2575	1	RMS	2571	-22.05	-10	Pass	5
2575	2576	1	RMS	2575.01	-34.98	-13	Pass	401
2576	2595	1	RMS	2576	-37.25	-25	Pass	401




24.9. Band Edge for SA(NTNV)(Subtest:9, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-49.89	-25	Pass	401
2485	2496	1	RMS	2493.47	-42.67	-13	Pass	401
2496	2499	1	RMS	2499	-37.29	-10	Pass	4
2499	2500	0.051	RMS	2499.993	-25.54	-10	Pass	401
2500	2520	1	RMS	2500.5	20.82	30	Pass	401




24.10. Band Edge for SA(NTNV)(Subtest:10, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.975	-45	-25	Pass	401
2485	2496	1	RMS	2496	-31.92	-13	Pass	401
2496	2499	1	RMS	2499	-30.55	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-25.7	-10	Pass	401
2500	2520	1	RMS	2512.4	10.06	30	Pass	401




24.11. Band Edge for SA(NTNV)(Subtest:11, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.775	-49.81	-25	Pass	401
2485	2496	1	RMS	2486.65	-48.17	-13	Pass	401
2496	2499	1	RMS	2499	-34.87	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-23.45	-10	Pass	401
2500	2520	1	RMS	2500.5	21.8	30	Pass	401




24.12. Band Edge for SA(NTNV)(Subtest:12, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-44.1	-25	Pass	401
2485	2496	1	RMS	2495.643	-30.12	-13	Pass	401
2496	2499	1	RMS	2499	-28.26	-10	Pass	4
2499	2500	0.3	RMS	2499.995	-25.09	-10	Pass	401
2500	2520	1	RMS	2512.35	11.07	30	Pass	401




24.13. Band Edge for SA(NTNV)(Subtest:13, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.55	20.9	30	Pass	401
2570	2571	0.051	RMS	2570.003	-26.49	-10	Pass	401
2571	2575	1	RMS	2571	-36.83	-10	Pass	5
2575	2585	1	RMS	2575.75	-43.22	-13	Pass	401
2585	2595	1	RMS	2585	-49.45	-25	Pass	401




24.14. Band Edge for SA(NTNV)(Subtest:14, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.55	10.2	30	Pass	401
2570	2571	0.3	RMS	2570.02	-33.77	-10	Pass	401
2571	2575	1	RMS	2571	-30.61	-10	Pass	5
2575	2585	1	RMS	2575.1	-32.91	-13	Pass	401
2585	2595	1	RMS	2585.2	-43.37	-25	Pass	401




24.15. Band Edge for SA(NTNV)(Subtest:15, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.78	30	Pass	401
2570	2571	0.051	RMS	2570.01	-25.67	-10	Pass	401
2571	2575	1	RMS	2571	-37.17	-10	Pass	5
2575	2585	1	RMS	2575.75	-42.74	-13	Pass	401
2585	2595	1	RMS	2585.075	-49.58	-25	Pass	401




24.16. Band Edge for SA(NTNV)(Subtest:16, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.85	11.28	30	Pass	401
2570	2571	0.3	RMS	2570.168	-31.56	-10	Pass	401
2571	2575	1	RMS	2571	-27.74	-10	Pass	5
2575	2585	1	RMS	2575	-30.38	-13	Pass	401
2585	2595	1	RMS	2585	-43.08	-25	Pass	401




24.17. Band Edge for SA(NTNV)(Subtest:17, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.975	-50.81	-25	Pass	401
2480	2496	1	RMS	2491.28	-44.79	-13	Pass	401
2496	2499	1	RMS	2499	-33.99	-10	Pass	4
2499	2500	0.051	RMS	2499.988	-23.33	-10	Pass	401
2500	2520	1	RMS	2500.5	20.82	30	Pass	401




24.18. Band Edge for SA(NTNV)(Subtest:18, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.988	-48.97	-25	Pass	401
2480	2496	1	RMS	2495.8	-32.94	-13	Pass	401
2496	2499	1	RMS	2499	-31.56	-10	Pass	4
2499	2500	0.5	RMS	2500	-29.07	-10	Pass	3
2500	2520	1	RMS	2516.55	8.87	30	Pass	401




24.19. Band Edge for SA(NTNV)(Subtest:19, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.875	-50.86	-25	Pass	401
2480	2496	1	RMS	2491.36	-44.6	-13	Pass	401
2496	2499	1	RMS	2499	-31.33	-10	Pass	4
2499	2500	0.051	RMS	2499.995	-20.28	-10	Pass	401
2500	2520	1	RMS	2500.55	21.76	30	Pass	401




24.20. Band Edge for SA(NTNV)(Subtest:20, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.938	-48.54	-25	Pass	401
2480	2496	1	RMS	2495.92	-30.51	-13	Pass	401
2496	2499	1	RMS	2499	-28.59	-10	Pass	4
2499	2500	0.5	RMS	2500	-25.76	-10	Pass	3
2500	2520	1	RMS	2515.75	9.86	30	Pass	401




24.21. Band Edge for SA(NTNV)(Subtest:21, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	20.92	30	Pass	401
2570	2571	0.051	RMS	2570.003	-23.5	-10	Pass	401
2571	2575	1	RMS	2571	-33.42	-10	Pass	5
2575	2590	1	RMS	2578.675	-44.57	-13	Pass	401
2590	2595	1	RMS	2594.913	-50.55	-25	Pass	401




24.22. Band Edge for SA(NTNV)(Subtest:22, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2555.7	8.95	30	Pass	401
2570	2571	0.51	RMS	2570.008	-33.34	-10	Pass	401
2571	2575	1	RMS	2571	-31.4	-10	Pass	5
2575	2590	1	RMS	2575.113	-33.43	-13	Pass	401
2590	2595	1	RMS	2590.138	-47.28	-25	Pass	401




24.23. Band Edge for SA(NTNV)(Subtest:23, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	21.82	30	Pass	401
2570	2571	0.051	RMS	2570.018	-23.61	-10	Pass	401
2571	2575	1	RMS	2571	-34.83	-10	Pass	5
2575	2590	1	RMS	2578.638	-43.85	-13	Pass	401
2590	2595	1	RMS	2590.463	-50.51	-25	Pass	401



24.24. Band Edge for SA(NTNV)(Subtest:24, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.55	10.19	30	Pass	401
2570	2571	0.51	RMS	2570.11	-31.14	-10	Pass	401
2571	2575	1	RMS	2571	-29.13	-10	Pass	5
2575	2590	1	RMS	2575.075	-30.83	-13	Pass	401
2590	2595	1	RMS	2590.113	-47.24	-25	Pass	401



25. NR_n38_SCS30_10M_L_Edge_1RB_Left(16QAM)

25.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-48.45	-25	Pass	401
2560	2565	1	RMS	2564.95	-44.28	-13	Pass	401
2565	2569	1	RMS	2569	-35.57	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-27.49	-10	Pass	401
2570	2670	0.1	RMS	2570.901	15.44	30	Pass	1000



25. NR_n38_SCS30_10M_L_Outer_Full(16QAM)

25.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-38	-25	Pass	401
2560	2565	1	RMS	2564.963	-31.81	-13	Pass	401
2565	2569	1	RMS	2569	-29.29	-10	Pass	5
2569	2570	0.1	RMS	2569.99	-35.66	-10	Pass	401
2570	2670	0.1	RMS	2576.306	2.95	30	Pass	1000



25. NR_n38_SCS30_10M_L_Edge_1RB_Left(QPSK)

25.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-48.53	-25	Pass	401
2560	2565	1	RMS	2564.95	-44.21	-13	Pass	401
2565	2569	1	RMS	2569	-33.89	-10	Pass	5
2569	2570	0.1	RMS	2569.993	-25.85	-10	Pass	401
2570	2670	0.1	RMS	2570.901	17.03	30	Pass	1000



25. NR_n38_SCS30_10M_L_Outer_Full(QPSK)

25.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2560	1	RMS	2560	-38.39	-25	Pass	401
2560	2565	1	RMS	2564.938	-30.21	-13	Pass	401
2565	2569	1	RMS	2569	-28.3	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-35.14	-10	Pass	401
2570	2670	0.1	RMS	2576.907	3.89	30	Pass	1000



25. NR_n38_SCS30_10M_H_Edge_1RB_Right(16QAM)

25.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	18.29	30	Pass	1000
2620	2621	0.2	RMS	2620	-53.62	-10	Pass	6
2621	2625	1	RMS	2621	-19.48	-10	Pass	401
2625	2630	1	RMS	2625.013	-41.13	-13	Pass	401
2630	2725	1	RMS	2630	-45.39	-25	Pass	401



25. NR_n38_SCS30_10M_H_Outer_Full(16QAM)

25.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2618.098	5.76	30	Pass	1000
2620	2621	0.2	RMS	2620.4	-55.07	-10	Pass	6
2621	2625	1	RMS	2621	-27.51	-10	Pass	401
2625	2630	1	RMS	2625.05	-30.26	-13	Pass	401
2630	2725	1	RMS	2630	-34.32	-25	Pass	401



25. NR_n38_SCS30_10M_H_Edge_1RB_Right(QPSK)

25.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	19.66	30	Pass	1000
2620	2621	0.2	RMS	2620	-53.6	-10	Pass	6
2621	2625	1	RMS	2621	-18.2	-10	Pass	401
2625	2630	1	RMS	2625.05	-41.01	-13	Pass	401
2630	2725	1	RMS	2630	-45.24	-25	Pass	401



25. NR_n38_SCS30_10M_H_Outer_Full(QPSK)

25.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2615.596	6.81	30	Pass	1000
2620	2621	0.2	RMS	2620.2	-55.02	-10	Pass	6
2621	2625	1	RMS	2621	-26.94	-10	Pass	401
2625	2630	1	RMS	2625.425	-29.93	-13	Pass	401
2630	2725	1	RMS	2630.238	-34.75	-25	Pass	401



25. NR_n38_SCS30_15M_L_Edge_1RB_Left(16QAM)

25.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2554.775	-48.78	-25	Pass	401
2555	2565	1	RMS	2564.325	-41.34	-13	Pass	401
2565	2569	1	RMS	2569	-34.27	-10	Pass	5
2569	2570	0.2	RMS	2570	-22.43	-10	Pass	401
2570	2670	0.1	RMS	2570.901	15.88	30	Pass	1000



25. NR_n38_SCS30_15M_L_Outer_Full(16QAM)

25.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2555	-39.74	-25	Pass	401
2555	2565	1	RMS	2564.95	-31.89	-13	Pass	401
2565	2569	1	RMS	2569	-30.65	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-32.69	-10	Pass	401
2570	2670	0.1	RMS	2582.112	1.15	30	Pass	1000



25. NR_n38_SCS30_15M_L_Edge_1RB_Left(QPSK)

25.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2554.775	-48.77	-25	Pass	401
2555	2565	1	RMS	2564.35	-40.78	-13	Pass	401
2565	2569	1	RMS	2569	-32.42	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-20.89	-10	Pass	401
2570	2670	0.1	RMS	2570.901	16.8	30	Pass	1000



25. NR_n38_SCS30_15M_L_Outer_Full(QPSK)

25.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2555	1	RMS	2555	-40.2	-25	Pass	401
2555	2565	1	RMS	2564.825	-30.52	-13	Pass	401
2565	2569	1	RMS	2569	-29.7	-10	Pass	5
2569	2570	0.2	RMS	2569.993	-31.35	-10	Pass	401
2570	2670	0.1	RMS	2574.404	1.99	30	Pass	1000



25. NR_n38_SCS30_15M_H_Edge_1RB_Right(16QAM)

25.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	18.43	30	Pass	1000
2620	2621	0.4	RMS	2620	-14.74	-10	Pass	4
2621	2625	1	RMS	2621	-18.59	-10	Pass	401
2625	2635	1	RMS	2625.375	-38.82	-13	Pass	401
2635	2725	1	RMS	2635	-45.7	-25	Pass	401



25. NR_n38_SCS30_15M_H_Outer_Full(16QAM)

25.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2610.891	4.57	30	Pass	1000
2620	2621	0.4	RMS	2620	-33.36	-10	Pass	4
2621	2625	1	RMS	2621.02	-29.83	-10	Pass	401
2625	2635	1	RMS	2625.05	-30.85	-13	Pass	401
2635	2725	1	RMS	2635	-36.45	-25	Pass	401



25. NR_n38_SCS30_15M_H_Edge_1RB_Right(QPSK)

25.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.199	19.65	30	Pass	1000
2620	2621	0.4	RMS	2620	-13.65	-10	Pass	4
2621	2625	1	RMS	2621	-16.83	-10	Pass	401
2625	2635	1	RMS	2625.675	-38.11	-13	Pass	401
2635	2725	1	RMS	2635	-45.68	-25	Pass	401



25. NR_n38_SCS30_15M_H_Outer_Full(QPSK)

25.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2614.194	5.72	30	Pass	1000
2620	2621	0.4	RMS	2620	-33.57	-10	Pass	4
2621	2625	1	RMS	2621	-29.23	-10	Pass	401
2625	2635	1	RMS	2625.2	-30.67	-13	Pass	401
2635	2725	1	RMS	2635	-36.52	-25	Pass	401



25. NR_n38_SCS30_20M_L_Edge_1RB_Left(16QAM)

25.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2550	-50.3	-25	Pass	401
2550	2565	1	RMS	2562.075	-43.38	-13	Pass	401
2565	2569	1	RMS	2569	-33.68	-10	Pass	5
2569	2570	0.2	RMS	2570	-23.48	-10	Pass	401
2570	2670	0.1	RMS	2571.101	15.66	30	Pass	1000



25. NR_n38_SCS30_20M_L_Outer_Full(16QAM)

25.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2550	-41.03	-25	Pass	401
2550	2565	1	RMS	2564.888	-32.52	-13	Pass	401
2565	2569	1	RMS	2569	-32.23	-10	Pass	5
2569	2570	0.2	RMS	2570	-35.82	-10	Pass	401
2570	2670	0.1	RMS	2586.316	-0.21	30	Pass	1000



25. NR_n38_SCS30_20M_L_Edge_1RB_Left(QPSK)

25.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2549.575	-50.26	-25	Pass	401
2550	2565	1	RMS	2562.075	-42.78	-13	Pass	401
2565	2569	1	RMS	2569	-32.67	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-22.1	-10	Pass	401
2570	2670	0.1	RMS	2571.101	16.98	30	Pass	1000



25. NR_n38_SCS30_20M_L_Outer_Full(QPSK)

25.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2550	1	RMS	2540.65	-41.33	-25	Pass	401
2550	2565	1	RMS	2565	-31.41	-13	Pass	401
2565	2569	1	RMS	2569	-30.82	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-33.04	-10	Pass	401
2570	2670	0.1	RMS	2573.504	0.93	30	Pass	1000



25. NR_n38_SCS30_20M_H_Edge_1RB_Right(16QAM)

25.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2618.999	18.43	30	Pass	1000
2620	2621	0.4	RMS	2620	-17.28	-10	Pass	4
2621	2625	1	RMS	2621	-23.5	-10	Pass	401
2625	2640	1	RMS	2628.075	-40.48	-13	Pass	401
2640	2725	1	RMS	2640	-47.24	-25	Pass	401



25. NR_n38_SCS30_20M_H_Outer_Full(16QAM)

25.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2612.593	2.68	30	Pass	1000
2620	2621	0.4	RMS	2620	-33.5	-10	Pass	4
2621	2625	1	RMS	2621.05	-30.45	-10	Pass	401
2625	2640	1	RMS	2625	-31.34	-13	Pass	401
2640	2725	1	RMS	2641.275	-37.21	-25	Pass	401



25. NR_n38_SCS30_20M_H_Edge_1RB_Right(QPSK)

25.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2619.099	19.43	30	Pass	1000
2620	2621	0.4	RMS	2620	-16.24	-10	Pass	4
2621	2625	1	RMS	2621	-22.52	-10	Pass	401
2625	2640	1	RMS	2627.888	-39.94	-13	Pass	401
2640	2725	1	RMS	2640	-47.16	-25	Pass	401



25. NR_n38_SCS30_20M_H_Outer_Full(QPSK)

25.24. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	0.1	RMS	2615.596	4.16	30	Pass	1000
2620	2621	0.4	RMS	2620	-32.93	-10	Pass	4
2621	2625	1	RMS	2621.86	-29.95	-10	Pass	401
2625	2640	1	RMS	2625	-31.2	-13	Pass	401
2640	2725	1	RMS	2640.85	-37.29	-25	Pass	401



26. n41 30kHz_PC3


26.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.28	-25	Pass	401
2490	2495	1	RMS	2495	-25.36	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.88	-10	Pass	401
2496	2596	1	RMS	2496.75	20.61	30	Pass	401




26.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-34.46	-25	Pass	401
2490	2495	1	RMS	2494.988	-28.18	-13	Pass	401
2495	2496	0.2	RMS	2496	-57.92	-10	Pass	6
2496	2596	1	RMS	2504	12.11	30	Pass	401




26.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.04	-25	Pass	401
2490	2495	1	RMS	2495	-25.38	-13	Pass	401
2495	2496	0.051	RMS	2496	-26.82	-10	Pass	401
2496	2596	1	RMS	2496.75	21.74	30	Pass	401




26.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-32.42	-25	Pass	401
2490	2495	1	RMS	2495	-26.91	-13	Pass	401
2495	2496	0.2	RMS	2495.4	-58.14	-10	Pass	6
2496	2596	1	RMS	2501.5	13.27	30	Pass	401




26.5. Band Edge for SA(NTNV)(Subtest:5, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.26	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.25	-10	Pass	401
2691	2695	1	RMS	2691	-26.68	-10	Pass	401
2695	2700	1	RMS	2695	-44.69	-13	Pass	401
2700	2795	1	RMS	2700	-48.48	-25	Pass	401




26.6. Band Edge for SA(NTNV)(Subtest:6, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2682.5	11.66	30	Pass	401
2690	2691	0.2	RMS	2691	-57.88	-10	Pass	6
2691	2695	1	RMS	2691	-31.62	-10	Pass	401
2695	2700	1	RMS	2695.088	-33.7	-13	Pass	401
2700	2705	1	RMS	2700.038	-38.25	-25	Pass	401
2705	2795	1	RMS	2705	-43.1	-25	Pass	401




26.7. Band Edge for SA(NTNV)(Subtest:7, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689.25	21.27	30	Pass	401
2690	2691	0.1	RMS	2690	-24.1	-10	Pass	401
2691	2695	1	RMS	2691	-25.41	-10	Pass	401
2695	2700	1	RMS	2695.05	-44.47	-13	Pass	401
2700	2795	1	RMS	2700	-48.5	-25	Pass	401




26.8. Band Edge for SA(NTNV)(Subtest:8, Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2685	12.86	30	Pass	401
2690	2691	0.2	RMS	2690	-57.57	-10	Pass	6
2691	2695	1	RMS	2691.02	-30.74	-10	Pass	401
2695	2700	1	RMS	2695.038	-33.23	-13	Pass	401
2700	2705	1	RMS	2700.138	-38.51	-25	Pass	401
2705	2795	1	RMS	2705	-41.24	-25	Pass	401




26.9. Band Edge for SA(NTNV)(Subtest:9, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.58	-25	Pass	401
2490	2495	1	RMS	2495	-28.82	-13	Pass	401
2495	2496	0.051	RMS	2495.985	-28.7	-10	Pass	401
2496	2596	1	RMS	2497	20.33	30	Pass	401




26.10. Band Edge for SA(NTNV)(Subtest:10, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.505	-38.83	-25	Pass	401
2490	2495	1	RMS	2495	-36.88	-13	Pass	401
2495	2496	1	RMS	2496	-31.56	-10	Pass	2
2496	2596	1	RMS	2532	4.1	30	Pass	401




26.11. Band Edge for SA(NTNV)(Subtest:11, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.33	-25	Pass	401
2490	2495	1	RMS	2495	-27	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-26.44	-10	Pass	401
2496	2596	1	RMS	2497	21.55	30	Pass	401




26.12. Band Edge for SA(NTNV)(Subtest:12, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-37.04	-25	Pass	401
2490	2495	1	RMS	2494.938	-35.24	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.02	-10	Pass	2
2496	2596	1	RMS	2541.5	5.24	30	Pass	401



26.13. Band Edge for SA(NTNV)(Subtest:13, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.87	30	Pass	401
2690	2691	0.1	RMS	2690.005	-26.79	-10	Pass	401
2691	2695	1	RMS	2691	-29.97	-10	Pass	401
2695	2750	1	RMS	2695	-45.79	-13	Pass	401
2750	2795	1	RMS	2788.138	-49.9	-25	Pass	401




26.14. Band Edge for SA(NTNV)(Subtest:14, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2653	3.6	30	Pass	401
2690	2691	1	RMS	2690	-31.99	-10	Pass	2
2691	2695	1	RMS	2691	-38.35	-10	Pass	401
2695	2750	1	RMS	2695.138	-40.08	-13	Pass	401
2750	2795	1	RMS	2771.15	-49.9	-25	Pass	401



26.15. Band Edge for SA(NTNV)(Subtest:15, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.04	30	Pass	401
2690	2691	0.1	RMS	2690.005	-23.73	-10	Pass	401
2691	2695	1	RMS	2691	-27.52	-10	Pass	401
2695	2750	1	RMS	2695	-45.5	-13	Pass	401
2750	2795	1	RMS	2773.288	-49.96	-25	Pass	401




26.16. Band Edge for SA(NTNV)(Subtest:16, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2653.5	4.57	30	Pass	401
2690	2691	1	RMS	2690	-32.95	-10	Pass	2
2691	2695	1	RMS	2691.01	-38.83	-10	Pass	401
2695	2750	1	RMS	2696.513	-39.84	-13	Pass	401
2750	2795	1	RMS	2778.013	-49.93	-25	Pass	401




26.17. Band Edge for SA(NTNV)(Subtest:17, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-45.93	-25	Pass	401
2490	2495	1	RMS	2495	-28.93	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-29.74	-10	Pass	401
2496	2596	1	RMS	2497	19.64	30	Pass	401




26.18. Band Edge for SA(NTNV)(Subtest:18, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-40.06	-25	Pass	401
2490	2495	1	RMS	2495	-38.82	-13	Pass	401
2495	2496	1	RMS	2496	-35.49	-13	Pass	2
2496	2596	1	RMS	2579	1.61	30	Pass	401




26.19. Band Edge for SA(NTNV)(Subtest:19, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.37	-25	Pass	401
2490	2495	1	RMS	2494.988	-27.7	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.22	-10	Pass	401
2496	2596	1	RMS	2497	21.07	30	Pass	401




26.20. Band Edge for SA(NTNV)(Subtest:20, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-37.41	-25	Pass	401
2490	2495	1	RMS	2494.963	-36.53	-13	Pass	401
2495	2496	1	RMS	2496	-33.28	-13	Pass	2
2496	2596	1	RMS	2579.5	2.68	30	Pass	401




26.21. Band Edge for SA(NTNV)(Subtest:21, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	19.16	30	Pass	401
2690	2691	0.1	RMS	2690.008	-27.09	-10	Pass	401
2691	2695	1	RMS	2691.01	-29.5	-10	Pass	401
2695	2790	1	RMS	2710.438	-44.3	-13	Pass	401
2790	2795	1	RMS	2790.675	-49.92	-25	Pass	401




26.22. Band Edge for SA(NTNV)(Subtest:22, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2641.5	1.32	30	Pass	401
2690	2691	1	RMS	2690	-41.01	-10	Pass	2
2691	2695	1	RMS	2692.19	-40.45	-10	Pass	401
2695	2790	1	RMS	2697.85	-40.54	-13	Pass	401
2790	2795	1	RMS	2790.125	-50.02	-25	Pass	401




26.23. Band Edge for SA(NTNV)(Subtest:23, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.46	30	Pass	401
2690	2691	0.1	RMS	2690.005	-25.15	-10	Pass	401
2691	2695	1	RMS	2691	-27.71	-10	Pass	401
2695	2790	1	RMS	2710.675	-43.65	-13	Pass	401
2790	2795	1	RMS	2791.638	-49.96	-25	Pass	401



26.24. Band Edge for SA(NTNV)(Subtest:24, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2612.5	2.46	30	Pass	401
2690	2691	1	RMS	2690	-39.68	-10	Pass	2
2691	2695	1	RMS	2694.93	-38.69	-10	Pass	401
2695	2790	1	RMS	2695.475	-38.43	-13	Pass	401
2790	2795	1	RMS	2793.913	-49.98	-25	Pass	401



27. DC_7A_n5A_SCS15_5M_L_Edge_1RB_Left(QPSK)

27.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-46.36	-13	Pass	401
823	824	0.05	RMS	824	-20.2	-13	Pass	21
824	844	0.1	RMS	824.35	19.83	30	Pass	401



27. DC_7A_n5A_SCS15_5M_L_Outer Full(QPSK)

27.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-34.37	-13	Pass	401
823	824	0.05	RMS	824	-32.39	-13	Pass	21
824	844	0.1	RMS	826.3	7.16	30	Pass	401



27. DC_7A_n5A_SCS15_5M_L_Edge_1RB_Left(16QAM)

27.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-45.82	-13	Pass	401
823	824	0.05	RMS	824	-21.82	-13	Pass	21
824	844	0.1	RMS	824.35	18.97	30	Pass	401



27. DC_7A_n5A_SCS15_5M_L_Outer Full(16QAM)

27.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-35.92	-13	Pass	401
823	824	0.05	RMS	824	-32.4	-13	Pass	21
824	844	0.1	RMS	826.4	6.3	30	Pass	401



27. DC_7A_n5A_SCS15_5M_H_Edge_1RB_Right(QPSK)

27.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	20	30	Pass	401
849	850	0.05	RMS	849	-20.38	-13	Pass	21
850	874	0.1	RMS	850.18	-47.18	-13	Pass	401



27. DC_7A_n5A_SCS15_5M_H_Outer Full(QPSK)

27.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.45	7.28	30	Pass	401
849	850	0.05	RMS	849	-31.16	-13	Pass	21
850	874	0.1	RMS	850	-31.67	-13	Pass	401



27. DC_7A_n5A_SCS15_5M_H_Edge_1RB_Right(16QAM)

27.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19.05	30	Pass	401
849	850	0.05	RMS	849	-20.99	-13	Pass	21
850	874	0.1	RMS	850.96	-49.32	-13	Pass	401



27. DC_7A_n5A_SCS15_5M_H_Outer Full(16QAM)

27.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.4	6.3	30	Pass	401
849	850	0.05	RMS	849	-30.5	-13	Pass	21
850	874	0.1	RMS	850.06	-32.21	-13	Pass	401



27. DC_7A_n5A_SCS15_15M_L_Edge_1RB_Left(QPSK)

27.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.31	-13	Pass	401
823	824	0.15	RMS	824	-19.71	-13	Pass	8
824	844	0.1	RMS	824.5	19.9	30	Pass	401



27. DC_7A_n5A_SCS15_15M_L_Outer Full(QPSK)

27.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.4	-35.44	-13	Pass	401
823	824	0.15	RMS	824	-29.79	-13	Pass	8
824	844	0.1	RMS	825.2	2.81	30	Pass	401



27. DC_7A_n5A_SCS15_15M_L_Edge_1RB_Left(16QAM)

27.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.42	-48.63	-13	Pass	401
823	824	0.15	RMS	824	-21.18	-13	Pass	8
824	844	0.1	RMS	824.45	18.94	30	Pass	401



27. DC_7A_n5A_SCS15_15M_L_Outer Full(16QAM)

27.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	821.98	-36.76	-13	Pass	401
823	824	0.15	RMS	824	-31.29	-13	Pass	8
824	844	0.1	RMS	826.6	1.86	30	Pass	401



27. DC_7A_n5A_SCS15_15M_H_Edge_1RB_Right(QPSK)

27.13. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.93	30	Pass	401
849	850	0.15	RMS	849	-20.11	-13	Pass	8
850	874	0.1	RMS	850	-48.59	-13	Pass	401



27. DC_7A_n5A_SCS15_15M_H_Outer Full(QPSK)

27.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.15	2.86	30	Pass	401
849	850	0.15	RMS	849	-36.62	-13	Pass	8
850	874	0.1	RMS	850	-38.67	-13	Pass	401



27. DC_7A_n5A_SCS15_15M_H_Edge_1RB_Right(16QAM)

27.15. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.99	30	Pass	401
849	850	0.15	RMS	849	-20.62	-13	Pass	8
850	874	0.1	RMS	850.12	-47.26	-13	Pass	401



27. DC_7A_n5A_SCS15_15M_H_Outer Full(16QAM)

27.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.25	1.62	30	Pass	401
849	850	0.15	RMS	849.571	-36.86	-13	Pass	8
850	874	0.1	RMS	850	-39.45	-13	Pass	401



27. DC_7A_n5A_SCS15_20M_L_Edge_1RB_Left(QPSK)

27.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.08	-47.86	-13	Pass	401
823	824	0.2	RMS	824	-16.01	-13	Pass	6
824	844	0.1	RMS	824.55	19.9	30	Pass	401



27. DC_7A_n5A_SCS15_20M_L_Outer Full(QPSK)

27.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-34.98	-13	Pass	401
823	824	0.2	RMS	824	-29.25	-13	Pass	6
824	844	0.1	RMS	824.8	1.64	30	Pass	401



27. DC_7A_n5A_SCS15_20M_L_Edge_1RB_Left(16QAM)

27.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-46.61	-13	Pass	401
823	824	0.2	RMS	824	-17.69	-13	Pass	6
824	844	0.1	RMS	824.55	19.01	30	Pass	401



27. DC_7A_n5A_SCS15_20M_L_Outer Full(16AQM)

27.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-35.89	-13	Pass	401
823	824	0.2	RMS	824	-30.04	-13	Pass	6
824	844	0.1	RMS	825.65	0.91	30	Pass	401



27. DC_7A_n5A_SCS15_20M_H_Edge_1RB_Right(QPSK)

27.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.89	30	Pass	401
849	850	0.2	RMS	849	-16.03	-13	Pass	6
850	874	0.1	RMS	850	-45.89	-13	Pass	401



27. DC_7A_n5A_SCS15_20M_H_Outer Full(QPSK)

27.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	829.8	1.6	30	Pass	401
849	850	0.2	RMS	849	-36	-13	Pass	6
850	874	0.1	RMS	850.84	-39.19	-13	Pass	401



27. DC_7A_n5A_SCS15_20M_H_Edge_1RB_Right(16AQM)

27.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.93	30	Pass	401
849	850	0.2	RMS	849	-16.88	-13	Pass	6
850	874	0.1	RMS	850.06	-46.4	-13	Pass	401



27. DC_7A_n5A_SCS15_20M_H_Outer Full(16AQM)

27.24. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	830.35	0.61	30	Pass	401
849	850	0.2	RMS	849.2	-36.44	-13	Pass	6
850	874	0.1	RMS	850.18	-39.94	-13	Pass	401



28. DC_66A_n7A_SCS15_5M_L_Edge_1RB_Left(QPSK)

28.1. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.57	-25	Pass	401
2494	2496	1	RMS	2495.98	-42.77	-13	Pass	401
2496	2499	1	RMS	2499	-36.75	-10	Pass	4
2499	2500	0.1	RMS	2500	-15.66	-10	Pass	401
2500	2520	1	RMS	2500.3	22.14	30	Pass	401



28. DC_66A_n7A_SCS15_5M_L_Outer Full(QPSK)

28.2. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-37.97	-25	Pass	401
2494	2496	1	RMS	2496	-32.09	-13	Pass	401
2496	2499	1	RMS	2499	-25.57	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.4	-10	Pass	401
2500	2520	1	RMS	2503.05	16.09	30	Pass	401



28. DC_66A_n7A_SCS15_5M_L_Edge_1RB_Left(16QAM)

28.3. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-47.67	-25	Pass	401
2494	2496	1	RMS	2495.99	-42.88	-13	Pass	401
2496	2499	1	RMS	2499	-37.06	-10	Pass	4
2499	2500	0.1	RMS	2500	-18.62	-10	Pass	401
2500	2520	1	RMS	2500.4	21.13	30	Pass	401



28. DC_66A_n7A_SCS15_5M_L_Outer Full(16QAM)

28.4. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-38.23	-25	Pass	401
2494	2496	1	RMS	2496	-33.73	-13	Pass	401
2496	2499	1	RMS	2499	-27.06	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.5	-10	Pass	401
2500	2520	1	RMS	2501.5	14.97	30	Pass	401



28. DC_66A_n7A_SCS15_5M_H_Edge_1RB_Right(QPSK)

28.5. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	22.63	30	Pass	401
2570	2571	0.1	RMS	2570	-16.2	-10	Pass	401
2571	2575	1	RMS	2571	-36.07	-10	Pass	5
2575	2576	1	RMS	2575	-44.71	-13	Pass	401
2576	2595	1	RMS	2576	-47.87	-25	Pass	401



28. DC_66A_n7A_SCS15_5M_H_Outer Full(QPSK)

28.6. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.4	16.67	30	Pass	401
2570	2571	0.1	RMS	2570	-27.25	-10	Pass	401
2571	2575	1	RMS	2571	-22.57	-10	Pass	5
2575	2576	1	RMS	2575.003	-36.49	-13	Pass	401
2576	2595	1	RMS	2576	-37.73	-25	Pass	401



28. DC_66A_n7A_SCS15_5M_H_Edge_1RB_Right(16QAM)

28.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	21.8	30	Pass	401
2570	2571	0.1	RMS	2570	-17.84	-10	Pass	401
2571	2575	1	RMS	2571	-36.54	-10	Pass	5
2575	2576	1	RMS	2575	-44.79	-13	Pass	401
2576	2595	1	RMS	2576	-47.93	-25	Pass	401



28. DC_66A_n7A_SCS15_5M_H_Outer Full(16QAM)

28.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.05	15.54	30	Pass	401
2570	2571	0.1	RMS	2570	-27.67	-10	Pass	401
2571	2575	1	RMS	2571	-24.73	-10	Pass	5
2575	2576	1	RMS	2575	-36.32	-13	Pass	401
2576	2595	1	RMS	2576	-37.95	-25	Pass	401



28. DC_66A_n7A_SCS15_15M_L_Edge_1RB_Left(QPSK)

28.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.7	-25	Pass	401
2485	2496	1	RMS	2494.323	-42.71	-13	Pass	401
2496	2499	1	RMS	2499	-35.31	-10	Pass	4
2499	2500	0.004	RMS	2499.995	-34.72	-10	Pass	401
2500	2520	1	RMS	2500.5	22.16	30	Pass	401



28. DC_66A_n7A_SCS15_15M_L_Outer Full(QPSK)

28.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-43.9	-25	Pass	401
2485	2496	1	RMS	2495.89	-27.47	-13	Pass	401
2496	2499	1	RMS	2499	-25.49	-10	Pass	4
2499	2500	0.3	RMS	2500	-21.43	-10	Pass	401
2500	2520	1	RMS	2503.05	11.56	30	Pass	401



28. DC_66A_n7A_SCS15_15M_L_Edge_1RB_Left(16QAM)

28.11. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-49.69	-25	Pass	401
2485	2496	1	RMS	2494.46	-43	-13	Pass	401
2496	2499	1	RMS	2499	-36.61	-10	Pass	4
2499	2500	0.004	RMS	2499.998	-36.59	-10	Pass	401
2500	2520	1	RMS	2500.45	21.36	30	Pass	401



28. DC_66A_n7A_SCS15_15M_L_Outer Full(16QAM)

28.12. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-44.14	-25	Pass	401
2485	2496	1	RMS	2495.973	-30.21	-13	Pass	401
2496	2499	1	RMS	2499	-28.58	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.62	-10	Pass	401
2500	2520	1	RMS	2504.15	10.66	30	Pass	401



28. DC_66A_n7A_SCS15_15M_H_Edge_1RB_Right(QPSK)

28.13. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	22.61	30	Pass	401
2570	2571	0.051	RMS	2570	-24.58	-10	Pass	401
2571	2575	1	RMS	2571	-34.51	-10	Pass	5
2575	2585	1	RMS	2575.475	-42.73	-13	Pass	401
2585	2595	1	RMS	2585	-49.71	-25	Pass	401



28. DC_66A_n7A_SCS15_15M_H_Outer Full(QPSK)

28.14. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2565.05	11.98	30	Pass	401
2570	2571	0.3	RMS	2570.01	-27.77	-10	Pass	401
2571	2575	1	RMS	2571	-23.57	-10	Pass	5
2575	2585	1	RMS	2575	-26.76	-13	Pass	401
2585	2595	1	RMS	2585	-43.82	-25	Pass	401



28. DC_66A_n7A_SCS15_15M_H_Edge_1RB_Right(16QAM)

28.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.82	30	Pass	401
2570	2571	0.051	RMS	2570	-25.69	-10	Pass	401
2571	2575	1	RMS	2571	-35.55	-10	Pass	5
2575	2585	1	RMS	2575.4	-42.9	-13	Pass	401
2585	2595	1	RMS	2585.075	-49.61	-25	Pass	401



28. DC_66A_n7A_SCS15_15M_H_Outer Full(16QAM)

28.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2567.05	10.95	30	Pass	401
2570	2571	0.3	RMS	2570.003	-32.06	-10	Pass	401
2571	2575	1	RMS	2571	-27.84	-10	Pass	5
2575	2585	1	RMS	2575.05	-31.11	-13	Pass	401
2585	2595	1	RMS	2585	-43.48	-25	Pass	401



28. DC_66A_n7A_SCS15_20M_L_Edge_1RB_Left(QPSK)

28.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.975	-50.88	-25	Pass	401
2480	2496	1	RMS	2496	-44.44	-13	Pass	401
2496	2499	1	RMS	2499	-31.8	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.83	-10	Pass	401
2500	2520	1	RMS	2500.5	22.22	30	Pass	401



28. DC_66A_n7A_SCS15_20M_L_Outer Full(QPSK)

28.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-47.76	-25	Pass	401
2480	2496	1	RMS	2496	-27.27	-13	Pass	401
2496	2499	1	RMS	2499	-25.3	-10	Pass	4
2499	2500	0.5	RMS	2500	-24.48	-10	Pass	3
2500	2520	1	RMS	2503.3	10.44	30	Pass	401



28. DC_66A_n7A_SCS15_20M_L_Edge_1RB_Left(16QAM)

28.19. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.95	-50.92	-25	Pass	401
2480	2496	1	RMS	2496	-44.6	-13	Pass	401
2496	2499	1	RMS	2499	-33.11	-10	Pass	4
2499	2500	0.051	RMS	2500	-23.7	-10	Pass	401
2500	2520	1	RMS	2500.5	21.3	30	Pass	401



28. DC_66A_n7A_SCS15_20M_L_Outer Full(16AQM)

28.20. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.975	-47.93	-25	Pass	401
2480	2496	1	RMS	2496	-28.85	-13	Pass	401
2496	2499	1	RMS	2499	-27.64	-10	Pass	4
2499	2500	0.5	RMS	2500	-25.78	-10	Pass	3
2500	2520	1	RMS	2514.35	9.46	30	Pass	401



28. DC_66A_n7A_SCS15_20M_H_Edge_1RB_Right(QPSK)

28.21. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	22.48	30	Pass	401
2570	2571	0.051	RMS	2570	-22.83	-10	Pass	401
2571	2575	1	RMS	2571	-32.64	-10	Pass	5
2575	2590	1	RMS	2578.525	-44.79	-13	Pass	401
2590	2595	1	RMS	2590.088	-50.67	-25	Pass	401



28. DC_66A_n7A_SCS15_20M_H_Outer Full(QPSK)

28.22. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.15	10.81	30	Pass	401
2570	2571	0.51	RMS	2570.275	-26.72	-10	Pass	401
2571	2575	1	RMS	2571	-24.59	-10	Pass	5
2575	2590	1	RMS	2575	-26.89	-13	Pass	401
2590	2595	1	RMS	2590.013	-47.5	-25	Pass	401



28. DC_66A_n7A_SCS15_20M_H_Edge_1RB_Right(16AQM)

28.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	21.49	30	Pass	401
2570	2571	0.051	RMS	2570	-21.87	-10	Pass	401
2571	2575	1	RMS	2571	-32.05	-10	Pass	5
2575	2590	1	RMS	2575	-45.18	-13	Pass	401
2590	2595	1	RMS	2590.238	-50.66	-25	Pass	401



28. DC_66A_n7A_SCS15_20M_H_Outer Full(16AQM)

28.24. NR Band Edge for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2563.75	9.84	30	Pass	401
2570	2571	0.51	RMS	2570.205	-28.95	-10	Pass	401
2571	2575	1	RMS	2571	-26.99	-10	Pass	5
2575	2590	1	RMS	2575	-29.04	-13	Pass	401
2590	2595	1	RMS	2590	-47.21	-25	Pass	401



END