

EUT INTERNAL PHOTOS

EUT UNCOVER VIEW

GPS+N77/78 PRXMIMO ANTENNA

BT/2.4G/5G WIFI ANTENNA

ANTENNA:
MHB+N38/41/77/78BRXMIMO
N/3/7/38/40/41 DRXMIMO(SA)
NR DRXMIMO(L+MH)

ANTENNA: N28/B20 DRX


ANTENNA:
LMHB PRX+B20PRX(B20+N28)
NR PRX(L+MH/MH+MH)
NR DRX(MH+L)
LTE DRX(L+MH)
LTE PRX(MH+L)

ANTENNA:
LBMHB DRX+N28PRX(B20+N28)
N1/3/5/7/20/28/38/40/41 PRX(SA)
NR PRXMIMO(L+MH)
LTE PRX(L+MH/MH+MH)


ANTENNA:
MHB PRXMIMO
N38/41 DRX(L+MH)
NR DRX(L+MH/MH+MH)
LTE PRX(MH+L/MH+MH)

ANTENNA:
N77/78 PRX
N38/41 PRXMIMO(SA)
N38/41 PRXMIMO(L+MH)


EUT UNCOVER VIEW




EUT UNCOVER VIEW




MAIN BOARD TOP VIEW (WITH SHIELDING)




MAIN BOARD REAR VIEW (WITH SHIELDING)




MAIN BOARD TOP VIEW (WITHOUT SHIELDING)



MAIN BOARD REAR VIEW (WITHOUT SHIELDING)



SUB BOARD TOP VIEW



The image shows a Realme 16046 (Part 2) / IEC 62133-2 rechargeable Li-ion Polymer Battery. The battery is yellow and white, with various safety warnings and technical specifications printed on it. It is placed against a blue background with a ruler for scale.

realme

可充电锂离子聚合物电池 | 二次封装密封
Rechargeable Li-ion Polymer Battery

型号/以件Model/SN Prefix: R411450602

标称电压/额定电压/Nominal Voltage: 4.35Vdc

额定容量/额定容量/Rated Capacity: 4800mAh@19.50Vdc

标称电压/额定电压/Nominal Voltage: 4.35Vdc

额定容量/额定容量/Rated Capacity: 4800mAh@19.50Vdc

符合IEC标准 GB 31241-2014

CE, RoHS, REACH, U-NH, TIS 2217-2548, IPC635B, PSE-CYCL

警告/Warning:
请勿将Realme Li-ion充电器、禁止拆解、严禁火中。禁止投入水中。禁止使用腐蚀性液体或易燃材料。请严格按照说明使用。
Do not use Realme charger only. Do not disassemble, puncture, crush, heat or burn.

IS 16046(Part 2)/IEC 62133-2

R-411450608
www.bis.gov.in

RealMe 重庆移动通信有限公司 RealMe 重庆移动通信有限公司
MADE IN CHINA


Battery Photo (REAR)



Battery Photo (PT. BATTERY TECHNOLOGY INDONESIA (FRONT))



Battery Photo (REAR)



Battery Photo (Huizhou Desay Battery Co., Ltd (FRONT))



Battery Photo (REAR)

