


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.56	-13	Pass	401
0.15	30	0.01	Peak	0.17	-52.62	-13	Pass	2986
30	500	0.1	Peak	485.7	-43.14	-13	Pass	4701
500	1000	0.1	Peak	824.3	31.27	-13	NA	5001
1000	10000	1	Peak	8762.948	-23.12	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-55.62	-13	Pass	401
0.15	30	0.01	Peak	4.13	-54.36	-13	Pass	2986
30	500	0.1	Peak	478.9	-43.12	-13	Pass	4701
500	1000	0.1	Peak	836.6	31.25	-13	NA	5001
1000	10000	1	Peak	8185.877	-23.29	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.85	-13	Pass	401
0.15	30	0.01	Peak	1.54	-53.72	-13	Pass	2986
30	500	0.1	Peak	468.3	-43.43	-13	Pass	4701
500	1000	0.1	Peak	848.7	31.5	-13	NA	5001
1000	10000	1	Peak	9687	-22.76	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.13	-13	Pass	401
0.15	30	0.01	Peak	1.82	-60.46	-13	Pass	2986
30	1000	0.1	Peak	986.991	-48.58	-13	Pass	9700
1000	3000	1	Peak	1850	28.19	-13	NA	2001
3000	20000	1	Peak	19796	-20.21	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.18	-13	Pass	401
0.15	30	0.01	Peak	0.17	-60.34	-13	Pass	2986
30	1000	0.1	Peak	853.503	-48.24	-13	Pass	9700
1000	3000	1	Peak	1880	28.16	-13	NA	2001
3000	20000	1	Peak	19803	-20.49	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.44	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.6	-13	Pass	2986
30	1000	0.1	Peak	717.984	-48.17	-13	Pass	9700
1000	3000	1	Peak	1910	28.12	-13	NA	2001
3000	20000	1	Peak	19555	-20.71	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.69	-13	Pass	2986
30	500	0.1	Peak	475.7	-43.78	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.78	-13	NA	5001
1000	10000	1	Peak	8996.976	-22.87	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.04	-13	Pass	401
0.15	30	0.01	Peak	1.27	-53.63	-13	Pass	2986
30	500	0.1	Peak	480.8	-43.2	-13	Pass	4701
500	1000	0.1	Peak	836.7	27.81	-13	NA	5001
1000	10000	1	Peak	7068.741	-23.26	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.44	-13	Pass	2986
30	500	0.1	Peak	497.7	-43.32	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.13	-13	NA	5001
1000	10000	1	Peak	8783.95	-23.06	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-61.71	-13	Pass	401
0.15	30	0.01	Peak	0.38	-59.76	-13	Pass	2986
30	1000	0.1	Peak	891.428	-46.95	-13	Pass	9700
1000	3000	1	Peak	1850	27.32	-13	NA	2001
3000	20000	1	Peak	19797	-20.26	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.56	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.37	-13	Pass	2986
30	1000	0.1	Peak	862.008	-48.86	-13	Pass	9700
1000	3000	1	Peak	1880	27.26	-13	NA	2001
3000	20000	1	Peak	19131.969	-20.59	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.09	-13	Pass	401
0.15	30	0.01	Peak	0.43	-60.42	-13	Pass	2986
30	1000	0.1	Peak	861.808	-48.6	-13	Pass	9700
1000	3000	1	Peak	1910	27.37	-13	NA	2001
3000	20000	1	Peak	19758	-19.92	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.31	-13	Pass	401
0.15	30	0.01	Peak	0.75	-63.6	-13	Pass	2985
30	1000	0.1	Peak	877.337	-51.87	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.32	-13	N/A	2000
3000	20000	1	Peak	19772.631	-20.09	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.21	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.6	-13	Pass	2985
30	1000	0.1	Peak	742.887	-52.09	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.02	-13	N/A	2000
3000	20000	1	Peak	19294.989	-20.04	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.63	-13	Pass	2985
30	1000	0.1	Peak	877.938	-51.93	-13	Pass	9699
1000	3000	1	Peak	1906.453	22.96	-13	N/A	2000
3000	20000	1	Peak	19789.659	-20.65	-13	Pass	17000



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.58	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.03	-13	Pass	2985
30	1000	0.1	Peak	485.556	-51.56	-13	Pass	9699
1000	3000	1	Peak	1711.356	22.93	-13	N/A	2000
3000	20000	1	Peak	19512.208	-20.79	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.3	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.84	-13	Pass	2985
30	1000	0.1	Peak	834.098	-51.88	-13	Pass	9699
1000	3000	1	Peak	1731.366	23.02	-13	N/A	2000
3000	20000	1	Peak	19632.403	-20.93	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.69	-13	Pass	401
0.15	30	0.01	Peak	3.161	-62.6	-13	Pass	2985
30	1000	0.1	Peak	587.668	-51.96	-13	Pass	9699
1000	3000	1	Peak	1751.376	23.28	-13	N/A	2000
3000	20000	1	Peak	19772.631	-20.32	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.99	-13	Pass	401
0.15	30	0.01	Peak	2.031	-64.32	-13	Pass	2985
30	500	0.1	Peak	436.186	-53.14	-13	Pass	4700
500	1000	0.1	Peak	825.565	18.31	-13	N/A	5000
1000	10000	1	Peak	9965.958	-30.34	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.52	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.16	-13	Pass	2985
30	500	0.1	Peak	459.791	-51.75	-13	Pass	4700
500	1000	0.1	Peak	836.467	17.39	-13	N/A	5000
1000	10000	1	Peak	9509.393	-30.54	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.46	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.57	-13	Pass	2985
30	500	0.1	Peak	485.597	-52.81	-13	Pass	4700
500	1000	0.1	Peak	846.269	18.14	-13	N/A	5000
1000	10000	1	Peak	9429.294	-30.9	-13	Pass	9000




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.36	-13	Pass	2985
30	1000	0.1	RMS	880.642	-62.42	-13	Pass	9699
1000	1840	1	RMS	1840	-51.18	-13	Pass	840
1840	1920	1	RMS	1850.2	22.5	60	Pass	401
1920	3000	1	RMS	2949.954	-48.64	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.47	-13	Pass	9000
12000	20000	1	RMS	19690.961	-31.72	-13	Pass	8000




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-13	Pass	2985
30	1000	0.1	RMS	877.638	-62.39	-13	Pass	9699
1000	1840	1	RMS	1840	-51.32	-13	Pass	840
1840	1920	1	RMS	1850.2	21.54	60	Pass	401
1920	3000	1	RMS	2949.954	-48.66	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.47	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.8	-13	Pass	8000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-13	Pass	2985
30	1000	0.1	RMS	887.25	-62.33	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.76	-13	Pass	840
1840	1920	1	RMS	1879.4	22.57	60	Pass	401
1920	3000	1	RMS	2938.943	-48.66	-13	Pass	1080
3000	12000	1	RMS	12000	-40.46	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.77	-13	Pass	8000




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.9	-13	Pass	2985
30	1000	0.1	RMS	878.239	-62.27	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.69	-13	Pass	840
1840	1920	1	RMS	1879.4	21.6	60	Pass	401
1920	3000	1	RMS	2944.949	-48.63	-13	Pass	1080
3000	12000	1	RMS	12000	-40.44	-13	Pass	9000
12000	20000	1	RMS	19707.963	-31.8	-13	Pass	8000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-13	Pass	2985
30	1000	0.1	RMS	859.514	-62.3	-13	Pass	9699
1000	1840	1	RMS	1809.964	-51.83	-13	Pass	840
1840	1920	1	RMS	1908.8	22.33	60	Pass	401
1920	3000	1	RMS	2949.954	-48.7	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.45	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.76	-13	Pass	8000




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-13	Pass	2985
30	1000	0.1	RMS	883.846	-62.26	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.49	-13	Pass	840
1840	1920	1	RMS	1908.8	21.47	60	Pass	401
1920	3000	1	RMS	2950.955	-48.44	-13	Pass	1080
3000	12000	1	RMS	11765.71	-40.01	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.64	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.25	-13	Pass	2985
30	1000	0.1	RMS	840.199	-59.62	-13	Pass	9699
1000	1840	1	RMS	1840	-50.85	-13	Pass	840
1840	1920	1	RMS	1850.2	22.52	60	Pass	401
1920	3000	1	RMS	2943.948	-48.42	-13	Pass	1080
3000	12000	1	RMS	12000	-40.32	-13	Pass	9000
12000	20000	1	RMS	19702.96 3	-31.38	-13	Pass	8000




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.63	-13	Pass	2985
30	1000	0.1	RMS	877.738	-62.46	-13	Pass	9699
1000	1840	1	RMS	1840	-51.14	-13	Pass	840
1840	1920	1	RMS	1850.2	21.7	60	Pass	401
1920	3000	1	RMS	2943.948	-48.58	-13	Pass	1080
3000	12000	1	RMS	12000	-40.35	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.69	-13	Pass	8000




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-13	Pass	2985
30	1000	0.1	RMS	896.162	-62.48	-13	Pass	9699
1000	1840	1	RMS	1836.996	-51.47	-13	Pass	840
1840	1920	1	RMS	1878.6	22.64	60	Pass	401
1920	3000	1	RMS	2945.95	-48.66	-13	Pass	1080
3000	12000	1	RMS	12000	-40.23	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.66	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-13	Pass	2985
30	1000	0.1	RMS	833.398	-62.54	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.7	-13	Pass	840
1840	1920	1	RMS	1878.6	21.64	60	Pass	401
1920	3000	1	RMS	2942.947	-48.58	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.54	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.8	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-13	Pass	2985
30	1000	0.1	RMS	841.999	-62.56	-13	Pass	9699
1000	1840	1	RMS	1840	-51.67	-13	Pass	840
1840	1920	1	RMS	1907.2	22.31	60	Pass	401
1920	3000	1	RMS	2938.943	-48.65	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.38	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.8	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-13	Pass	2985
30	1000	0.1	RMS	875.735	-62.55	-13	Pass	9699
1000	1840	1	RMS	1840	-51.7	-13	Pass	840
1840	1920	1	RMS	1907.2	21.45	60	Pass	401
1920	3000	1	RMS	2949.954	-48.54	-13	Pass	1080
3000	12000	1	RMS	12000	-40.42	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.73	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-13	Pass	2985
30	1000	0.1	RMS	859.614	-62.4	-13	Pass	9699
1000	1840	1	RMS	1840	-50.74	-13	Pass	840
1840	1920	1	RMS	1850.2	22.66	60	Pass	401
1920	3000	1	RMS	2947.952	-48.63	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.45	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.28	-13	Pass	8000




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-13	Pass	2985
30	1000	0.1	RMS	859.013	-62.35	-13	Pass	9699
1000	1840	1	RMS	1840	-51.02	-13	Pass	840
1840	1920	1	RMS	1850.2	21.62	60	Pass	401
1920	3000	1	RMS	2950.955	-48.63	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.37	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.71	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-13	Pass	2985
30	1000	0.1	RMS	871.329	-62.48	-13	Pass	9699
1000	1840	1	RMS	1840	-51.68	-13	Pass	840
1840	1920	1	RMS	1877.8	22.69	60	Pass	401
1920	3000	1	RMS	2950.955	-48.72	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.61	-13	Pass	9000
12000	20000	1	RMS	20000	-31.89	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-13	Pass	2985
30	1000	0.1	RMS	867.224	-62.39	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.86	-13	Pass	840
1840	1920	1	RMS	1877.8	21.83	60	Pass	401
1920	3000	1	RMS	2947.952	-48.69	-13	Pass	1080
3000	12000	1	RMS	11783.732	-40.05	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.87	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-13	Pass	2985
30	1000	0.1	RMS	879.14	-62.47	-13	Pass	9699
1000	1840	1	RMS	1840	-51.75	-13	Pass	840
1840	1920	1	RMS	1905.2	22.42	60	Pass	401
1920	3000	1	RMS	2942.947	-48.72	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.52	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.82	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.13	-13	Pass	2985
30	1000	0.1	RMS	881.343	-62.52	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.75	-13	Pass	840
1840	1920	1	RMS	1905.2	21.6	60	Pass	401
1920	3000	1	RMS	2942.947	-48.71	-13	Pass	1080
3000	12000	1	RMS	12000	-40.52	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.82	-13	Pass	8000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.65	-13	Pass	2985
30	1000	0.1	RMS	844.599	-62.42	-13	Pass	9699
1000	1840	1	RMS	1840	-50.07	-13	Pass	840
1840	1920	1	RMS	1850.4	22.53	60	Pass	401
1920	3000	1	RMS	2944.949	-48.7	-13	Pass	1080
3000	12000	1	RMS	11996.99 6	-40.51	-13	Pass	9000
12000	20000	1	RMS	19705.96 3	-31.41	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-13	Pass	2985
30	1000	0.1	RMS	889.353	-62.48	-13	Pass	9699
1000	1840	1	RMS	1840	-50.56	-13	Pass	840
1840	1920	1	RMS	1850.4	21.66	60	Pass	401
1920	3000	1	RMS	2949.954	-48.71	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.58	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.81	-13	Pass	8000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-13	Pass	2985
30	1000	0.1	RMS	866.323	-62.52	-13	Pass	9699
1000	1840	1	RMS	1840	-51.77	-13	Pass	840
1840	1920	1	RMS	1875.4	22.6	60	Pass	401
1920	3000	1	RMS	2954.958	-48.78	-13	Pass	1080
3000	12000	1	RMS	11787.73 7	-40.25	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-13	Pass	2985
30	1000	0.1	RMS	885.448	-62.43	-13	Pass	9699
1000	1840	1	RMS	1840	-51.82	-13	Pass	840
1840	1920	1	RMS	1875.4	21.6	60	Pass	401
1920	3000	1	RMS	2950.955	-48.73	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.56	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.79	-13	Pass	8000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-13	Pass	2985
30	1000	0.1	RMS	868.425	-62.5	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.74	-13	Pass	840
1840	1920	1	RMS	1900.4	22.42	60	Pass	401
1920	3000	1	RMS	2947.952	-48.76	-13	Pass	1080
3000	12000	1	RMS	11996.99 6	-40.54	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.79	-13	Pass	8000




8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-13	Pass	2985
30	1000	0.1	RMS	864.821	-62.38	-13	Pass	9699
1000	1840	1	RMS	1840	-51.82	-13	Pass	840
1840	1920	1	RMS	1900.4	21.55	60	Pass	401
1920	3000	1	RMS	2947.952	-48.76	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.45	-13	Pass	9000
12000	20000	1	RMS	19708.964	-31.83	-13	Pass	8000




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.8	-13	Pass	2985
30	1000	0.1	RMS	862.718	-62.52	-13	Pass	9699
1000	1840	1	RMS	1840	-49.24	-13	Pass	840
1840	1920	1	RMS	1850.8	22.49	60	Pass	401
1920	3000	1	RMS	2949.954	-48.74	-13	Pass	1080
3000	12000	1	RMS	11997.99 8	-40.55	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.81	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-13	Pass	2985
30	1000	0.1	RMS	849.701	-62.43	-13	Pass	9699
1000	1840	1	RMS	1840	-49.5	-13	Pass	840
1840	1920	1	RMS	1850.8	21.66	60	Pass	401
1920	3000	1	RMS	2945.95	-48.79	-13	Pass	1080
3000	12000	1	RMS	11792.74 3	-40.45	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.82	-13	Pass	8000




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.92	-13	Pass	2985
30	1000	0.1	RMS	855.208	-62.56	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.79	-13	Pass	840
1840	1920	1	RMS	1873.2	22.57	60	Pass	401
1920	3000	1	RMS	2951.956	-48.69	-13	Pass	1080
3000	12000	1	RMS	12000	-40.5	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.7	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.89	-13	Pass	2985
30	1000	0.1	RMS	896.563	-62.49	-13	Pass	9699
1000	1840	1	RMS	1840	-51.8	-13	Pass	840
1840	1920	1	RMS	1873.2	21.58	60	Pass	401
1920	3000	1	RMS	2951.956	-48.7	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.55	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.86	-13	Pass	8000




**8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	Pass	2985
30	1000	0.1	RMS	849.2	-62.42	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.76	-13	Pass	840
1840	1920	1	RMS	1895.8	22.43	60	Pass	401
1920	3000	1	RMS	2937.943	-48.72	-13	Pass	1080
3000	12000	1	RMS	11998.99 9	-40.61	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.81	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-13	Pass	2985
30	1000	0.1	RMS	870.328	-62.49	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.82	-13	Pass	840
1840	1920	1	RMS	1895.8	21.6	60	Pass	401
1920	3000	1	RMS	2945.95	-48.76	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.54	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.9	-13	Pass	8000




**8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.77	-13	Pass	2985
30	1000	0.1	RMS	854.307	-62.56	-13	Pass	9699
1000	1840	1	RMS	1840	-49.76	-13	Pass	840
1840	1920	1	RMS	1851	22.55	60	Pass	401
1920	3000	1	RMS	2948.953	-48.7	-13	Pass	1080
3000	12000	1	RMS	11788.73 9	-40.23	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.81	-13	Pass	8000




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.95	-13	Pass	2985
30	1000	0.1	RMS	857.711	-62.5	-13	Pass	9699
1000	1840	1	RMS	1840	-49.91	-13	Pass	840
1840	1920	1	RMS	1851	21.64	60	Pass	401
1920	3000	1	RMS	2951.956	-48.73	-13	Pass	1080
3000	12000	1	RMS	11997.99 8	-40.54	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.74	-13	Pass	8000




**8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.2	-13	Pass	2985
30	1000	0.1	RMS	888.953	-62.41	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.03	-13	Pass	840
1840	1920	1	RMS	1871	22.6	60	Pass	401
1920	3000	1	RMS	2945.95	-48.69	-13	Pass	1080
3000	12000	1	RMS	12000	-40.52	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.82	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.82	-13	Pass	2985
30	1000	0.1	RMS	902.671	-62.67	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.55	-13	Pass	840
1840	1920	1	RMS	1871	21.66	60	Pass	401
1920	3000	1	RMS	2942.947	-48.75	-13	Pass	1080
3000	12000	1	RMS	11913.893	-40.51	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.87	-13	Pass	8000




**8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-13	Pass	2985
30	1000	0.1	RMS	881.242	-62.38	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.79	-13	Pass	840
1840	1920	1	RMS	1891	22.44	60	Pass	401
1920	3000	1	RMS	2945.95	-48.73	-13	Pass	1080
3000	12000	1	RMS	12000	-40.51	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.86	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.63	-13	Pass	2985
30	1000	0.1	RMS	896.162	-62.46	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.76	-13	Pass	840
1840	1920	1	RMS	1891	21.53	60	Pass	401
1920	3000	1	RMS	2949.954	-48.74	-13	Pass	1080
3000	12000	1	RMS	11796.748	-40.1	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.73	-13	Pass	8000



9. LTE_Band4


**9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.51	-13	Pass	2985
30	1000	0.1	RMS	861.016	-62.5	-13	Pass	9699
1000	1700	1	RMS	1700	-51.64	-13	Pass	700
1700	1765	1	RMS	1710.238	22.4	60	Pass	401
1765	3000	1	RMS	2947.958	-48.74	-13	Pass	1235
3000	12000	1	RMS	11998.99 9	-40.47	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.91	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-13	Pass	2985
30	1000	0.1	RMS	878.038	-62.54	-13	Pass	9699
1000	1700	1	RMS	1700	-51.79	-13	Pass	700
1700	1765	1	RMS	1710.238	21.46	60	Pass	401
1765	3000	1	RMS	2947.958	-48.76	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.49	-13	Pass	9000
12000	20000	1	RMS	19711.964	-31.84	-13	Pass	8000




**9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.89	-13	Pass	2985
30	1000	0.1	RMS	864.02	-62.35	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.2	-13	Pass	700
1700	1765	1	RMS	1732.013	22.44	60	Pass	401
1765	3000	1	RMS	2948.959	-48.73	-13	Pass	1235
3000	12000	1	RMS	11997.99 8	-40.47	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.83	-13	Pass	8000




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.84	-13	Pass	2985
30	1000	0.1	RMS	867.124	-62.51	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.23	-13	Pass	700
1700	1765	1	RMS	1732.013	21.44	60	Pass	401
1765	3000	1	RMS	2949.959	-48.67	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.47	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.86	-13	Pass	8000




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.69	-13	Pass	2985
30	1000	0.1	RMS	908.378	-62.31	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.16	-13	Pass	700
1700	1765	1	RMS	1753.788	22.51	60	Pass	401
1765	3000	1	RMS	2947.958	-48.74	-13	Pass	1235
3000	12000	1	RMS	11796.74 8	-40.08	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.83	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.18	-13	Pass	2985
30	1000	0.1	RMS	888.752	-62.39	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.2	-13	Pass	700
1700	1765	1	RMS	1753.788	21.63	60	Pass	401
1765	3000	1	RMS	2956.965	-48.73	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.55	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.75	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-13	Pass	2985
30	1000	0.1	RMS	867.224	-62.41	-13	Pass	9699
1000	1700	1	RMS	1700	-51.59	-13	Pass	700
1700	1765	1	RMS	1710.238	22.44	60	Pass	401
1765	3000	1	RMS	2947.958	-48.73	-13	Pass	1235
3000	12000	1	RMS	12000	-40.5	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.77	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.26	-13	Pass	2985
30	1000	0.1	RMS	877.137	-62.21	-13	Pass	9699
1000	1700	1	RMS	1700	-51.72	-13	Pass	700
1700	1765	1	RMS	1710.075	21.61	60	Pass	401
1765	3000	1	RMS	2943.955	-48.75	-13	Pass	1235
3000	12000	1	RMS	11998.99 9	-40.48	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.84	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-13	Pass	2985
30	1000	0.1	RMS	853.706	-62.42	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.26	-13	Pass	700
1700	1765	1	RMS	1731.2	22.48	60	Pass	401
1765	3000	1	RMS	2951.961	-48.8	-13	Pass	1235
3000	12000	1	RMS	11998.99 9	-40.56	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-13	Pass	2985
30	1000	0.1	RMS	897.364	-62.44	-13	Pass	9699
1000	1700	1	RMS	1700	-52.21	-13	Pass	700
1700	1765	1	RMS	1731.2	21.48	60	Pass	401
1765	3000	1	RMS	2945.956	-48.69	-13	Pass	1235
3000	12000	1	RMS	11799.752	-40.32	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.86	-13	Pass	8000




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-13	Pass	2985
30	1000	0.1	RMS	878.539	-62.38	-13	Pass	9699
1000	1700	1	RMS	1688.984	-52.22	-13	Pass	700
1700	1765	1	RMS	1752.163	22.47	60	Pass	401
1765	3000	1	RMS	2942.954	-48.78	-13	Pass	1235
3000	12000	1	RMS	11993.993	-40.5	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.8	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-13	Pass	2985
30	1000	0.1	RMS	892.357	-62.34	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.18	-13	Pass	700
1700	1765	1	RMS	1752.163	21.62	60	Pass	401
1765	3000	1	RMS	2946.957	-48.7	-13	Pass	1235
3000	12000	1	RMS	12000	-40.51	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.91	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.85	-13	Pass	2985
30	1000	0.1	RMS	878.339	-62.4	-13	Pass	9699
1000	1700	1	RMS	1700	-50.14	-13	Pass	700
1700	1765	1	RMS	1710.238	22.65	60	Pass	401
1765	3000	1	RMS	2950.96	-48.69	-13	Pass	1235
3000	12000	1	RMS	11995.99 5	-40.58	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.78	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-13	Pass	2985
30	1000	0.1	RMS	862.117	-62.46	-13	Pass	9699
1000	1700	1	RMS	1700	-51.63	-13	Pass	700
1700	1765	1	RMS	1710.238	21.65	60	Pass	401
1765	3000	1	RMS	2947.958	-48.72	-13	Pass	1235
3000	12000	1	RMS	11996.99 6	-40.54	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.56	-13	Pass	2985
30	1000	0.1	RMS	868.225	-62.6	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.23	-13	Pass	700
1700	1765	1	RMS	1730.225	22.51	60	Pass	401
1765	3000	1	RMS	2949.959	-48.76	-13	Pass	1235
3000	12000	1	RMS	11800.75 3	-40.19	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.83	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-13	Pass	2985
30	1000	0.1	RMS	901.469	-62.21	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.2	-13	Pass	700
1700	1765	1	RMS	1730.225	21.69	60	Pass	401
1765	3000	1	RMS	2949.959	-48.66	-13	Pass	1235
3000	12000	1	RMS	12000	-40.62	-13	Pass	9000
12000	20000	1	RMS	19289.91 1	-31.86	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.97	-13	Pass	2985
30	1000	0.1	RMS	863.92	-62.57	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.2	-13	Pass	700
1700	1765	1	RMS	1750.213	22.55	60	Pass	401
1765	3000	1	RMS	2945.956	-48.77	-13	Pass	1235
3000	12000	1	RMS	11998.99 9	-40.54	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.88	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.59	-13	Pass	2985
30	1000	0.1	RMS	873.132	-62.43	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.2	-13	Pass	700
1700	1765	1	RMS	1750.213	21.74	60	Pass	401
1765	3000	1	RMS	2953.963	-48.74	-13	Pass	1235
3000	12000	1	RMS	11992.99 1	-40.65	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.78	-13	Pass	8000




**9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-13	Pass	2985
30	1000	0.1	RMS	874.233	-62.55	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.1	-13	Pass	700
1700	1765	1	RMS	1710.563	22.5	60	Pass	401
1765	3000	1	RMS	2949.959	-48.82	-13	Pass	1235
3000	12000	1	RMS	12000	-40.64	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.78	-13	Pass	8000




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-13	Pass	2985
30	1000	0.1	RMS	889.153	-62.45	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.78	-13	Pass	700
1700	1765	1	RMS	1710.563	21.63	60	Pass	401
1765	3000	1	RMS	2946.957	-48.75	-13	Pass	1235
3000	12000	1	RMS	11800.75 3	-40.47	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.85	-13	Pass	8000




**9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-13	Pass	2985
30	1000	0.1	RMS	860.114	-62.5	-13	Pass	9699
1000	1700	1	RMS	1700	-52.19	-13	Pass	700
1700	1765	1	RMS	1727.95	22.45	60	Pass	401
1765	3000	1	RMS	2947.958	-48.69	-13	Pass	1235
3000	12000	1	RMS	12000	-40.51	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.87	-13	Pass	8000




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-13	Pass	2985
30	1000	0.1	RMS	872.13	-62.45	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.23	-13	Pass	700
1700	1765	1	RMS	1727.95	21.45	60	Pass	401
1765	3000	1	RMS	2943.955	-48.74	-13	Pass	1235
3000	12000	1	RMS	11995.99 5	-40.46	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.86	-13	Pass	8000




**9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-13	Pass	2985
30	1000	0.1	RMS	897.865	-62.63	-13	Pass	9699
1000	1700	1	RMS	1685.98	-52.3	-13	Pass	700
1700	1765	1	RMS	1745.5	22.46	60	Pass	401
1765	3000	1	RMS	2949.959	-48.75	-13	Pass	1235
3000	12000	1	RMS	12000	-40.51	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-13	Pass	2985
30	1000	0.1	RMS	867.624	-62.48	-13	Pass	9699
1000	1700	1	RMS	1688.984	-52.24	-13	Pass	700
1700	1765	1	RMS	1745.5	21.56	60	Pass	401
1765	3000	1	RMS	2941.953	-48.75	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.57	-13	Pass	9000
12000	20000	1	RMS	19710.964	-31.93	-13	Pass	8000




**9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.52	-13	Pass	2985
30	1000	0.1	RMS	881.443	-62.49	-13	Pass	9699
1000	1700	1	RMS	1683.977	-49.45	-13	Pass	700
1700	1765	1	RMS	1710.725	22.42	60	Pass	401
1765	3000	1	RMS	2947.958	-48.71	-13	Pass	1235
3000	12000	1	RMS	11993.99 3	-40.5	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.83	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	Pass	2985
30	1000	0.1	RMS	855.208	-62.52	-13	Pass	9699
1000	1700	1	RMS	1683.977	-49.75	-13	Pass	700
1700	1765	1	RMS	1710.725	21.64	60	Pass	401
1765	3000	1	RMS	2947.958	-48.75	-13	Pass	1235
3000	12000	1	RMS	11998.99 9	-40.55	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.83	-13	Pass	8000




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.29	-13	Pass	2985
30	1000	0.1	RMS	865.321	-62.51	-13	Pass	9699
1000	1700	1	RMS	1698.999	-48.23	-13	Pass	700
1700	1765	1	RMS	1725.675	22.38	60	Pass	401
1765	3000	1	RMS	2950.96	-48.75	-13	Pass	1235
3000	12000	1	RMS	11997.99 8	-40.59	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.86	-13	Pass	8000




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.28	-13	Pass	2985
30	1000	0.1	RMS	879.24	-62.45	-13	Pass	9699
1000	1700	1	RMS	1698.999	-49.56	-13	Pass	700
1700	1765	1	RMS	1725.838	21.41	60	Pass	401
1765	3000	1	RMS	2944.955	-48.73	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.49	-13	Pass	9000
12000	20000	1	RMS	19711.964	-31.82	-13	Pass	8000




**9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-13	Pass	2985
30	1000	0.1	RMS	870.228	-62.44	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.25	-13	Pass	700
1700	1765	1	RMS	1740.788	22.39	60	Pass	401
1765	3000	1	RMS	1768.002	-33.91	-13	Pass	1235
3000	12000	1	RMS	11998.99 9	-40.55	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.83	-13	Pass	8000




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.88	-13	Pass	2985
30	1000	0.1	RMS	862.418	-62.49	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.25	-13	Pass	700
1700	1765	1	RMS	1740.788	21.53	60	Pass	401
1765	3000	1	RMS	1767.002	-34.96	-13	Pass	1235
3000	12000	1	RMS	11806.761	-40.05	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.83	-13	Pass	8000




**9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.11	-13	Pass	2985
30	1000	0.1	RMS	877.037	-62.5	-13	Pass	9699
1000	1700	1	RMS	1700	-50.42	-13	Pass	700
1700	1765	1	RMS	1711.05	22.42	60	Pass	401
1765	3000	1	RMS	2949.959	-48.71	-13	Pass	1235
3000	12000	1	RMS	11995.99 5	-40.59	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.94	-13	Pass	8000




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.89	-13	Pass	2985
30	1000	0.1	RMS	862.618	-62.57	-13	Pass	9699
1000	1700	1	RMS	1700	-50.68	-13	Pass	700
1700	1765	1	RMS	1711.05	21.59	60	Pass	401
1765	3000	1	RMS	2948.959	-48.73	-13	Pass	1235
3000	12000	1	RMS	12000	-40.59	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.81	-13	Pass	8000




**9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.55	-13	Pass	2985
30	1000	0.1	RMS	881.743	-62.23	-13	Pass	9699
1000	1700	1	RMS	1687.983	-49.97	-13	Pass	700
1700	1765	1	RMS	1723.563	22.31	60	Pass	401
1765	3000	1	RMS	2949.959	-48.7	-13	Pass	1235
3000	12000	1	RMS	11997.99 8	-40.53	-13	Pass	9000
12000	20000	1	RMS	19706.96 3	-31.85	-13	Pass	8000




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-13	Pass	2985
30	1000	0.1	RMS	874.433	-62.51	-13	Pass	9699
1000	1700	1	RMS	1687.983	-51.04	-13	Pass	700
1700	1765	1	RMS	1723.563	21.38	60	Pass	401
1765	3000	1	RMS	2950.96	-48.77	-13	Pass	1235
3000	12000	1	RMS	12000	-40.62	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.8	-13	Pass	8000




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.11	-13	Pass	2985
30	1000	0.1	RMS	896.563	-62.48	-13	Pass	9699
1000	1700	1	RMS	1700	-50.72	-13	Pass	700
1700	1765	1	RMS	1736.075	22.35	60	Pass	401
1765	3000	1	RMS	1772.006	-36.56	-13	Pass	1235
3000	12000	1	RMS	11815.77 2	-40.32	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.94	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.04	-13	Pass	2985
30	1000	0.1	RMS	849.801	-62.61	-13	Pass	9699
1000	1700	1	RMS	1700	-51.02	-13	Pass	700
1700	1765	1	RMS	1736.075	21.34	60	Pass	401
1765	3000	1	RMS	1772.006	-37.96	-13	Pass	1235
3000	12000	1	RMS	11996.99 6	-40.59	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.81	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.65	-13	Pass	7840
814	860	0.1	RMS	824.222	20.39	60	Pass	460
860	1000	0.1	RMS	875.411	-62.62	-13	Pass	1400
1000	3000	1	RMS	2949.975	-48.74	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.75	-13	Pass	7000




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.49	-13	Pass	7840
814	860	0.1	RMS	824.222	19.33	60	Pass	460
860	1000	0.1	RMS	863.102	-62.52	-13	Pass	1400
1000	3000	1	RMS	2941.971	-48.81	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.73	-13	Pass	7000




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.64	-72.44	-13	Pass	2985
30	814	0.1	RMS	724.389	-62.93	-13	Pass	7840
814	860	0.1	RMS	836.048	20.71	60	Pass	460
860	1000	0.1	RMS	880.715	-62.67	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.17	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.7	-13	Pass	7000




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.4	-13	Pass	2985
30	814	0.1	RMS	742.991	-63.02	-13	Pass	7840
814	860	0.1	RMS	836.048	19.63	60	Pass	460
860	1000	0.1	RMS	898.227	-62.59	-13	Pass	1400
1000	3000	1	RMS	2948.974	-48.75	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.68	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.99	-13	Pass	7840
814	860	0.1	RMS	847.874	20.49	60	Pass	460
860	1000	0.1	RMS	862.902	-62.51	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.15	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.71	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2985
30	814	0.1	RMS	751.292	-62.87	-13	Pass	7840
814	860	0.1	RMS	847.874	19.52	60	Pass	460
860	1000	0.1	RMS	867.706	-62.63	-13	Pass	1400
1000	3000	1	RMS	2946.973	-48.84	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.75	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.58	-13	Pass	7840
814	860	0.1	RMS	824.222	20.52	60	Pass	460
860	1000	0.1	RMS	882.616	-62.67	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.76	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.73	-13	Pass	7000




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.31	-13	Pass	7840
814	860	0.1	RMS	824.222	19.66	60	Pass	460
860	1000	0.1	RMS	879.614	-62.53	-13	Pass	1400
1000	3000	1	RMS	2947.974	-48.73	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.76	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	Pass	2985
30	814	0.1	RMS	760.193	-62.85	-13	Pass	7840
814	860	0.1	RMS	835.246	20.61	60	Pass	460
860	1000	0.1	RMS	874.31	-62.56	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.57	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.7	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	Pass	2985
30	814	0.1	RMS	725.489	-62.9	-13	Pass	7840
814	860	0.1	RMS	835.246	19.66	60	Pass	460
860	1000	0.1	RMS	881.916	-62.64	-13	Pass	1400
1000	3000	1	RMS	2944.972	-48.78	-13	Pass	2000
3000	10000	1	RMS	9964.995	-41.77	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2985
30	814	0.1	RMS	732.19	-62.88	-13	Pass	7840
814	860	0.1	RMS	846.27	20.32	60	Pass	460
860	1000	0.1	RMS	996.297	-62.6	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.7	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.78	-13	Pass	7000




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	814	0.1	RMS	795.398	-62.89	-13	Pass	7840
814	860	0.1	RMS	846.27	19.45	60	Pass	460
860	1000	0.1	RMS	869.807	-62.61	-13	Pass	1400
1000	3000	1	RMS	2949.975	-48.77	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.76	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.2	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.71	-13	Pass	7840
814	860	0.1	RMS	824.322	20.53	60	Pass	460
860	1000	0.1	RMS	869.607	-62.71	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.14	-13	Pass	2000
3000	10000	1	RMS	9475.925	-41.82	-13	Pass	7000




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.52	-72.64	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.8	-13	Pass	7840
814	860	0.1	RMS	824.322	19.53	60	Pass	460
860	1000	0.1	RMS	907.234	-62.65	-13	Pass	1400
1000	3000	1	RMS	2942.971	-48.8	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.79	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	Pass	2985
30	814	0.1	RMS	736.09	-62.75	-13	Pass	7840
814	860	0.1	RMS	834.344	20.61	60	Pass	460
860	1000	0.1	RMS	903.731	-62.56	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.05	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.69	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.93	-13	Pass	7840
814	860	0.1	RMS	834.344	19.78	60	Pass	460
860	1000	0.1	RMS	868.406	-62.68	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.77	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.77	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	Pass	2985
30	814	0.1	RMS	737.59	-62.94	-13	Pass	7840
814	860	0.1	RMS	844.366	20.29	60	Pass	460
860	1000	0.1	RMS	884.417	-62.7	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.99	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.75	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2985
30	814	0.1	RMS	731.489	-63.01	-13	Pass	7840
814	860	0.1	RMS	844.366	19.65	60	Pass	460
860	1000	0.1	RMS	877.312	-62.82	-13	Pass	1400
1000	3000	1	RMS	2949.975	-48.84	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.76	-13	Pass	7000




**10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.03	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.02	-13	Pass	7840
814	860	0.1	RMS	824.623	20.23	60	Pass	460
860	1000	0.1	RMS	884.818	-62.63	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.67	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.69	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.83	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.46	-13	Pass	7840
814	860	0.1	RMS	824.623	19.47	60	Pass	460
860	1000	0.1	RMS	890.722	-62.43	-13	Pass	1400
1000	3000	1	RMS	2944.972	-48.83	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.77	-13	Pass	7000




**10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	814	0.1	RMS	738.79	-62.91	-13	Pass	7840
814	860	0.1	RMS	832.139	19.92	60	Pass	460
860	1000	0.1	RMS	878.113	-62.6	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.55	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.66	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.87	-72.75	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.85	-13	Pass	7840
814	860	0.1	RMS	832.039	18.93	60	Pass	460
860	1000	0.1	RMS	866.805	-62.58	-13	Pass	1400
1000	3000	1	RMS	2942.971	-48.77	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.73	-13	Pass	7000




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	814	0.1	RMS	729.389	-62.64	-13	Pass	7840
814	860	0.1	RMS	839.556	20.29	60	Pass	460
860	1000	0.1	RMS	860.2	-62.61	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.43	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.6	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	814	0.1	RMS	738.89	-62.83	-13	Pass	7840
814	860	0.1	RMS	839.556	19.3	60	Pass	460
860	1000	0.1	RMS	894.825	-62.46	-13	Pass	1400
1000	3000	1	RMS	2949.975	-48.73	-13	Pass	2000
3000	10000	1	RMS	9956.994	-41.64	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2985
30	1000	0.1	RMS	877.838	-62.68	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.64	-25	Pass	1480
2480	2590	1	RMS	2500.075	21.61	60	Pass	401
2590	3000	1	RMS	2947.873	-48.84	-25	Pass	410
3000	12000	1	RMS	5000.244	-49.24	-25	Pass	9000
12000	26000	1	RMS	25891.98 1	-34.66	-25	Pass	14000




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	Pass	2985
30	1000	0.1	RMS	852.705	-62.62	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.53	-25	Pass	1480
2480	2590	1	RMS	2500.075	20.61	60	Pass	401
2590	3000	1	RMS	2946.87	-48.88	-25	Pass	410
3000	12000	1	RMS	5000.244	-50.46	-25	Pass	9000
12000	26000	1	RMS	25878.979	-34.69	-25	Pass	14000




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.52	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.56	-25	Pass	2985
30	1000	0.1	RMS	894.36	-62.51	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.57	-25	Pass	1480
2480	2590	1	RMS	2532.8	21.77	60	Pass	401
2590	3000	1	RMS	2940.856	-48.82	-25	Pass	410
3000	12000	1	RMS	11583.485	-50.78	-25	Pass	9000
12000	26000	1	RMS	25896.982	-34.63	-25	Pass	14000




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.57	-25	Pass	2985
30	1000	0.1	RMS	898.165	-62.58	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.53	-25	Pass	1480
2480	2590	1	RMS	2532.8	20.94	60	Pass	401
2590	3000	1	RMS	2949.878	-48.84	-25	Pass	410
3000	12000	1	RMS	11578.478	-50.71	-25	Pass	9000
12000	26000	1	RMS	25904.984	-34.71	-25	Pass	14000




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.01	-25	Pass	2985
30	1000	0.1	RMS	874.634	-62.58	-25	Pass	9699
1000	2480	1	RMS	2480	-50.63	-25	Pass	1480
2480	2590	1	RMS	2565.25	21.6	60	Pass	401
2590	3000	1	RMS	2949.878	-48.89	-25	Pass	410
3000	12000	1	RMS	5130.26	-47.58	-25	Pass	9000
12000	26000	1	RMS	25894.98 2	-34.65	-25	Pass	14000




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.99	-25	Pass	2985
30	1000	0.1	RMS	856.009	-62.43	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.51	-25	Pass	1480
2480	2590	1	RMS	2565.25	20.82	60	Pass	401
2590	3000	1	RMS	2946.87	-48.83	-25	Pass	410
3000	12000	1	RMS	5130.26	-49.23	-25	Pass	9000
12000	26000	1	RMS	25899.983	-34.71	-25	Pass	14000




**11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.38	-25	Pass	2985
30	1000	0.1	RMS	885.048	-62.43	-25	Pass	9699
1000	2480	1	RMS	2480	-50.62	-25	Pass	1480
2480	2590	1	RMS	2500.35	21.6	60	Pass	401
2590	3000	1	RMS	2946.87	-48.81	-25	Pass	410
3000	12000	1	RMS	5001.244	-47.9	-25	Pass	9000
12000	26000	1	RMS	25882.98	-34.71	-25	Pass	14000




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.4	-25	Pass	2985
30	1000	0.1	RMS	887.451	-62.6	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.61	-25	Pass	1480
2480	2590	1	RMS	2500.35	20.77	60	Pass	401
2590	3000	1	RMS	2947.873	-48.82	-25	Pass	410
3000	12000	1	RMS	5001.244	-48.99	-25	Pass	9000
12000	26000	1	RMS	25899.983	-34.7	-25	Pass	14000




**11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.43	-25	Pass	2985
30	1000	0.1	RMS	861.416	-62.43	-25	Pass	9699
1000	2480	1	RMS	2467.992	-50.61	-25	Pass	1480
2480	2590	1	RMS	2530.325	21.71	60	Pass	401
2590	3000	1	RMS	2942.861	-48.86	-25	Pass	410
3000	12000	1	RMS	11908.88 7	-50.72	-25	Pass	9000
12000	26000	1	RMS	25900.98 3	-34.7	-25	Pass	14000




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.45	-25	Pass	2985
30	1000	0.1	RMS	875.134	-62.57	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.53	-25	Pass	1480
2480	2590	1	RMS	2530.325	20.72	60	Pass	401
2590	3000	1	RMS	2939.853	-48.83	-25	Pass	410
3000	12000	1	RMS	11581.482	-50.79	-25	Pass	9000
12000	26000	1	RMS	25883.98	-34.78	-25	Pass	14000




**11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	Pass	2985
30	1000	0.1	RMS	863.719	-62.46	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.57	-25	Pass	1480
2480	2590	1	RMS	2560.575	21.48	60	Pass	401
2590	3000	1	RMS	2951.883	-48.81	-25	Pass	410
3000	12000	1	RMS	5121.259	-46.62	-25	Pass	9000
12000	26000	1	RMS	25895.98 2	-34.72	-25	Pass	14000




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.02	-25	Pass	2985
30	1000	0.1	RMS	883.345	-62.56	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.63	-25	Pass	1480
2480	2590	1	RMS	2560.575	20.53	60	Pass	401
2590	3000	1	RMS	2946.87	-48.86	-25	Pass	410
3000	12000	1	RMS	5121.259	-47.88	-25	Pass	9000
12000	26000	1	RMS	25897.98 2	-34.69	-25	Pass	14000




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.41	-25	Pass	2985
30	1000	0.1	RMS	874.734	-62.49	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.63	-25	Pass	1480
2480	2590	1	RMS	2500.625	21.6	60	Pass	401
2590	3000	1	RMS	2944.866	-48.88	-25	Pass	410
3000	12000	1	RMS	5001.244	-49.74	-25	Pass	9000
12000	26000	1	RMS	25899.98 3	-34.72	-25	Pass	14000




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	Pass	2985
30	1000	0.1	RMS	863.719	-62.61	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.61	-25	Pass	1480
2480	2590	1	RMS	2500.625	20.77	60	Pass	401
2590	3000	1	RMS	2941.858	-48.83	-25	Pass	410
3000	12000	1	RMS	5001.244	-50.46	-25	Pass	9000
12000	26000	1	RMS	25891.98 1	-34.7	-25	Pass	14000




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2985
30	1000	0.1	RMS	850.301	-62.42	-25	Pass	9699
1000	2480	1	RMS	2475.997	-50.58	-25	Pass	1480
2480	2590	1	RMS	2528.125	21.76	60	Pass	401
2590	3000	1	RMS	2947.873	-48.8	-25	Pass	410
3000	12000	1	RMS	11578.47 8	-50.78	-25	Pass	9000
12000	26000	1	RMS	25896.98 2	-34.75	-25	Pass	14000




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.77	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.88	-25	Pass	2985
30	1000	0.1	RMS	734.086	-62.69	-25	Pass	9699
1000	2480	1	RMS	2480	-50.56	-25	Pass	1480
2480	2590	1	RMS	2528.125	20.78	60	Pass	401
2590	3000	1	RMS	2947.873	-48.86	-25	Pass	410
3000	12000	1	RMS	11579.48	-50.79	-25	Pass	9000
12000	26000	1	RMS	25896.98 2	-34.63	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-25	Pass	2985
30	1000	0.1	RMS	896.162	-62.63	-25	Pass	9699
1000	2480	1	RMS	2472.995	-50.64	-25	Pass	1480
2480	2590	1	RMS	2555.625	21.49	60	Pass	401
2590	3000	1	RMS	2949.878	-48.84	-25	Pass	410
3000	12000	1	RMS	5111.258	-48.52	-25	Pass	9000
12000	26000	1	RMS	25900.98 3	-34.66	-25	Pass	14000




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.4	-25	Pass	2985
30	1000	0.1	RMS	996.095	-62.73	-25	Pass	9699
1000	2480	1	RMS	2480	-50.55	-25	Pass	1480
2480	2590	1	RMS	2555.625	20.72	60	Pass	401
2590	3000	1	RMS	2948.875	-48.83	-25	Pass	410
3000	12000	1	RMS	5111.258	-49.75	-25	Pass	9000
12000	26000	1	RMS	25896.982	-34.75	-25	Pass	14000




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.38	-25	Pass	2985
30	1000	0.1	RMS	908.779	-62.67	-25	Pass	9699
1000	2480	1	RMS	2480	-50.64	-25	Pass	1480
2480	2590	1	RMS	2500.9	21.6	60	Pass	401
2590	3000	1	RMS	2950.88	-48.84	-25	Pass	410
3000	12000	1	RMS	5002.244	-48.39	-25	Pass	9000
12000	26000	1	RMS	25898.98 3	-34.68	-25	Pass	14000




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.83	-25	Pass	2985
30	1000	0.1	RMS	885.448	-62.61	-25	Pass	9699
1000	2480	1	RMS	2455.984	-50.7	-25	Pass	1480
2480	2590	1	RMS	2500.9	20.76	60	Pass	401
2590	3000	1	RMS	2940.856	-48.83	-25	Pass	410
3000	12000	1	RMS	5002.244	-49.86	-25	Pass	9000
12000	26000	1	RMS	25901.98 3	-34.76	-25	Pass	14000




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-25	Pass	2985
30	1000	0.1	RMS	893.859	-62.46	-25	Pass	9699
1000	2480	1	RMS	2478.999	-50.56	-25	Pass	1480
2480	2590	1	RMS	2525.925	21.81	60	Pass	401
2590	3000	1	RMS	2947.873	-48.85	-25	Pass	410
3000	12000	1	RMS	11926.91	-50.85	-25	Pass	9000
12000	26000	1	RMS	25886.98 1	-34.75	-25	Pass	14000




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.51	-25	Pass	2985
30	1000	0.1	RMS	849	-62.63	-25	Pass	9699
1000	2480	1	RMS	2475.997	-50.56	-25	Pass	1480
2480	2590	1	RMS	2525.925	20.85	60	Pass	401
2590	3000	1	RMS	2944.866	-48.78	-25	Pass	410
3000	12000	1	RMS	11576.47 6	-50.86	-25	Pass	9000
12000	26000	1	RMS	25893.98 2	-34.51	-25	Pass	14000




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	Pass	2985
30	1000	0.1	RMS	862.418	-62.41	-25	Pass	9699
1000	2480	1	RMS	2477.999	-50.59	-25	Pass	1480
2480	2590	1	RMS	2550.95	21.64	60	Pass	401
2590	3000	1	RMS	2941.858	-48.84	-25	Pass	410
3000	12000	1	RMS	5102.257	-48.94	-25	Pass	9000
12000	26000	1	RMS	25900.98 3	-34.74	-25	Pass	14000



11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-25	Pass	2985
30	1000	0.1	RMS	861.717	-62.5	-25	Pass	9699
1000	2480	1	RMS	2476.998	-50.51	-25	Pass	1480
2480	2590	1	RMS	2550.95	20.77	60	Pass	401
2590	3000	1	RMS	2941.858	-48.79	-25	Pass	410
3000	12000	1	RMS	5102.257	-50.21	-25	Pass	9000
12000	26000	1	RMS	25883.98	-34.78	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.64	-13	Pass	6590
689	726	0.1	RMS	699.268	20.61	60	Pass	401
726	1000	0.1	RMS	971.49	-62.53	-13	Pass	2740
1000	3000	1	RMS	2945.973	-48.78	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.75	-13	Pass	7000




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.46	-13	Pass	6590
689	726	0.1	RMS	699.268	19.59	60	Pass	401
726	1000	0.1	RMS	902.664	-62.22	-13	Pass	2740
1000	3000	1	RMS	2939.97	-48.76	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.73	-13	Pass	7000




**12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2985
30	689	0.1	RMS	470.767	-63.24	-13	Pass	6590
689	726	0.1	RMS	707.038	20.74	60	Pass	401
726	1000	0.1	RMS	870.953	-62.38	-13	Pass	2740
1000	3000	1	RMS	2950.975	-48.8	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.72	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.84	-13	Pass	2985
30	689	0.1	RMS	476.668	-63.11	-13	Pass	6590
689	726	0.1	RMS	707.038	19.7	60	Pass	401
726	1000	0.1	RMS	880.256	-62.48	-13	Pass	2740
1000	3000	1	RMS	2941.971	-48.81	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.72	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	689	0.1	RMS	479.268	-63.24	-13	Pass	6590
689	726	0.1	RMS	714.808	20.19	60	Pass	401
726	1000	0.1	RMS	874.054	-62.41	-13	Pass	2740
1000	3000	1	RMS	2946.973	-48.85	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.73	-13	Pass	7000




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2985
30	689	0.1	RMS	494.771	-63.16	-13	Pass	6590
689	726	0.1	RMS	714.808	19.4	60	Pass	401
726	1000	0.1	RMS	847.945	-62.39	-13	Pass	2740
1000	3000	1	RMS	2944.972	-48.8	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.79	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.03	-13	Pass	6590
689	726	0.1	RMS	699.268	20.46	60	Pass	401
726	1000	0.1	RMS	853.647	-62.4	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.84	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.77	-13	Pass	7000




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.28	-13	Pass	6590
689	726	0.1	RMS	699.268	19.73	60	Pass	401
726	1000	0.1	RMS	871.653	-62.32	-13	Pass	2740
1000	3000	1	RMS	2951.976	-48.78	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.72	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.44	-13	Pass	2985
30	689	0.1	RMS	472.667	-63.04	-13	Pass	6590
689	726	0.1	RMS	706.205	20.41	60	Pass	401
726	1000	0.1	RMS	898.163	-62.29	-13	Pass	2740
1000	3000	1	RMS	2945.973	-48.81	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.74	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2985
30	689	0.1	RMS	481.769	-63.06	-13	Pass	6590
689	726	0.1	RMS	706.205	19.49	60	Pass	401
726	1000	0.1	RMS	882.957	-62.44	-13	Pass	2740
1000	3000	1	RMS	2945.973	-48.81	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.63	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.66	-71.91	-13	Pass	2985
30	689	0.1	RMS	506.772	-63.18	-13	Pass	6590
689	726	0.1	RMS	713.235	20.79	60	Pass	401
726	1000	0.1	RMS	846.444	-62.25	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.8	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.75	-13	Pass	7000




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.49	-72.52	-13	Pass	2985
30	689	0.1	RMS	485.969	-63.09	-13	Pass	6590
689	726	0.1	RMS	713.235	19.93	60	Pass	401
726	1000	0.1	RMS	886.959	-62.12	-13	Pass	2740
1000	3000	1	RMS	2948.974	-48.79	-13	Pass	2000
3000	10000	1	RMS	9480.926	-41.81	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2985
30	689	0.1	RMS	688.6	-61.84	-13	Pass	6590
689	726	0.1	RMS	699.36	20.53	60	Pass	401
726	1000	0.1	RMS	905.866	-62.31	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.8	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.81	-13	Pass	7000




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.45	-72.33	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.59	-13	Pass	6590
689	726	0.1	RMS	699.36	19.72	60	Pass	401
726	1000	0.1	RMS	856.047	-62.39	-13	Pass	2740
1000	3000	1	RMS	2948.974	-48.76	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.7	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	Pass	2985
30	689	0.1	RMS	492.27	-63.15	-13	Pass	6590
689	726	0.1	RMS	705.373	20.48	60	Pass	401
726	1000	0.1	RMS	867.352	-62.31	-13	Pass	2740
1000	3000	1	RMS	2942.971	-48.78	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.69	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2985
30	689	0.1	RMS	480.068	-63.01	-13	Pass	6590
689	726	0.1	RMS	705.373	19.63	60	Pass	401
726	1000	0.1	RMS	871.153	-62.1	-13	Pass	2740
1000	3000	1	RMS	2941.971	-48.84	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.77	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2985
30	689	0.1	RMS	489.47	-63.15	-13	Pass	6590
689	726	0.1	RMS	711.293	20.2	60	Pass	401
726	1000	0.1	RMS	857.448	-62.23	-13	Pass	2740
1000	3000	1	RMS	2943.972	-48.83	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.7	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	Pass	2985
30	689	0.1	RMS	479.368	-63.16	-13	Pass	6590
689	726	0.1	RMS	711.293	19.39	60	Pass	401
726	1000	0.1	RMS	874.754	-62.21	-13	Pass	2740
1000	3000	1	RMS	2947.974	-48.84	-13	Pass	2000
3000	10000	1	RMS	9956.994	-41.78	-13	Pass	7000




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2985
30	689	0.1	RMS	688.9	-61.68	-13	Pass	6590
689	726	0.1	RMS	699.545	20.18	60	Pass	401
726	1000	0.1	RMS	872.153	-62.38	-13	Pass	2740
1000	3000	1	RMS	2941.971	-48.79	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.71	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.53	-72.27	-13	Pass	2985
30	689	0.1	RMS	688.9	-61.76	-13	Pass	6590
689	726	0.1	RMS	699.638	19.36	60	Pass	401
726	1000	0.1	RMS	901.664	-62.3	-13	Pass	2740
1000	3000	1	RMS	2947.974	-48.77	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.71	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.93	-13	Pass	2985
30	689	0.1	RMS	496.471	-63.07	-13	Pass	6590
689	726	0.1	RMS	703.06	20.53	60	Pass	401
726	1000	0.1	RMS	868.852	-62.3	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.76	-13	Pass	2000
3000	10000	1	RMS	9963.995	-41.69	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2985
30	689	0.1	RMS	479.768	-63.09	-13	Pass	6590
689	726	0.1	RMS	703.06	19.52	60	Pass	401
726	1000	0.1	RMS	853.647	-62.33	-13	Pass	2740
1000	3000	1	RMS	2946.973	-48.81	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.8	-13	Pass	7000




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.83	-72.44	-13	Pass	2985
30	689	0.1	RMS	472.867	-63.1	-13	Pass	6590
689	726	0.1	RMS	706.575	20.67	60	Pass	401
726	1000	0.1	RMS	985.595	-62.27	-13	Pass	2740
1000	3000	1	RMS	2946.973	-48.78	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.74	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	689	0.1	RMS	630.191	-63.26	-13	Pass	6590
689	726	0.1	RMS	706.575	19.84	60	Pass	401
726	1000	0.1	RMS	893.861	-62.31	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.8	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.7	-13	Pass	7000



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	694	0.1	RMS	693.6	-61.85	-13	Pass	6640
694	726	0.1	RMS	704.32	20.65	60	Pass	401
726	1000	0.1	RMS	897.062	-62.28	-13	Pass	2740
1000	3000	1	RMS	2947.974	-48.77	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.73	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2985
30	694	0.1	RMS	693.6	-61.76	-13	Pass	6640
694	726	0.1	RMS	704.32	19.71	60	Pass	401
726	1000	0.1	RMS	973.79	-62.28	-13	Pass	2740
1000	3000	1	RMS	2947.974	-48.78	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.76	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2985
30	694	0.1	RMS	690.7	-62.95	-13	Pass	6640
694	726	0.1	RMS	707.84	20.89	60	Pass	401
726	1000	0.1	RMS	914.169	-62.41	-13	Pass	2740
1000	3000	1	RMS	2944.972	-48.8	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.64	-13	Pass	7000




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	694	0.1	RMS	463.765	-63.05	-13	Pass	6640
694	726	0.1	RMS	707.84	20.04	60	Pass	401
726	1000	0.1	RMS	847.744	-62.26	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.76	-13	Pass	2000
3000	10000	1	RMS	9483.926	-41.79	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	694	0.1	RMS	694	-60.89	-13	Pass	6640
694	726	0.1	RMS	711.36	20.57	60	Pass	401
726	1000	0.1	RMS	868.852	-62.26	-13	Pass	2740
1000	3000	1	RMS	2948.974	-48.78	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.73	-13	Pass	7000




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	694	0.1	RMS	694	-61.76	-13	Pass	6640
694	726	0.1	RMS	711.36	19.92	60	Pass	401
726	1000	0.1	RMS	854.247	-62.24	-13	Pass	2740
1000	3000	1	RMS	2950.975	-48.75	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.64	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	694	0.1	RMS	693.9	-60.34	-13	Pass	6640
694	726	0.1	RMS	704.56	20.58	60	Pass	401
726	1000	0.1	RMS	883.858	-62.1	-13	Pass	2740
1000	3000	1	RMS	2943.972	-48.77	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.68	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2985
30	694	0.1	RMS	693.9	-60.79	-13	Pass	6640
694	726	0.1	RMS	704.56	19.71	60	Pass	401
726	1000	0.1	RMS	889.46	-62.22	-13	Pass	2740
1000	3000	1	RMS	2950.975	-48.76	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.76	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2985
30	694	0.1	RMS	692.4	-62.66	-13	Pass	6640
694	726	0.1	RMS	705.6	20.85	60	Pass	401
726	1000	0.1	RMS	850.746	-62.38	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.77	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.71	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.67	-72.43	-13	Pass	2985
30	694	0.1	RMS	693.4	-62.55	-13	Pass	6640
694	726	0.1	RMS	705.6	19.79	60	Pass	401
726	1000	0.1	RMS	890.06	-62.32	-13	Pass	2740
1000	3000	1	RMS	2949.975	-48.83	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.74	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-13	Pass	2985
30	694	0.1	RMS	693.3	-62.96	-13	Pass	6640
694	726	0.1	RMS	706.56	20.66	60	Pass	401
726	1000	0.1	RMS	891.06	-62.28	-13	Pass	2740
1000	3000	1	RMS	2945.973	-48.82	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.73	-13	Pass	7000



**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2985
30	694	0.1	RMS	693.6	-62.75	-13	Pass	6640
694	726	0.1	RMS	706.56	19.68	60	Pass	401
726	1000	0.1	RMS	900.564	-62.45	-13	Pass	2740
1000	3000	1	RMS	2945.973	-48.8	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.85	-13	Pass	7000



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.89	-13	Pass	7840
814	860	0.1	RMS	824.222	20.42	60	Pass	460
860	1000	0.1	RMS	862.202	-62.69	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.68	-13	Pass	2000
3000	10000	1	RMS	9963.995	-41.7	-13	Pass	7000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.09	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.86	-13	Pass	7840
814	860	0.1	RMS	824.222	19.41	60	Pass	460
860	1000	0.1	RMS	863.102	-62.63	-13	Pass	1400
1000	3000	1	RMS	2943.972	-48.81	-13	Pass	2000
3000	10000	1	RMS	9478.926	-41.7	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	814	0.1	RMS	735.79	-62.84	-13	Pass	7840
814	860	0.1	RMS	836.048	20.71	60	Pass	460
860	1000	0.1	RMS	880.114	-62.6	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.31	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.87	-13	Pass	7000




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.46	-72.57	-13	Pass	2985
30	814	0.1	RMS	738.99	-62.91	-13	Pass	7840
814	860	0.1	RMS	836.048	19.68	60	Pass	460
860	1000	0.1	RMS	865.004	-62.63	-13	Pass	1400
1000	3000	1	RMS	2944.972	-48.82	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.69	-13	Pass	7000




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2985
30	814	0.1	RMS	741.991	-62.91	-13	Pass	7840
814	860	0.1	RMS	847.874	20.36	60	Pass	460
860	1000	0.1	RMS	894.925	-62.6	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.25	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.84	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2985
30	814	0.1	RMS	731.289	-62.86	-13	Pass	7840
814	860	0.1	RMS	847.874	19.47	60	Pass	460
860	1000	0.1	RMS	872.309	-62.59	-13	Pass	1400
1000	3000	1	RMS	2947.974	-48.81	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.75	-13	Pass	7000




**14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.91	-13	Pass	7840
814	860	0.1	RMS	824.222	20.55	60	Pass	460
860	1000	0.1	RMS	868.806	-62.61	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.71	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.73	-13	Pass	7000




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.16	-13	Pass	7840
814	860	0.1	RMS	824.222	19.64	60	Pass	460
860	1000	0.1	RMS	904.632	-62.72	-13	Pass	1400
1000	3000	1	RMS	2947.974	-48.84	-13	Pass	2000
3000	10000	1	RMS	9956.994	-41.78	-13	Pass	7000




**14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.05	-13	Pass	7840
814	860	0.1	RMS	835.246	20.61	60	Pass	460
860	1000	0.1	RMS	889.821	-62.43	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.55	-13	Pass	2000
3000	10000	1	RMS	9956.994	-41.8	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2985
30	814	0.1	RMS	812.8	-62.94	-13	Pass	7840
814	860	0.1	RMS	835.246	19.54	60	Pass	460
860	1000	0.1	RMS	876.912	-62.61	-13	Pass	1400
1000	3000	1	RMS	2946.973	-48.86	-13	Pass	2000
3000	10000	1	RMS	9957.994	-41.78	-13	Pass	7000




**14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	Pass	2985
30	814	0.1	RMS	482.958	-63.11	-13	Pass	7840
814	860	0.1	RMS	846.27	20.18	60	Pass	460
860	1000	0.1	RMS	862.502	-62.78	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.76	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.69	-13	Pass	7000




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2985
30	814	0.1	RMS	744.191	-62.96	-13	Pass	7840
814	860	0.1	RMS	846.27	19.36	60	Pass	460
860	1000	0.1	RMS	868.406	-62.64	-13	Pass	1400
1000	3000	1	RMS	2941.971	-48.82	-13	Pass	2000
3000	10000	1	RMS	9482.926	-41.76	-13	Pass	7000




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.68	-13	Pass	7840
814	860	0.1	RMS	824.322	20.49	60	Pass	460
860	1000	0.1	RMS	872.109	-62.43	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.15	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.78	-13	Pass	7000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.79	-13	Pass	7840
814	860	0.1	RMS	824.322	19.51	60	Pass	460
860	1000	0.1	RMS	881.816	-62.65	-13	Pass	1400
1000	3000	1	RMS	2941.971	-48.85	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.74	-13	Pass	7000




**14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	814	0.1	RMS	730.689	-63.01	-13	Pass	7840
814	860	0.1	RMS	834.344	20.56	60	Pass	460
860	1000	0.1	RMS	876.412	-62.56	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.03	-13	Pass	2000
3000	10000	1	RMS	9955.994	-41.88	-13	Pass	7000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2985
30	814	0.1	RMS	812.9	-63.04	-13	Pass	7840
814	860	0.1	RMS	834.344	19.77	60	Pass	460
860	1000	0.1	RMS	987.891	-62.55	-13	Pass	1400
1000	3000	1	RMS	2944.972	-48.83	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.83	-13	Pass	7000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.78	-13	Pass	7840
814	860	0.1	RMS	844.366	20.25	60	Pass	460
860	1000	0.1	RMS	874.711	-62.65	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.04	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.72	-13	Pass	7000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.96	-72.57	-13	Pass	2985
30	814	0.1	RMS	725.089	-62.8	-13	Pass	7840
814	860	0.1	RMS	844.366	19.65	60	Pass	460
860	1000	0.1	RMS	887.219	-62.59	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.71	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.61	-13	Pass	7000




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.29	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.25	-13	Pass	7840
814	860	0.1	RMS	824.623	20.24	60	Pass	460
860	1000	0.1	RMS	903.131	-62.57	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.68	-13	Pass	2000
3000	10000	1	RMS	9962.995	-41.72	-13	Pass	7000




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	814	0.1	RMS	813.9	-60.24	-13	Pass	7840
814	860	0.1	RMS	824.623	19.51	60	Pass	460
860	1000	0.1	RMS	867.405	-62.63	-13	Pass	1400
1000	3000	1	RMS	2947.974	-48.79	-13	Pass	2000
3000	10000	1	RMS	9968.996	-41.82	-13	Pass	7000




**14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.21	-13	Pass	2985
30	814	0.1	RMS	813.9	-62.99	-13	Pass	7840
814	860	0.1	RMS	832.039	19.91	60	Pass	460
860	1000	0.1	RMS	877.412	-62.61	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.57	-13	Pass	2000
3000	10000	1	RMS	9961.995	-41.81	-13	Pass	7000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.68	-72.62	-13	Pass	2985
30	814	0.1	RMS	813.2	-62.99	-13	Pass	7840
814	860	0.1	RMS	832.139	18.88	60	Pass	460
860	1000	0.1	RMS	896.626	-62.67	-13	Pass	1400
1000	3000	1	RMS	2945.973	-48.83	-13	Pass	2000
3000	10000	1	RMS	9956.994	-41.7	-13	Pass	7000




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	814	0.1	RMS	485.158	-62.9	-13	Pass	7840
814	860	0.1	RMS	839.556	20.39	60	Pass	460
860	1000	0.1	RMS	887.219	-62.58	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.47	-13	Pass	2000
3000	10000	1	RMS	9964.995	-41.72	-13	Pass	7000




**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	814	0.1	RMS	717.188	-62.89	-13	Pass	7840
814	860	0.1	RMS	839.556	19.35	60	Pass	460
860	1000	0.1	RMS	878.914	-62.57	-13	Pass	1400
1000	3000	1	RMS	2942.971	-48.84	-13	Pass	2000
3000	10000	1	RMS	9956.994	-41.68	-13	Pass	7000




**14.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.39	-13	Pass	2985
30	814	0.1	RMS	811.5	-57.61	-13	Pass	7840
814	860	0.1	RMS	824.824	20.47	60	Pass	460
860	1000	0.1	RMS	879.714	-62.49	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.27	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.82	-13	Pass	7000




**14.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	814	0.1	RMS	811.5	-57.55	-13	Pass	7840
814	860	0.1	RMS	824.824	19.53	60	Pass	460
860	1000	0.1	RMS	869.907	-62.71	-13	Pass	1400
1000	3000	1	RMS	2948.974	-48.82	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.72	-13	Pass	7000




**14.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2985
30	814	0.1	RMS	814	-60.78	-13	Pass	7840
814	860	0.1	RMS	829.834	20.51	60	Pass	460
860	1000	0.1	RMS	865.904	-62.76	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.33	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.8	-13	Pass	7000




**14.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2985
30	814	0.1	RMS	814	-61.12	-13	Pass	7840
814	860	0.1	RMS	829.834	19.63	60	Pass	460
860	1000	0.1	RMS	869.807	-62.74	-13	Pass	1400
1000	3000	1	RMS	2945.973	-48.82	-13	Pass	2000
3000	10000	1	RMS	9960.994	-41.82	-13	Pass	7000




**14.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.4	-13	Pass	7840
814	860	0.1	RMS	834.845	20.46	60	Pass	460
860	1000	0.1	RMS	888.62	-62.6	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.16	-13	Pass	2000
3000	10000	1	RMS	9959.994	-41.77	-13	Pass	7000



**14.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2985
30	814	0.1	RMS	808.199	-62.39	-13	Pass	7840
814	860	0.1	RMS	834.845	19.67	60	Pass	460
860	1000	0.1	RMS	870.107	-62.44	-13	Pass	1400
1000	3000	1	RMS	2940.97	-48.83	-13	Pass	2000
3000	10000	1	RMS	9958.994	-41.77	-13	Pass	7000



15. LTE_Band26(part90)


**15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.78	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.78	-13	Pass	2985
30	809	0.1	Peak	803.499	-52.05	-13	Pass	7790
809	829	0.1	Peak	814.2	25.5	60	Pass	401
829	1000	0.1	Peak	865.922	-51.65	-13	Pass	1710
1000	3000	1	Peak	2853.927	-37.81	-13	Pass	2000
3000	10000	1	Peak	7985.712	-30.79	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.21	-13	Pass	401
0.15	30	0.01	Peak	2.371	-64.06	-13	Pass	2985
30	809	0.1	Peak	768.195	-52.15	-13	Pass	7790
809	829	0.1	Peak	814.25	26.13	60	Pass	401
829	1000	0.1	Peak	843.909	-51.94	-13	Pass	1710
1000	3000	1	Peak	2947.974	-37.55	-13	Pass	2000
3000	10000	1	Peak	9478.926	-30.93	-13	Pass	7000




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.48	-64.06	-13	Pass	2985
30	809	0.1	Peak	677.983	-51.98	-13	Pass	7790
809	829	0.1	Peak	818.55	25.89	60	Pass	401
829	1000	0.1	Peak	883.632	-51.27	-13	Pass	1710
1000	3000	1	Peak	1637.319	-36.72	-13	Pass	2000
3000	10000	1	Peak	9922.989	-29.92	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.32	-13	Pass	401
0.15	30	0.01	Peak	0.97	-64.41	-13	Pass	2985
30	809	0.1	Peak	736.091	-51.14	-13	Pass	7790
809	829	0.1	Peak	818.6	25.94	60	Pass	401
829	1000	0.1	Peak	943.967	-51.78	-13	Pass	1710
1000	3000	1	Peak	1637.319	-37.71	-13	Pass	2000
3000	10000	1	Peak	9995.999	-30.37	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.07	-13	Pass	401
0.15	30	0.01	Peak	0.9	-62.96	-13	Pass	2985
30	809	0.1	Peak	797.298	-52.19	-13	Pass	7790
809	829	0.1	Peak	822.85	25.55	60	Pass	401
829	1000	0.1	Peak	844.909	-51.88	-13	Pass	1710
1000	3000	1	Peak	2947.974	-37.46	-13	Pass	2000
3000	10000	1	Peak	9003.858	-30.33	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.37	-13	Pass	401
0.15	30	0.01	Peak	11.394	-63.76	-13	Pass	2985
30	809	0.1	Peak	740.091	-52.16	-13	Pass	7790
809	829	0.1	Peak	822.85	25.82	60	Pass	401
829	1000	0.1	Peak	869.924	-51.02	-13	Pass	1710
1000	3000	1	Peak	2981.991	-37.35	-13	Pass	2000
3000	10000	1	Peak	7964.709	-30.39	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.71	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.33	-13	Pass	2985
30	809	0.1	Peak	809	-51.57	-13	Pass	7790
809	829	0.1	Peak	814.2	25.69	60	Pass	401
829	1000	0.1	Peak	972.884	-51.81	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.26	-13	Pass	2000
3000	10000	1	Peak	9921.989	-30.09	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.33	-13	Pass	2985
30	809	0.1	Peak	354.942	-52.3	-13	Pass	7790
809	829	0.1	Peak	814.25	25.82	60	Pass	401
829	1000	0.1	Peak	978.287	-51.99	-13	Pass	1710
1000	3000	1	Peak	2851.926	-37.45	-13	Pass	2000
3000	10000	1	Peak	9957.994	-30.35	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.44	-13	Pass	401
0.15	30	0.01	Peak	0.36	-64.21	-13	Pass	2985
30	809	0.1	Peak	807.8	-49.85	-13	Pass	7790
809	829	0.1	Peak	817.75	25.79	60	Pass	401
829	1000	0.1	Peak	970.683	-51.61	-13	Pass	1710
1000	3000	1	Peak	2955.978	-37.21	-13	Pass	2000
3000	10000	1	Peak	9709.959	-30.59	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-66.14	-13	Pass	401
0.15	30	0.01	Peak	2.451	-64.86	-13	Pass	2985
30	809	0.1	Peak	807.8	-52.32	-13	Pass	7790
809	829	0.1	Peak	817.75	25.99	60	Pass	401
829	1000	0.1	Peak	977.387	-51.63	-13	Pass	1710
1000	3000	1	Peak	2746.873	-37.54	-13	Pass	2000
3000	10000	1	Peak	8980.854	-30.83	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.46	-13	Pass	401
0.15	30	0.01	Peak	1.03	-64.11	-13	Pass	2985
30	809	0.1	Peak	782.797	-52.12	-13	Pass	7790
809	829	0.1	Peak	821.2	25.73	60	Pass	401
829	1000	0.1	Peak	831.301	-45.13	-13	Pass	1710
1000	3000	1	Peak	2985.993	-37.86	-13	Pass	2000
3000	10000	1	Peak	9045.864	-30.81	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.5	-13	Pass	401
0.15	30	0.01	Peak	1.22	-64.15	-13	Pass	2985
30	809	0.1	Peak	744.392	-51.81	-13	Pass	7790
809	829	0.1	Peak	821.25	26.37	60	Pass	401
829	1000	0.1	Peak	831.201	-45.46	-13	Pass	1710
1000	3000	1	Peak	2845.923	-37.29	-13	Pass	2000
3000	10000	1	Peak	6947.564	-30.42	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.18	-13	Pass	401
0.15	30	0.01	Peak	1.36	-63.84	-13	Pass	2985
30	809	0.1	Peak	808.8	-50.94	-13	Pass	7790
809	829	0.1	Peak	814.35	26.18	60	Pass	401
829	1000	0.1	Peak	831.602	-44.9	-13	Pass	1710
1000	3000	1	Peak	1628.314	-36.54	-13	Pass	2000
3000	10000	1	Peak	7747.678	-30.5	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.89	-13	Pass	401
0.15	30	0.01	Peak	2.331	-63.76	-13	Pass	2985
30	809	0.1	Peak	809	-51.47	-13	Pass	7790
809	829	0.1	Peak	814.3	26.35	60	Pass	401
829	1000	0.1	Peak	831.702	-46.33	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.44	-13	Pass	2000
3000	10000	1	Peak	9918.988	-30.11	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.92	-13	Pass	401
0.15	30	0.01	Peak	0.8	-63.05	-13	Pass	2985
30	809	0.1	Peak	808.3	-52.5	-13	Pass	7790
809	829	0.1	Peak	816.85	25.92	60	Pass	401
829	1000	0.1	Peak	834.103	-44.89	-13	Pass	1710
1000	3000	1	Peak	2942.971	-37.63	-13	Pass	2000
3000	10000	1	Peak	9960.994	-30.45	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-67.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.41	-13	Pass	2985
30	809	0.1	Peak	752.893	-51.66	-13	Pass	7790
809	829	0.1	Peak	816.8	25.93	60	Pass	401
829	1000	0.1	Peak	834.103	-44.01	-13	Pass	1710
1000	3000	1	Peak	2934.967	-37.5	-13	Pass	2000
3000	10000	1	Peak	9533.933	-30.52	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.05	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.35	-13	Pass	2985
30	809	0.1	Peak	472.057	-52.33	-13	Pass	7790
809	829	0.1	Peak	819.3	25.58	60	Pass	401
829	1000	0.1	Peak	836.504	-44.92	-13	Pass	1710
1000	3000	1	Peak	2979.99	-37.56	-13	Pass	2000
3000	10000	1	Peak	8928.847	-30.58	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-66.79	-13	Pass	401
0.15	30	0.01	Peak	1.17	-63.02	-13	Pass	2985
30	809	0.1	Peak	609.874	-52.32	-13	Pass	7790
809	829	0.1	Peak	819.35	26.03	60	Pass	401
829	1000	0.1	Peak	836.504	-44.67	-13	Pass	1710
1000	3000	1	Peak	2969.985	-37.45	-13	Pass	2000
3000	10000	1	Peak	9044.864	-30.42	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.9	-13	Pass	401
0.15	30	0.01	Peak	0.63	-63.01	-13	Pass	2985
30	809	0.1	Peak	807	-49.61	-13	Pass	7790
809	829	0.1	Peak	814.6	25.96	60	Pass	401
829	1000	0.1	Peak	831.301	-43.21	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.26	-13	Pass	2000
3000	10000	1	Peak	7981.712	-30.53	-13	Pass	7000



**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.01	-13	Pass	2985
30	809	0.1	Peak	808.2	-50.39	-13	Pass	7790
809	829	0.1	Peak	814.65	25.92	60	Pass	401
829	1000	0.1	Peak	832.102	-39.65	-13	Pass	1710
1000	3000	1	Peak	2955.978	-36.73	-13	Pass	2000
3000	10000	1	Peak	9982.998	-30.73	-13	Pass	7000



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	Pass	2985
30	1000	0.1	RMS	874.133	-60.63	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.4	-25	Pass	1550
2550	2640	1	RMS	2570.025	19.95	60	Pass	401
2640	3000	1	RMS	2946.9	-46.77	-25	Pass	401
3000	12000	1	RMS	5140.261	-44.51	-25	Pass	9000
12000	26500	1	RMS	25893.904	-32.66	-25	Pass	14500




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.47	-25	Pass	2985
30	1000	0.1	RMS	870.028	-60.49	-25	Pass	9699
1000	2550	1	RMS	2493.964	-48.37	-25	Pass	1550
2550	2640	1	RMS	2570.25	19.54	60	Pass	401
2640	3000	1	RMS	2943.3	-46.84	-25	Pass	401
3000	12000	1	RMS	5140.261	-47.1	-25	Pass	9000
12000	26500	1	RMS	25886.903	-32.61	-25	Pass	14500




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	Pass	2985
30	1000	0.1	RMS	878.539	-60.48	-25	Pass	9699
1000	2550	1	RMS	2510.975	-48.38	-25	Pass	1550
2550	2640	1	RMS	2592.525	19.97	60	Pass	401
2640	3000	1	RMS	2945.1	-46.77	-25	Pass	401
3000	12000	1	RMS	11582.48 3	-48.77	-25	Pass	9000
12000	26500	1	RMS	25900.90 5	-32.65	-25	Pass	14500




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	Pass	2985
30	1000	0.1	RMS	877.037	-60.69	-25	Pass	9699
1000	2550	1	RMS	2510.975	-48.42	-25	Pass	1550
2550	2640	1	RMS	2592.525	19.15	60	Pass	401
2640	3000	1	RMS	2941.5	-46.84	-25	Pass	401
3000	12000	1	RMS	11911.89 1	-48.83	-25	Pass	9000
12000	26500	1	RMS	25897.90 5	-32.73	-25	Pass	14500




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-69.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.23	-25	Pass	2985
30	1000	0.1	RMS	874.534	-60.55	-25	Pass	9699
1000	2550	1	RMS	2496.966	-48.48	-25	Pass	1550
2550	2640	1	RMS	2615.25	20.23	60	Pass	401
2640	3000	1	RMS	2950.5	-46.84	-25	Pass	401
3000	12000	1	RMS	5230.272	-41.84	-25	Pass	9000
12000	26500	1	RMS	25888.90 3	-32.69	-25	Pass	14500




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.23	-25	Pass	2985
30	1000	0.1	RMS	900.368	-60.51	-25	Pass	9699
1000	2550	1	RMS	2496.966	-48.47	-25	Pass	1550
2550	2640	1	RMS	2615.25	19.49	60	Pass	401
2640	3000	1	RMS	2951.4	-46.84	-25	Pass	401
3000	12000	1	RMS	5231.272	-43.89	-25	Pass	9000
12000	26500	1	RMS	25884.90 2	-32.63	-25	Pass	14500




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.44	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-25	Pass	2985
30	1000	0.1	RMS	874.233	-60.52	-25	Pass	9699
1000	2550	1	RMS	2550	-47.44	-25	Pass	1550
2550	2640	1	RMS	2570.25	20.21	60	Pass	401
2640	3000	1	RMS	2945.1	-46.8	-25	Pass	401
3000	12000	1	RMS	11580.48 1	-48.73	-25	Pass	9000
12000	26500	1	RMS	25883.90 2	-32.63	-25	Pass	14500




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.74	-25	Pass	2985
30	1000	0.1	RMS	869.227	-60.46	-25	Pass	9699
1000	2550	1	RMS	2550	-46.96	-25	Pass	1550
2550	2640	1	RMS	2570.7	19.16	60	Pass	401
2640	3000	1	RMS	2950.5	-46.79	-25	Pass	401
3000	12000	1	RMS	11910.89	-48.76	-25	Pass	9000
12000	26500	1	RMS	25903.90 6	-32.68	-25	Pass	14500




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-25	Pass	2985
30	1000	0.1	RMS	873.232	-60.42	-25	Pass	9699
1000	2550	1	RMS	2528.986	-48.36	-25	Pass	1550
2550	2640	1	RMS	2590.275	20.17	60	Pass	401
2640	3000	1	RMS	2945.1	-46.82	-25	Pass	401
3000	12000	1	RMS	5181.266	-47.74	-25	Pass	9000
12000	26500	1	RMS	25899.90 5	-32.75	-25	Pass	14500




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2985
30	1000	0.1	RMS	906.376	-60.55	-25	Pass	9699
1000	2550	1	RMS	2521.982	-48.4	-25	Pass	1550
2550	2640	1	RMS	2590.275	19.07	60	Pass	401
2640	3000	1	RMS	2948.7	-46.83	-25	Pass	401
3000	12000	1	RMS	11579.48	-48.77	-25	Pass	9000
12000	26500	1	RMS	25898.90 5	-32.74	-25	Pass	14500




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-25	Pass	2985
30	1000	0.1	RMS	867.725	-60.57	-25	Pass	9699
1000	2550	1	RMS	2480.955	-48.38	-25	Pass	1550
2550	2640	1	RMS	2610.525	20.59	60	Pass	401
2640	3000	1	RMS	2944.2	-46.82	-25	Pass	401
3000	12000	1	RMS	5221.271	-44.58	-25	Pass	9000
12000	26500	1	RMS	25898.90 5	-32.67	-25	Pass	14500




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.59	-25	Pass	2985
30	1000	0.1	RMS	881.643	-60.54	-25	Pass	9699
1000	2550	1	RMS	2489.961	-48.34	-25	Pass	1550
2550	2640	1	RMS	2610.3	19.79	60	Pass	401
2640	3000	1	RMS	2949.6	-46.81	-25	Pass	401
3000	12000	1	RMS	5221.271	-44.43	-25	Pass	9000
12000	26500	1	RMS	25905.90 6	-32.61	-25	Pass	14500




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	Pass	2985
30	1000	0.1	RMS	847.1	-60.4	-25	Pass	9699
1000	2550	1	RMS	2550	-45.84	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.04	60	Pass	401
2640	3000	1	RMS	2951.4	-46.76	-25	Pass	401
3000	12000	1	RMS	11583.48 5	-48.76	-25	Pass	9000
12000	26500	1	RMS	25892.90 4	-32.73	-25	Pass	14500




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.1	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.93	-25	Pass	2985
30	1000	0.1	RMS	867.825	-60.59	-25	Pass	9699
1000	2550	1	RMS	2545.997	-46.28	-25	Pass	1550
2550	2640	1	RMS	2570.925	19.45	60	Pass	401
2640	3000	1	RMS	2947.8	-46.79	-25	Pass	401
3000	12000	1	RMS	5141.261	-47.01	-25	Pass	9000
12000	26500	1	RMS	25898.905	-32.6	-25	Pass	14500




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	Pass	2985
30	1000	0.1	RMS	883.245	-60.42	-25	Pass	9699
1000	2550	1	RMS	2540.994	-48	-25	Pass	1550
2550	2640	1	RMS	2588.025	20.26	60	Pass	401
2640	3000	1	RMS	2948.7	-46.78	-25	Pass	401
3000	12000	1	RMS	5176.266	-47.95	-25	Pass	9000
12000	26500	1	RMS	25887.90 3	-32.7	-25	Pass	14500




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.28	-25	Pass	2985
30	1000	0.1	RMS	881.943	-60.34	-25	Pass	9699
1000	2550	1	RMS	2539.994	-48.31	-25	Pass	1550
2550	2640	1	RMS	2588.25	19.65	60	Pass	401
2640	3000	1	RMS	2949.6	-46.78	-25	Pass	401
3000	12000	1	RMS	11581.48 2	-48.75	-25	Pass	9000
12000	26500	1	RMS	25890.90 3	-32.7	-25	Pass	14500




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	Pass	2985
30	1000	0.1	RMS	875.134	-60.66	-25	Pass	9699
1000	2550	1	RMS	2497.966	-48.36	-25	Pass	1550
2550	2640	1	RMS	2605.8	20.6	60	Pass	401
2640	3000	1	RMS	2943.3	-46.86	-25	Pass	401
3000	12000	1	RMS	5212.27	-45.56	-25	Pass	9000
12000	26500	1	RMS	25896.90 4	-32.66	-25	Pass	14500




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.76	-25	Pass	2985
30	1000	0.1	RMS	860.315	-60.49	-25	Pass	9699
1000	2550	1	RMS	2503.97	-48.37	-25	Pass	1550
2550	2640	1	RMS	2605.575	19.77	60	Pass	401
2640	3000	1	RMS	2941.5	-46.79	-25	Pass	401
3000	12000	1	RMS	5211.27	-45.43	-25	Pass	9000
12000	26500	1	RMS	25900.90 5	-32.61	-25	Pass	14500




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.82	-25	Pass	2985
30	1000	0.1	RMS	892.057	-60.59	-25	Pass	9699
1000	2550	1	RMS	2548.999	-47.48	-25	Pass	1550
2550	2640	1	RMS	2570.925	20.38	60	Pass	401
2640	3000	1	RMS	2943.3	-46.81	-25	Pass	401
3000	12000	1	RMS	11575.47 5	-48.79	-25	Pass	9000
12000	26500	1	RMS	25900.90 5	-32.61	-25	Pass	14500




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	Pass	2985
30	1000	0.1	RMS	872.03	-60.61	-25	Pass	9699
1000	2550	1	RMS	2550	-47.21	-25	Pass	1550
2550	2640	1	RMS	2571.15	19.41	60	Pass	401
2640	3000	1	RMS	2948.7	-46.79	-25	Pass	401
3000	12000	1	RMS	5142.262	-46.28	-25	Pass	9000
12000	26500	1	RMS	25887.90 3	-32.67	-25	Pass	14500




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-25	Pass	2985
30	1000	0.1	RMS	889.153	-60.61	-25	Pass	9699
1000	2550	1	RMS	2542.995	-48.18	-25	Pass	1550
2550	2640	1	RMS	2586	19.93	60	Pass	401
2640	3000	1	RMS	2949.6	-46.79	-25	Pass	401
3000	12000	1	RMS	5172.265	-47.27	-25	Pass	9000
12000	26500	1	RMS	25895.90 4	-32.54	-25	Pass	14500




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68	-25	Pass	2985
30	1000	0.1	RMS	868.025	-60.39	-25	Pass	9699
1000	2550	1	RMS	2534.99	-48.13	-25	Pass	1550
2550	2640	1	RMS	2586	19.73	60	Pass	401
2640	3000	1	RMS	2946.9	-46.84	-25	Pass	401
3000	12000	1	RMS	11587.48 9	-48.74	-25	Pass	9000
12000	26500	1	RMS	25900.90 5	-32.7	-25	Pass	14500




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.56	-25	Pass	2985
30	1000	0.1	RMS	871.129	-60.51	-25	Pass	9699
1000	2550	1	RMS	2532.989	-48.38	-25	Pass	1550
2550	2640	1	RMS	2600.85	20.67	60	Pass	401
2640	3000	1	RMS	2944.2	-46.83	-25	Pass	401
3000	12000	1	RMS	5202.269	-48.69	-25	Pass	9000
12000	26500	1	RMS	25893.90 4	-32.69	-25	Pass	14500



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.27	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.2	-25	Pass	2985
30	1000	0.1	RMS	997.997	-60.59	-25	Pass	9699
1000	2550	1	RMS	2529.987	-48.34	-25	Pass	1550
2550	2640	1	RMS	2600.85	18.98	60	Pass	401
2640	3000	1	RMS	2946.9	-46.82	-25	Pass	401
3000	12000	1	RMS	11572.47 1	-48.81	-25	Pass	9000
12000	26500	1	RMS	25899.90 5	-32.72	-25	Pass	14500



17. LTE_Band41 full


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-68.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	Pass	2985
30	1000	0.1	RMS	866.924	-60.51	-25	Pass	9699
1000	2476	1	RMS	2476	-48.65	-25	Pass	1476
2476	2710	1	RMS	2495.89	20.52	60	Pass	401
2710	3000	1	RMS	2938.375	-46.84	-25	Pass	401
3000	12000	1	RMS	4992.243	-46.96	-25	Pass	9000
12000	27000	1	RMS	25900.83 9	-32.66	-25	Pass	15000




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-25	Pass	2985
30	1000	0.1	RMS	901.169	-63.2	-25	Pass	9699
1000	2476	1	RMS	2467.995	-49.3	-25	Pass	1476
2476	2710	1	RMS	2495.89	18.78	60	Pass	401
2710	3000	1	RMS	2938.375	-47.32	-25	Pass	401
3000	12000	1	RMS	11581.48 2	-49.44	-25	Pass	9000
12000	27000	1	RMS	25892.83 7	-32.62	-25	Pass	15000




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-69.42	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.49	-25	Pass	2985
30	1000	0.1	RMS	883.546	-63.2	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.26	-25	Pass	1476
2476	2710	1	RMS	2590.66	19.28	60	Pass	401
2710	3000	1	RMS	2940.55	-47.3	-25	Pass	401
3000	12000	1	RMS	11581.48 2	-49.36	-25	Pass	9000
12000	27000	1	RMS	25900.83 9	-32.54	-25	Pass	15000




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.09	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.29	-25	Pass	2985
30	1000	0.1	RMS	912.083	-63.14	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.22	-25	Pass	1476
2476	2710	1	RMS	2590.66	18.71	60	Pass	401
2710	3000	1	RMS	2947.075	-47.3	-25	Pass	401
3000	12000	1	RMS	11582.48 3	-49.38	-25	Pass	9000
12000	27000	1	RMS	25895.83 8	-32.63	-25	Pass	15000




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-25	Pass	2985
30	1000	0.1	RMS	868.526	-63.21	-25	Pass	9699
1000	2476	1	RMS	2470.997	-49.2	-25	Pass	1476
2476	2710	1	RMS	2684.845	19.41	60	Pass	401
2710	3000	1	RMS	2945.625	-47.33	-25	Pass	401
3000	12000	1	RMS	5371.289	-49	-25	Pass	9000
12000	27000	1	RMS	25888.837	-32.64	-25	Pass	15000




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.3	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.39	-25	Pass	2985
30	1000	0.1	RMS	898.666	-63.24	-25	Pass	9699
1000	2476	1	RMS	2462.991	-49.25	-25	Pass	1476
2476	2710	1	RMS	2684.845	19.52	60	Pass	401
2710	3000	1	RMS	2947.075	-47.32	-25	Pass	401
3000	12000	1	RMS	11582.48 3	-49.35	-25	Pass	9000
12000	27000	1	RMS	25891.83 7	-32.65	-25	Pass	15000




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.51	-25	Pass	2985
30	1000	0.1	RMS	863.519	-63.12	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.19	-25	Pass	1476
2476	2710	1	RMS	2495.89	19.13	60	Pass	401
2710	3000	1	RMS	2944.9	-47.29	-25	Pass	401
3000	12000	1	RMS	11576.47 6	-49.38	-25	Pass	9000
12000	27000	1	RMS	25901.83 9	-32.56	-25	Pass	15000




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.6	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.3	-25	Pass	2985
30	1000	0.1	RMS	886.449	-63.17	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.24	-25	Pass	1476
2476	2710	1	RMS	2496.475	18.3	60	Pass	401
2710	3000	1	RMS	2947.075	-47.3	-25	Pass	401
3000	12000	1	RMS	11910.89	-49.46	-25	Pass	9000
12000	27000	1	RMS	25890.837	-32.6	-25	Pass	15000




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.42	-25	Pass	2985
30	1000	0.1	RMS	890.755	-63.14	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.18	-25	Pass	1476
2476	2710	1	RMS	2588.32	20.71	60	Pass	401
2710	3000	1	RMS	2942.725	-47.28	-25	Pass	401
3000	12000	1	RMS	11904.88 2	-49.38	-25	Pass	9000
12000	27000	1	RMS	25893.83 8	-32.59	-25	Pass	15000




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.79	-25	Pass	2985
30	1000	0.1	RMS	872.431	-63.19	-25	Pass	9699
1000	2476	1	RMS	2476	-49.24	-25	Pass	1476
2476	2710	1	RMS	2588.32	18.33	60	Pass	401
2710	3000	1	RMS	2951.425	-47.31	-25	Pass	401
3000	12000	1	RMS	11583.48 5	-49.4	-25	Pass	9000
12000	27000	1	RMS	25905.83 9	-32.65	-25	Pass	15000




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.94	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.69	-25	Pass	2985
30	1000	0.1	RMS	867.224	-63.15	-25	Pass	9699
1000	2476	1	RMS	2472.998	-49.25	-25	Pass	1476
2476	2710	1	RMS	2680.165	20.66	60	Pass	401
2710	3000	1	RMS	2951.425	-47.32	-25	Pass	401
3000	12000	1	RMS	5361.288	-41.11	-25	Pass	9000
12000	27000	1	RMS	25890.83 7	-32.65	-25	Pass	15000




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.38	-25	Pass	2985
30	1000	0.1	RMS	887.551	-63.16	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.22	-25	Pass	1476
2476	2710	1	RMS	2680.165	18.48	60	Pass	401
2710	3000	1	RMS	2947.075	-47.28	-25	Pass	401
3000	12000	1	RMS	5361.288	-43.04	-25	Pass	9000
12000	27000	1	RMS	25898.838	-32.59	-25	Pass	15000




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.82	-25	Pass	2985
30	1000	0.1	RMS	858.312	-63.26	-25	Pass	9699
1000	2476	1	RMS	2476	-48.95	-25	Pass	1476
2476	2710	1	RMS	2496.475	19.58	60	Pass	401
2710	3000	1	RMS	2945.625	-47.29	-25	Pass	401
3000	12000	1	RMS	11576.47 6	-49.46	-25	Pass	9000
12000	27000	1	RMS	25900.83 9	-32.69	-25	Pass	15000




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.88	-25	Pass	2985
30	1000	0.1	RMS	903.772	-63.2	-25	Pass	9699
1000	2476	1	RMS	2476	-49.1	-25	Pass	1476
2476	2710	1	RMS	2496.475	19.9	60	Pass	401
2710	3000	1	RMS	2939.825	-47.25	-25	Pass	401
3000	12000	1	RMS	11914.89 5	-49.37	-25	Pass	9000
12000	27000	1	RMS	25901.83 9	-32.67	-25	Pass	15000




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	Pass	2985
30	1000	0.1	RMS	867.324	-63.01	-25	Pass	9699
1000	2476	1	RMS	2467.995	-49.29	-25	Pass	1476
2476	2710	1	RMS	2585.98	19.34	60	Pass	401
2710	3000	1	RMS	2944.9	-47.29	-25	Pass	401
3000	12000	1	RMS	11573.47 2	-49.42	-25	Pass	9000
12000	27000	1	RMS	25899.83 8	-32.64	-25	Pass	15000




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.92	-25	Pass	2985
30	1000	0.1	RMS	901.569	-63.21	-25	Pass	9699
1000	2476	1	RMS	2476	-49.26	-25	Pass	1476
2476	2710	1	RMS	2585.98	18.16	60	Pass	401
2710	3000	1	RMS	2945.625	-47.28	-25	Pass	401
3000	12000	1	RMS	11909.88 8	-49.37	-25	Pass	9000
12000	27000	1	RMS	25895.83 8	-32.63	-25	Pass	15000




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.31	-25	Pass	2985
30	1000	0.1	RMS	895.261	-63.29	-25	Pass	9699
1000	2476	1	RMS	2476	-49.2	-25	Pass	1476
2476	2710	1	RMS	2675.485	19.88	60	Pass	401
2710	3000	1	RMS	2948.525	-47.27	-25	Pass	401
3000	12000	1	RMS	5352.287	-41.56	-25	Pass	9000
12000	27000	1	RMS	25899.83 8	-32.66	-25	Pass	15000




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-25	Pass	2985
30	1000	0.1	RMS	872.13	-63.19	-25	Pass	9699
1000	2476	1	RMS	2476	-49.23	-25	Pass	1476
2476	2710	1	RMS	2675.485	19.4	60	Pass	401
2710	3000	1	RMS	2944.9	-47.29	-25	Pass	401
3000	12000	1	RMS	5351.287	-42.51	-25	Pass	9000
12000	27000	1	RMS	25902.83 9	-32.7	-25	Pass	15000




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-69.83	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.72	-25	Pass	2985
30	1000	0.1	RMS	885.448	-63.24	-25	Pass	9699
1000	2476	1	RMS	2476	-48.81	-25	Pass	1476
2476	2710	1	RMS	2497.06	19.36	60	Pass	401
2710	3000	1	RMS	2947.075	-47.27	-25	Pass	401
3000	12000	1	RMS	4994.243	-49.35	-25	Pass	9000
12000	27000	1	RMS	25895.83 8	-32.68	-25	Pass	15000




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.54	-25	Pass	2985
30	1000	0.1	RMS	884.447	-63.19	-25	Pass	9699
1000	2476	1	RMS	2474.999	-48.98	-25	Pass	1476
2476	2710	1	RMS	2497.06	18.99	60	Pass	401
2710	3000	1	RMS	2944.9	-47.31	-25	Pass	401
3000	12000	1	RMS	11634.54 8	-49.46	-25	Pass	9000
12000	27000	1	RMS	25890.83 7	-32.62	-25	Pass	15000




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.46	-25	Pass	2985
30	1000	0.1	RMS	841.899	-63.17	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.27	-25	Pass	1476
2476	2710	1	RMS	2583.64	20.38	60	Pass	401
2710	3000	1	RMS	2948.525	-47.29	-25	Pass	401
3000	12000	1	RMS	11584.48 6	-49.45	-25	Pass	9000
12000	27000	1	RMS	25901.83 9	-32.64	-25	Pass	15000




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	Pass	2985
30	1000	0.1	RMS	888.052	-63.25	-25	Pass	9699
1000	2476	1	RMS	2474.999	-49.21	-25	Pass	1476
2476	2710	1	RMS	2583.64	17.98	60	Pass	401
2710	3000	1	RMS	2944.9	-47.31	-25	Pass	401
3000	12000	1	RMS	5168.265	-49.03	-25	Pass	9000
12000	27000	1	RMS	25900.83 9	-32.52	-25	Pass	15000




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.77	-25	Pass	2985
30	1000	0.1	RMS	852.204	-63.17	-25	Pass	9699
1000	2476	1	RMS	2473.999	-49.19	-25	Pass	1476
2476	2710	1	RMS	2670.805	19.36	60	Pass	401
2710	3000	1	RMS	2949.25	-47.34	-25	Pass	401
3000	12000	1	RMS	5342.286	-43.57	-25	Pass	9000
12000	27000	1	RMS	25891.83 7	-32.58	-25	Pass	15000



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-69.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.67	-25	Pass	2985
30	1000	0.1	RMS	873.432	-63.09	-25	Pass	9699
1000	2476	1	RMS	2445.98	-49.28	-25	Pass	1476
2476	2710	1	RMS	2670.805	19.82	60	Pass	401
2710	3000	1	RMS	2939.825	-47.32	-25	Pass	401
3000	12000	1	RMS	5342.286	-40.38	-25	Pass	9000
12000	27000	1	RMS	25892.837	-32.61	-25	Pass	15000



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68	-13	Pass	2985
30	1000	0.1	RMS	861.717	-62.57	-13	Pass	9699
1000	1700	1	RMS	1700	-51.75	-13	Pass	700
1700	1790	1	RMS	1710.125	22.47	60	Pass	401
1790	3000	1	RMS	2940.951	-48.78	-13	Pass	1210
3000	12000	1	RMS	11997.998	-40.53	-13	Pass	9000
12000	20000	1	RMS	19706.963	-31.88	-13	Pass	8000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-13	Pass	2985
30	1000	0.1	RMS	892.157	-62.47	-13	Pass	9699
1000	1700	1	RMS	1700	-51.84	-13	Pass	700
1700	1790	1	RMS	1710.125	21.55	60	Pass	401
1790	3000	1	RMS	2942.953	-48.75	-13	Pass	1210
3000	12000	1	RMS	12000	-40.53	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.8	-13	Pass	8000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.06	-13	Pass	2985
30	1000	0.1	RMS	851.303	-62.45	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.25	-13	Pass	700
1700	1790	1	RMS	1744.55	22.34	60	Pass	401
1790	3000	1	RMS	2947.957	-48.78	-13	Pass	1210
3000	12000	1	RMS	12000	-40.57	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.86	-13	Pass	8000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.51	-13	Pass	2985
30	1000	0.1	RMS	869.126	-62.59	-13	Pass	9699
1000	1700	1	RMS	1700	-52.35	-13	Pass	700
1700	1790	1	RMS	1744.55	21.4	60	Pass	401
1790	3000	1	RMS	2946.956	-48.86	-13	Pass	1210
3000	12000	1	RMS	12000	-40.6	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.82	-13	Pass	8000




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-13	Pass	2985
30	1000	0.1	RMS	872.631	-62.7	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.3	-13	Pass	700
1700	1790	1	RMS	1778.75	22.47	60	Pass	401
1790	3000	1	RMS	2954.963	-48.82	-13	Pass	1210
3000	12000	1	RMS	12000	-40.53	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.8	-13	Pass	8000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	Pass	2985
30	1000	0.1	RMS	863.92	-62.62	-13	Pass	9699
1000	1700	1	RMS	1685.98	-52.33	-13	Pass	700
1700	1790	1	RMS	1778.75	21.64	60	Pass	401
1790	3000	1	RMS	2943.954	-48.85	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.72	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.9	-13	Pass	8000




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.83	-13	Pass	2985
30	1000	0.1	RMS	992.29	-62.72	-13	Pass	9699
1000	1700	1	RMS	1700	-51.6	-13	Pass	700
1700	1790	1	RMS	1710.125	22.52	60	Pass	401
1790	3000	1	RMS	2946.956	-48.85	-13	Pass	1210
3000	12000	1	RMS	11996.99 6	-40.73	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.88	-13	Pass	8000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-13	Pass	2985
30	1000	0.1	RMS	912.384	-62.82	-13	Pass	9699
1000	1700	1	RMS	1700	-51.75	-13	Pass	700
1700	1790	1	RMS	1710.125	21.7	60	Pass	401
1790	3000	1	RMS	2945.955	-48.79	-13	Pass	1210
3000	12000	1	RMS	11827.787	-40.46	-13	Pass	9000
12000	20000	1	RMS	19707.963	-31.87	-13	Pass	8000




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.99	-13	Pass	2985
30	1000	0.1	RMS	852.605	-62.9	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.35	-13	Pass	700
1700	1790	1	RMS	1743.65	22.5	60	Pass	401
1790	3000	1	RMS	2943.954	-48.77	-13	Pass	1210
3000	12000	1	RMS	12000	-40.71	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.91	-13	Pass	8000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-13	Pass	2985
30	1000	0.1	RMS	881.042	-62.63	-13	Pass	9699
1000	1700	1	RMS	1687.983	-52.37	-13	Pass	700
1700	1790	1	RMS	1743.65	21.55	60	Pass	401
1790	3000	1	RMS	2945.955	-48.71	-13	Pass	1210
3000	12000	1	RMS	12000	-40.67	-13	Pass	9000
12000	20000	1	RMS	19705.963	-31.85	-13	Pass	8000




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.8	-13	Pass	2985
30	1000	0.1	RMS	877.838	-62.83	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.32	-13	Pass	700
1700	1790	1	RMS	1777.175	22.42	60	Pass	401
1790	3000	1	RMS	2948.958	-48.83	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.71	-13	Pass	9000
12000	20000	1	RMS	19707.96 3	-31.94	-13	Pass	8000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.41	-13	Pass	2985
30	1000	0.1	RMS	899.867	-62.5	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.41	-13	Pass	700
1700	1790	1	RMS	1777.175	21.57	60	Pass	401
1790	3000	1	RMS	2941.952	-48.84	-13	Pass	1210
3000	12000	1	RMS	11998.999	-40.63	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.9	-13	Pass	8000




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.96	-13	Pass	2985
30	1000	0.1	RMS	991.989	-62.6	-13	Pass	9699
1000	1700	1	RMS	1700	-51.5	-13	Pass	700
1700	1790	1	RMS	1710.125	22.52	60	Pass	401
1790	3000	1	RMS	2949.959	-48.83	-13	Pass	1210
3000	12000	1	RMS	11828.78 8	-40.44	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.61	-13	Pass	2985
30	1000	0.1	RMS	989.186	-62.67	-13	Pass	9699
1000	1700	1	RMS	1700	-51.68	-13	Pass	700
1700	1790	1	RMS	1710.35	21.48	60	Pass	401
1790	3000	1	RMS	2944.955	-48.84	-13	Pass	1210
3000	12000	1	RMS	12000	-40.61	-13	Pass	9000
12000	20000	1	RMS	19707.963	-31.9	-13	Pass	8000




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-13	Pass	2985
30	1000	0.1	RMS	872.731	-62.8	-13	Pass	9699
1000	1700	1	RMS	1700	-52.34	-13	Pass	700
1700	1790	1	RMS	1742.75	22.61	60	Pass	401
1790	3000	1	RMS	2946.956	-48.79	-13	Pass	1210
3000	12000	1	RMS	11997.99 8	-40.59	-13	Pass	9000
12000	20000	1	RMS	19710.96 4	-31.86	-13	Pass	8000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.65	-13	Pass	2985
30	1000	0.1	RMS	890.955	-62.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.35	-13	Pass	700
1700	1790	1	RMS	1742.75	21.73	60	Pass	401
1790	3000	1	RMS	2941.952	-48.83	-13	Pass	1210
3000	12000	1	RMS	11997.998	-40.71	-13	Pass	9000
12000	20000	1	RMS	19711.964	-31.88	-13	Pass	8000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-13	Pass	2985
30	1000	0.1	RMS	859.814	-62.76	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.33	-13	Pass	700
1700	1790	1	RMS	1775.15	22.51	60	Pass	401
1790	3000	1	RMS	2950.959	-48.82	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.57	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.8	-13	Pass	8000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.33	-13	Pass	2985
30	1000	0.1	RMS	846.4	-62.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.41	-13	Pass	700
1700	1790	1	RMS	1775.15	21.71	60	Pass	401
1790	3000	1	RMS	2946.956	-48.9	-13	Pass	1210
3000	12000	1	RMS	11822.78 1	-40.58	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.88	-13	Pass	8000




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-13	Pass	2985
30	1000	0.1	RMS	900.568	-62.81	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.18	-13	Pass	700
1700	1790	1	RMS	1710.575	22.42	60	Pass	401
1790	3000	1	RMS	2946.956	-48.83	-13	Pass	1210
3000	12000	1	RMS	11996.99 6	-40.68	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.87	-13	Pass	8000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-13	Pass	2985
30	1000	0.1	RMS	849	-62.78	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.76	-13	Pass	700
1700	1790	1	RMS	1710.575	21.58	60	Pass	401
1790	3000	1	RMS	2945.955	-48.83	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.58	-13	Pass	9000
12000	20000	1	RMS	19704.96 3	-31.94	-13	Pass	8000




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-13	Pass	2985
30	1000	0.1	RMS	877.237	-62.5	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.3	-13	Pass	700
1700	1790	1	RMS	1740.5	22.49	60	Pass	401
1790	3000	1	RMS	2948.958	-48.87	-13	Pass	1210
3000	12000	1	RMS	11909.88 8	-40.68	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.96	-13	Pass	8000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.77	-13	Pass	2985
30	1000	0.1	RMS	874.934	-62.58	-13	Pass	9699
1000	1700	1	RMS	1685.98	-52.36	-13	Pass	700
1700	1790	1	RMS	1740.5	21.47	60	Pass	401
1790	3000	1	RMS	2942.953	-48.76	-13	Pass	1210
3000	12000	1	RMS	12000	-40.74	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-13	Pass	2985
30	1000	0.1	RMS	879.24	-62.59	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.31	-13	Pass	700
1700	1790	1	RMS	1770.425	22.52	60	Pass	401
1790	3000	1	RMS	2938.95	-48.84	-13	Pass	1210
3000	12000	1	RMS	11830.79 1	-40.41	-13	Pass	9000
12000	20000	1	RMS	19706.96 3	-31.95	-13	Pass	8000




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.57	-13	Pass	2985
30	1000	0.1	RMS	877.938	-62.96	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.37	-13	Pass	700
1700	1790	1	RMS	1770.425	21.64	60	Pass	401
1790	3000	1	RMS	2944.955	-48.88	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.78	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.93	-13	Pass	8000




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-13	Pass	2985
30	1000	0.1	RMS	841.799	-62.95	-13	Pass	9699
1000	1700	1	RMS	1697.997	-49.68	-13	Pass	700
1700	1790	1	RMS	1710.8	22.41	60	Pass	401
1790	3000	1	RMS	2947.957	-48.81	-13	Pass	1210
3000	12000	1	RMS	11997.998	-40.64	-13	Pass	9000
12000	20000	1	RMS	19709.964	-31.91	-13	Pass	8000




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-13	Pass	2985
30	1000	0.1	RMS	873.632	-62.64	-13	Pass	9699
1000	1700	1	RMS	1683.977	-49.99	-13	Pass	700
1700	1790	1	RMS	1710.8	21.65	60	Pass	401
1790	3000	1	RMS	2947.957	-48.76	-13	Pass	1210
3000	12000	1	RMS	11997.99 8	-40.67	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.81	-13	Pass	8000




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-13	Pass	2985
30	1000	0.1	RMS	867.024	-62.77	-13	Pass	9699
1000	1700	1	RMS	1700	-52.36	-13	Pass	700
1700	1790	1	RMS	1738.25	22.51	60	Pass	401
1790	3000	1	RMS	2953.962	-48.87	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.72	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.85	-13	Pass	8000




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.36	-13	Pass	2985
30	1000	0.1	RMS	855.508	-62.4	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.34	-13	Pass	700
1700	1790	1	RMS	1738.25	21.53	60	Pass	401
1790	3000	1	RMS	2947.957	-48.8	-13	Pass	1210
3000	12000	1	RMS	11997.99 8	-40.53	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.87	-13	Pass	8000




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.31	-13	Pass	2985
30	1000	0.1	RMS	900.268	-62.71	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.34	-13	Pass	700
1700	1790	1	RMS	1765.7	22.51	60	Pass	401
1790	3000	1	RMS	1792.002	-40.29	-13	Pass	1210
3000	12000	1	RMS	11997.99 8	-40.58	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.83	-13	Pass	8000




**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	Pass	2985
30	1000	0.1	RMS	863.519	-62.58	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.27	-13	Pass	700
1700	1790	1	RMS	1765.7	21.69	60	Pass	401
1790	3000	1	RMS	1792.002	-40.78	-13	Pass	1210
3000	12000	1	RMS	12000	-40.59	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.86	-13	Pass	8000




**18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.58	-13	Pass	2985
30	1000	0.1	RMS	887.05	-62.6	-13	Pass	9699
1000	1700	1	RMS	1700	-50.45	-13	Pass	700
1700	1790	1	RMS	1711.025	22.42	60	Pass	401
1790	3000	1	RMS	2945.955	-48.84	-13	Pass	1210
3000	12000	1	RMS	11997.99 8	-40.68	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.9	-13	Pass	8000




**18.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.42	-13	Pass	2985
30	1000	0.1	RMS	883.846	-62.53	-13	Pass	9699
1000	1700	1	RMS	1700	-50.7	-13	Pass	700
1700	1790	1	RMS	1711.025	21.55	60	Pass	401
1790	3000	1	RMS	2948.958	-48.8	-13	Pass	1210
3000	12000	1	RMS	11998.99 9	-40.62	-13	Pass	9000
12000	20000	1	RMS	19711.96 4	-31.83	-13	Pass	8000




**18.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-67.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.17	-13	Pass	2985
30	1000	0.1	RMS	902.17	-62.57	-13	Pass	9699
1000	1700	1	RMS	1700	-50.86	-13	Pass	700
1700	1790	1	RMS	1736	22.42	60	Pass	401
1790	3000	1	RMS	2941.952	-48.85	-13	Pass	1210
3000	12000	1	RMS	11825.78 4	-40.59	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.88	-13	Pass	8000




**18.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.5	-13	Pass	2985
30	1000	0.1	RMS	888.953	-62.65	-13	Pass	9699
1000	1700	1	RMS	1700	-51.57	-13	Pass	700
1700	1790	1	RMS	1736	21.43	60	Pass	401
1790	3000	1	RMS	2948.958	-48.79	-13	Pass	1210
3000	12000	1	RMS	11997.99 8	-40.62	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.86	-13	Pass	8000




**18.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.49	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.79	-13	Pass	2985
30	1000	0.1	RMS	865.722	-62.69	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.28	-13	Pass	700
1700	1790	1	RMS	1760.975	22.48	60	Pass	401
1790	3000	1	RMS	1797.006	-48.23	-13	Pass	1210
3000	12000	1	RMS	12000	-40.56	-13	Pass	9000
12000	20000	1	RMS	19708.96 4	-31.85	-13	Pass	8000



**18.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.75	-13	Pass	2985
30	1000	0.1	RMS	887.751	-62.41	-13	Pass	9699
1000	1700	1	RMS	1689.986	-52.24	-13	Pass	700
1700	1790	1	RMS	1760.975	21.55	60	Pass	401
1790	3000	1	RMS	2949.959	-48.86	-13	Pass	1210
3000	12000	1	RMS	12000	-40.6	-13	Pass	9000
12000	20000	1	RMS	19709.96 4	-31.84	-13	Pass	8000




CA

19. CA_7C


19.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-65.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.17	-25	Pass	2985
30	1000	0.1	RMS	883.045	-65	-25	Pass	9699
1000	2490	1	RMS	2490	-49.72	-25	Pass	1490
2490	2580	1	RMS	2518.8	18.62	60	Pass	401
2580	3000	1	RMS	2946.874	-49.32	-25	Pass	420
3000	12000	1	RMS	11579.48	-51.43	-25	Pass	9000
12000	26000	1	RMS	25885.98	-34.65	-25	Pass	14000




**19.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.5	-25	Pass	2985
30	1000	0.1	RMS	892.357	-65.17	-25	Pass	9699
1000	2490	1	RMS	2490	-49.93	-25	Pass	1490
2490	2580	1	RMS	2518.8	17.69	60	Pass	401
2580	3000	1	RMS	2949.881	-49.32	-25	Pass	420
3000	12000	1	RMS	11581.482	-51.38	-25	Pass	9000
12000	26000	1	RMS	25881.98	-34.71	-25	Pass	14000




**19.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-66.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	Pass	2985
30	1000	0.1	RMS	861.817	-65.11	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.65	-25	Pass	1490
2490	2580	1	RMS	2539.05	18.66	60	Pass	401
2580	3000	1	RMS	2944.869	-49.3	-25	Pass	420
3000	12000	1	RMS	11583.485	-51.33	-25	Pass	9000
12000	26000	1	RMS	25898.983	-34.68	-25	Pass	14000




**19.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-25	Pass	2985
30	1000	0.1	RMS	900.368	-60.36	-25	Pass	9699
1000	2490	1	RMS	2490	-50.7	-25	Pass	1490
2490	2580	1	RMS	2539.05	17.61	60	Pass	401
2580	3000	1	RMS	2951.885	-49.28	-25	Pass	420
3000	12000	1	RMS	11581.482	-51.37	-25	Pass	9000
12000	26000	1	RMS	25896.982	-34.48	-25	Pass	14000




**19.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.3	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.71	-25	Pass	2985
30	1000	0.1	RMS	874.333	-65.13	-25	Pass	9699
1000	2490	1	RMS	2490	-50.82	-25	Pass	1490
2490	2580	1	RMS	2559.075	18.48	60	Pass	401
2580	3000	1	RMS	2954.893	-49.33	-25	Pass	420
3000	12000	1	RMS	5119.259	-49.53	-25	Pass	9000
12000	26000	1	RMS	25886.981	-34.67	-25	Pass	14000




**19.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-67.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-25	Pass	2985
30	1000	0.1	RMS	856.209	-65.22	-25	Pass	9699
1000	2490	1	RMS	2490	-51.01	-25	Pass	1490
2490	2580	1	RMS	2559.075	17.46	60	Pass	401
2580	3000	1	RMS	2949.881	-49.3	-25	Pass	420
3000	12000	1	RMS	11580.481	-51.41	-25	Pass	9000
12000	26000	1	RMS	25897.982	-34.55	-25	Pass	14000




**19.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-66.46	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	Pass	2985
30	1000	0.1	RMS	897.564	-65.05	-25	Pass	9699
1000	2490	1	RMS	2490	-50.09	-25	Pass	1490
2490	2580	1	RMS	2520.825	18.52	60	Pass	401
2580	3000	1	RMS	2949.881	-49.28	-25	Pass	420
3000	12000	1	RMS	11578.478	-51.4	-25	Pass	9000
12000	26000	1	RMS	25900.983	-34.68	-25	Pass	14000




**19.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-66.89	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.65	-25	Pass	2985
30	1000	0.1	RMS	857.912	-65	-25	Pass	9699
1000	2490	1	RMS	2490	-50.07	-25	Pass	1490
2490	2580	1	RMS	2518.8	17.58	60	Pass	401
2580	3000	1	RMS	2949.881	-49.31	-25	Pass	420
3000	12000	1	RMS	11578.478	-51.42	-25	Pass	9000
12000	26000	1	RMS	25901.983	-34.71	-25	Pass	14000




**19.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.67	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.77	-25	Pass	2985
30	1000	0.1	RMS	874.534	-64.94	-25	Pass	9699
1000	2490	1	RMS	2490	-50.61	-25	Pass	1490
2490	2580	1	RMS	2533.875	18.58	60	Pass	401
2580	3000	1	RMS	2944.869	-49.29	-25	Pass	420
3000	12000	1	RMS	11578.478	-51.37	-25	Pass	9000
12000	26000	1	RMS	25889.981	-34.67	-25	Pass	14000




**19.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-66.97	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.25	-25	Pass	2985
30	1000	0.1	RMS	875.235	-65.18	-25	Pass	9699
1000	2490	1	RMS	2490	-50.63	-25	Pass	1490
2490	2580	1	RMS	2535.9	17.59	60	Pass	401
2580	3000	1	RMS	2948.878	-49.31	-25	Pass	420
3000	12000	1	RMS	11585.487	-51.44	-25	Pass	9000
12000	26000	1	RMS	25895.982	-34.7	-25	Pass	14000




**19.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-66.93	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.58	-25	Pass	2985
30	1000	0.1	RMS	872.631	-65.02	-25	Pass	9699
1000	2490	1	RMS	2490	-50.86	-25	Pass	1490
2490	2580	1	RMS	2548.95	18.56	60	Pass	401
2580	3000	1	RMS	2944.869	-49.29	-25	Pass	420
3000	12000	1	RMS	11578.478	-51.41	-25	Pass	9000
12000	26000	1	RMS	25890.981	-34.62	-25	Pass	14000



**19.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.39	-25	Pass	2985
30	1000	0.1	RMS	877.037	-65.15	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.96	-25	Pass	1490
2490	2580	1	RMS	2548.95	17.5	60	Pass	401
2580	3000	1	RMS	2943.866	-49.26	-25	Pass	420
3000	12000	1	RMS	11582.483	-51.45	-25	Pass	9000
12000	26000	1	RMS	25896.982	-34.66	-25	Pass	14000



20. CA_38C


**20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-68.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.47	-25	Pass	2985
30	1000	0.1	RMS	871.73	-60.99	-25	Pass	9699
1000	2560	1	RMS	2557.999	-44.35	-25	Pass	1560
2560	2630	1	RMS	2585.725	19.48	60	Pass	401
2630	3000	1	RMS	2947.275	-45.27	-25	Pass	401
3000	12000	1	RMS	5170.265	-50.09	-25	Pass	9000
12000	26500	1	RMS	25900.905	-34.35	-25	Pass	14500




**20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66	-25	Pass	2985
30	1000	0.1	RMS	851.803	-61.1	-25	Pass	9699
1000	2560	1	RMS	2557.999	-44.4	-25	Pass	1560
2560	2630	1	RMS	2585.725	18.13	60	Pass	401
2630	3000	1	RMS	2945.425	-45.27	-25	Pass	401
3000	12000	1	RMS	11580.481	-51.37	-25	Pass	9000
12000	26500	1	RMS	25900.905	-34.27	-25	Pass	14500




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.34	-25	Pass	2985
30	1000	0.1	RMS	882.744	-61.17	-25	Pass	9699
1000	2560	1	RMS	2557.999	-45.38	-25	Pass	1560
2560	2630	1	RMS	2594.125	19.44	60	Pass	401
2630	3000	1	RMS	2940.8	-45.3	-25	Pass	401
3000	12000	1	RMS	5190.267	-50.37	-25	Pass	9000
12000	26500	1	RMS	25894.904	-34.3	-25	Pass	14500




**20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-67.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.05	-25	Pass	2985
30	1000	0.1	RMS	842.299	-61.12	-25	Pass	9699
1000	2560	1	RMS	2553.996	-45.86	-25	Pass	1560
2560	2630	1	RMS	2594.125	18.72	60	Pass	401
2630	3000	1	RMS	2938.95	-45.28	-25	Pass	401
3000	12000	1	RMS	11585.487	-51.34	-25	Pass	9000
12000	26500	1	RMS	25903.906	-34.29	-25	Pass	14500




**20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.46	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.53	-25	Pass	2985
30	1000	0.1	RMS	875.535	-61.08	-25	Pass	9699
1000	2560	1	RMS	2560	-45.44	-25	Pass	1560
2560	2630	1	RMS	2605.675	19.85	60	Pass	401
2630	3000	1	RMS	2633.7	-44.24	-25	Pass	401
3000	12000	1	RMS	5210.27	-45.27	-25	Pass	9000
12000	26500	1	RMS	25895.904	-34.38	-25	Pass	14500




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.1	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.61	-25	Pass	2985
30	1000	0.1	RMS	870.128	-61.27	-25	Pass	9699
1000	2560	1	RMS	2560	-46.02	-25	Pass	1560
2560	2630	1	RMS	2605.675	19.01	60	Pass	401
2630	3000	1	RMS	2633.7	-44.48	-25	Pass	401
3000	12000	1	RMS	5209.27	-49.17	-25	Pass	9000
12000	26500	1	RMS	25892.904	-34.39	-25	Pass	14500




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.86	-25	Pass	401
0.15	30	0.01	RMS	0.19	-66.4	-25	Pass	2985
30	1000	0.1	RMS	859.414	-61.08	-25	Pass	9699
1000	2560	1	RMS	2550.994	-44.56	-25	Pass	1560
2560	2630	1	RMS	2588.875	19.74	60	Pass	401
2630	3000	1	RMS	2952.825	-45.29	-25	Pass	401
3000	12000	1	RMS	11909.888	-51.37	-25	Pass	9000
12000	26500	1	RMS	25902.905	-34.35	-25	Pass	14500




**20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.95	-25	Pass	2985
30	1000	0.1	RMS	872.231	-61.09	-25	Pass	9699
1000	2560	1	RMS	2551.995	-45.19	-25	Pass	1560
2560	2630	1	RMS	2588.875	18.45	60	Pass	401
2630	3000	1	RMS	2941.725	-45.24	-25	Pass	401
3000	12000	1	RMS	11574.473	-51.31	-25	Pass	9000
12000	26500	1	RMS	25899.905	-34.33	-25	Pass	14500




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-68.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.32	-25	Pass	2985
30	1000	0.1	RMS	866.122	-60.94	-25	Pass	9699
1000	2560	1	RMS	2555.997	-44.08	-25	Pass	1560
2560	2630	1	RMS	2593.95	19.31	60	Pass	401
2630	3000	1	RMS	2944.5	-45.29	-25	Pass	401
3000	12000	1	RMS	5190.267	-51.09	-25	Pass	9000
12000	26500	1	RMS	25891.904	-34.33	-25	Pass	14500




**20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.11	-25	Pass	401
0.15	30	0.01	RMS	0.19	-65.92	-25	Pass	2985
30	1000	0.1	RMS	872.03	-61.23	-25	Pass	9699
1000	2560	1	RMS	2555.997	-44.96	-25	Pass	1560
2560	2630	1	RMS	2595.875	18.49	60	Pass	401
2630	3000	1	RMS	2939.875	-45.3	-25	Pass	401
3000	12000	1	RMS	5190.267	-49.49	-25	Pass	9000
12000	26500	1	RMS	25905.906	-34.31	-25	Pass	14500




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.56	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.16	-25	Pass	2985
30	1000	0.1	RMS	838.499	-61.18	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.6	-25	Pass	1560
2560	2630	1	RMS	2599.025	19.78	60	Pass	401
2630	3000	1	RMS	2638.325	-44.69	-25	Pass	401
3000	12000	1	RMS	11580.481	-51.27	-25	Pass	9000
12000	26500	1	RMS	25887.903	-34.31	-25	Pass	14500



**20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.5	-25	Pass	401
0.15	30	0.01	RMS	0.23	-65.91	-25	Pass	2985
30	1000	0.1	RMS	867.424	-61.17	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.98	-25	Pass	1560
2560	2630	1	RMS	2600.95	18.19	60	Pass	401
2630	3000	1	RMS	2638.325	-45.24	-25	Pass	401
3000	12000	1	RMS	5200.269	-50.16	-25	Pass	9000
12000	26500	1	RMS	25900.905	-34.32	-25	Pass	14500



21. CA_41C_full


**21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.68	-25	Pass	2985
30	1000	0.1	RMS	883.746	-61.15	-25	Pass	9699
1000	2486	1	RMS	2484.999	-44.34	-25	Pass	1486
2486	2700	1	RMS	2514.89	20.79	60	Pass	401
2700	3000	1	RMS	2949	-45.29	-25	Pass	401
3000	12000	1	RMS	11443.311	-51.36	-25	Pass	9000
12000	27000	1	RMS	25877.835	-34.26	-25	Pass	15000




**21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.35	-25	Pass	2985
30	1000	0.1	RMS	852.905	-61.09	-25	Pass	9699
1000	2486	1	RMS	2486	-44.77	-25	Pass	1486
2486	2700	1	RMS	2514.89	20.31	60	Pass	401
2700	3000	1	RMS	2940	-45.3	-25	Pass	401
3000	12000	1	RMS	5030.248	-50.33	-25	Pass	9000
12000	27000	1	RMS	25887.837	-34.32	-25	Pass	15000




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-67.26	-25	Pass	401
0.15	30	0.01	RMS	0.16	-65.94	-25	Pass	2985
30	1000	0.1	RMS	859.213	-61.04	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.97	-25	Pass	1486
2486	2700	1	RMS	2599.42	20.72	60	Pass	401
2700	3000	1	RMS	2950.5	-45.25	-25	Pass	401
3000	12000	1	RMS	5199.268	-46.24	-25	Pass	9000
12000	27000	1	RMS	25901.839	-34.26	-25	Pass	15000




**21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.21	-25	Pass	2985
30	1000	0.1	RMS	876.937	-60.98	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47	-25	Pass	1486
2486	2700	1	RMS	2599.42	19.81	60	Pass	401
2700	3000	1	RMS	2942.25	-45.27	-25	Pass	401
3000	12000	1	RMS	11449.318	-51.36	-25	Pass	9000
12000	27000	1	RMS	25882.836	-34.31	-25	Pass	15000




**21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.47	-25	Pass	401
0.15	30	0.01	RMS	0.2	-66.58	-25	Pass	2985
30	1000	0.1	RMS	871.329	-61.11	-25	Pass	9699
1000	2486	1	RMS	2480.997	-47.04	-25	Pass	1486
2486	2700	1	RMS	2683.95	20.71	60	Pass	401
2700	3000	1	RMS	2700.75	-44.18	-25	Pass	401
3000	12000	1	RMS	5367.289	-43.65	-25	Pass	9000
12000	27000	1	RMS	25911.84	-34.39	-25	Pass	15000




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.69	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.34	-25	Pass	2985
30	1000	0.1	RMS	905.074	-61.06	-25	Pass	9699
1000	2486	1	RMS	2486	-46.97	-25	Pass	1486
2486	2700	1	RMS	2683.95	20.36	60	Pass	401
2700	3000	1	RMS	2700	-44.31	-25	Pass	401
3000	12000	1	RMS	5369.289	-42.88	-25	Pass	9000
12000	27000	1	RMS	25898.838	-34.34	-25	Pass	15000




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-65.7	-25	Pass	2985
30	1000	0.1	RMS	884.447	-61.14	-25	Pass	9699
1000	2486	1	RMS	2486	-45.6	-25	Pass	1486
2486	2700	1	RMS	2516.495	19.08	60	Pass	401
2700	3000	1	RMS	2946	-45.26	-25	Pass	401
3000	12000	1	RMS	11575.475	-51.35	-25	Pass	9000
12000	27000	1	RMS	25901.839	-34.31	-25	Pass	15000




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.9	-25	Pass	2985
30	1000	0.1	RMS	875.235	-60.95	-25	Pass	9699
1000	2486	1	RMS	2484.999	-45.95	-25	Pass	1486
2486	2700	1	RMS	2516.495	17.39	60	Pass	401
2700	3000	1	RMS	2943	-45.21	-25	Pass	401
3000	12000	1	RMS	11575.475	-51.22	-25	Pass	9000
12000	27000	1	RMS	25885.836	-34.3	-25	Pass	15000




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-65.44	-25	Pass	2985
30	1000	0.1	RMS	875.635	-60.89	-25	Pass	9699
1000	2486	1	RMS	2486	-46.9	-25	Pass	1486
2486	2700	1	RMS	2593.535	18.45	60	Pass	401
2700	3000	1	RMS	2938.5	-45.24	-25	Pass	401
3000	12000	1	RMS	5186.267	-48.45	-25	Pass	9000
12000	27000	1	RMS	25894.838	-34.32	-25	Pass	15000




**21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.44	-25	Pass	2985
30	1000	0.1	RMS	889.654	-60.86	-25	Pass	9699
1000	2486	1	RMS	2479.996	-47.04	-25	Pass	1486
2486	2700	1	RMS	2593.535	17.17	60	Pass	401
2700	3000	1	RMS	2940	-45.21	-25	Pass	401
3000	12000	1	RMS	5186.267	-50.51	-25	Pass	9000
12000	27000	1	RMS	25893.838	-34.28	-25	Pass	15000




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.85	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.09	-25	Pass	2985
30	1000	0.1	RMS	904.974	-61.02	-25	Pass	9699
1000	2486	1	RMS	2486	-46.85	-25	Pass	1486
2486	2700	1	RMS	2670.575	18.57	60	Pass	401
2700	3000	1	RMS	2946	-45.06	-25	Pass	401
3000	12000	1	RMS	5341.286	-47.82	-25	Pass	9000
12000	27000	1	RMS	25901.839	-34.18	-25	Pass	15000



**21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-67.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.27	-25	Pass	2985
30	1000	0.1	RMS	748.988	-58.83	-25	Pass	9699
1000	2486	1	RMS	2482.998	-46.62	-25	Pass	1486
2486	2700	1	RMS	2668.97	17.93	60	Pass	401
2700	3000	1	RMS	2945.25	-44.94	-25	Pass	401
3000	12000	1	RMS	5339.286	-47.63	-25	Pass	9000
12000	27000	1	RMS	25889.837	-34.21	-25	Pass	15000




NR

22. n5 15kHz


**22.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.04	-13	Pass	401
0.15	30	0.01	RMS	1.05	-62.11	-13	Pass	2985
30	814	0.1	RMS	813.8	-70.24	-13	Pass	7840
814	859	0.1	RMS	825.826	9.72	60	Pass	450
859	1000	0.1	RMS	931.852	-80.34	-13	Pass	1410
1000	3000	1	RMS	2478.739	-23.17	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.19	-13	Pass	7000




**22.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.19	-13	Pass	401
0.15	30	0.01	RMS	1.05	-59.97	-13	Pass	2985
30	814	0.1	RMS	813.9	-69.44	-13	Pass	7840
814	859	0.1	RMS	826.327	11.07	60	Pass	450
859	1000	0.1	RMS	931.752	-79.15	-13	Pass	1410
1000	3000	1	RMS	2478.739	-20.72	-13	Pass	2000
3000	10000	1	RMS	8418.774	-54.08	-13	Pass	7000




**22.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.35	-13	Pass	401
0.15	30	0.01	RMS	1.05	-65.68	-13	Pass	2985
30	814	0.1	RMS	813	-76.48	-13	Pass	7840
814	859	0.1	RMS	846.773	9.72	60	Pass	450
859	1000	0.1	RMS	863.803	-81.52	-13	Pass	1410
1000	3000	1	RMS	2538.769	-22.71	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.2	-13	Pass	7000




**22.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.45	-13	Pass	401
0.15	30	0.01	RMS	1.05	-63.26	-13	Pass	2985
30	814	0.1	RMS	812.4	-76.31	-13	Pass	7840
814	859	0.1	RMS	846.372	11.03	60	Pass	450
859	1000	0.1	RMS	859	-80.85	-13	Pass	1410
1000	3000	1	RMS	2538.769	-20.84	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.04	-13	Pass	7000




**22.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-69.21	-13	Pass	401
0.15	30	0.01	RMS	1.05	-63.68	-13	Pass	2985
30	814	0.1	RMS	813.8	-76.69	-13	Pass	7840
814	859	0.1	RMS	835.849	9.74	60	Pass	450
859	1000	0.1	RMS	967.077	-81.07	-13	Pass	1410
1000	3000	1	RMS	2508.754	-22.69	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.82	-13	Pass	7000




**22.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.47	-13	Pass	401
0.15	30	0.01	RMS	1.05	-61.19	-13	Pass	2985
30	814	0.1	RMS	813	-76.22	-13	Pass	7840
814	859	0.1	RMS	836.35	11.2	60	Pass	450
859	1000	0.1	RMS	929.95	-78.66	-13	Pass	1410
1000	3000	1	RMS	2508.754	-20.49	-13	Pass	2000
3000	10000	1	RMS	8425.775	-54.04	-13	Pass	7000




**22.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-68.93	-13	Pass	401
0.15	30	0.01	RMS	5.432	-69.91	-13	Pass	2985
30	814	0.1	RMS	813.3	-54.14	-13	Pass	7840
814	859	0.1	RMS	827.931	5.62	60	Pass	450
859	1000	0.1	RMS	873.61	-81.62	-13	Pass	1410
1000	3000	1	RMS	2492.746	-28.99	-13	Pass	2000
3000	10000	1	RMS	8413.773	-54.03	-13	Pass	7000




**22.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-69.5	-13	Pass	401
0.15	30	0.01	RMS	1.801	-67.61	-13	Pass	2985
30	814	0.1	RMS	813.6	-53.82	-13	Pass	7840
814	859	0.1	RMS	829.434	6.34	60	Pass	450
859	1000	0.1	RMS	947.263	-81.13	-13	Pass	1410
1000	3000	1	RMS	2492.746	-25.79	-13	Pass	2000
3000	10000	1	RMS	8431.776	-54.15	-13	Pass	7000




**22.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.13	-13	Pass	401
0.15	30	0.01	RMS	5.432	-70.82	-13	Pass	2985
30	814	0.1	RMS	813.7	-57.68	-13	Pass	7840
814	859	0.1	RMS	832.942	5.45	60	Pass	450
859	1000	0.1	RMS	859.1	-79.67	-13	Pass	1410
1000	3000	1	RMS	2506.753	-28.13	-13	Pass	2000
3000	10000	1	RMS	8422.775	-54.05	-13	Pass	7000




**22.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.79	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.92	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.02	-13	Pass	7840
814	859	0.1	RMS	838.454	6.62	60	Pass	450
859	1000	0.1	RMS	859.3	-77.66	-13	Pass	1410
1000	3000	1	RMS	2507.754	-25.05	-13	Pass	2000
3000	10000	1	RMS	8430.776	-54.02	-13	Pass	7000




**22.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.51	-13	Pass	401
0.15	30	0.01	RMS	0.9	-71.45	-13	Pass	2985
30	814	0.1	RMS	813.8	-64.44	-13	Pass	7840
814	859	0.1	RMS	837.953	5.39	60	Pass	450
859	1000	0.1	RMS	859	-76.65	-13	Pass	1410
1000	3000	1	RMS	2523.762	-27.45	-13	Pass	2000
3000	10000	1	RMS	8420.774	-54.18	-13	Pass	7000




**22.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.53	-13	Pass	401
0.15	30	0.01	RMS	0.9	-69.17	-13	Pass	2985
30	814	0.1	RMS	813.8	-62.84	-13	Pass	7840
814	859	0.1	RMS	840.258	6.58	60	Pass	450
859	1000	0.1	RMS	859.3	-73.84	-13	Pass	1410
1000	3000	1	RMS	2522.761	-24.39	-13	Pass	2000
3000	10000	1	RMS	8414.774	-54.2	-13	Pass	7000




**22.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-70.04	-13	Pass	401
0.15	30	0.01	RMS	6.842	-67.11	-13	Pass	2985
30	814	0.1	RMS	814	-51.46	-13	Pass	7840
814	859	0.1	RMS	829.935	4.12	60	Pass	450
859	1000	0.1	RMS	859.2	-77.38	-13	Pass	1410
1000	3000	1	RMS	2500.75	-29.2	-13	Pass	2000
3000	10000	1	RMS	8425.775	-54.19	-13	Pass	7000




**22.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.18	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.49	-13	Pass	2985
30	814	0.1	RMS	813.5	-48.94	-13	Pass	7840
814	859	0.1	RMS	830.837	5.12	60	Pass	450
859	1000	0.1	RMS	859.3	-74.43	-13	Pass	1410
1000	3000	1	RMS	2500.75	-27.27	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54.09	-13	Pass	7000




**22.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-68.87	-13	Pass	401
0.15	30	0.01	RMS	6.842	-67.84	-13	Pass	2985
30	814	0.1	RMS	813.9	-53.62	-13	Pass	7840
814	859	0.1	RMS	832.441	3.99	60	Pass	450
859	1000	0.1	RMS	859	-74.34	-13	Pass	1410
1000	3000	1	RMS	2508.754	-28.67	-13	Pass	2000
3000	10000	1	RMS	8426.775	-54	-13	Pass	7000




**22.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-70.63	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.95	-13	Pass	2985
30	814	0.1	RMS	813.6	-53.92	-13	Pass	7840
814	859	0.1	RMS	837.653	5.11	60	Pass	450
859	1000	0.1	RMS	859	-70.81	-13	Pass	1410
1000	3000	1	RMS	2508.754	-26.7	-13	Pass	2000
3000	10000	1	RMS	8433.776	-54.1	-13	Pass	7000




**22.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.46	-13	Pass	401
0.15	30	0.01	RMS	1.951	-68.12	-13	Pass	2985
30	814	0.1	RMS	813.6	-54.64	-13	Pass	7840
814	859	0.1	RMS	841.762	4.03	60	Pass	450
859	1000	0.1	RMS	859	-71.23	-13	Pass	1410
1000	3000	1	RMS	2516.758	-28.15	-13	Pass	2000
3000	10000	1	RMS	8415.774	-54.12	-13	Pass	7000



**22.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-69.62	-13	Pass	401
0.15	30	0.01	RMS	6.842	-65.61	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.58	-13	Pass	7840
814	859	0.1	RMS	840.158	5.3	60	Pass	450
859	1000	0.1	RMS	859	-67.71	-13	Pass	1410
1000	3000	1	RMS	2514.757	-26.06	-13	Pass	2000
3000	10000	1	RMS	8434.776	-54.07	-13	Pass	7000



23. n7 15kHz


23.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-60.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.75	-25	Pass	2985
30	1000	0.1	RMS	888.352	-51.61	-25	Pass	9699
1000	2490	1	RMS	2490	-40.98	-25	Pass	1490
2490	2580	1	RMS	2502.6	18.81	60	Pass	401
2580	3000	1	RMS	2863.675	-39.16	-25	Pass	420
3000	6500	1	RMS	5004.573	-60.3	-25	Pass	3500
6500	26000	1	RMS	25480.833	-47.9	-25	Pass	19500




**23.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.69	-25	Pass	401
0.15	30	0.01	RMS	0.26	-60.07	-25	Pass	2985
30	1000	0.1	RMS	958.645	-52.55	-25	Pass	9699
1000	2490	1	RMS	2482.995	-40.93	-25	Pass	1490
2490	2580	1	RMS	2502.375	19.38	60	Pass	401
2580	3000	1	RMS	2878.711	-39.13	-25	Pass	420
3000	6500	1	RMS	5004.573	-60.17	-25	Pass	3500
6500	26000	1	RMS	25484.83 5	-47.77	-25	Pass	19500




**23.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-60.42	-25	Pass	401
0.15	30	0.01	RMS	0.16	-61.59	-25	Pass	2985
30	1000	0.1	RMS	651.876	-52.01	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.98	-25	Pass	1490
2490	2580	1	RMS	2535	18.84	60	Pass	401
2580	3000	1	RMS	2869.69	-39.14	-25	Pass	420
3000	6500	1	RMS	5069.591	-59.89	-25	Pass	3500
6500	26000	1	RMS	25510.84 3	-47.9	-25	Pass	19500




**23.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-60.45	-25	Pass	401
0.15	30	0.01	RMS	0.25	-60.57	-25	Pass	2985
30	1000	0.1	RMS	992.69	-51.62	-25	Pass	9699
1000	2490	1	RMS	2490	-40.94	-25	Pass	1490
2490	2580	1	RMS	2534.775	19.16	60	Pass	401
2580	3000	1	RMS	2872.697	-39.13	-25	Pass	420
3000	6500	1	RMS	5069.591	-59.91	-25	Pass	3500
6500	26000	1	RMS	25533.85	-48.05	-25	Pass	19500




23.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.16	-25	Pass	401
0.15	30	0.01	RMS	0.27	-60.17	-25	Pass	2985
30	1000	0.1	RMS	978.271	-52.16	-25	Pass	9699
1000	2490	1	RMS	2481.995	-40.94	-25	Pass	1490
2490	2580	1	RMS	2567.4	18.63	60	Pass	401
2580	3000	1	RMS	2869.69	-39.1	-25	Pass	420
3000	6500	1	RMS	5134.61	-59.09	-25	Pass	3500
6500	26000	1	RMS	25910.971	-47.95	-25	Pass	19500




**23.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.48	-25	Pass	2985
30	1000	0.1	RMS	877.437	-52.18	-25	Pass	9699
1000	2490	1	RMS	2483.996	-40.94	-25	Pass	1490
2490	2580	1	RMS	2567.4	18.69	60	Pass	401
2580	3000	1	RMS	2869.69	-39.08	-25	Pass	420
3000	6500	1	RMS	5134.61	-59.22	-25	Pass	3500
6500	26000	1	RMS	25500.84	-48.01	-25	Pass	19500




**23.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-57.93	-25	Pass	401
0.15	30	0.01	RMS	0.27	-60.34	-25	Pass	2985
30	1000	0.1	RMS	875.935	-52.24	-25	Pass	9699
1000	2490	1	RMS	2490	-39.2	-25	Pass	1490
2490	2580	1	RMS	2509.125	14.06	60	Pass	401
2580	3000	1	RMS	2869.69	-39.1	-25	Pass	420
3000	6500	1	RMS	6054.873	-60.67	-25	Pass	3500
6500	26000	1	RMS	25484.83 5	-47.78	-25	Pass	19500




**23.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-59.61	-25	Pass	401
0.15	30	0.01	RMS	0.25	-60.89	-25	Pass	2985
30	1000	0.1	RMS	895.561	-52.14	-25	Pass	9699
1000	2490	1	RMS	2487.999	-39.41	-25	Pass	1490
2490	2580	1	RMS	2507.775	14.75	60	Pass	401
2580	3000	1	RMS	2872.697	-39.09	-25	Pass	420
3000	6500	1	RMS	6049.871	-60.62	-25	Pass	3500
6500	26000	1	RMS	25514.84 4	-48.03	-25	Pass	19500




**23.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.14	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.51	-25	Pass	2985
30	1000	0.1	RMS	900.768	-51.9	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.95	-25	Pass	1490
2490	2580	1	RMS	2536.575	14.08	60	Pass	401
2580	3000	1	RMS	2869.69	-39.11	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.7	-25	Pass	3500
6500	26000	1	RMS	25472.83 1	-48.01	-25	Pass	19500




**23.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:507000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.4	-25	Pass	401
0.15	30	0.01	RMS	0.22	-59.68	-25	Pass	2985
30	1000	0.1	RMS	880.441	-52.21	-25	Pass	9699
1000	2490	1	RMS	2486.998	-40.97	-25	Pass	1490
2490	2580	1	RMS	2535.225	14.65	60	Pass	401
2580	3000	1	RMS	2872.697	-39.12	-25	Pass	420
3000	6500	1	RMS	6055.873	-60.48	-25	Pass	3500
6500	26000	1	RMS	25476.83 2	-48.03	-25	Pass	19500




**23.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.25	-25	Pass	401
0.15	30	0.01	RMS	0.24	-59.66	-25	Pass	2985
30	1000	0.1	RMS	854.207	-52.41	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.87	-25	Pass	1490
2490	2580	1	RMS	2559.75	14.2	60	Pass	401
2580	3000	1	RMS	2869.69	-39.09	-25	Pass	420
3000	6500	1	RMS	6134.896	-60.64	-25	Pass	3500
6500	26000	1	RMS	25532.85	-48.06	-25	Pass	19500




**23.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-58.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.36	-25	Pass	2985
30	1000	0.1	RMS	915.188	-52.39	-25	Pass	9699
1000	2490	1	RMS	2480.994	-40.95	-25	Pass	1490
2490	2580	1	RMS	2560.425	14.62	60	Pass	401
2580	3000	1	RMS	2870.692	-39.09	-25	Pass	420
3000	6500	1	RMS	6056.873	-60.59	-25	Pass	3500
6500	26000	1	RMS	25507.84 2	-48.03	-25	Pass	19500




**23.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.76	-25	Pass	401
0.15	30	0.01	RMS	0.21	-60.1	-25	Pass	2985
30	1000	0.1	RMS	996.696	-52.19	-25	Pass	9699
1000	2490	1	RMS	2490	-38.86	-25	Pass	1490
2490	2580	1	RMS	2512.05	12.82	60	Pass	401
2580	3000	1	RMS	2869.69	-39.04	-25	Pass	420
3000	6500	1	RMS	6141.898	-60.6	-25	Pass	3500
6500	26000	1	RMS	25198.74 3	-47.99	-25	Pass	19500




**23.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.42	-25	Pass	401
0.15	30	0.01	RMS	0.51	-60.87	-25	Pass	2985
30	1000	0.1	RMS	900.268	-51.9	-25	Pass	9699
1000	2490	1	RMS	2490	-38.51	-25	Pass	1490
2490	2580	1	RMS	2509.8	13.32	60	Pass	401
2580	3000	1	RMS	2873.699	-39.12	-25	Pass	420
3000	6500	1	RMS	6048.871	-60.62	-25	Pass	3500
6500	26000	1	RMS	25203.74 4	-47.85	-25	Pass	19500




23.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15, Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:25)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.24	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.1	-25	Pass	2985
30	1000	0.1	RMS	866.323	-51.94	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.87	-25	Pass	1490
2490	2580	1	RMS	2531.625	12.85	60	Pass	401
2580	3000	1	RMS	2878.711	-39.12	-25	Pass	420
3000	6500	1	RMS	6059.874	-60.4	-25	Pass	3500
6500	26000	1	RMS	25193.741	-47.91	-25	Pass	19500




**23.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.44	-25	Pass	401
0.15	30	0.01	RMS	0.22	-60.38	-25	Pass	2985
30	1000	0.1	RMS	768.49	-52.2	-25	Pass	9699
1000	2490	1	RMS	2488.999	-40.86	-25	Pass	1490
2490	2580	1	RMS	2531.4	13.34	60	Pass	401
2580	3000	1	RMS	2879.714	-39.14	-25	Pass	420
3000	6500	1	RMS	6053.873	-60.61	-25	Pass	3500
6500	26000	1	RMS	25530.849	-47.9	-25	Pass	19500




**23.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:50, RB Position:25)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.54	-25	Pass	2985
30	1000	0.1	RMS	867.624	-52.38	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41.06	-25	Pass	1490
2490	2580	1	RMS	2556.825	12.94	60	Pass	401
2580	3000	1	RMS	2580	-38.9	-25	Pass	420
3000	6500	1	RMS	6053.873	-60.61	-25	Pass	3500
6500	26000	1	RMS	25460.82 7	-47.81	-25	Pass	19500



**23.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.83	-25	Pass	401
0.15	30	0.01	RMS	0.3	-60.16	-25	Pass	2985
30	1000	0.1	RMS	933.912	-52.25	-25	Pass	9699
1000	2490	1	RMS	2485.997	-40.93	-25	Pass	1490
2490	2580	1	RMS	2556.375	13.48	60	Pass	401
2580	3000	1	RMS	2580	-38.57	-25	Pass	420
3000	6500	1	RMS	6054.873	-60.55	-25	Pass	3500
6500	26000	1	RMS	25493.83 8	-47.81	-25	Pass	19500



24. NR_n38_SCS30_10M_L_Inner_Full(16QAM)

24.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-64.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-76.03	-25	Pass	2985
30	1000	0.1	RMS	613.871	-71.37	-25	Pass	9699
1000	2520	1	RMS	2512.995	-60.46	-25	Pass	1520
2520	2670	1	RMS	2576.25	15.92	60	Pass	401
2670	3000	1	RMS	2872.125	-58.89	-25	Pass	401
3000	6500	1	RMS	5149.614	-59.46	-25	Pass	3500
6500	27000	1	RMS	25202.563	-47.3	-25	Pass	20500



24. NR_n38_SCS30_10M_L_Inner_Full(QPSK)

24.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-64.49	-25	Pass	401
0.15	30	0.01	RMS	2.161	-77.9	-25	Pass	2985
30	1000	0.1	RMS	613.571	-70.8	-25	Pass	9699
1000	2520	1	RMS	2510.994	-60.42	-25	Pass	1520
2520	2670	1	RMS	2574.75	17.23	60	Pass	401
2670	3000	1	RMS	2870.475	-58.9	-25	Pass	401
3000	6500	1	RMS	5149.614	-59.18	-25	Pass	3500
6500	27000	1	RMS	25511.638	-47.69	-25	Pass	20500



24. NR_n38_SCS30_10M_M_Inner_Full(16QAM)

24.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-63.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.02	-25	Pass	2985
30	1000	0.1	RMS	962.45	-71.3	-25	Pass	9699
1000	2520	1	RMS	2513.996	-60.51	-25	Pass	1520
2520	2670	1	RMS	2595	15.95	60	Pass	401
2670	3000	1	RMS	2873.775	-58.95	-25	Pass	401
3000	6500	1	RMS	6061.875	-60.47	-25	Pass	3500
6500	27000	1	RMS	25482.631	-47.58	-25	Pass	20500



24. NR_n38_SCS30_10M_M_Inner_Full(QPSK)

24.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-76.42	-25	Pass	2985
30	1000	0.1	RMS	928.605	-71.59	-25	Pass	9699
1000	2520	1	RMS	2510.994	-60.31	-25	Pass	1520
2520	2670	1	RMS	2595	17.15	60	Pass	401
2670	3000	1	RMS	2868.825	-58.96	-25	Pass	401
3000	6500	1	RMS	6069.877	-60.75	-25	Pass	3500
6500	27000	1	RMS	25791.706	-47.32	-25	Pass	20500



24. NR_n38_SCS30_10M_H_Inner_Full(16QAM)

24.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-63.32	-25	Pass	401
0.15	30	0.01	RMS	0.35	-76.24	-25	Pass	2985
30	1000	0.1	RMS	880.341	-70.44	-25	Pass	9699
1000	2520	1	RMS	2514.997	-60.39	-25	Pass	1520
2520	2670	1	RMS	2614.875	16.12	60	Pass	401
2670	3000	1	RMS	2881.2	-59.04	-25	Pass	401
3000	6500	1	RMS	6047.871	-60.68	-25	Pass	3500
6500	27000	1	RMS	25827.715	-47.66	-25	Pass	20500



24. NR_n38_SCS30_10M_H_Inner_Full(QPSK)

24.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-63.94	-25	Pass	401
0.15	30	0.01	RMS	2.101	-76.24	-25	Pass	2985
30	1000	0.1	RMS	997.397	-71.28	-25	Pass	9699
1000	2520	1	RMS	2504.99	-60.38	-25	Pass	1520
2520	2670	1	RMS	2614.875	17.3	60	Pass	401
2670	3000	1	RMS	2881.2	-59.01	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.59	-25	Pass	3500
6500	27000	1	RMS	25202.563	-47.28	-25	Pass	20500



24. NR_n38_SCS30_15M_L_Inner_Full(16QAM)

24.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-79.35	-25	Pass	2985
30	1000	0.1	RMS	932.01	-71.6	-25	Pass	9699
1000	2520	1	RMS	2517.999	-60.45	-25	Pass	1520
2520	2670	1	RMS	2578.875	14.28	60	Pass	401
2670	3000	1	RMS	2872.125	-59.02	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.44	-25	Pass	3500
6500	27000	1	RMS	25787.705	-47.43	-25	Pass	20500



24. NR_n38_SCS30_15M_L_Inner_Full(QPSK)

24.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-61.73	-25	Pass	401
0.15	30	0.01	RMS	0.34	-76.74	-25	Pass	2985
30	1000	0.1	RMS	615.972	-71.46	-25	Pass	9699
1000	2520	1	RMS	2513.996	-60.31	-25	Pass	1520
2520	2670	1	RMS	2576.25	15.34	60	Pass	401
2670	3000	1	RMS	2872.125	-58.96	-25	Pass	401
3000	6500	1	RMS	5153.615	-60.23	-25	Pass	3500
6500	27000	1	RMS	25202.563	-47.57	-25	Pass	20500



24. NR_n38_SCS30_15M_M_Inner_Full(16QAM)

24.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-64.05	-25	Pass	401
0.15	30	0.01	RMS	0.2	-77.42	-25	Pass	2985
30	1000	0.1	RMS	721.184	-70.63	-25	Pass	9699
1000	2520	1	RMS	2517.999	-60.27	-25	Pass	1520
2520	2670	1	RMS	2596.5	14.24	60	Pass	401
2670	3000	1	RMS	2872.125	-59	-25	Pass	401
3000	6500	1	RMS	6159.903	-60.61	-25	Pass	3500
6500	27000	1	RMS	25479.631	-47.21	-25	Pass	20500



24. NR_n38_SCS30_15M_M_Inner_Full(QPSK)

24.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-77.38	-25	Pass	2985
30	1000	0.1	RMS	971.963	-71.71	-25	Pass	9699
1000	2520	1	RMS	2508.993	-60.31	-25	Pass	1520
2520	2670	1	RMS	2593.5	15.33	60	Pass	401
2670	3000	1	RMS	2879.55	-58.96	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.68	-25	Pass	3500
6500	27000	1	RMS	25466.627	-47.27	-25	Pass	20500



24. NR_n38_SCS30_15M_H_Inner_Full(16QAM)

24.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.76	-25	Pass	401
0.15	30	0.01	RMS	2.161	-77.26	-25	Pass	2985
30	1000	0.1	RMS	926.102	-71.43	-25	Pass	9699
1000	2520	1	RMS	2504.99	-60.41	-25	Pass	1520
2520	2670	1	RMS	2614.125	14.43	60	Pass	401
2670	3000	1	RMS	2872.95	-59.02	-25	Pass	401
3000	6500	1	RMS	6184.91	-60.7	-25	Pass	3500
6500	27000	1	RMS	25183.559	-47.3	-25	Pass	20500



24. NR_n38_SCS30_15M_H_Inner_Full(QPSK)

24.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.07	-25	Pass	401
0.15	30	0.01	RMS	4.261	-78.17	-25	Pass	2985
30	1000	0.1	RMS	879.24	-71.43	-25	Pass	9699
1000	2520	1	RMS	2517.999	-60.39	-25	Pass	1520
2520	2670	1	RMS	2611.125	15.46	60	Pass	401
2670	3000	1	RMS	2873.775	-58.91	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.77	-25	Pass	3500
6500	27000	1	RMS	25519.64	-47.09	-25	Pass	20500



24. NR_n38_SCS30_20M_L_Inner_Full(16QAM)

24.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-63.25	-25	Pass	401
0.15	30	0.01	RMS	0.17	-77.05	-25	Pass	2985
30	1000	0.1	RMS	912.083	-71.93	-25	Pass	9699
1000	2520	1	RMS	2518.999	-60.26	-25	Pass	1520
2520	2670	1	RMS	2581.875	12.73	60	Pass	401
2670	3000	1	RMS	2865.525	-58.95	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.68	-25	Pass	3500
6500	27000	1	RMS	25446.623	-47.4	-25	Pass	20500



24. NR_n38_SCS30_20M_L_Inner_Full(QPSK)

24.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-64.02	-25	Pass	401
0.15	30	0.01	RMS	0.18	-79.4	-25	Pass	2985
30	1000	0.1	RMS	891.256	-71.34	-25	Pass	9699
1000	2520	1	RMS	2495.984	-60.33	-25	Pass	1520
2520	2670	1	RMS	2580	13.88	60	Pass	401
2670	3000	1	RMS	2878.725	-58.94	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.64	-25	Pass	3500
6500	27000	1	RMS	25203.564	-47.47	-25	Pass	20500



24. NR_n38_SCS30_20M_M_Inner_Full(16QAM)

24.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-63.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-77.77	-25	Pass	2985
30	1000	0.1	RMS	912.784	-71.53	-25	Pass	9699
1000	2520	1	RMS	2510.994	-60.46	-25	Pass	1520
2520	2670	1	RMS	2592	12.8	60	Pass	401
2670	3000	1	RMS	2874.6	-58.97	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.73	-25	Pass	3500
6500	27000	1	RMS	25543.646	-47.66	-25	Pass	20500



24. NR_n38_SCS30_20M_M_Inner_Full(QPSK)

24.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-61.51	-25	Pass	401
0.15	30	0.01	RMS	0.18	-78.56	-25	Pass	2985
30	1000	0.1	RMS	893.058	-70.87	-25	Pass	9699
1000	2520	1	RMS	2514.997	-60.21	-25	Pass	1520
2520	2670	1	RMS	2597.625	13.82	60	Pass	401
2670	3000	1	RMS	2873.775	-58.98	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.61	-25	Pass	3500
6500	27000	1	RMS	25199.563	-46.88	-25	Pass	20500



24. NR_n38_SCS30_20M_H_Inner_Full(16QAM)

24.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-77.27	-25	Pass	2985
30	1000	0.1	RMS	715.384	-71.1	-25	Pass	9699
1000	2520	1	RMS	2505.991	-60.47	-25	Pass	1520
2520	2670	1	RMS	2611.875	12.96	60	Pass	401
2670	3000	1	RMS	2881.2	-59	-25	Pass	401
3000	6500	1	RMS	6050.872	-60.77	-25	Pass	3500
6500	27000	1	RMS	25498.635	-47.68	-25	Pass	20500



24. NR_n38_SCS30_20M_H_Inner_Full(QPSK)

24.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-63.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-25	Pass	2985
30	1000	0.1	RMS	488.556	-71.12	-25	Pass	9699
1000	2520	1	RMS	2504.99	-60.43	-25	Pass	1520
2520	2670	1	RMS	2613	14.01	60	Pass	401
2670	3000	1	RMS	2871.3	-59.01	-25	Pass	401
3000	6500	1	RMS	6171.906	-60.65	-25	Pass	3500
6500	27000	1	RMS	25849.721	-47.61	-25	Pass	20500



25. n41 30kHz


25.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.54	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.92	-25	Pass	2985
30	1000	0.1	RMS	880.842	-50.86	-25	Pass	9699
1000	2486	1	RMS	2486	-40.14	-25	Pass	1486
2486	2700	1	RMS	2501.515	16.07	60	Pass	401
2700	3000	1	RMS	2867.25	-38.99	-25	Pass	401
3000	6500	1	RMS	5002.572	-59.82	-25	Pass	3500
6500	27000	1	RMS	25415.615	-47.28	-25	Pass	20500




**25.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:500202, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.4	-25	Pass	401
0.15	30	0.01	RMS	0.29	-60.31	-25	Pass	2985
30	1000	0.1	RMS	904.674	-52.06	-25	Pass	9699
1000	2486	1	RMS	2486	-40.07	-25	Pass	1486
2486	2700	1	RMS	2501.515	16.93	60	Pass	401
2700	3000	1	RMS	2870.25	-39.09	-25	Pass	401
3000	6500	1	RMS	5003.572	-59.81	-25	Pass	3500
6500	27000	1	RMS	25474.629	-47.71	-25	Pass	20500




25.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:12, RB Position:6)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.06	-25	Pass	401
0.15	30	0.01	RMS	0.29	-59.96	-25	Pass	2985
30	1000	0.1	RMS	971.763	-51.31	-25	Pass	9699
1000	2486	1	RMS	2476.994	-40.88	-25	Pass	1486
2486	2700	1	RMS	2593	15.95	60	Pass	401
2700	3000	1	RMS	2871	-39.11	-25	Pass	401
3000	6500	1	RMS	5183.624	-60.44	-25	Pass	3500
6500	27000	1	RMS	25472.629	-47.3	-25	Pass	20500




**25.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-25	Pass	2985
30	1000	0.1	RMS	893.959	-51.31	-25	Pass	9699
1000	2486	1	RMS	2477.995	-40.96	-25	Pass	1486
2486	2700	1	RMS	2592.465	16.94	60	Pass	401
2700	3000	1	RMS	2874	-39.07	-25	Pass	401
3000	6500	1	RMS	5183.624	-59.86	-25	Pass	3500
6500	27000	1	RMS	25199.563	-47.43	-25	Pass	20500




**25.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.74	-25	Pass	2985
30	1000	0.1	RMS	500.557	-51.7	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.99	-25	Pass	1486
2486	2700	1	RMS	2685.02	15.68	60	Pass	401
2700	3000	1	RMS	2877.75	-39.08	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.57	-25	Pass	3500
6500	27000	1	RMS	25175.557	-47.36	-25	Pass	20500




**25.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:537000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.38	-25	Pass	401
0.15	30	0.01	RMS	0.19	-58.78	-25	Pass	2985
30	1000	0.1	RMS	734.486	-50.96	-25	Pass	9699
1000	2486	1	RMS	2480.997	-40.9	-25	Pass	1486
2486	2700	1	RMS	2683.95	16.48	60	Pass	401
2700	3000	1	RMS	2872.5	-39.04	-25	Pass	401
3000	6500	1	RMS	5369.677	-60.31	-25	Pass	3500
6500	27000	1	RMS	25492.634	-47.47	-25	Pass	20500




**25.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-57.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.24	-25	Pass	2985
30	1000	0.1	RMS	848.7	-52.08	-25	Pass	9699
1000	2486	1	RMS	2486	-38.17	-25	Pass	1486
2486	2700	1	RMS	2537.895	7.97	60	Pass	401
2700	3000	1	RMS	2866.5	-39.08	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.67	-25	Pass	3500
6500	27000	1	RMS	25201.56 3	-47.82	-25	Pass	20500




**25.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-59.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-60.16	-25	Pass	2985
30	1000	0.1	RMS	935.314	-52.23	-25	Pass	9699
1000	2486	1	RMS	2486	-37.05	-25	Pass	1486
2486	2700	1	RMS	2534.15	8.92	60	Pass	401
2700	3000	1	RMS	2864.25	-39.12	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.62	-25	Pass	3500
6500	27000	1	RMS	25201.56 3	-47.85	-25	Pass	20500




**25.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-60.74	-25	Pass	2985
30	1000	0.1	RMS	900.368	-51.82	-25	Pass	9699
1000	2486	1	RMS	2486	-40.87	-25	Pass	1486
2486	2700	1	RMS	2589.79	7.79	60	Pass	401
2700	3000	1	RMS	2874	-39.14	-25	Pass	401
3000	6500	1	RMS	6053.873	-60.54	-25	Pass	3500
6500	27000	1	RMS	25189.56	-47.86	-25	Pass	20500




**25.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-25	Pass	2985
30	1000	0.1	RMS	892.157	-52.11	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41	-25	Pass	1486
2486	2700	1	RMS	2584.975	8.86	60	Pass	401
2700	3000	1	RMS	2868	-39.11	-25	Pass	401
3000	6500	1	RMS	6184.91	-60.63	-25	Pass	3500
6500	27000	1	RMS	25816.71 3	-48.01	-25	Pass	20500




**25.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-57.04	-25	Pass	401
0.15	30	0.01	RMS	0.35	-60.56	-25	Pass	2985
30	1000	0.1	RMS	892.558	-51.79	-25	Pass	9699
1000	2486	1	RMS	2475.993	-40.98	-25	Pass	1486
2486	2700	1	RMS	2652.92	7.46	60	Pass	401
2700	3000	1	RMS	2700	-36.95	-25	Pass	401
3000	6500	1	RMS	6186.911	-60.7	-25	Pass	3500
6500	27000	1	RMS	25496.63 5	-47.72	-25	Pass	20500




**25.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-58.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.84	-25	Pass	2985
30	1000	0.1	RMS	865.822	-52.22	-25	Pass	9699
1000	2486	1	RMS	2473.992	-41.01	-25	Pass	1486
2486	2700	1	RMS	2651.85	8.51	60	Pass	401
2700	3000	1	RMS	2700	-35.84	-25	Pass	401
3000	6500	1	RMS	6079.88	-60.7	-25	Pass	3500
6500	27000	1	RMS	25164.55 4	-48.01	-25	Pass	20500




**25.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-58.37	-25	Pass	401
0.15	30	0.01	RMS	0.23	-61.18	-25	Pass	2985
30	1000	0.1	RMS	995.794	-52.24	-25	Pass	9699
1000	2486	1	RMS	2484.999	-37.46	-25	Pass	1486
2486	2700	1	RMS	2545.385	5.6	60	Pass	401
2700	3000	1	RMS	2876.25	-39.09	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.55	-25	Pass	3500
6500	27000	1	RMS	25498.63 5	-47.5	-25	Pass	20500




**25.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-57.89	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.83	-25	Pass	2985
30	1000	0.1	RMS	868.526	-52.49	-25	Pass	9699
1000	2486	1	RMS	2486	-35.54	-25	Pass	1486
2486	2700	1	RMS	2553.945	6.69	60	Pass	401
2700	3000	1	RMS	2871.75	-39.12	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.5	-25	Pass	3500
6500	27000	1	RMS	25500.63 6	-47.78	-25	Pass	20500




**25.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-57.2	-25	Pass	401
0.15	30	0.01	RMS	0.2	-60.43	-25	Pass	2985
30	1000	0.1	RMS	997.897	-52.36	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.56	-25	Pass	1486
2486	2700	1	RMS	2610.655	5.59	60	Pass	401
2700	3000	1	RMS	2868.75	-39.06	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.54	-25	Pass	3500
6500	27000	1	RMS	25207.56 5	-47.97	-25	Pass	20500




**25.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-57.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.96	-25	Pass	2985
30	1000	0.1	RMS	877.938	-51.93	-25	Pass	9699
1000	2486	1	RMS	2486	-40.45	-25	Pass	1486
2486	2700	1	RMS	2606.91	6.65	60	Pass	401
2700	3000	1	RMS	2873.25	-39.1	-25	Pass	401
3000	6500	1	RMS	6062.875	-60.55	-25	Pass	3500
6500	27000	1	RMS	25189.56	-47.92	-25	Pass	20500




**25.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:16QAM, RB Number:135, RB Position:67)**

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-57.29	-25	Pass	401
0.15	30	0.01	RMS	0.26	-61.56	-25	Pass	2985
30	1000	0.1	RMS	951.636	-52.16	-25	Pass	9699
1000	2486	1	RMS	2480.997	-40.97	-25	Pass	1486
2486	2700	1	RMS	2639.545	5.34	60	Pass	401
2700	3000	1	RMS	2700	-36.22	-25	Pass	401
3000	6500	1	RMS	6146.899	-60.76	-25	Pass	3500
6500	27000	1	RMS	25493.63 4	-47.64	-25	Pass	20500



**25.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.4	-25	Pass	2985
30	1000	0.1	RMS	904.573	-52.18	-25	Pass	9699
1000	2486	1	RMS	2486	-40.91	-25	Pass	1486
2486	2700	1	RMS	2647.035	6.35	60	Pass	401
2700	3000	1	RMS	2700	-33.9	-25	Pass	401
3000	6500	1	RMS	6052.872	-60.72	-25	Pass	3500
6500	27000	1	RMS	25192.56 1	-48.02	-25	Pass	20500



26. DC_7A_n5A_SCS15_5M_L_Inner Full(QPSK)

26.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-76.72	-13	Pass	401
0.15	30	0.01	RMS	1.05	-57.75	-13	Pass	2985
30	814	0.1	RMS	813.9	-67.78	-13	Pass	7840
814	859	0.1	RMS	826.227	11.19	60	Pass	450
859	1000	0.1	RMS	931.752	-79.57	-13	Pass	1410
1000	3000	1	RMS	2478.739	-20.36	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.7	-13	Pass	7000



26. DC_7A_n5A_SCS15_5M_L_Inner Full(16QAM)

26.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-73.42	-13	Pass	401
0.15	30	0.01	RMS	1.05	-59.94	-13	Pass	2985
30	814	0.1	RMS	814	-70.72	-13	Pass	7840
814	859	0.1	RMS	827.33	10.2	60	Pass	450
859	1000	0.1	RMS	931.752	-80.55	-13	Pass	1410
1000	3000	1	RMS	2478.739	-22.37	-13	Pass	2000
3000	10000	1	RMS	8431.776	-53.73	-13	Pass	7000



26. DC_7A_n5A_SCS15_5M_M_Inner Full(QPSK)

26.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.118	-77.71	-13	Pass	401
0.15	30	0.01	RMS	1.05	-58.59	-13	Pass	2985
30	814	0.1	RMS	814	-76.02	-13	Pass	7840
814	859	0.1	RMS	836.249	11.17	60	Pass	450
859	1000	0.1	RMS	966.676	-80.31	-13	Pass	1410
1000	3000	1	RMS	2508.754	-20.7	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.77	-13	Pass	7000



26. DC_7A_n5A_SCS15_5M_M_Inner Full(16QAM)

26.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-73.81	-13	Pass	401
0.15	30	0.01	RMS	1.05	-60.85	-13	Pass	2985
30	814	0.1	RMS	809.399	-64.99	-13	Pass	7840
814	859	0.1	RMS	837.352	10.4	60	Pass	450
859	1000	0.1	RMS	966.376	-81.22	-13	Pass	1410
1000	3000	1	RMS	2509.755	-22.63	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.79	-13	Pass	7000



26. DC_7A_n5A_SCS15_5M_H_Inner Full(QPSK)

26.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-80.02	-13	Pass	401
0.15	30	0.01	RMS	1.05	-60.16	-13	Pass	2985
30	814	0.1	RMS	813.7	-76.97	-13	Pass	7840
814	859	0.1	RMS	846.272	11.23	60	Pass	450
859	1000	0.1	RMS	860.401	-80.99	-13	Pass	1410
1000	3000	1	RMS	2538.769	-21.17	-13	Pass	2000
3000	10000	1	RMS	8423.775	-53.76	-13	Pass	7000



26. DC_7A_n5A_SCS15_5M_H_Inner Full(16QAM)

26.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.091	-76.08	-13	Pass	401
0.15	30	0.01	RMS	1.05	-62.21	-13	Pass	2985
30	814	0.1	RMS	813.9	-77.26	-13	Pass	7840
814	859	0.1	RMS	847.374	10.04	60	Pass	450
859	1000	0.1	RMS	865.004	-81.61	-13	Pass	1410
1000	3000	1	RMS	2538.769	-23.03	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.76	-13	Pass	7000



26. DC_7A_n5A_SCS15_15M_L_Inner Full(QPSK)

26.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-80.26	-13	Pass	401
0.15	30	0.01	RMS	5.432	-64.87	-13	Pass	2985
30	814	0.1	RMS	813.9	-53.82	-13	Pass	7840
814	859	0.1	RMS	829.635	6.62	60	Pass	450
859	1000	0.1	RMS	946.562	-81.52	-13	Pass	1410
1000	3000	1	RMS	2492.746	-26.37	-13	Pass	2000
3000	10000	1	RMS	8423.775	-53.8	-13	Pass	7000



26. DC_7A_n5A_SCS15_15M_L_Inner Full(16QAM)

26.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-77.84	-13	Pass	401
0.15	30	0.01	RMS	5.432	-67.19	-13	Pass	2985
30	814	0.1	RMS	813.9	-53.66	-13	Pass	7840
814	859	0.1	RMS	829.134	5.84	60	Pass	450
859	1000	0.1	RMS	876.012	-82.02	-13	Pass	1410
1000	3000	1	RMS	2492.746	-28.37	-13	Pass	2000
3000	10000	1	RMS	8423.775	-53.73	-13	Pass	7000



26. DC_7A_n5A_SCS15_15M_M_Inner Full(QPSK)

26.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.83	-13	Pass	401
0.15	30	0.01	RMS	1.801	-65.34	-13	Pass	2985
30	814	0.1	RMS	814	-57.84	-13	Pass	7840
814	859	0.1	RMS	835.247	6.49	60	Pass	450
859	1000	0.1	RMS	859	-79.49	-13	Pass	1410
1000	3000	1	RMS	2507.754	-25.49	-13	Pass	2000
3000	10000	1	RMS	8431.776	-53.77	-13	Pass	7000



26. DC_7A_n5A_SCS15_15M_M_Inner Full(16QAM)

26.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-77.71	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.92	-13	Pass	2985
30	814	0.1	RMS	813.8	-57.31	-13	Pass	7840
814	859	0.1	RMS	835.748	5.55	60	Pass	450
859	1000	0.1	RMS	859	-80.78	-13	Pass	1410
1000	3000	1	RMS	2507.754	-27.86	-13	Pass	2000
3000	10000	1	RMS	8428.776	-53.8	-13	Pass	7000



26. DC_7A_n5A_SCS15_15M_H_Inner Full(QPSK)

26.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-80.38	-13	Pass	401
0.15	30	0.01	RMS	1.801	-66.34	-13	Pass	2985
30	814	0.1	RMS	813.3	-63.7	-13	Pass	7840
814	859	0.1	RMS	842.062	6.52	60	Pass	450
859	1000	0.1	RMS	859.1	-74.81	-13	Pass	1410
1000	3000	1	RMS	2522.761	-24.24	-13	Pass	2000
3000	10000	1	RMS	8425.775	-53.76	-13	Pass	7000



26. DC_7A_n5A_SCS15_15M_H_Inner Full(16QAM)

26.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-78.32	-13	Pass	401
0.15	30	0.01	RMS	1.801	-67.66	-13	Pass	2985
30	814	0.1	RMS	813.7	-64.11	-13	Pass	7840
814	859	0.1	RMS	840.759	5.77	60	Pass	450
859	1000	0.1	RMS	859	-77.63	-13	Pass	1410
1000	3000	1	RMS	2522.761	-26.76	-13	Pass	2000
3000	10000	1	RMS	8431.776	-53.79	-13	Pass	7000



26. DC_7A_n5A_SCS15_20M_L_Inner Full(QPSK)

26.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-80.54	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.13	-13	Pass	2985
30	814	0.1	RMS	813.4	-49.7	-13	Pass	7840
814	859	0.1	RMS	829.835	5.77	60	Pass	450
859	1000	0.1	RMS	859.1	-76.73	-13	Pass	1410
1000	3000	1	RMS	2499.75	-26.97	-13	Pass	2000
3000	10000	1	RMS	8422.775	-53.75	-13	Pass	7000



26. DC_7A_n5A_SCS15_20M_L_Inner Full(16AQM)

26.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-79.3	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.43	-13	Pass	2985
30	814	0.1	RMS	813.9	-51.61	-13	Pass	7840
814	859	0.1	RMS	830.637	4.5	60	Pass	450
859	1000	0.1	RMS	859	-79.01	-13	Pass	1410
1000	3000	1	RMS	2498.749	-29.43	-13	Pass	2000
3000	10000	1	RMS	8432.776	-53.8	-13	Pass	7000



26. DC_7A_n5A_SCS15_20M_M_Inner Full(QPSK)

26.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-80.4	-13	Pass	401
0.15	30	0.01	RMS	6.842	-62.38	-13	Pass	2985
30	814	0.1	RMS	814	-54	-13	Pass	7840
814	859	0.1	RMS	831.84	5.43	60	Pass	450
859	1000	0.1	RMS	859.2	-72.75	-13	Pass	1410
1000	3000	1	RMS	2507.754	-26.77	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.76	-13	Pass	7000



26. DC_7A_n5A_SCS15_20M_M_Inner Full(16AQM)

26.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-79.4	-13	Pass	401
0.15	30	0.01	RMS	6.842	-64.46	-13	Pass	2985
30	814	0.1	RMS	813.6	-53.55	-13	Pass	7840
814	859	0.1	RMS	833.143	4.43	60	Pass	450
859	1000	0.1	RMS	859	-76.06	-13	Pass	1410
1000	3000	1	RMS	2507.754	-28.92	-13	Pass	2000
3000	10000	1	RMS	8432.776	-53.71	-13	Pass	7000



26. DC_7A_n5A_SCS15_20M_H_Inner Full(QPSK)

26.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-80.95	-13	Pass	401
0.15	30	0.01	RMS	1.951	-62.84	-13	Pass	2985
30	814	0.1	RMS	813.5	-53.85	-13	Pass	7840
814	859	0.1	RMS	841.661	5.36	60	Pass	450
859	1000	0.1	RMS	859	-68.61	-13	Pass	1410
1000	3000	1	RMS	2515.758	-25.79	-13	Pass	2000
3000	10000	1	RMS	8421.775	-53.79	-13	Pass	7000



26. DC_7A_n5A_SCS15_20M_H_Inner Full(16AQM)

26.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-79.22	-13	Pass	401
0.15	30	0.01	RMS	1.951	-64.66	-13	Pass	2985
30	814	0.1	RMS	813.9	-54.77	-13	Pass	7840
814	859	0.1	RMS	842.363	4.23	60	Pass	450
859	1000	0.1	RMS	859	-72.71	-13	Pass	1410
1000	3000	1	RMS	2517.759	-28.55	-13	Pass	2000
3000	10000	1	RMS	8429.776	-53.75	-13	Pass	7000



27. DC_66A_n7A_SCS15_5M_L_Inner Full(QPSK)

27.1. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.44	-25	Pass	2985
30	1000	0.1	RMS	892.457	-81.26	-25	Pass	9699
1000	2450	1	RMS	1714.493	-48.56	-25	Pass	1450
2450	2490	1	RMS	2490	-50.62	-25	Pass	401
2490	2580	1	RMS	2502.375	20.29	60	Pass	401
2580	2700	1	RMS	2695.5	-50.63	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.36	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.91	-25	Pass	3500
6500	27000	1	RMS	25204.564	-48.4	-25	Pass	20500



27. DC_66A_n7A_SCS15_5M_L_Inner Full(16QAM)

27.2. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.26	-25	Pass	2985
30	1000	0.1	RMS	995.594	-81.3	-25	Pass	9699
1000	2450	1	RMS	1714.493	-48.48	-25	Pass	1450
2450	2490	1	RMS	2489.9	-50.73	-25	Pass	401
2490	2580	1	RMS	2502.15	19.05	60	Pass	401
2580	2700	1	RMS	2698.2	-50.63	-25	Pass	401
2700	3000	1	RMS	2868	-65.38	-25	Pass	401
3000	6500	1	RMS	6175.907	-60.94	-25	Pass	3500
6500	27000	1	RMS	25200.563	-48.46	-25	Pass	20500



27. DC_66A_n7A_SCS15_5M_M_Inner Full(QPSK)

27.3. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.16	-25	Pass	2985
30	1000	0.1	RMS	997.497	-81.25	-25	Pass	9699
1000	2450	1	RMS	1737.509	-48.55	-25	Pass	1450
2450	2490	1	RMS	2488	-51	-25	Pass	401
2490	2580	1	RMS	2534.775	20.41	60	Pass	401
2580	2700	1	RMS	2697	-50.61	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.35	-25	Pass	401
3000	6500	1	RMS	6191.912	-60.9	-25	Pass	3500
6500	27000	1	RMS	25497.635	-48.46	-25	Pass	20500



27. DC_66A_n7A_SCS15_5M_M_Inner Full(16QAM)

27.4. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-90.79	-25	Pass	2985
30	1000	0.1	RMS	968.358	-81.35	-25	Pass	9699
1000	2450	1	RMS	1739.51	-48.36	-25	Pass	1450
2450	2490	1	RMS	2489.7	-50.97	-25	Pass	401
2490	2580	1	RMS	2534.775	19.24	60	Pass	401
2580	2700	1	RMS	2699.7	-50.6	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.36	-25	Pass	401
3000	6500	1	RMS	6056.873	-60.86	-25	Pass	3500
6500	27000	1	RMS	25194.561	-48.42	-25	Pass	20500



27. DC_66A_n7A_SCS15_5M_H_Inner Full(QPSK)

27.5. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.83	-25	Pass	2985
30	1000	0.1	RMS	992.29	-81.22	-25	Pass	9699
1000	2450	1	RMS	1763.527	-48.37	-25	Pass	1450
2450	2490	1	RMS	2489.2	-50.97	-25	Pass	401
2490	2580	1	RMS	2567.4	20.57	60	Pass	401
2580	2700	1	RMS	2697.6	-50.63	-25	Pass	401
2700	3000	1	RMS	2868	-65.34	-25	Pass	401
3000	6500	1	RMS	5134.61	-60.19	-25	Pass	3500
6500	27000	1	RMS	25203.564	-48.37	-25	Pass	20500



27. DC_66A_n7A_SCS15_5M_H_Inner Full(16QAM)

27.6. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-90.2	-25	Pass	2985
30	1000	0.1	RMS	997.196	-81.39	-25	Pass	9699
1000	2450	1	RMS	1762.526	-48.3	-25	Pass	1450
2450	2490	1	RMS	2489.8	-50.98	-25	Pass	401
2490	2580	1	RMS	2567.175	19.45	60	Pass	401
2580	2700	1	RMS	2699.7	-50.63	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.37	-25	Pass	401
3000	6500	1	RMS	5134.61	-60.43	-25	Pass	3500
6500	27000	1	RMS	25501.636	-48.19	-25	Pass	20500



27. DC_66A_n7A_SCS15_15M_L_Inner Full(QPSK)

27.7. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-90.55	-25	Pass	2985
30	1000	0.1	RMS	895.561	-81.27	-25	Pass	9699
1000	2450	1	RMS	1715.493	-48.68	-25	Pass	1450
2450	2490	1	RMS	2490	-42.26	-25	Pass	401
2490	2580	1	RMS	2505.975	15.64	60	Pass	401
2580	2700	1	RMS	2694.9	-50.59	-25	Pass	401
2700	3000	1	RMS	2868.75	-65.38	-25	Pass	401
3000	6500	1	RMS	6055.873	-60.89	-25	Pass	3500
6500	27000	1	RMS	25498.635	-48.37	-25	Pass	20500



27. DC_66A_n7A_SCS15_15M_L_Inner Full(16QAM)

27.8. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.87	-25	Pass	2985
30	1000	0.1	RMS	879.64	-81.26	-25	Pass	9699
1000	2450	1	RMS	1713.492	-48.66	-25	Pass	1450
2450	2490	1	RMS	2490	-42.63	-25	Pass	401
2490	2580	1	RMS	2505.525	14.7	60	Pass	401
2580	2700	1	RMS	2699.1	-50.61	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.36	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.86	-25	Pass	3500
6500	27000	1	RMS	25487.633	-48.46	-25	Pass	20500



27. DC_66A_n7A_SCS15_15M_M_Inner Full(QPSK)

27.9. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.09	-25	Pass	2985
30	1000	0.1	RMS	991.288	-81.29	-25	Pass	9699
1000	2450	1	RMS	1739.51	-48.41	-25	Pass	1450
2450	2490	1	RMS	2489.6	-50.99	-25	Pass	401
2490	2580	1	RMS	2533.65	15.74	60	Pass	401
2580	2700	1	RMS	2698.2	-50.61	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.36	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.93	-25	Pass	3500
6500	27000	1	RMS	25503.636	-48.41	-25	Pass	20500



27. DC_66A_n7A_SCS15_15M_M_Inner Full(16QAM)

27.10. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-88.87	-25	Pass	2985
30	1000	0.1	RMS	888.853	-81.35	-25	Pass	9699
1000	2450	1	RMS	1739.51	-48.34	-25	Pass	1450
2450	2490	1	RMS	2488.3	-50.98	-25	Pass	401
2490	2580	1	RMS	2532.975	14.76	60	Pass	401
2580	2700	1	RMS	2697.6	-50.63	-25	Pass	401
2700	3000	1	RMS	2871.75	-65.38	-25	Pass	401
3000	6500	1	RMS	6054.873	-60.87	-25	Pass	3500
6500	27000	1	RMS	25201.563	-48.34	-25	Pass	20500



27. DC_66A_n7A_SCS15_15M_H_Inner Full(QPSK)

27.11. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-77.08	-25	Pass	401
0.15	30	0.01	RMS	5.572	-88.34	-25	Pass	2985
30	1000	0.1	RMS	881.743	-81.35	-25	Pass	9699
1000	2450	1	RMS	1765.528	-50.42	-25	Pass	1450
2450	2490	1	RMS	2489.8	-50.48	-25	Pass	401
2490	2580	1	RMS	2562.225	16.44	60	Pass	401
2580	2700	1	RMS	2580	-42.94	-25	Pass	401
2700	3000	1	RMS	2868	-65.62	-25	Pass	401
3000	6500	1	RMS	6138.897	-60.69	-25	Pass	3500
6500	27000	1	RMS	25200.563	-46.71	-25	Pass	20500



27. DC_66A_n7A_SCS15_15M_H_Inner Full(16QAM)

27.12. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.98	-25	Pass	2985
30	1000	0.1	RMS	995.194	-81.23	-25	Pass	9699
1000	2450	1	RMS	1764.527	-48.34	-25	Pass	1450
2450	2490	1	RMS	2489.4	-50.99	-25	Pass	401
2490	2580	1	RMS	2560.65	14.88	60	Pass	401
2580	2700	1	RMS	2580	-43.7	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.38	-25	Pass	401
3000	6500	1	RMS	6060.875	-60.87	-25	Pass	3500
6500	27000	1	RMS	25508.638	-48.26	-25	Pass	20500



27. DC_66A_n7A_SCS15_20M_L_Inner Full(QPSK)

27.13. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.23	-25	Pass	2985
30	1000	0.1	RMS	859.313	-81.22	-25	Pass	9699
1000	2450	1	RMS	1714.493	-48.46	-25	Pass	1450
2450	2490	1	RMS	2490	-40.39	-25	Pass	401
2490	2580	1	RMS	2506.875	14.26	60	Pass	401
2580	2700	1	RMS	2695.2	-50.63	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.39	-25	Pass	401
3000	6500	1	RMS	6066.876	-60.93	-25	Pass	3500
6500	27000	1	RMS	25494.634	-48.26	-25	Pass	20500



27. DC_66A_n7A_SCS15_20M_L_Inner Full(16AQM)

27.14. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-87.87	-25	Pass	2985
30	1000	0.1	RMS	908.479	-81.39	-25	Pass	9699
1000	2450	1	RMS	1714.493	-48.47	-25	Pass	1450
2450	2490	1	RMS	2490	-41.44	-25	Pass	401
2490	2580	1	RMS	2506.425	13.27	60	Pass	401
2580	2700	1	RMS	2699.7	-50.63	-25	Pass	401
2700	3000	1	RMS	2868	-65.41	-25	Pass	401
3000	6500	1	RMS	6059.874	-60.92	-25	Pass	3500
6500	27000	1	RMS	25506.637	-48.41	-25	Pass	20500



27. DC_66A_n7A_SCS15_20M_M_Inner Full(QPSK)

27.15. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.59	-25	Pass	2985
30	1000	0.1	RMS	908.779	-81.09	-25	Pass	9699
1000	2450	1	RMS	1739.51	-48.34	-25	Pass	1450
2450	2490	1	RMS	2489.9	-50.84	-25	Pass	401
2490	2580	1	RMS	2531.85	14.36	60	Pass	401
2580	2700	1	RMS	2699.7	-50.62	-25	Pass	401
2700	3000	1	RMS	2867.25	-65.38	-25	Pass	401
3000	6500	1	RMS	6064.876	-60.96	-25	Pass	3500
6500	27000	1	RMS	25198.562	-48.4	-25	Pass	20500



27. DC_66A_n7A_SCS15_20M_M_Inner Full(16AQM)

27.16. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-90.43	-25	Pass	2985
30	1000	0.1	RMS	915.288	-81.45	-25	Pass	9699
1000	2450	1	RMS	1738.509	-48.51	-25	Pass	1450
2450	2490	1	RMS	2489.7	-50.93	-25	Pass	401
2490	2580	1	RMS	2531.4	13.31	60	Pass	401
2580	2700	1	RMS	2696.4	-50.63	-25	Pass	401
2700	3000	1	RMS	2869.5	-65.38	-25	Pass	401
3000	6500	1	RMS	6058.874	-60.89	-25	Pass	3500
6500	27000	1	RMS	25494.634	-48.4	-25	Pass	20500



27. DC_66A_n7A_SCS15_20M_H_Inner Full(QPSK)

27.17. FCC-NR Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-77.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.9	-25	Pass	2985
30	1000	0.1	RMS	892.558	-81.04	-25	Pass	9699
1000	2450	1	RMS	1762.526	-48.24	-25	Pass	1450
2450	2490	1	RMS	2489.4	-50.98	-25	Pass	401
2490	2580	1	RMS	2562.675	14.5	60	Pass	401
2580	2700	1	RMS	2699.7	-50.62	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.37	-25	Pass	401
3000	6500	1	RMS	6061.875	-60.9	-25	Pass	3500
6500	27000	1	RMS	25482.631	-48.36	-25	Pass	20500



27. DC_66A_n7A_SCS15_20M_H_Inner Full(16AQM)

27.18. FCC-NR Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-78.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-89.49	-25	Pass	2985
30	1000	0.1	RMS	857.811	-81.34	-25	Pass	9699
1000	2450	1	RMS	1763.527	-48.33	-25	Pass	1450
2450	2490	1	RMS	2489.8	-50.98	-25	Pass	401
2490	2580	1	RMS	2562.45	13.57	60	Pass	401
2580	2700	1	RMS	2580	-42.51	-25	Pass	401
2700	3000	1	RMS	2870.25	-65.36	-25	Pass	401
3000	6500	1	RMS	6057.874	-60.85	-25	Pass	3500
6500	27000	1	RMS	25504.637	-48.44	-25	Pass	20500



END