






VHT-40 MHz CH7, SPURIOUS
30 MHz ~ 3 GHzVHT-40 MHz CH7, SPURIOUS
2 GHz ~ 25 GHz

VHT-40 MHz CH9 CARRIER LEVEL



VHT-40 MHz CH9, SPURIOUS
30 MHz ~ 3 GHzVHT-40 MHz CH9, SPURIOUS
2 GHz ~ 25 GHz

A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band. Test Data
802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
CH1	-43.47	5.35	-14.65	Pass
CH11	-48.97	4.23	-15.77	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
CH1	-30.01	4.40	-15.60	Pass
CH2	-31.62	6.37	-13.63	Pass
CH10	-45.72	5.21	-14.79	Pass
CH11	-46.68	3.24	-16.76	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
CH1	-29.68	4.35	-15.65	Pass
CH2	-32.33	5.82	-14.18	Pass
CH10	-46.44	5.35	-14.65	Pass
CH11	-44.39	3.22	-16.78	Pass

802.11n-40 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
CH3	-41.63	-1.67	-21.67	Pass
CH4	-40.27	-0.68	-20.68	Pass
CH5	-39.03	-0.65	-20.65	Pass
CH7	-47.37	-1.96	-21.96	Pass
CH9	-43.70	-3.11	-23.11	Pass

VHT-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
CH1	-29.36	3.88	-16.13	Pass
CH2	-32.49	5.82	-14.18	Pass
CH10	-46.38	5.36	-14.64	Pass
CH11	-43.99	2.69	-17.31	Pass

VHT-40 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
CH3	-41.72	-1.73	-21.73	Pass
CH4	-42.36	-0.65	-20.65	Pass
CH5	-42.10	-0.63	-20.63	Pass
CH7	-47.83	-1.91	-21.91	Pass
CH9	-45.54	-3.06	-23.06	Pass

Test Plots

802.11b CH1, CARRIER LEVEL




802.11b CH1, BAND EDGE




802.11b CH11, CARRIER LEVEL



802.11b CH11, BAND EDGE




802.11g CH1, CARRIER LEVEL




802.11g CH1, BAND EDGE




802.11g CH2, CARRIER LEVEL




802.11g CH2, BAND EDGE




802.11g CH10, CARRIER LEVEL




802.11g CH10, BAND EDGE




802.11g CH11, CARRIER LEVEL




802.11g CH11, BAND EDGE




802.11n-20 MHz CH1, CARRIER LEVEL




802.11n-20 MHz CH1, BAND EDGE




802.11n-20 MHz CH2, CARRIER LEVEL




802.11n-20 MHz CH2, BAND EDGE




802.11n-20 MHz CH10, CARRIER LEVEL




802.11n-20 MHz CH10, BAND EDGE




802.11n-20 MHz CH11, CARRIER LEVEL



802.11n-20 MHz CH11, BAND EDGE




802.11n-40 MHz CH3, CARRIER LEVEL




802.11n-40 MHz CH3, BAND EDGE




802.11n-40 MHz CH4, CARRIER LEVEL




802.11n-40 MHz CH4, BAND EDGE




802.11n-40 MHz CH5, CARRIER LEVEL




802.11n-40 MHz CH5, BAND EDGE




802.11n-40 MHz CH7, CARRIER LEVEL




802.11n-40 MHz CH7, BAND EDGE




802.11n-40 MHz CH9, CARRIER LEVEL



802.11n-40 MHz CH9, BAND EDGE




VHT-20 MHz CH1, CARRIER LEVEL




VHT-20 MHz CH1, BAND EDGE




VHT-20 MHz CH2, CARRIER LEVEL




VHT-20 MHz CH2, BAND EDGE




VHT-20 MHz CH10, CARRIER LEVEL




VHT-20 MHz CH10, BAND EDGE




VHT-20 MHz CH11, CARRIER LEVEL




VHT-20 MHz CH11, BAND EDGE




VHT-40 MHz CH3, CARRIER LEVEL




VHT-40 MHz CH3, BAND EDGE




VHT-40 MHz CH4, CARRIER LEVEL




VHT-40 MHz CH4, BAND EDGE




VHT-40 MHz CH5, CARRIER LEVEL




VHT-40 MHz CH5, BAND EDGE




VHT-40 MHz CH7, CARRIER LEVEL




VHT-40 MHz CH7, BAND EDGE



VHT-40 MHz CH9, CARRIER LEVEL



VHT-40 MHz CH9, BAND EDGE



A.5 Conducted Emissions


Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.314	42.94	9.40	59.86	16.92	Peak	L	Pass
1**	0.314	31.52	9.40	49.86	18.34	AV	L	Pass
2	0.402	41.93	10.01	57.81	15.88	Peak	L	Pass
2**	0.402	32.39	10.01	47.81	15.42	AV	L	Pass
3	0.436	47.61	9.95	57.14	9.53	Peak	L	Pass
3**	0.436	39.37	9.95	47.14	7.77	AV	L	Pass
4	0.484	41.59	9.76	56.27	14.68	Peak	L	Pass
4**	0.484	30.43	9.76	46.27	15.84	AV	L	Pass
5	3.742	37.08	10.02	56.00	18.92	Peak	L	Pass
5**	3.742	23.90	10.02	46.00	22.10	AV	L	Pass
6	5.310	38.33	9.37	60.00	21.67	Peak	L	Pass

6**	5.310	27.52	9.37	50.00	22.48	AV	L	Pass
-----	-------	-------	------	-------	-------	----	---	------

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.250	41.08	9.43	61.76	20.68	Peak	N	Pass
1**	0.250	27.26	9.43	51.76	24.50	AV	N	Pass
2	0.306	42.06	9.42	60.08	18.02	Peak	N	Pass
2**	0.306	31.63	9.42	50.08	18.45	AV	N	Pass
3	0.440	45.82	9.95	57.06	11.24	Peak	N	Pass
3**	0.440	37.14	9.95	47.06	9.92	AV	N	Pass
4	0.478	41.01	9.79	56.37	15.36	Peak	N	Pass
4**	0.478	27.90	9.79	46.37	18.47	AV	N	Pass
5	3.746	38.87	10.03	56.00	17.13	Peak	N	Pass
5**	3.746	26.19	10.03	46.00	19.81	AV	N	Pass
6	5.146	38.64	9.51	60.00	21.36	Peak	N	Pass
6**	5.146	24.35	9.51	50.00	25.65	AV	N	Pass

A.6 Radiated Emission

Note¹: The symbol of “--” in the table which means not application.


Note²: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note³: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note⁴: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.


Test Data and Plots

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	39.166	23.23	-26.96	40.0	16.77	Peak	125.00	100	Horizontal	Pass
2	44.211	20.02	-25.74	40.0	19.98	Peak	104.00	100	Horizontal	Pass
3	130.007	16.70	-29.73	43.5	26.80	Peak	13.00	200	Horizontal	Pass
4	241.654	23.30	-25.09	46.0	22.70	Peak	90.00	100	Horizontal	Pass
5	265.856	24.61	-24.52	46.0	21.39	Peak	95.00	100	Horizontal	Pass
6	314.210	26.50	-23.29	46.0	19.50	Peak	72.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	38.197	30.54	-27.16	40.0	9.46	Peak	1.00	100	Vertical	Pass
2	39.943	31.76	-26.72	40.0	8.24	Peak	75.00	100	Vertical	Pass
3	43.580	27.27	-25.73	40.0	12.73	Peak	166.00	100	Vertical	Pass
4	129.813	29.03	-29.70	43.5	14.47	Peak	339.00	100	Vertical	Pass
5	204.503	31.94	-26.60	43.5	11.56	Peak	39.00	100	Vertical	Pass
6	997.623	30.85	-8.42	54.0	23.15	Peak	53.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1347.900	42.09	-16.88	74.0	31.91	Peak	355.00	400	Horizontal	Pass
1**	1347.900	33.17	-16.88	54.0	20.83	AV	355.00	400	Horizontal	Pass
2	2410.800	105.49	-10.35	74.0	-31.49	Peak	209.00	200	Horizontal	N/A
2**	2410.800	102.57	-10.35	54.0	-48.57	AV	209.00	200	Horizontal	N/A
3	4824.250	47.88	-3.48	74.0	26.12	Peak	15.00	200	Horizontal	Pass
3**	4824.250	42.79	-3.48	54.0	11.21	AV	15.00	200	Horizontal	Pass
4	7889.250	53.37	1.71	74.0	20.63	Peak	15.00	300	Horizontal	Pass
4**	7889.250	44.12	1.71	54.0	9.88	AV	15.00	300	Horizontal	Pass
5	12469.750	53.21	1.20	74.0	20.79	Peak	154.00	200	Horizontal	Pass
5**	12469.750	43.51	1.20	54.0	10.49	AV	154.00	200	Horizontal	Pass
6	17461.088	55.67	5.36	74.0	18.33	Peak	24.00	400	Horizontal	Pass
6**	17461.088	47.20	5.36	54.0	6.80	AV	24.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1400.600	42.28	-16.80	74.0	31.72	Peak	282.00	200	Vertical	Pass
1**	1400.600	33.28	-16.80	54.0	20.72	AV	282.00	200	Vertical	Pass
2	2413.000	95.69	-10.23	74.0	-21.69	Peak	244.00	150	Vertical	N/A
2**	2413.000	92.99	-10.23	54.0	-38.99	AV	244.00	150	Vertical	N/A
3	4948.250	48.83	-3.68	74.0	25.17	Peak	324.00	200	Vertical	Pass
3**	4948.250	39.25	-3.68	54.0	14.75	AV	324.00	200	Vertical	Pass
4	7625.750	53.18	0.29	74.0	20.82	Peak	53.00	300	Vertical	Pass
4**	7625.750	43.30	0.29	54.0	10.70	AV	53.00	300	Vertical	Pass
5	12385.438	52.96	1.03	74.0	21.04	Peak	272.00	400	Vertical	Pass
5**	12385.438	43.66	1.03	54.0	10.34	AV	272.00	400	Vertical	Pass
6	17398.088	55.77	5.34	74.0	18.23	Peak	239.00	300	Vertical	Pass
6**	17398.088	46.03	5.34	54.0	7.97	AV	239.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1393.300	42.11	-17.06	74.0	31.89	Peak	234.00	400	Horizontal	Pass
1**	1393.300	32.17	-17.06	54.0	21.83	AV	234.00	400	Horizontal	Pass
2	2438.400	104.57	-9.92	74.0	-30.57	Peak	224.00	200	Horizontal	N/A
2**	2438.400	101.76	-9.92	54.0	-47.76	AV	224.00	200	Horizontal	N/A
3	4874.250	48.87	-3.45	74.0	25.13	Peak	77.00	200	Horizontal	Pass
3**	4874.250	43.66	-3.45	54.0	10.34	AV	77.00	200	Horizontal	Pass
4	7896.750	53.45	0.99	74.0	20.55	Peak	343.00	400	Horizontal	Pass
4**	7896.750	43.73	0.99	54.0	10.27	AV	343.00	400	Horizontal	Pass
5	12999.113	52.54	2.04	74.0	21.46	Peak	299.00	100	Horizontal	Pass
5**	12999.113	42.61	2.04	54.0	11.39	AV	299.00	100	Horizontal	Pass
6	16475.400	55.51	1.66	74.0	18.49	Peak	329.00	100	Horizontal	Pass
6**	16475.400	45.33	1.66	54.0	8.67	AV	329.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.500	42.09	-16.85	74.0	31.91	Peak	125.00	400	Vertical	Pass
1**	1518.500	32.43	-16.85	54.0	21.57	AV	125.00	400	Vertical	Pass
2	2438.400	94.78	-9.92	74.0	-20.78	Peak	235.00	200	Vertical	N/A
2**	2438.400	91.94	-9.92	54.0	-37.94	AV	235.00	200	Vertical	N/A
3	4930.500	50.06	-3.55	74.0	23.94	Peak	16.00	100	Vertical	Pass
3**	4930.500	41.16	-3.55	54.0	12.84	AV	16.00	100	Vertical	Pass
4	7922.250	53.64	1.17	74.0	20.36	Peak	180.00	400	Vertical	Pass
4**	7922.250	43.62	1.17	54.0	10.38	AV	180.00	400	Vertical	Pass
5	11513.338	53.55	-0.76	74.0	20.45	Peak	177.00	100	Vertical	Pass
5**	11513.338	42.36	-0.76	54.0	11.64	AV	177.00	100	Vertical	Pass
6	17476.837	55.91	5.07	74.0	18.09	Peak	265.00	400	Vertical	Pass
6**	17476.837	46.55	5.07	54.0	7.45	AV	265.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.500	42.31	-16.99	74.0	31.69	Peak	203.00	300	Horizontal	Pass
1**	1593.500	32.82	-16.99	54.0	21.18	AV	203.00	300	Horizontal	Pass
2	2460.800	105.11	-11.30	74.0	-31.11	Peak	232.00	100	Horizontal	N/A
2**	2460.800	102.23	-11.30	54.0	-48.23	AV	232.00	100	Horizontal	N/A
3	4924.000	49.71	-3.57	74.0	24.29	Peak	139.00	100	Horizontal	Pass
3**	4924.000	44.82	-3.57	54.0	9.18	AV	139.00	100	Horizontal	Pass
4	7889.750	53.98	1.58	74.0	20.02	Peak	118.00	200	Horizontal	Pass
4**	7889.750	45.14	1.58	54.0	8.86	AV	118.00	200	Horizontal	Pass
5	12399.213	52.53	1.10	74.0	21.47	Peak	49.00	400	Horizontal	Pass
5**	12399.213	43.23	1.10	54.0	10.77	AV	49.00	400	Horizontal	Pass
6	17469.749	55.47	5.20	74.0	18.53	Peak	212.00	400	Horizontal	Pass
6**	17469.749	46.19	5.20	54.0	7.81	AV	212.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.700	41.95	-16.94	74.0	32.05	Peak	104.00	400	Vertical	Pass
1**	1597.700	32.59	-16.94	54.0	21.41	AV	104.00	400	Vertical	Pass
2	2460.700	94.74	-11.30	74.0	-20.74	Peak	240.00	200	Vertical	N/A
2**	2460.700	91.79	-11.30	54.0	-37.79	AV	240.00	200	Vertical	N/A
3	4988.000	48.68	-3.22	74.0	25.32	Peak	107.00	200	Vertical	Pass
3**	4988.000	39.41	-3.22	54.0	14.59	AV	107.00	200	Vertical	Pass
4	7959.000	53.82	1.82	74.0	20.18	Peak	336.00	300	Vertical	Pass
4**	7959.000	44.01	1.82	54.0	9.99	AV	336.00	300	Vertical	Pass
5	12502.762	52.84	1.42	74.0	21.16	Peak	162.00	300	Vertical	Pass
5**	12502.762	43.33	1.42	54.0	10.67	AV	162.00	300	Vertical	Pass
6	17445.599	55.76	5.56	74.0	18.24	Peak	360.00	400	Vertical	Pass
6**	17445.599	47.41	5.56	54.0	6.59	AV	360.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.900	42.15	-17.02	74.0	31.85	Peak	16.00	200	Horizontal	Pass
1**	1594.900	32.95	-17.02	54.0	21.05	AV	16.00	200	Horizontal	Pass
2	2409.900	109.05	-10.41	74.0	-35.05	Peak	210.00	100	Horizontal	N/A
2**	2409.900	101.12	-10.41	54.0	-47.12	AV	210.00	100	Horizontal	N/A
3	4960.000	48.70	-3.53	74.0	25.30	Peak	323.00	100	Horizontal	Pass
3**	4960.000	39.77	-3.53	54.0	14.23	AV	323.00	100	Horizontal	Pass
4	7704.750	54.01	2.00	74.0	19.99	Peak	36.00	400	Horizontal	Pass
4**	7704.750	44.89	2.00	54.0	9.11	AV	36.00	400	Horizontal	Pass
5	11966.963	52.46	-0.25	74.0	21.54	Peak	0.00	200	Horizontal	Pass
5**	11966.963	42.69	-0.25	54.0	11.31	AV	0.00	200	Horizontal	Pass
6	17456.099	56.33	5.45	74.0	17.67	Peak	300.00	300	Horizontal	Pass
6**	17456.099	47.38	5.45	54.0	6.62	AV	300.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.400	42.24	-16.38	74.0	31.76	Peak	200.00	200	Vertical	Pass
1**	1512.400	33.34	-16.38	54.0	20.66	AV	200.00	200	Vertical	Pass
2	2410.000	100.47	-10.38	74.0	-26.47	Peak	136.00	100	Vertical	N/A
2**	2410.000	92.75	-10.38	54.0	-38.75	AV	136.00	100	Vertical	N/A
3	4954.500	48.59	-3.56	74.0	25.41	Peak	222.00	100	Vertical	Pass
3**	4954.500	39.65	-3.56	54.0	14.35	AV	222.00	100	Vertical	Pass
4	7703.500	53.10	1.35	74.0	20.90	Peak	262.00	300	Vertical	Pass
4**	7703.500	43.93	1.35	54.0	10.07	AV	262.00	300	Vertical	Pass
5	12236.287	52.63	0.91	74.0	21.37	Peak	200.00	300	Vertical	Pass
5**	12236.287	42.37	0.91	54.0	11.63	AV	200.00	300	Vertical	Pass
6	17450.062	55.56	5.57	74.0	18.44	Peak	154.00	300	Vertical	Pass
6**	17450.062	46.65	5.57	54.0	7.35	AV	154.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1270.800	41.82	-17.39	74.0	32.18	Peak	14.00	400	Horizontal	Pass
1**	1270.800	31.79	-17.39	54.0	22.21	AV	14.00	400	Horizontal	Pass
2	2411.800	110.14	-10.11	74.0	-36.14	Peak	224.00	150	Horizontal	N/A
2**	2411.800	102.37	-10.11	54.0	-48.37	AV	224.00	150	Horizontal	N/A
3	4876.250	48.64	-3.50	74.0	25.36	Peak	303.00	150	Horizontal	Pass
3**	4876.250	38.80	-3.50	54.0	15.20	AV	303.00	150	Horizontal	Pass
4	7710.500	53.46	1.96	74.0	20.54	Peak	123.00	400	Horizontal	Pass
4**	7710.500	44.86	1.96	54.0	9.14	AV	123.00	400	Horizontal	Pass
5	12255.287	52.68	1.05	74.0	21.32	Peak	0.00	100	Horizontal	Pass
5**	12255.287	42.83	1.05	54.0	11.17	AV	0.00	100	Horizontal	Pass
6	17445.337	56.07	5.55	74.0	17.93	Peak	34.00	100	Horizontal	Pass
6**	17445.337	46.91	5.55	54.0	7.09	AV	34.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.100	42.20	-16.87	74.0	31.80	Peak	229.00	400	Vertical	Pass
1**	1498.100	32.80	-16.87	54.0	21.20	AV	229.00	400	Vertical	Pass
2	2418.600	102.15	-10.08	74.0	-28.15	Peak	246.00	200	Vertical	N/A
2**	2418.600	94.46	-10.08	54.0	-40.46	AV	246.00	200	Vertical	N/A
3	4896.500	48.82	-3.34	74.0	25.18	Peak	303.00	100	Vertical	Pass
3**	4896.500	39.52	-3.34	54.0	14.48	AV	303.00	100	Vertical	Pass
4	7964.750	53.73	2.17	74.0	20.27	Peak	360.00	400	Vertical	Pass
4**	7964.750	44.93	2.17	54.0	9.07	AV	360.00	400	Vertical	Pass
5	11966.250	52.62	-0.27	74.0	21.38	Peak	101.00	200	Vertical	Pass
5**	11966.250	43.29	-0.27	54.0	10.71	AV	101.00	200	Vertical	Pass
6	16396.125	55.34	3.02	74.0	18.66	Peak	164.00	400	Vertical	Pass
6**	16396.125	46.44	3.02	54.0	7.56	AV	164.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.000	41.84	-16.98	74.0	32.16	Peak	153.00	300	Horizontal	Pass
1**	1577.000	32.01	-16.98	54.0	21.99	AV	153.00	300	Horizontal	Pass
2	2443.700	109.00	-9.83	74.0	-35.00	Peak	234.00	100	Horizontal	N/A
2**	2443.700	101.77	-9.83	54.0	-47.77	AV	234.00	100	Horizontal	N/A
3	4875.000	48.63	-3.51	74.0	25.37	Peak	142.00	150	Horizontal	Pass
3**	4875.000	39.53	-3.51	54.0	14.47	AV	142.00	150	Horizontal	Pass
4	7686.250	54.00	1.35	74.0	20.00	Peak	303.00	400	Horizontal	Pass
4**	7686.250	44.30	1.35	54.0	9.70	AV	303.00	400	Horizontal	Pass
5	11766.988	52.58	-0.18	74.0	21.42	Peak	0.00	300	Horizontal	Pass
5**	11766.988	43.06	-0.18	54.0	10.94	AV	0.00	300	Horizontal	Pass
6	16410.563	55.83	3.03	74.0	18.17	Peak	298.00	100	Horizontal	Pass
6**	16410.563	46.24	3.03	54.0	7.76	AV	298.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.500	42.26	-16.89	74.0	31.74	Peak	25.00	100	Vertical	Pass
1**	1544.500	32.80	-16.89	54.0	21.20	AV	25.00	100	Vertical	Pass
2	2441.000	100.39	-9.79	74.0	-26.39	Peak	176.00	100	Vertical	N/A
2**	2441.000	93.10	-9.79	54.0	-39.10	AV	176.00	100	Vertical	N/A
3	4982.000	48.63	-3.43	74.0	25.37	Peak	75.00	100	Vertical	Pass
3**	4982.000	39.53	-3.43	54.0	14.47	AV	75.00	100	Vertical	Pass
4	7665.000	53.53	1.22	74.0	20.47	Peak	220.00	400	Vertical	Pass
4**	7665.000	43.31	1.22	54.0	10.69	AV	220.00	400	Vertical	Pass
5	12969.450	53.00	1.76	74.0	21.00	Peak	352.00	400	Vertical	Pass
5**	12969.450	43.12	1.76	54.0	10.88	AV	352.00	400	Vertical	Pass
6	17455.051	56.02	5.47	74.0	17.98	Peak	0.00	100	Vertical	Pass
6**	17455.051	47.09	5.47	54.0	6.91	AV	0.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.600	42.18	-17.19	74.0	31.82	Peak	360.00	300	Horizontal	Pass
1**	1526.600	32.34	-17.19	54.0	21.66	AV	360.00	300	Horizontal	Pass
2	2452.400	109.33	-10.78	74.0	-35.33	Peak	239.00	100	Horizontal	N/A
2**	2452.400	102.87	-10.78	54.0	-48.87	AV	239.00	100	Horizontal	N/A
3	4836.750	48.52	-3.78	74.0	25.48	Peak	19.00	100	Horizontal	Pass
3**	4836.750	38.73	-3.78	54.0	15.27	AV	19.00	100	Horizontal	Pass
4	7956.750	53.82	1.74	74.0	20.18	Peak	0.00	200	Horizontal	Pass
4**	7956.750	43.66	1.74	54.0	10.34	AV	0.00	200	Horizontal	Pass
5	12414.175	52.60	1.09	74.0	21.40	Peak	0.00	300	Horizontal	Pass
5**	12414.175	42.93	1.09	54.0	11.07	AV	0.00	300	Horizontal	Pass
6	17420.401	55.85	5.48	74.0	18.15	Peak	208.00	200	Horizontal	Pass
6**	17420.401	46.39	5.48	54.0	7.61	AV	208.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1263.300	42.32	-17.37	74.0	31.68	Peak	69.00	100	Vertical	Pass
1**	1263.300	31.50	-17.37	54.0	22.50	AV	69.00	100	Vertical	Pass
2	2450.100	100.40	-10.35	74.0	-26.40	Peak	170.00	100	Vertical	N/A
2**	2450.100	92.57	-10.35	54.0	-38.57	AV	170.00	100	Vertical	N/A
3	4916.250	48.55	-3.34	74.0	25.45	Peak	263.00	100	Vertical	Pass
3**	4916.250	39.61	-3.34	54.0	14.39	AV	263.00	100	Vertical	Pass
4	7704.250	53.76	1.69	74.0	20.24	Peak	60.00	300	Vertical	Pass
4**	7704.250	44.01	1.69	54.0	9.99	AV	60.00	300	Vertical	Pass
5	12499.200	53.00	1.43	74.0	21.00	Peak	326.00	300	Vertical	Pass
5**	12499.200	44.16	1.43	54.0	9.84	AV	326.00	300	Vertical	Pass
6	16399.012	55.54	3.13	74.0	18.46	Peak	126.00	200	Vertical	Pass
6**	16399.012	46.29	3.13	54.0	7.71	AV	126.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1347.200	42.49	-16.76	74.0	31.51	Peak	327.00	300	Horizontal	Pass
1**	1347.200	32.60	-16.76	54.0	21.40	AV	327.00	300	Horizontal	Pass
2	2457.300	108.42	-11.13	74.0	-34.42	Peak	228.00	200	Horizontal	N/A
2**	2457.300	100.45	-11.13	54.0	-46.45	AV	228.00	200	Horizontal	N/A
3	4918.750	48.70	-3.54	74.0	25.30	Peak	57.00	200	Horizontal	Pass
3**	4918.750	41.11	-3.54	54.0	12.89	AV	57.00	200	Horizontal	Pass
4	7980.250	53.11	1.47	74.0	20.89	Peak	260.00	400	Horizontal	Pass
4**	7980.250	43.35	1.47	54.0	10.65	AV	260.00	400	Horizontal	Pass
5	12971.550	52.48	1.78	74.0	21.52	Peak	113.00	300	Horizontal	Pass
5**	12971.550	42.94	1.78	54.0	11.06	AV	113.00	300	Horizontal	Pass
6	17423.026	56.29	5.49	74.0	17.71	Peak	239.00	100	Horizontal	Pass
6**	17423.026	46.38	5.49	54.0	7.62	AV	239.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1426.500	41.84	-17.10	74.0	32.16	Peak	65.00	200	Vertical	Pass
1**	1426.500	33.14	-17.10	54.0	20.86	AV	65.00	200	Vertical	Pass
2	2455.900	98.95	-11.15	74.0	-24.95	Peak	164.00	150	Vertical	N/A
2**	2455.900	90.88	-11.15	54.0	-36.88	AV	164.00	150	Vertical	N/A
3	4983.750	48.89	-3.31	74.0	25.11	Peak	338.00	150	Vertical	Pass
3**	4983.750	39.41	-3.31	54.0	14.59	AV	338.00	150	Vertical	Pass
4	7977.500	53.09	1.46	74.0	20.91	Peak	185.00	400	Vertical	Pass
4**	7977.500	43.93	1.46	54.0	10.07	AV	185.00	400	Vertical	Pass
5	12374.275	52.07	0.97	74.0	21.93	Peak	128.00	100	Vertical	Pass
5**	12374.275	43.71	0.97	54.0	10.29	AV	128.00	100	Vertical	Pass
6	17429.324	55.53	5.51	74.0	18.47	Peak	8.00	100	Vertical	Pass
6**	17429.324	45.77	5.51	54.0	8.23	AV	8.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	41.95	-17.39	74.0	32.05	Peak	0.00	200	Horizontal	Pass
1**	1562.500	32.66	-17.39	54.0	21.34	AV	0.00	200	Horizontal	Pass
2	2410.300	108.93	-10.42	74.0	-34.93	Peak	214.00	150	Horizontal	N/A
2**	2410.300	100.85	-10.42	54.0	-46.85	AV	214.00	150	Horizontal	N/A
3	4926.000	49.51	-3.61	74.0	24.49	Peak	322.00	150	Horizontal	Pass
3**	4926.000	39.41	-3.61	54.0	14.59	AV	322.00	150	Horizontal	Pass
4	7890.750	53.63	1.52	74.0	20.37	Peak	283.00	100	Horizontal	Pass
4**	7890.750	43.75	1.52	54.0	10.25	AV	283.00	100	Horizontal	Pass
5	11794.775	53.49	-0.15	74.0	20.51	Peak	193.00	100	Horizontal	Pass
5**	11794.775	44.57	-0.15	54.0	9.43	AV	193.00	100	Horizontal	Pass
6	16407.676	56.83	3.06	74.0	17.17	Peak	169.00	200	Horizontal	Pass
6**	16407.676	46.54	3.06	54.0	7.46	AV	169.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CCH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1353.100	42.18	-17.11	74.0	31.82	Peak	350.00	200	Vertical	Pass
1**	1353.100	32.40	-17.11	54.0	21.60	AV	350.00	200	Vertical	Pass
2	2410.000	100.36	-10.38	74.0	-26.36	Peak	132.00	200	Vertical	N/A
2**	2410.000	92.84	-10.38	54.0	-38.84	AV	132.00	200	Vertical	N/A
3	4936.500	48.88	-3.39	74.0	25.12	Peak	259.00	150	Vertical	Pass
3**	4936.500	40.29	-3.39	54.0	13.71	AV	259.00	150	Vertical	Pass
4	7802.750	53.51	0.87	74.0	20.49	Peak	280.00	300	Vertical	Pass
4**	7802.750	43.75	0.87	54.0	10.25	AV	280.00	300	Vertical	Pass
5	11749.650	53.24	-0.20	74.0	20.76	Peak	244.00	100	Vertical	Pass
5**	11749.650	44.21	-0.20	54.0	9.79	AV	244.00	100	Vertical	Pass
6	17437.198	56.85	5.53	74.0	17.15	Peak	162.00	300	Vertical	Pass
6**	17437.198	47.16	5.53	54.0	6.84	AV	162.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.000	41.64	-17.30	74.0	32.36	Peak	84.00	200	Horizontal	Pass
1**	1548.000	31.71	-17.30	54.0	22.29	AV	84.00	200	Horizontal	Pass
2	2412.200	109.43	-10.36	74.0	-35.43	Peak	203.00	200	Horizontal	N/A
2**	2412.200	102.40	-10.36	54.0	-48.40	AV	203.00	200	Horizontal	N/A
3	4915.000	49.20	-3.41	74.0	24.80	Peak	305.00	200	Horizontal	Pass
3**	4915.000	39.98	-3.41	54.0	14.02	AV	305.00	200	Horizontal	Pass
4	7712.000	53.99	1.91	74.0	20.01	Peak	360.00	200	Horizontal	Pass
4**	7712.000	44.70	1.91	54.0	9.30	AV	360.00	200	Horizontal	Pass
5	12523.662	52.36	1.30	74.0	21.64	Peak	196.00	300	Horizontal	Pass
5**	12523.662	44.72	1.30	54.0	9.28	AV	196.00	300	Horizontal	Pass
6	17446.650	55.90	5.56	74.0	18.10	Peak	98.00	100	Horizontal	Pass
6**	17446.650	47.40	5.56	54.0	6.60	AV	98.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.000	42.23	-16.96	74.0	31.77	Peak	150.00	400	Vertical	Pass
1**	1496.000	32.46	-16.96	54.0	21.54	AV	150.00	400	Vertical	Pass
2	2412.900	101.51	-10.17	74.0	-27.51	Peak	121.00	100	Vertical	N/A
2**	2412.900	93.31	-10.17	54.0	-39.31	AV	121.00	100	Vertical	N/A
3	4947.250	49.42	-3.60	74.0	24.58	Peak	298.00	100	Vertical	Pass
3**	4947.250	39.55	-3.60	54.0	14.45	AV	298.00	100	Vertical	Pass
4	7709.250	53.42	1.90	74.0	20.58	Peak	198.00	100	Vertical	Pass
4**	7709.250	44.77	1.90	54.0	9.23	AV	198.00	100	Vertical	Pass
5	12446.474	52.50	1.04	74.0	21.50	Peak	230.00	100	Vertical	Pass
5**	12446.474	42.96	1.04	54.0	11.04	AV	230.00	100	Vertical	Pass
6	16392.713	56.11	2.89	74.0	17.89	Peak	150.00	300	Vertical	Pass
6**	16392.713	47.01	2.89	54.0	6.99	AV	150.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.600	42.00	-16.58	74.0	32.00	Peak	215.00	200	Horizontal	Pass
1**	1592.600	33.14	-16.58	54.0	20.86	AV	215.00	200	Horizontal	Pass
2	2438.500	109.41	-9.93	74.0	-35.41	Peak	225.00	150	Horizontal	N/A
2**	2438.500	101.91	-9.93	54.0	-47.91	AV	225.00	150	Horizontal	N/A
3	4920.250	48.96	-3.46	74.0	25.04	Peak	326.00	100	Horizontal	Pass
3**	4920.250	39.56	-3.46	54.0	14.44	AV	326.00	100	Horizontal	Pass
4	7799.500	53.68	0.95	74.0	20.32	Peak	326.00	300	Horizontal	Pass
4**	7799.500	43.99	0.95	54.0	10.01	AV	326.00	300	Horizontal	Pass
5	12532.450	52.71	1.25	74.0	21.29	Peak	127.00	100	Horizontal	Pass
5**	12532.450	43.27	1.25	54.0	10.73	AV	127.00	100	Horizontal	Pass
6	16408.989	55.81	3.05	74.0	18.19	Peak	360.00	300	Horizontal	Pass
6**	16408.989	46.40	3.05	54.0	7.60	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.400	42.36	-16.93	74.0	31.64	Peak	356.00	100	Vertical	Pass
1**	1449.400	31.96	-16.93	54.0	22.04	AV	356.00	100	Vertical	Pass
2	2440.600	100.04	-9.80	74.0	-26.04	Peak	169.00	200	Vertical	N/A
2**	2440.600	92.73	-9.80	54.0	-38.73	AV	169.00	200	Vertical	N/A
3	4954.250	49.44	-3.52	74.0	24.56	Peak	360.00	150	Vertical	Pass
3**	4954.250	40.06	-3.52	54.0	13.94	AV	360.00	150	Vertical	Pass
4	7770.750	53.79	1.24	74.0	20.21	Peak	96.00	300	Vertical	Pass
4**	7770.750	44.19	1.24	54.0	9.81	AV	96.00	300	Vertical	Pass
5	12413.700	52.95	1.09	74.0	21.05	Peak	93.00	300	Vertical	Pass
5**	12413.700	43.41	1.09	54.0	10.59	AV	93.00	300	Vertical	Pass
6	16402.688	56.32	3.13	74.0	17.68	Peak	297.00	200	Vertical	Pass
6**	16402.688	46.55	3.13	54.0	7.45	AV	297.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1369.000	41.93	-17.23	74.0	32.07	Peak	6.00	400	Horizontal	Pass
1**	1369.000	31.49	-17.23	54.0	22.51	AV	6.00	400	Horizontal	Pass
2	2453.600	110.00	-10.87	74.0	-36.00	Peak	220.00	200	Horizontal	N/A
2**	2453.600	101.50	-10.87	54.0	-47.50	AV	220.00	200	Horizontal	N/A
3	4914.500	49.12	-3.41	74.0	24.88	Peak	360.00	100	Horizontal	Pass
3**	4914.500	39.71	-3.41	54.0	14.29	AV	360.00	100	Horizontal	Pass
4	7410.750	54.11	0.86	74.0	19.89	Peak	58.00	300	Horizontal	Pass
4**	7410.750	43.75	0.86	54.0	10.25	AV	58.00	300	Horizontal	Pass
5	12979.951	52.81	1.86	74.0	21.19	Peak	25.00	300	Horizontal	Pass
5**	12979.951	43.34	1.86	54.0	10.66	AV	25.00	300	Horizontal	Pass
6	17449.011	55.90	5.57	74.0	18.10	Peak	171.00	100	Horizontal	Pass
6**	17449.011	47.98	5.57	54.0	6.02	AV	171.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.400	43.48	-16.38	74.0	30.52	Peak	195.00	200	Vertical	Pass
1**	1512.400	33.07	-16.38	54.0	20.93	AV	195.00	200	Vertical	Pass
2	2451.400	99.51	-10.39	74.0	-25.51	Peak	247.00	200	Vertical	N/A
2**	2451.400	92.19	-10.39	54.0	-38.19	AV	247.00	200	Vertical	N/A
3	4935.000	48.70	-3.56	74.0	25.30	Peak	16.00	200	Vertical	Pass
3**	4935.000	39.54	-3.56	54.0	14.46	AV	16.00	200	Vertical	Pass
4	7870.000	53.88	1.42	74.0	20.12	Peak	261.00	100	Vertical	Pass
4**	7870.000	43.40	1.42	54.0	10.60	AV	261.00	100	Vertical	Pass
5	12681.838	53.37	0.29	74.0	20.63	Peak	138.00	200	Vertical	Pass
5**	12681.838	42.35	0.29	54.0	11.65	AV	138.00	200	Vertical	Pass
6	16448.099	55.38	2.52	74.0	18.62	Peak	210.00	100	Vertical	Pass
6**	16448.099	45.97	2.52	54.0	8.03	AV	210.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.800	41.99	-16.91	74.0	32.01	Peak	274.00	300	Horizontal	Pass
1**	1450.800	32.24	-16.91	54.0	21.76	AV	274.00	300	Horizontal	Pass
2	2456.500	108.14	-10.84	74.0	-34.14	Peak	223.00	150	Horizontal	N/A
2**	2456.500	101.27	-10.84	54.0	-47.27	AV	223.00	150	Horizontal	N/A
3	4806.750	48.99	-3.03	74.0	25.01	Peak	360.00	200	Horizontal	Pass
3**	4806.750	39.19	-3.03	54.0	14.81	AV	360.00	200	Horizontal	Pass
4	7965.000	53.70	2.12	74.0	20.30	Peak	144.00	100	Horizontal	Pass
4**	7965.000	44.09	2.12	54.0	9.91	AV	144.00	100	Horizontal	Pass
5	12402.062	52.65	1.10	74.0	21.35	Peak	55.00	100	Horizontal	Pass
5**	12402.062	43.13	1.10	54.0	10.87	AV	55.00	100	Horizontal	Pass
6	16404.000	55.90	3.11	74.0	18.10	Peak	53.00	400	Horizontal	Pass
6**	16404.000	46.73	3.11	54.0	7.27	AV	53.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	42.57	-16.98	74.0	31.43	Peak	113.00	200	Vertical	Pass
1**	1330.100	32.25	-16.98	54.0	21.75	AV	113.00	200	Vertical	Pass
2	2456.400	98.82	-10.83	74.0	-24.82	Peak	242.00	100	Vertical	N/A
2**	2456.400	91.31	-10.83	54.0	-37.31	AV	242.00	100	Vertical	N/A
3	4941.750	49.06	-3.66	74.0	24.94	Peak	276.00	150	Vertical	Pass
3**	4941.750	39.71	-3.66	54.0	14.29	AV	276.00	150	Vertical	Pass
4	7952.500	53.43	1.81	74.0	20.57	Peak	41.00	400	Vertical	Pass
4**	7952.500	43.86	1.81	54.0	10.14	AV	41.00	400	Vertical	Pass
5	12984.412	52.59	1.90	74.0	21.41	Peak	321.00	100	Vertical	Pass
5**	12984.412	44.31	1.90	54.0	9.69	AV	321.00	100	Vertical	Pass
6	17398.874	55.46	5.37	74.0	18.54	Peak	139.00	400	Vertical	Pass
6**	17398.874	46.17	5.37	54.0	7.83	AV	139.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1480.000	42.36	-16.99	74.0	31.64	Peak	79.00	100	Horizontal	Pass
1**	1480.000	31.91	-16.99	54.0	22.09	AV	79.00	100	Horizontal	Pass
2	2416.600	103.91	-10.23	74.0	-29.91	Peak	211.00	200	Horizontal	N/A
2**	2416.600	96.62	-10.23	54.0	-42.62	AV	211.00	200	Horizontal	N/A
3	4992.000	48.72	-3.31	74.0	25.28	Peak	338.00	100	Horizontal	Pass
3**	4992.000	40.41	-3.31	54.0	13.59	AV	338.00	100	Horizontal	Pass
4	7683.250	53.77	0.69	74.0	20.23	Peak	338.00	200	Horizontal	Pass
4**	7683.250	43.67	0.69	54.0	10.33	AV	338.00	200	Horizontal	Pass
5	12509.175	52.87	1.39	74.0	21.13	Peak	162.00	100	Horizontal	Pass
5**	12509.175	43.12	1.39	54.0	10.88	AV	162.00	100	Horizontal	Pass
6	17435.888	56.32	5.53	74.0	17.68	Peak	77.00	400	Horizontal	Pass
6**	17435.888	46.35	5.53	54.0	7.65	AV	77.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.100	42.15	-16.87	74.0	31.85	Peak	135.00	200	Vertical	Pass
1**	1486.100	32.84	-16.87	54.0	21.16	AV	135.00	200	Vertical	Pass
2	2420.000	94.43	-10.18	74.0	-20.43	Peak	125.00	200	Vertical	N/A
2**	2420.000	86.45	-10.18	54.0	-32.45	AV	125.00	200	Vertical	N/A
3	4938.500	49.26	-3.34	74.0	24.74	Peak	115.00	150	Vertical	Pass
3**	4938.500	39.47	-3.34	54.0	14.53	AV	115.00	150	Vertical	Pass
4	7955.000	53.77	1.86	74.0	20.23	Peak	161.00	400	Vertical	Pass
4**	7955.000	44.32	1.86	54.0	9.68	AV	161.00	400	Vertical	Pass
5	12450.750	53.29	1.04	74.0	20.71	Peak	268.00	400	Vertical	Pass
5**	12450.750	43.14	1.04	54.0	10.86	AV	268.00	400	Vertical	Pass
6	16388.512	55.94	2.73	74.0	18.06	Peak	45.00	300	Vertical	Pass
6**	16388.512	46.04	2.73	54.0	7.96	AV	45.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1411.700	42.05	-17.00	74.0	31.95	Peak	360.00	200	Horizontal	Pass
1**	1411.700	32.60	-17.00	54.0	21.40	AV	360.00	200	Horizontal	Pass
2	2419.500	104.14	-9.96	74.0	-30.14	Peak	223.00	200	Horizontal	N/A
2**	2419.500	96.40	-9.96	54.0	-42.40	AV	223.00	200	Horizontal	N/A
3	4958.750	49.15	-3.67	74.0	24.85	Peak	358.00	100	Horizontal	Pass
3**	4958.750	40.63	-3.67	54.0	13.37	AV	358.00	100	Horizontal	Pass
4	7711.500	53.58	1.98	74.0	20.42	Peak	265.00	200	Horizontal	Pass
4**	7711.500	44.53	1.98	54.0	9.47	AV	265.00	200	Horizontal	Pass
5	11006.037	52.65	-1.56	74.0	21.35	Peak	291.00	300	Horizontal	Pass
5**	11006.037	42.79	-1.56	54.0	11.21	AV	291.00	300	Horizontal	Pass
6	16438.651	56.27	2.65	74.0	17.73	Peak	360.00	400	Horizontal	Pass
6**	16438.651	46.04	2.65	54.0	7.96	AV	360.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle CH4

No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1304.000	41.99	-17.17	74.0	32.01	Peak	45.00	100	Vertical	Pass
1**	1304.000	32.83	-17.17	54.0	21.17	AV	45.00	100	Vertical	Pass
2	2413.800	93.51	-10.40	74.0	-19.51	Peak	26.00	200	Vertical	N/A
2**	2413.800	85.20	-10.40	54.0	-31.20	AV	26.00	200	Vertical	N/A
3	4992.000	48.83	-3.31	74.0	25.17	Peak	19.00	150	Vertical	Pass
3**	4992.000	39.97	-3.31	54.0	14.03	AV	19.00	150	Vertical	Pass
4	7168.000	53.60	0.34	74.0	20.40	Peak	280.00	400	Vertical	Pass
4**	7168.000	43.96	0.34	54.0	10.04	AV	280.00	400	Vertical	Pass
5	12412.987	52.98	1.09	74.0	21.02	Peak	146.00	300	Vertical	Pass
5**	12412.987	43.60	1.09	54.0	10.40	AV	146.00	300	Vertical	Pass
6	16423.426	55.45	2.85	74.0	18.55	Peak	37.00	400	Vertical	Pass
6**	16423.426	46.34	2.85	54.0	7.66	AV	37.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1433.400	42.13	-16.96	74.0	31.87	Peak	158.00	400	Horizontal	Pass
1**	1433.400	33.83	-16.96	54.0	20.17	AV	158.00	400	Horizontal	Pass
2	2448.800	104.63	-10.22	74.0	-30.63	Peak	207.00	100	Horizontal	N/A
2**	2448.800	96.00	-10.22	54.0	-42.00	AV	207.00	100	Horizontal	N/A
3	4875.500	49.27	-3.49	74.0	24.73	Peak	318.00	200	Horizontal	Pass
3**	4875.500	40.32	-3.49	54.0	13.68	AV	318.00	200	Horizontal	Pass
4	7495.750	53.12	1.29	74.0	20.88	Peak	176.00	200	Horizontal	Pass
4**	7495.750	44.14	1.29	54.0	9.86	AV	176.00	200	Horizontal	Pass
5	12393.275	52.74	1.07	74.0	21.26	Peak	299.00	100	Horizontal	Pass
5**	12393.275	42.31	1.07	54.0	11.69	AV	299.00	100	Horizontal	Pass
6	16399.537	56.02	3.15	74.0	17.98	Peak	71.00	400	Horizontal	Pass
6**	16399.537	47.37	3.15	54.0	6.63	AV	71.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1341.500	42.63	-17.03	74.0	31.37	Peak	97.00	100	Vertical	Pass
1**	1341.500	32.49	-17.03	54.0	21.51	AV	97.00	100	Vertical	Pass
2	2421.200	94.81	-10.09	74.0	-20.81	Peak	181.00	150	Vertical	N/A
2**	2421.200	86.86	-10.09	54.0	-32.86	AV	181.00	150	Vertical	N/A
3	4904.000	48.79	-3.28	74.0	25.21	Peak	42.00	100	Vertical	Pass
3**	4904.000	40.02	-3.28	54.0	13.98	AV	42.00	100	Vertical	Pass
4	7715.000	53.77	1.54	74.0	20.23	Peak	156.00	400	Vertical	Pass
4**	7715.000	45.16	1.54	54.0	8.84	AV	156.00	400	Vertical	Pass
5	12389.000	53.07	1.05	74.0	20.93	Peak	94.00	400	Vertical	Pass
5**	12389.000	43.08	1.05	54.0	10.92	AV	94.00	400	Vertical	Pass
6	17424.075	55.87	5.49	74.0	18.13	Peak	341.00	300	Vertical	Pass
6**	17424.075	46.27	5.49	54.0	7.73	AV	341.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	42.31	-16.90	74.0	31.69	Peak	166.00	200	Horizontal	Pass
1**	1594.100	32.06	-16.90	54.0	21.94	AV	166.00	200	Horizontal	Pass
2	2448.900	104.30	-10.21	74.0	-30.30	Peak	205.00	200	Horizontal	N/A
2**	2448.900	96.77	-10.21	54.0	-42.77	AV	205.00	200	Horizontal	N/A
3	4996.500	48.93	-3.31	74.0	25.07	Peak	88.00	100	Horizontal	Pass
3**	4996.500	39.38	-3.31	54.0	14.62	AV	88.00	100	Horizontal	Pass
4	7146.500	53.44	0.26	74.0	20.56	Peak	275.00	300	Horizontal	Pass
4**	7146.500	43.70	0.26	54.0	10.30	AV	275.00	300	Horizontal	Pass
5	11271.800	52.31	-1.35	74.0	21.69	Peak	271.00	100	Horizontal	Pass
5**	11271.800	42.15	-1.35	54.0	11.85	AV	271.00	100	Horizontal	Pass
6	16678.838	56.16	2.78	74.0	17.84	Peak	171.00	100	Horizontal	Pass
6**	16678.838	45.71	2.78	54.0	8.29	AV	171.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.200	41.91	-16.98	74.0	32.09	Peak	104.00	200	Vertical	Pass
1**	1484.200	32.67	-16.98	54.0	21.33	AV	104.00	200	Vertical	Pass
2	2449.300	94.13	-10.27	74.0	-20.13	Peak	237.00	150	Vertical	N/A
2**	2449.300	86.89	-10.27	54.0	-32.89	AV	237.00	150	Vertical	N/A
3	4921.000	49.45	-3.34	74.0	24.55	Peak	360.00	200	Vertical	Pass
3**	4921.000	39.61	-3.34	54.0	14.39	AV	360.00	200	Vertical	Pass
4	7676.000	54.08	0.79	74.0	19.92	Peak	345.00	200	Vertical	Pass
4**	7676.000	44.16	0.79	54.0	9.84	AV	345.00	200	Vertical	Pass
5	12950.813	52.47	1.59	74.0	21.53	Peak	0.00	300	Vertical	Pass
5**	12950.813	42.99	1.59	54.0	11.01	AV	0.00	300	Vertical	Pass
6	16410.563	56.28	3.03	74.0	17.72	Peak	305.00	400	Vertical	Pass
6**	16410.563	46.65	3.03	54.0	7.35	AV	305.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1368.400	41.92	-17.08	74.0	32.08	Peak	68.00	300	Horizontal	Pass
1**	1368.400	32.85	-17.08	54.0	21.15	AV	68.00	300	Horizontal	Pass
2	2450.300	104.26	-10.32	74.0	-30.26	Peak	227.00	200	Horizontal	N/A
2**	2450.300	97.37	-10.32	54.0	-43.37	AV	227.00	200	Horizontal	N/A
3	4916.500	48.63	-3.34	74.0	25.37	Peak	20.00	200	Horizontal	Pass
3**	4916.500	39.45	-3.34	54.0	14.55	AV	20.00	200	Horizontal	Pass
4	7771.250	53.14	1.33	74.0	20.86	Peak	185.00	400	Horizontal	Pass
4**	7771.250	43.41	1.33	54.0	10.59	AV	185.00	400	Horizontal	Pass
5	12483.526	53.38	1.31	74.0	20.62	Peak	94.00	400	Horizontal	Pass
5**	12483.526	42.73	1.31	54.0	11.27	AV	94.00	400	Horizontal	Pass
6	17462.661	56.19	5.33	74.0	17.81	Peak	292.00	200	Horizontal	Pass
6**	17462.661	46.51	5.33	54.0	7.49	AV	292.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1434.100	41.76	-17.11	74.0	32.24	Peak	7.00	100	Vertical	Pass
1**	1434.100	32.39	-17.11	54.0	21.61	AV	7.00	100	Vertical	Pass
2	2450.700	93.95	-10.05	74.0	-19.95	Peak	247.00	150	Vertical	N/A
2**	2450.700	87.21	-10.05	54.0	-33.21	AV	247.00	150	Vertical	N/A
3	4924.500	48.67	-3.57	74.0	25.33	Peak	72.00	200	Vertical	Pass
3**	4924.500	39.35	-3.57	54.0	14.65	AV	72.00	200	Vertical	Pass
4	7971.000	53.49	1.86	74.0	20.51	Peak	214.00	300	Vertical	Pass
4**	7971.000	44.74	1.86	54.0	9.26	AV	214.00	300	Vertical	Pass
5	11997.838	54.03	0.42	74.0	19.97	Peak	308.00	400	Vertical	Pass
5**	11997.838	43.11	0.42	54.0	10.89	AV	308.00	400	Vertical	Pass
6	16372.500	56.47	2.12	74.0	17.53	Peak	360.00	100	Vertical	Pass
6**	16372.500	46.19	2.12	54.0	7.81	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1347.100	42.18	-16.79	74.0	31.82	Peak	91.00	300	Horizontal	Pass
1**	1347.100	32.59	-16.79	54.0	21.41	AV	91.00	300	Horizontal	Pass
2	2450.900	104.78	-10.14	74.0	-30.78	Peak	220.00	200	Horizontal	N/A
2**	2450.900	97.19	-10.14	54.0	-43.19	AV	220.00	200	Horizontal	N/A
3	4888.000	49.24	-3.53	74.0	24.76	Peak	275.00	100	Horizontal	Pass
3**	4888.000	39.34	-3.53	54.0	14.66	AV	275.00	100	Horizontal	Pass
4	7983.750	53.18	1.46	74.0	20.82	Peak	0.00	100	Horizontal	Pass
4**	7983.750	43.92	1.46	54.0	10.08	AV	0.00	100	Horizontal	Pass
5	12215.625	52.96	0.62	74.0	21.04	Peak	317.00	100	Horizontal	Pass
5**	12215.625	42.58	0.62	54.0	11.42	AV	317.00	100	Horizontal	Pass
6	17437.725	55.91	5.53	74.0	18.09	Peak	62.00	400	Horizontal	Pass
6**	17437.725	46.97	5.53	54.0	7.03	AV	62.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1317.100	42.24	-16.95	74.0	31.76	Peak	167.00	400	Vertical	Pass
1**	1317.100	32.02	-16.95	54.0	21.98	AV	167.00	400	Vertical	Pass
2	2449.400	94.12	-10.31	74.0	-20.12	Peak	245.00	200	Vertical	N/A
2**	2449.400	85.61	-10.31	54.0	-31.61	AV	245.00	200	Vertical	N/A
3	4911.500	49.15	-3.32	74.0	24.85	Peak	158.00	150	Vertical	Pass
3**	4911.500	39.41	-3.32	54.0	14.59	AV	158.00	150	Vertical	Pass
4	7929.750	53.00	2.35	74.0	21.00	Peak	66.00	400	Vertical	Pass
4**	7929.750	44.06	2.35	54.0	9.94	AV	66.00	400	Vertical	Pass
5	12968.662	52.73	1.75	74.0	21.27	Peak	360.00	100	Vertical	Pass
5**	12968.662	43.27	1.75	54.0	10.73	AV	360.00	100	Vertical	Pass
6	17451.901	56.29	5.53	74.0	17.71	Peak	122.00	400	Vertical	Pass
6**	17451.901	47.91	5.53	54.0	6.09	AV	122.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1428.200	41.45	-17.12	74.0	32.55	Peak	0.00	100	Horizontal	Pass
1**	1428.200	31.91	-17.12	54.0	22.09	AV	0.00	100	Horizontal	Pass
2	2413.000	108.98	-10.23	74.0	-34.98	Peak	221.00	200	Horizontal	N/A
2**	2413.000	100.74	-10.23	54.0	-46.74	AV	221.00	200	Horizontal	N/A
3	4918.500	49.38	-3.58	74.0	24.62	Peak	273.00	100	Horizontal	Pass
3**	4918.500	39.08	-3.58	54.0	14.92	AV	273.00	100	Horizontal	Pass
4	7897.500	53.29	1.16	74.0	20.71	Peak	342.00	100	Horizontal	Pass
4**	7897.500	44.08	1.16	54.0	9.92	AV	342.00	100	Horizontal	Pass
5	12412.276	52.67	1.09	74.0	21.33	Peak	284.00	300	Horizontal	Pass
5**	12412.276	42.93	1.09	54.0	11.07	AV	284.00	300	Horizontal	Pass
6	17452.425	56.06	5.52	74.0	17.94	Peak	240.00	200	Horizontal	Pass
6**	17452.425	47.29	5.52	54.0	6.71	AV	240.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-20 CH1

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.900	42.96	-16.72	74.0	31.04	Peak	296.00	400	Vertical	Pass
1**	1592.900	32.82	-16.72	54.0	21.18	AV	296.00	400	Vertical	Pass
2	2409.800	100.03	-10.46	74.0	-26.03	Peak	125.00	100	Vertical	N/A
2**	2409.800	92.30	-10.46	54.0	-38.30	AV	125.00	100	Vertical	N/A
3	4940.250	48.99	-3.61	74.0	25.01	Peak	46.00	150	Vertical	Pass
3**	4940.250	39.84	-3.61	54.0	14.16	AV	46.00	150	Vertical	Pass
4	7965.250	53.61	2.08	74.0	20.39	Peak	245.00	300	Vertical	Pass
4**	7965.250	44.23	2.08	54.0	9.77	AV	245.00	300	Vertical	Pass
5	12421.775	52.87	1.08	74.0	21.13	Peak	115.00	200	Vertical	Pass
5**	12421.775	43.35	1.08	54.0	10.65	AV	115.00	200	Vertical	Pass
6	16397.963	55.70	3.09	74.0	18.30	Peak	84.00	400	Vertical	Pass
6**	16397.963	47.10	3.09	54.0	6.90	AV	84.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.700	41.87	-17.31	74.0	32.13	Peak	0.00	100	Horizontal	Pass
1**	1519.700	32.68	-17.31	54.0	21.32	AV	0.00	100	Horizontal	Pass
2	2414.000	108.69	-10.27	74.0	-34.69	Peak	217.00	100	Horizontal	N/A
2**	2414.000	101.24	-10.27	54.0	-47.24	AV	217.00	100	Horizontal	N/A
3	4978.500	48.87	-3.39	74.0	25.13	Peak	4.00	150	Horizontal	Pass
3**	4978.500	39.98	-3.39	54.0	14.02	AV	4.00	150	Horizontal	Pass
4	7686.500	53.94	1.12	74.0	20.06	Peak	271.00	300	Horizontal	Pass
4**	7686.500	43.93	1.12	54.0	10.07	AV	271.00	300	Horizontal	Pass
5	11508.825	52.66	-0.71	74.0	21.34	Peak	239.00	200	Horizontal	Pass
5**	11508.825	43.62	-0.71	54.0	10.38	AV	239.00	200	Horizontal	Pass
6	16419.750	55.49	2.90	74.0	18.51	Peak	128.00	100	Horizontal	Pass
6**	16419.750	46.67	2.90	54.0	7.33	AV	128.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-20 CH2

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1367.900	41.96	-16.85	74.0	32.04	Peak	0.00	100	Vertical	Pass
1**	1367.900	32.17	-16.85	54.0	21.83	AV	0.00	100	Vertical	Pass
2	2415.500	101.74	-10.31	74.0	-27.74	Peak	243.00	200	Vertical	N/A
2**	2415.500	93.85	-10.31	54.0	-39.85	AV	243.00	200	Vertical	N/A
3	4991.250	48.92	-3.45	74.0	25.08	Peak	317.00	100	Vertical	Pass
3**	4991.250	39.59	-3.45	54.0	14.41	AV	317.00	100	Vertical	Pass
4	7709.000	53.25	1.89	74.0	20.75	Peak	223.00	200	Vertical	Pass
4**	7709.000	44.24	1.89	54.0	9.76	AV	223.00	200	Vertical	Pass
5	11952.000	52.26	-0.58	74.0	21.74	Peak	358.00	300	Vertical	Pass
5**	11952.000	42.62	-0.58	54.0	11.38	AV	358.00	300	Vertical	Pass
6	16394.550	55.95	2.96	74.0	18.05	Peak	278.00	400	Vertical	Pass
6**	16394.550	47.06	2.96	54.0	6.94	AV	278.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	41.86	-16.59	74.0	32.14	Peak	131.00	100	Horizontal	Pass
1**	1592.800	33.58	-16.59	54.0	20.42	AV	131.00	100	Horizontal	Pass
2	2441.800	108.64	-9.72	74.0	-34.64	Peak	199.00	200	Horizontal	N/A
2**	2441.800	101.20	-9.72	54.0	-47.20	AV	199.00	200	Horizontal	N/A
3	4930.000	48.73	-3.73	74.0	25.27	Peak	342.00	100	Horizontal	Pass
3**	4930.000	39.36	-3.73	54.0	14.64	AV	342.00	100	Horizontal	Pass
4	7965.500	53.46	2.03	74.0	20.54	Peak	46.00	100	Horizontal	Pass
4**	7965.500	44.21	2.03	54.0	9.79	AV	46.00	100	Horizontal	Pass
5	12467.613	53.13	1.18	74.0	20.87	Peak	93.00	400	Horizontal	Pass
5**	12467.613	43.49	1.18	54.0	10.51	AV	93.00	400	Horizontal	Pass
6	17457.412	56.15	5.43	74.0	17.85	Peak	317.00	100	Horizontal	Pass
6**	17457.412	46.73	5.43	54.0	7.27	AV	317.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-20 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.300	42.82	-16.41	74.0	31.18	Peak	348.00	200	Vertical	Pass
1**	1512.300	33.69	-16.41	54.0	20.31	AV	348.00	200	Vertical	Pass
2	2444.600	99.53	-9.96	74.0	-25.53	Peak	256.00	200	Vertical	N/A
2**	2444.600	92.33	-9.96	54.0	-38.33	AV	256.00	200	Vertical	N/A
3	4700.000	49.32	-3.47	74.0	24.68	Peak	106.00	200	Vertical	Pass
3**	4700.000	38.62	-3.47	54.0	15.38	AV	106.00	200	Vertical	Pass
4	7898.500	53.28	1.07	74.0	20.72	Peak	360.00	400	Vertical	Pass
4**	7898.500	44.61	1.07	54.0	9.39	AV	360.00	400	Vertical	Pass
5	12968.138	52.70	1.75	74.0	21.30	Peak	220.00	400	Vertical	Pass
5**	12968.138	43.49	1.75	54.0	10.51	AV	220.00	400	Vertical	Pass
6	17447.438	56.43	5.56	74.0	17.57	Peak	305.00	200	Vertical	Pass
6**	17447.438	47.56	5.56	54.0	6.44	AV	305.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.300	41.70	-16.86	74.0	32.30	Peak	263.00	300	Horizontal	Pass
1**	1518.300	32.29	-16.86	54.0	21.71	AV	263.00	300	Horizontal	Pass
2	2450.900	109.76	-10.14	74.0	-35.76	Peak	236.00	150	Horizontal	N/A
2**	2450.900	101.95	-10.14	54.0	-47.95	AV	236.00	150	Horizontal	N/A
3	4984.000	49.01	-3.22	74.0	24.99	Peak	360.00	150	Horizontal	Pass
3**	4984.000	40.14	-3.22	54.0	13.86	AV	360.00	150	Horizontal	Pass
4	7880.000	53.76	2.14	74.0	20.24	Peak	0.00	300	Horizontal	Pass
4**	7880.000	45.23	2.14	54.0	8.77	AV	0.00	300	Horizontal	Pass
5	11986.912	52.51	0.18	74.0	21.49	Peak	229.00	300	Horizontal	Pass
5**	11986.912	42.84	0.18	54.0	11.16	AV	229.00	300	Horizontal	Pass
6	16402.162	56.02	3.14	74.0	17.98	Peak	274.00	100	Horizontal	Pass
6**	16402.162	46.52	3.14	54.0	7.48	AV	274.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-20 CH10

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.500	42.20	-17.41	74.0	31.80	Peak	210.00	100	Vertical	Pass
1**	1564.500	32.00	-17.41	54.0	22.00	AV	210.00	100	Vertical	Pass
2	2451.100	100.27	-10.34	74.0	-26.27	Peak	253.00	200	Vertical	N/A
2**	2451.100	93.23	-10.34	54.0	-39.23	AV	253.00	200	Vertical	N/A
3	4896.750	48.71	-3.41	74.0	25.29	Peak	324.00	100	Vertical	Pass
3**	4896.750	39.09	-3.41	54.0	14.91	AV	324.00	100	Vertical	Pass
4	7710.250	53.10	1.90	74.0	20.90	Peak	324.00	300	Vertical	Pass
4**	7710.250	45.04	1.90	54.0	8.96	AV	324.00	300	Vertical	Pass
5	11515.000	53.08	-0.79	74.0	20.92	Peak	167.00	100	Vertical	Pass
5**	11515.000	43.11	-0.79	54.0	10.89	AV	167.00	100	Vertical	Pass
6	16432.088	55.96	2.74	74.0	18.04	Peak	128.00	200	Vertical	Pass
6**	16432.088	45.53	2.74	54.0	8.47	AV	128.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.700	42.09	-16.88	74.0	31.91	Peak	67.00	100	Horizontal	Pass
1**	1599.700	32.54	-16.88	54.0	21.46	AV	67.00	100	Horizontal	Pass
2	2454.500	108.60	-11.09	74.0	-34.60	Peak	238.00	150	Horizontal	N/A
2**	2454.500	100.06	-11.09	54.0	-46.06	AV	238.00	150	Horizontal	N/A
3	4979.000	48.91	-3.48	74.0	25.09	Peak	55.00	200	Horizontal	Pass
3**	4979.000	39.26	-3.48	54.0	14.74	AV	55.00	200	Horizontal	Pass
4	7972.500	53.63	1.11	74.0	20.37	Peak	118.00	100	Horizontal	Pass
4**	7972.500	45.21	1.11	54.0	8.79	AV	118.00	100	Horizontal	Pass
5	11746.326	52.29	-0.22	74.0	21.71	Peak	52.00	100	Horizontal	Pass
5**	11746.326	42.22	-0.22	54.0	11.78	AV	52.00	100	Horizontal	Pass
6	17453.214	56.22	5.51	74.0	17.78	Peak	0.00	400	Horizontal	Pass
6**	17453.214	46.77	5.51	54.0	7.23	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-20 CH11

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1561.000	41.60	-17.50	74.0	32.40	Peak	263.00	200	Vertical	Pass
1**	1561.000	31.93	-17.50	54.0	22.07	AV	263.00	200	Vertical	Pass
2	2456.400	94.28	-10.83	74.0	-20.28	Peak	13.00	150	Vertical	N/A
2**	2456.400	87.16	-10.83	54.0	-33.16	AV	13.00	150	Vertical	N/A
3	4821.500	49.88	-3.63	74.0	24.12	Peak	325.00	150	Vertical	Pass
3**	4821.500	38.36	-3.63	54.0	15.64	AV	325.00	150	Vertical	Pass
4	7881.750	53.52	2.02	74.0	20.48	Peak	305.00	200	Vertical	Pass
4**	7881.750	44.37	2.02	54.0	9.63	AV	305.00	200	Vertical	Pass
5	12942.937	52.11	1.51	74.0	21.89	Peak	360.00	200	Vertical	Pass
5**	12942.937	43.13	1.51	54.0	10.87	AV	360.00	200	Vertical	Pass
6	17444.026	56.04	5.55	74.0	17.96	Peak	165.00	200	Vertical	Pass
6**	17444.026	47.39	5.55	54.0	6.61	AV	165.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.800	42.51	-16.79	74.0	31.49	Peak	265.00	200	Horizontal	Pass
1**	1599.800	32.85	-16.79	54.0	21.15	AV	265.00	200	Horizontal	Pass
2	2408.200	101.63	-10.40	74.0	-27.63	Peak	211.00	200	Horizontal	N/A
2**	2408.200	93.43	-10.40	54.0	-39.43	AV	211.00	200	Horizontal	N/A
3	4905.750	49.66	-3.28	74.0	24.34	Peak	331.00	150	Horizontal	Pass
3**	4905.750	40.18	-3.28	54.0	13.82	AV	331.00	150	Horizontal	Pass
4	7966.250	54.16	2.18	74.0	19.84	Peak	307.00	300	Horizontal	Pass
4**	7966.250	46.22	2.18	54.0	7.78	AV	307.00	300	Horizontal	Pass
5	10598.013	53.11	-1.81	74.0	20.89	Peak	347.00	100	Horizontal	Pass
5**	10598.013	41.61	-1.81	54.0	12.39	AV	347.00	100	Horizontal	Pass
6	16423.687	56.04	2.85	74.0	17.96	Peak	190.00	300	Horizontal	Pass
6**	16423.687	45.86	2.85	54.0	8.14	AV	190.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-40 CH3

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1422.300	42.25	-17.13	74.0	31.75	Peak	276.00	300	Vertical	Pass
1**	1422.300	32.03	-17.13	54.0	21.97	AV	276.00	300	Vertical	Pass
2	2419.600	94.06	-10.00	74.0	-20.06	Peak	240.00	150	Vertical	N/A
2**	2419.600	86.90	-10.00	54.0	-32.90	AV	240.00	150	Vertical	N/A
3	4981.000	48.67	-3.38	74.0	25.33	Peak	113.00	200	Vertical	Pass
3**	4981.000	39.90	-3.38	54.0	14.10	AV	113.00	200	Vertical	Pass
4	7163.250	53.25	0.24	74.0	20.75	Peak	256.00	300	Vertical	Pass
4**	7163.250	43.61	0.24	54.0	10.39	AV	256.00	300	Vertical	Pass
5	12403.963	52.96	1.10	74.0	21.04	Peak	0.00	400	Vertical	Pass
5**	12403.963	43.01	1.10	54.0	10.99	AV	0.00	400	Vertical	Pass
6	16383.787	56.18	2.55	74.0	17.82	Peak	168.00	300	Vertical	Pass
6**	16383.787	46.34	2.55	54.0	7.66	AV	168.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.800	41.86	-16.92	74.0	32.14	Peak	93.00	200	Horizontal	Pass
1**	1438.800	31.91	-16.92	54.0	22.09	AV	93.00	200	Horizontal	Pass
2	2419.300	103.65	-9.92	74.0	-29.65	Peak	229.00	150	Horizontal	N/A
2**	2419.300	96.07	-9.92	54.0	-42.07	AV	229.00	150	Horizontal	N/A
3	4994.750	49.02	-3.41	74.0	24.98	Peak	179.00	200	Horizontal	Pass
3**	4994.750	40.47	-3.41	54.0	13.53	AV	179.00	200	Horizontal	Pass
4	7883.500	53.68	1.80	74.0	20.32	Peak	324.00	200	Horizontal	Pass
4**	7883.500	43.56	1.80	54.0	10.44	AV	324.00	200	Horizontal	Pass
5	12410.613	52.56	1.09	74.0	21.44	Peak	120.00	200	Horizontal	Pass
5**	12410.613	43.18	1.09	54.0	10.82	AV	120.00	200	Horizontal	Pass
6	17456.099	56.51	5.45	74.0	17.49	Peak	46.00	400	Horizontal	Pass
6**	17456.099	47.18	5.45	54.0	6.82	AV	46.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-40 CH4

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1312.400	42.22	-17.17	74.0	31.78	Peak	6.00	300	Vertical	Pass
1**	1312.400	31.63	-17.17	54.0	22.37	AV	6.00	300	Vertical	Pass
2	2416.700	93.93	-10.23	74.0	-19.93	Peak	127.00	100	Vertical	N/A
2**	2416.700	86.74	-10.23	54.0	-32.74	AV	127.00	100	Vertical	N/A
3	4988.750	48.46	-2.94	74.0	25.54	Peak	267.00	100	Vertical	Pass
3**	4988.750	39.68	-2.94	54.0	14.32	AV	267.00	100	Vertical	Pass
4	7903.500	53.64	1.01	74.0	20.36	Peak	244.00	200	Vertical	Pass
4**	7903.500	44.02	1.01	54.0	9.98	AV	244.00	200	Vertical	Pass
5	11778.862	53.17	-0.17	74.0	20.83	Peak	0.00	400	Vertical	Pass
5**	11778.862	42.59	-0.17	54.0	11.41	AV	0.00	400	Vertical	Pass
6	17458.989	56.42	5.40	74.0	17.58	Peak	150.00	200	Vertical	Pass
6**	17458.989	46.61	5.40	54.0	7.39	AV	150.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.900	42.25	-17.25	74.0	31.75	Peak	88.00	100	Horizontal	Pass
1**	1522.900	31.83	-17.25	54.0	22.17	AV	88.00	100	Horizontal	Pass
2	2449.000	103.42	-10.20	74.0	-29.42	Peak	222.00	150	Horizontal	N/A
2**	2449.000	96.86	-10.20	54.0	-42.86	AV	222.00	150	Horizontal	N/A
3	4890.000	48.28	-3.52	74.0	25.72	Peak	339.00	100	Horizontal	Pass
3**	4890.000	40.64	-3.52	54.0	13.36	AV	339.00	100	Horizontal	Pass
4	7689.000	52.94	1.21	74.0	21.06	Peak	315.00	200	Horizontal	Pass
4**	7689.000	44.56	1.21	54.0	9.44	AV	315.00	200	Horizontal	Pass
5	11513.813	53.16	-0.77	74.0	20.84	Peak	108.00	400	Horizontal	Pass
5**	11513.813	42.43	-0.77	54.0	11.57	AV	108.00	400	Horizontal	Pass
6	17455.575	57.42	5.46	74.0	16.58	Peak	63.00	300	Horizontal	Pass
6**	17455.575	47.88	5.46	54.0	6.12	AV	63.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-40 CH5

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1513.400	41.96	-16.74	74.0	32.04	Peak	0.00	400	Vertical	Pass
1**	1513.400	32.35	-16.74	54.0	21.65	AV	0.00	400	Vertical	Pass
2	2421.200	94.30	-10.09	74.0	-20.30	Peak	241.00	150	Vertical	N/A
2**	2421.200	86.62	-10.09	54.0	-32.62	AV	241.00	150	Vertical	N/A
3	4982.000	48.67	-3.43	74.0	25.33	Peak	102.00	150	Vertical	Pass
3**	4982.000	39.82	-3.43	54.0	14.18	AV	102.00	150	Vertical	Pass
4	7977.750	53.83	1.46	74.0	20.17	Peak	221.00	300	Vertical	Pass
4**	7977.750	44.02	1.46	54.0	9.98	AV	221.00	300	Vertical	Pass
5	12453.125	52.99	1.06	74.0	21.01	Peak	0.00	200	Vertical	Pass
5**	12453.125	43.16	1.06	54.0	10.84	AV	0.00	200	Vertical	Pass
6	17454.000	55.98	5.49	74.0	18.02	Peak	153.00	400	Vertical	Pass
6**	17454.000	46.97	5.49	54.0	7.03	AV	153.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.300	42.17	-16.91	74.0	31.83	Peak	316.00	300	Horizontal	Pass
1**	1501.300	32.23	-16.91	54.0	21.77	AV	316.00	300	Horizontal	Pass
2	2449.700	104.22	-10.37	74.0	-30.22	Peak	209.00	150	Horizontal	N/A
2**	2449.700	97.07	-10.37	54.0	-43.07	AV	209.00	150	Horizontal	N/A
3	4938.500	48.37	-3.34	74.0	25.63	Peak	0.00	100	Horizontal	Pass
3**	4938.500	40.25	-3.34	54.0	13.75	AV	0.00	100	Horizontal	Pass
4	7420.250	52.85	1.47	74.0	21.15	Peak	78.00	200	Horizontal	Pass
4**	7420.250	43.50	1.47	54.0	10.50	AV	78.00	200	Horizontal	Pass
5	11524.025	52.77	-0.90	74.0	21.23	Peak	18.00	400	Horizontal	Pass
5**	11524.025	42.79	-0.90	54.0	11.21	AV	18.00	400	Horizontal	Pass
6	17457.150	55.74	5.44	74.0	18.26	Peak	334.00	100	Horizontal	Pass
6**	17457.150	47.23	5.44	54.0	6.77	AV	334.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-40 CH6

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.000	42.73	-17.20	74.0	31.27	Peak	93.00	200	Vertical	Pass
1**	1485.000	32.49	-17.20	54.0	21.51	AV	93.00	200	Vertical	Pass
2	2447.900	94.54	-10.31	74.0	-20.54	Peak	246.00	200	Vertical	N/A
2**	2447.900	85.90	-10.31	54.0	-31.90	AV	246.00	200	Vertical	N/A
3	4926.500	48.89	-3.84	74.0	25.11	Peak	142.00	200	Vertical	Pass
3**	4926.500	39.37	-3.84	54.0	14.63	AV	142.00	200	Vertical	Pass
4	7714.750	54.48	1.62	74.0	19.52	Peak	360.00	400	Vertical	Pass
4**	7714.750	44.03	1.62	54.0	9.97	AV	360.00	400	Vertical	Pass
5	11769.362	53.29	-0.18	74.0	20.71	Peak	153.00	100	Vertical	Pass
5**	11769.362	43.00	-0.18	54.0	11.00	AV	153.00	100	Vertical	Pass
6	16378.537	55.86	2.35	74.0	18.14	Peak	235.00	200	Vertical	Pass
6**	16378.537	45.74	2.35	54.0	8.26	AV	235.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.600	41.90	-16.77	74.0	32.10	Peak	254.00	400	Horizontal	Pass
1**	1511.600	33.09	-16.77	54.0	20.91	AV	254.00	400	Horizontal	Pass
2	2450.900	104.22	-10.14	74.0	-30.22	Peak	223.00	150	Horizontal	N/A
2**	2450.900	97.15	-10.14	54.0	-43.15	AV	223.00	150	Horizontal	N/A
3	4902.000	48.42	-3.38	74.0	25.58	Peak	78.00	200	Horizontal	Pass
3**	4902.000	39.11	-3.38	54.0	14.89	AV	78.00	200	Horizontal	Pass
4	7927.750	53.14	1.93	74.0	20.86	Peak	323.00	400	Horizontal	Pass
4**	7927.750	43.95	1.93	54.0	10.05	AV	323.00	400	Horizontal	Pass
5	12994.912	52.81	2.00	74.0	21.19	Peak	360.00	100	Horizontal	Pass
5**	12994.912	43.34	2.00	54.0	10.66	AV	360.00	100	Horizontal	Pass
6	17461.613	56.19	5.35	74.0	17.81	Peak	360.00	300	Horizontal	Pass
6**	17461.613	46.93	5.35	54.0	7.07	AV	360.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-40 CH7

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.800	41.94	-16.59	74.0	32.06	Peak	70.00	300	Vertical	Pass
1**	1592.800	32.97	-16.59	54.0	21.03	AV	70.00	300	Vertical	Pass
2	2450.700	94.70	-10.05	74.0	-20.70	Peak	157.00	100	Vertical	N/A
2**	2450.700	86.72	-10.05	54.0	-32.72	AV	157.00	100	Vertical	N/A
3	4961.500	48.99	-3.40	74.0	25.01	Peak	42.00	150	Vertical	Pass
3**	4961.500	40.02	-3.40	54.0	13.98	AV	42.00	150	Vertical	Pass
4	7160.000	53.08	0.29	74.0	20.92	Peak	360.00	300	Vertical	Pass
4**	7160.000	43.65	0.29	54.0	10.35	AV	360.00	300	Vertical	Pass
5	12009.000	52.24	0.35	74.0	21.76	Peak	133.00	300	Vertical	Pass
5**	12009.000	42.36	0.35	54.0	11.64	AV	133.00	300	Vertical	Pass
6	17454.787	55.84	5.48	74.0	18.16	Peak	13.00	300	Vertical	Pass
6**	17454.787	47.41	5.48	54.0	6.59	AV	13.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT-40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1431.500	42.02	-17.01	74.0	31.98	Peak	123.00	200	Horizontal	Pass
1**	1431.500	32.29	-17.01	54.0	21.71	AV	123.00	200	Horizontal	Pass
2	2448.500	104.71	-10.28	74.0	-30.71	Peak	223.00	150	Horizontal	N/A
2**	2448.500	96.60	-10.28	54.0	-42.60	AV	223.00	150	Horizontal	N/A
3	4928.750	48.49	-3.66	74.0	25.51	Peak	0.00	150	Horizontal	Pass
3**	4928.750	39.02	-3.66	54.0	14.98	AV	0.00	150	Horizontal	Pass
4	7894.500	53.28	1.44	74.0	20.72	Peak	96.00	400	Horizontal	Pass
4**	7894.500	44.26	1.44	54.0	9.74	AV	96.00	400	Horizontal	Pass
5	11988.100	52.66	0.21	74.0	21.34	Peak	291.00	300	Horizontal	Pass
5**	11988.100	43.03	0.21	54.0	10.97	AV	291.00	300	Horizontal	Pass
6	16404.000	56.00	3.11	74.0	18.00	Peak	21.00	300	Horizontal	Pass
6**	16404.000	46.86	3.11	54.0	7.14	AV	21.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT-40 CH9

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1485.800	41.75	-16.92	74.0	32.25	Peak	243.00	400	Vertical	Pass
1**	1485.800	32.51	-16.92	54.0	21.49	AV	243.00	400	Vertical	Pass
2	2450.500	93.88	-10.20	74.0	-19.88	Peak	163.00	100	Vertical	N/A
2**	2450.500	86.55	-10.20	54.0	-32.55	AV	163.00	100	Vertical	N/A
3	4929.250	48.90	-3.70	74.0	25.10	Peak	275.00	150	Vertical	Pass
3**	4929.250	39.15	-3.70	54.0	14.85	AV	275.00	150	Vertical	Pass
4	7972.250	53.78	1.23	74.0	20.22	Peak	345.00	400	Vertical	Pass
4**	7972.250	43.86	1.23	54.0	10.14	AV	345.00	400	Vertical	Pass
5	11711.887	53.08	-0.44	74.0	20.92	Peak	177.00	100	Vertical	Pass
5**	11711.887	42.50	-0.44	54.0	11.50	AV	177.00	100	Vertical	Pass
6	14446.800	55.43	3.35	74.0	18.57	Peak	297.00	200	Vertical	Pass
6**	14446.800	45.42	3.35	54.0	8.58	AV	297.00	200	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)


Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Test Data and Plots

802.11b CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2328.250	55.11	-0.68	74.0	18.89	Peak	340.00	150	Horizontal	Pass
1**	2328.250	43.99	-0.68	54.0	10.01	AV	340.00	150	Horizontal	Pass
2	2389.950	53.25	-1.82	74.0	20.75	Peak	360.00	100	Horizontal	Pass
2**	2389.950	43.16	-1.82	54.0	10.84	AV	360.00	100	Horizontal	Pass

802.11b CH11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	54.16	-1.10	74.0	19.84	Peak	206.00	150	Horizontal	Pass
1**	2483.515	43.98	-1.10	54.0	10.02	AV	206.00	150	Horizontal	Pass
2	2499.160	55.60	-0.93	74.0	18.40	Peak	36.00	200	Horizontal	Pass
2**	2499.160	43.54	-0.93	54.0	10.46	AV	36.00	200	Horizontal	Pass

802.11g CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.400	62.99	-1.79	74.0	11.01	Peak	209.00	100	Horizontal	Pass
1**	2389.400	48.02	-1.79	54.0	5.98	AV	209.00	100	Horizontal	Pass
2	2389.950	60.92	-1.82	74.0	13.08	Peak	216.00	100	Horizontal	Pass
2**	2389.950	48.86	-1.82	54.0	5.14	AV	216.00	100	Horizontal	Pass

802.11g CH2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.450	67.49	-1.79	74.0	6.51	Peak	232.00	100	Horizontal	Pass
1**	2387.450	45.53	-1.79	54.0	8.47	AV	232.00	100	Horizontal	Pass
2	2389.950	64.11	-1.82	74.0	9.89	Peak	234.00	200	Horizontal	Pass
2**	2389.950	46.80	-1.82	54.0	7.20	AV	234.00	200	Horizontal	Pass

802.11g CH10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	61.45	-1.10	74.0	12.55	Peak	207.00	100	Horizontal	Pass
1**	2483.515	47.05	-1.10	54.0	6.95	AV	207.00	100	Horizontal	Pass
2	2484.055	63.89	-1.08	74.0	10.11	Peak	214.00	100	Horizontal	Pass
2**	2484.055	46.60	-1.08	54.0	7.40	AV	214.00	100	Horizontal	Pass

802.11g CH11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	69.20	-1.09	74.0	4.80	Peak	214.00	100	Horizontal	Pass
1**	2483.545	51.00	-1.09	54.0	3.00	AV	214.00	100	Horizontal	Pass
2	2483.860	66.97	-1.04	74.0	7.03	Peak	221.00	150	Horizontal	Pass
2**	2483.860	50.04	-1.04	54.0	3.96	AV	221.00	150	Horizontal	Pass

802.11n20 CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	66.62	-1.76	74.0	7.38	Peak	217.00	200	Horizontal	Pass
1**	2389.700	49.78	-1.76	54.0	4.22	AV	217.00	200	Horizontal	Pass
2	2389.950	66.39	-1.82	74.0	7.61	Peak	217.00	150	Horizontal	Pass
2**	2389.950	51.20	-1.82	54.0	2.80	AV	217.00	150	Horizontal	Pass

802.11n20 CH2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	66.74	-1.75	74.0	7.26	Peak	225.00	100	Horizontal	Pass
1**	2389.500	47.06	-1.75	54.0	6.94	AV	225.00	100	Horizontal	Pass
2	2389.950	65.39	-1.82	74.0	8.61	Peak	234.00	150	Horizontal	Pass
2**	2389.950	47.67	-1.82	54.0	6.33	AV	234.00	150	Horizontal	Pass

802.11n20 CH10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	62.42	-1.10	74.0	11.58	Peak	230.00	200	Horizontal	Pass
1**	2483.530	48.58	-1.10	54.0	5.42	AV	230.00	200	Horizontal	Pass
2	2484.775	63.05	-1.26	74.0	10.95	Peak	242.00	150	Horizontal	Pass
2**	2484.775	46.59	-1.26	54.0	7.41	AV	242.00	150	Horizontal	Pass

802.11n20 CH11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	67.97	-1.09	74.0	6.03	Peak	239.00	200	Horizontal	Pass
1**	2483.560	50.00	-1.09	54.0	4.00	AV	239.00	200	Horizontal	Pass
2	2483.905	67.18	-1.03	74.0	6.82	Peak	215.00	100	Horizontal	Pass
2**	2483.905	49.67	-1.03	54.0	4.33	AV	215.00	100	Horizontal	Pass

802.11n40 CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	67.12	-1.73	74.0	6.88	Peak	223.00	100	Horizontal	Pass
1**	2389.600	49.56	-1.73	54.0	4.44	AV	223.00	100	Horizontal	Pass
2	2389.950	66.11	-1.82	74.0	7.89	Peak	220.00	150	Horizontal	Pass
2**	2389.950	50.07	-1.82	54.0	3.93	AV	220.00	150	Horizontal	Pass

802.11n40 CH4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	66.19	-1.78	74.0	7.81	Peak	234.00	150	Horizontal	Pass
1**	2389.800	48.73	-1.78	54.0	5.27	AV	234.00	150	Horizontal	Pass
2	2389.950	66.84	-1.82	74.0	7.16	Peak	229.00	100	Horizontal	Pass
2**	2389.950	48.93	-1.82	54.0	5.07	AV	229.00	100	Horizontal	Pass

802.11n40 CH5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.000	64.20	-1.87	74.0	9.80	Peak	275.00	200	Horizontal	Pass
1**	2389.000	46.34	-1.87	54.0	7.66	AV	275.00	200	Horizontal	Pass
2	2389.950	63.90	-1.82	74.0	10.10	Peak	228.00	150	Horizontal	Pass
2**	2389.950	46.92	-1.82	54.0	7.08	AV	228.00	150	Horizontal	Pass

802.11n40 CH6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.31	-1.10	74.0	15.69	Peak	225.00	150	Horizontal	Pass
1**	2483.500	45.99	-1.10	54.0	8.01	AV	225.00	150	Horizontal	Pass
2	2483.965	61.18	-1.05	74.0	12.82	Peak	215.00	150	Horizontal	Pass
2**	2483.965	45.67	-1.05	54.0	8.33	AV	215.00	150	Horizontal	Pass

802.11n40 CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	61.25	-1.09	74.0	12.75	Peak	200.00	150	Horizontal	Pass
1**	2483.575	46.67	-1.09	54.0	7.33	AV	200.00	150	Horizontal	Pass
2	2484.400	61.70	-1.20	74.0	12.30	Peak	227.00	200	Horizontal	Pass
2**	2484.400	45.53	-1.20	54.0	8.47	AV	227.00	200	Horizontal	Pass

802.11n40 CH9




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	65.25	-1.09	74.0	8.75	Peak	223.00	200	Horizontal	Pass
1**	2483.575	47.26	-1.09	54.0	6.74	AV	223.00	200	Horizontal	Pass
2	2483.875	65.38	-1.03	74.0	8.62	Peak	225.00	150	Horizontal	Pass
2**	2483.875	47.62	-1.03	54.0	6.38	AV	225.00	150	Horizontal	Pass

VHT-20 CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	67.46	-1.73	74.0	6.54	Peak	214.00	100	Horizontal	Pass
1**	2389.550	50.64	-1.73	54.0	3.36	AV	214.00	100	Horizontal	Pass
2	2389.950	65.80	-1.82	74.0	8.20	Peak	217.00	200	Horizontal	Pass
2**	2389.950	51.33	-1.82	54.0	2.67	AV	217.00	200	Horizontal	Pass

VHT-20 CH2




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.800	66.53	-1.78	74.0	7.47	Peak	242.00	100	Horizontal	Pass
1**	2389.800	46.60	-1.78	54.0	7.40	AV	242.00	100	Horizontal	Pass
2	2389.950	63.24	-1.82	74.0	10.76	Peak	242.00	200	Horizontal	Pass
2**	2389.950	47.69	-1.82	54.0	6.31	AV	242.00	200	Horizontal	Pass

VHT-20 CH10




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	62.78	-1.09	74.0	11.22	Peak	236.00	150	Horizontal	Pass
1**	2483.560	48.69	-1.09	54.0	5.31	AV	236.00	150	Horizontal	Pass
2	2484.040	63.38	-1.07	74.0	10.62	Peak	210.00	100	Horizontal	Pass
2**	2484.040	47.88	-1.07	54.0	6.12	AV	210.00	100	Horizontal	Pass

VHT-20 CH11




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	66.56	-1.09	74.0	7.44	Peak	196.00	150	Horizontal	Pass
1**	2483.575	50.36	-1.09	54.0	3.64	AV	196.00	150	Horizontal	Pass
2	2484.370	67.16	-1.19	74.0	6.84	Peak	221.00	200	Horizontal	Pass
2**	2484.370	48.50	-1.19	54.0	5.50	AV	221.00	200	Horizontal	Pass

VHT-40 CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	64.74	-1.73	74.0	9.26	Peak	271.00	100	Horizontal	Pass
1**	2389.600	47.90	-1.73	54.0	6.10	AV	271.00	100	Horizontal	Pass
2	2389.950	59.83	-1.82	74.0	14.17	Peak	206.00	100	Horizontal	Pass
2**	2389.950	48.01	-1.82	54.0	5.99	AV	206.00	100	Horizontal	Pass

VHT-40 CH4




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.900	61.33	-1.86	74.0	12.67	Peak	0.00	200	Horizontal	Pass
1**	2388.900	45.47	-1.86	54.0	8.53	AV	0.00	200	Horizontal	Pass
2	2389.950	58.34	-1.82	74.0	15.66	Peak	241.00	100	Horizontal	Pass
2**	2389.950	46.41	-1.82	54.0	7.59	AV	241.00	100	Horizontal	Pass

VHT-40 CH5




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.800	61.72	-1.72	74.0	12.28	Peak	39.00	200	Horizontal	Pass
1**	2386.800	44.22	-1.72	54.0	9.78	AV	39.00	200	Horizontal	Pass
2	2389.950	57.46	-1.82	74.0	16.54	Peak	360.00	100	Horizontal	Pass
2**	2389.950	45.71	-1.82	54.0	8.29	AV	360.00	100	Horizontal	Pass

VHT-40 CH6




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	60.01	-1.10	74.0	13.99	Peak	219.00	150	Horizontal	Pass
1**	2483.530	46.91	-1.10	54.0	7.09	AV	219.00	150	Horizontal	Pass
2	2484.115	63.63	-1.10	74.0	10.37	Peak	207.00	200	Horizontal	Pass
2**	2484.115	46.52	-1.10	54.0	7.48	AV	207.00	200	Horizontal	Pass

VHT-40 CH7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	61.03	-1.09	74.0	12.97	Peak	195.00	100	Horizontal	Pass
1**	2483.575	47.26	-1.09	54.0	6.74	AV	195.00	100	Horizontal	Pass
2	2484.475	63.25	-1.21	74.0	10.75	Peak	229.00	100	Horizontal	Pass
2**	2484.475	46.03	-1.21	54.0	7.97	AV	229.00	100	Horizontal	Pass

VHT-40 CH9



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.28	-1.10	74.0	10.72	Peak	259.00	100	Horizontal	Pass
1**	2483.500	46.82	-1.10	54.0	7.18	AV	259.00	100	Horizontal	Pass
2	2483.815	58.99	-1.04	74.0	15.01	Peak	233.00	100	Horizontal	Pass
2**	2483.815	46.52	-1.04	54.0	7.48	AV	233.00	100	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-8.11	8
CH6	-9.02	8
CH11	-10.46	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.27	8
CH2	-9.54	8
CH6	-9.07	8
CH10	-8.43	
CH11	-11.67	

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.75	8
CH2	-9.02	8
CH6	-9.60	8
CH10	-8.78	8
CH11	-11.41	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-17.43	8
CH4	-15.22	8
CH5	-15.26	8
CH6	-15.71	8
CH7	-15.86	8
CH9	-16.86	8

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.28	8
CH2	-9.25	8
CH6	-9.78	8
CH10	-8.91	8
CH11	-12.01	8

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-16.41	8
CH4	-15.98	8
CH5	-15.57	8
CH6	-15.82	8
CH7	-17.38	8
CH9	-16.95	8

Test Plots

802.11b CH1



802.11b CH6




802.11b CH11




802.11g CH1




802.11g CH2



802.11g CH6



802.11g CH10




802.11g CH11



802.11n-20 MHz CH1




802.11n-20 MHz CH2



802.11n-20 MHz CH6



802.11n-20 MHz CH10



802.11n-20 MHz CH11



802.11n-40 MHz CH3



802.11n-40 MHz CH4




802.11n-40 MHz CH5




802.11n-40 MHz CH6



802.11n-40 MHz CH7



802.11n-40 MHz CH9




VHT-20 MHz CH1




VHT-20 MHz CH2




VHT-20 MHz CH6




VHT-20 MHz CH10




VHT-20 MHz CH11




VHT-40 MHz CH3




VHT-40 MHz CH4




VHT-40 MHz CH5




VHT-40 MHz CH6



VHT-40 MHz CH7



VHT-40 MHz CH9



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2410719-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2410719-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2410719-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--