











Mode	40																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz_Partial RU(26/0)																																																																																																		
ANT	10																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.91</td><td>62.13</td><td>74.00</td><td>-11.87</td><td>48.37</td><td>34.81</td><td>11.11</td><td>32.16</td><td>209 360 PEAK</td></tr><tr><td>2</td><td>5460.79</td><td>53.52</td><td>68.30</td><td>-14.78</td><td>39.76</td><td>34.81</td><td>11.12</td><td>32.17</td><td>209 360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.91	62.13	74.00	-11.87	48.37	34.81	11.11	32.16	209 360 PEAK	2	5460.79	53.52	68.30	-14.78	39.76	34.81	11.12	32.17	209 360 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.29</td><td>-----</td><td>97.44</td><td>34.80</td><td>11.25</td><td>32.20</td><td>209</td><td>360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.29	-----	97.44	34.80	11.25	32.20	209
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.91	62.13	74.00	-11.87	48.37	34.81	11.11	32.16	209 360 PEAK																																																																																										
2	5460.79	53.52	68.30	-14.78	39.76	34.81	11.12	32.17	209 360 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	111.29	-----	97.44	34.80	11.25	32.20	209	360 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.63</td><td>45.31</td><td>54.00</td><td>-8.69</td><td>31.55</td><td>34.81</td><td>11.11</td><td>32.16</td><td>209 360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.63	45.31	54.00	-8.69	31.55	34.81	11.11	32.16	209 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.85</td><td>-----</td><td>89.00</td><td>34.80</td><td>11.25</td><td>32.20</td><td>209</td><td>360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.85	-----	89.00	34.80	11.25	32.20	209	360 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.63	45.31	54.00	-8.69	31.55	34.81	11.11	32.16	209 360 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	102.85	-----	89.00	34.80	11.25	32.20	209	360 AVERAGE																																																																																										



Mode	40																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz_Partial RU(26/0)																																																																																																		
ANT	10																																																																																																		
Pol.	Vertical					Fundamental																																																																																													
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.48</td><td>61.99</td><td>74.00</td><td>-12.01</td><td>48.23</td><td>34.81</td><td>11.11</td><td>32.16</td><td>174 299 PEAK</td></tr><tr><td>2</td><td>5460.63</td><td>55.26</td><td>68.30</td><td>-13.04</td><td>41.50</td><td>34.81</td><td>11.12</td><td>32.17</td><td>174 299 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.48	61.99	74.00	-12.01	48.23	34.81	11.11	32.16	174 299 PEAK	2	5460.63	55.26	68.30	-13.04	41.50	34.81	11.12	32.17	174 299 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.16</td><td>-----</td><td>96.31</td><td>34.80</td><td>11.25</td><td>32.20</td><td>174</td><td>299 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	110.16	-----	96.31	34.80	11.25	32.20	174
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.48	61.99	74.00	-12.01	48.23	34.81	11.11	32.16	174 299 PEAK																																																																																										
2	5460.63	55.26	68.30	-13.04	41.50	34.81	11.12	32.17	174 299 PEAK																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	110.16	-----	96.31	34.80	11.25	32.20	174	299 PEAK																																																																																										
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.79</td><td>46.26</td><td>54.00</td><td>-7.74</td><td>32.50</td><td>34.81</td><td>11.11</td><td>32.16</td><td>174 299 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5457.79	46.26	54.00	-7.74	32.50	34.81	11.11	32.16	174 299 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.21</td><td>-----</td><td>88.36</td><td>34.80</td><td>11.25</td><td>32.20</td><td>174</td><td>299 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.21	-----	88.36	34.80	11.25	32.20	174	299 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5457.79	46.26	54.00	-7.74	32.50	34.81	11.11	32.16	174 299 AVERAGE																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5500.00	102.21	-----	88.36	34.80	11.25	32.20	174	299 AVERAGE																																																																																										



Mode	41																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz_Partial RU(26/8)																																																																																	
ANT	10																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2024-06-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5741.24</td><td>62.72</td><td>68.30</td><td>-5.58</td><td>48.33</td><td>35.14</td><td>11.65</td><td>32.40</td><td>184</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5741.24	62.72	68.30	-5.58	48.33	35.14	11.65	32.40	184	360 PEAK	Level (dBuV/m) Date: 2024-06-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>112.83</td><td>-----</td><td>-----</td><td>98.45</td><td>35.09</td><td>11.66</td><td>32.37</td><td>184</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	112.83	-----	-----	98.45	35.09	11.66	32.37	184	360 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5741.24	62.72	68.30	-5.58	48.33	35.14	11.65	32.40	184	360 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5700.00	112.83	-----	-----	98.45	35.09	11.66	32.37	184	360 PEAK																																																																									
Avg	Blank	Level (dBuV/m) Date: 2024-06-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5700.00</td><td>103.86</td><td>-----</td><td>-----</td><td>89.48</td><td>35.09</td><td>11.66</td><td>32.37</td><td>184</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5700.00	103.86	-----	-----	89.48	35.09	11.66	32.37	184	360 AVERAGE																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5700.00	103.86	-----	-----	89.48	35.09	11.66	32.37	184	360 AVERAGE																																																																									



Mode	41																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz_Partial RU(26/8)																																																																																		
ANT	10																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2024-06-27 70.0 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.41</td><td>61.04</td><td>68.30</td><td>-7.26</td><td>46.65</td><td>35.14</td><td>11.65</td><td>32.40</td><td>162</td><td>16 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5742.41	61.04	68.30	-7.26	46.65	35.14	11.65	32.40	162	16 PEAK	Level (dBuV/m) Date: 2024-06-27 70.0 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>112.49</td><td>-----</td><td>98.11</td><td>35.09</td><td>11.66</td><td>32.37</td><td>162</td><td>16 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	112.49	-----	98.11	35.09	11.66	32.37	162	16 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5742.41	61.04	68.30	-7.26	46.65	35.14	11.65	32.40	162	16 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	112.49	-----	98.11	35.09	11.66	32.37	162	16 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2024-06-27 52.5 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.07</td><td>-----</td><td>89.69</td><td>35.09</td><td>11.66</td><td>32.37</td><td>162</td><td>16 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.07	-----	89.69	35.09	11.66	32.37	162	16 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	104.07	-----	89.69	35.09	11.66	32.37	162	16 AVERAGE																																																																										



Mode	42																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_5745MHz_Partial RU(26/0)																																																																																																																												
ANT	10																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2024-06-27 PEAK_BE(B4)_16-24 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5608.56</td><td>53.99</td><td>68.30</td><td>-14.31</td><td>39.62</td><td>34.95</td><td>11.71</td><td>32.29</td><td>254</td><td>21 PEAK</td></tr><tr><td>2</td><td>5651.77</td><td>52.74</td><td>69.61</td><td>-16.87</td><td>38.37</td><td>35.01</td><td>11.69</td><td>32.33</td><td>254</td><td>21 PEAK</td></tr><tr><td>3</td><td>5702.08</td><td>62.37</td><td>105.78</td><td>-43.41</td><td>48.00</td><td>35.08</td><td>11.66</td><td>32.37</td><td>254</td><td>21 PEAK</td></tr><tr><td>4</td><td>5723.40</td><td>60.30</td><td>118.54</td><td>-58.24</td><td>45.92</td><td>35.11</td><td>11.65</td><td>32.38</td><td>254</td><td>21 PEAK</td></tr></tbody></table> <td colspan="5"> Level (dBuV/m) Date: 2024-06-27 PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.50</td><td>-----</td><td>-----</td><td>96.11</td><td>35.13</td><td>11.65</td><td>32.39</td><td>254</td><td>21 PEAK</td></tr></tbody></table> </td>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5608.56	53.99	68.30	-14.31	39.62	34.95	11.71	32.29	254	21 PEAK	2	5651.77	52.74	69.61	-16.87	38.37	35.01	11.69	32.33	254	21 PEAK	3	5702.08	62.37	105.78	-43.41	48.00	35.08	11.66	32.37	254	21 PEAK	4	5723.40	60.30	118.54	-58.24	45.92	35.11	11.65	32.38	254	21 PEAK	Level (dBuV/m) Date: 2024-06-27 PART 15.407 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.50</td><td>-----</td><td>-----</td><td>96.11</td><td>35.13</td><td>11.65</td><td>32.39</td><td>254</td><td>21 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.50	-----	-----	96.11	35.13	11.65	32.39	254	21 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5608.56	53.99	68.30	-14.31	39.62	34.95	11.71	32.29	254	21 PEAK																																																																																																																			
2	5651.77	52.74	69.61	-16.87	38.37	35.01	11.69	32.33	254	21 PEAK																																																																																																																			
3	5702.08	62.37	105.78	-43.41	48.00	35.08	11.66	32.37	254	21 PEAK																																																																																																																			
4	5723.40	60.30	118.54	-58.24	45.92	35.11	11.65	32.38	254	21 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	110.50	-----	-----	96.11	35.13	11.65	32.39	254	21 PEAK																																																																																																																			
Avg	Blank <td colspan="5"> Level (dBuV/m) Date: 2024-06-27 PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.76</td><td>-----</td><td>-----</td><td>87.37</td><td>35.13</td><td>11.65</td><td>32.39</td><td>254</td><td>21 AVERAGE</td></tr></tbody></table> </td>					Level (dBuV/m) Date: 2024-06-27 PART 15.407 AVG Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.76</td><td>-----</td><td>-----</td><td>87.37</td><td>35.13</td><td>11.65</td><td>32.39</td><td>254</td><td>21 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.76	-----	-----	87.37	35.13	11.65	32.39	254	21 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	101.76	-----	-----	87.37	35.13	11.65	32.39	254	21 AVERAGE																																																																																																																			





Mode	43																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz_Partial RU(26/8)																																																																																																																						
ANT	10																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak	Level (dBuV/m) Date: 2024-06-27 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.88</td><td>52.75</td><td>111.08</td><td>-58.33</td><td>38.42</td><td>35.30</td><td>11.52</td><td>32.49</td><td>200</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5869.00</td><td>63.85</td><td>106.88</td><td>-43.03</td><td>49.53</td><td>35.32</td><td>11.50</td><td>32.50</td><td>200</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>51.47</td><td>68.20</td><td>-16.73</td><td>37.21</td><td>35.40</td><td>11.40</td><td>32.54</td><td>200</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5947.00</td><td>52.89</td><td>68.30</td><td>-15.41</td><td>38.65</td><td>35.43</td><td>11.37</td><td>32.56</td><td>200</td><td>360</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5854.88	52.75	111.08	-58.33	38.42	35.30	11.52	32.49	200	360	PEAK	2	5869.00	63.85	106.88	-43.03	49.53	35.32	11.50	32.50	200	360	PEAK	3	5925.00	51.47	68.20	-16.73	37.21	35.40	11.40	32.54	200	360	PEAK	4	5947.00	52.89	68.30	-15.41	38.65	35.43	11.37	32.56	200	360	PEAK	Level (dBuV/m) Date: 2024-06-27 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>111.20</td><td>-----</td><td>-----</td><td>96.85</td><td>35.27</td><td>11.55</td><td>32.47</td><td>200</td><td>360</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	111.20	-----	-----	96.85	35.27	11.55	32.47	200	360	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5854.88	52.75	111.08	-58.33	38.42	35.30	11.52	32.49	200	360	PEAK																																																																																																												
2	5869.00	63.85	106.88	-43.03	49.53	35.32	11.50	32.50	200	360	PEAK																																																																																																												
3	5925.00	51.47	68.20	-16.73	37.21	35.40	11.40	32.54	200	360	PEAK																																																																																																												
4	5947.00	52.89	68.30	-15.41	38.65	35.43	11.37	32.56	200	360	PEAK																																																																																																												
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	111.20	-----	-----	96.85	35.27	11.55	32.47	200	360	PEAK																																																																																																												
Avg	Blank						Level (dBuV/m) Date: 2024-06-27 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5825.00</td><td>104.11</td><td>-----</td><td>-----</td><td>89.76</td><td>35.27</td><td>11.55</td><td>32.47</td><td>200</td><td>360</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5825.00	104.11	-----	-----	89.76	35.27	11.55	32.47	200	360	AVERAGE																																																																								
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5825.00	104.11	-----	-----	89.76	35.27	11.55	32.47	200	360	AVERAGE																																																																																																												



Mode	43																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_5825MHz_Partial RU(26/8)																																																																																																																			
ANT	10																																																																																																																			
Pol.	Vertical	Fundamental																																																																																																																		
Peak	Level (dBuV/m) Date: 2024-06-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>52.70</td><td>110.80</td><td>-58.10</td><td>38.37</td><td>35.30</td><td>11.52</td><td>32.49</td><td>153</td><td>15 PEAK</td></tr><tr><td>2</td><td>5867.00</td><td>66.46</td><td>107.44</td><td>-40.98</td><td>52.15</td><td>35.31</td><td>11.50</td><td>32.50</td><td>153</td><td>15 PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>52.59</td><td>68.38</td><td>-15.79</td><td>38.34</td><td>35.39</td><td>11.40</td><td>32.54</td><td>153</td><td>15 PEAK</td></tr><tr><td>4</td><td>5949.00</td><td>53.59</td><td>68.30</td><td>-14.71</td><td>39.36</td><td>35.43</td><td>11.36</td><td>32.56</td><td>153</td><td>15 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	52.70	110.80	-58.10	38.37	35.30	11.52	32.49	153	15 PEAK	2	5867.00	66.46	107.44	-40.98	52.15	35.31	11.50	32.50	153	15 PEAK	3	5924.75	52.59	68.38	-15.79	38.34	35.39	11.40	32.54	153	15 PEAK	4	5949.00	53.59	68.30	-14.71	39.36	35.43	11.36	32.56	153	15 PEAK	Level (dBuV/m) Date: 2024-06-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>111.86</td><td>-----</td><td>97.51</td><td>35.27</td><td>11.55</td><td>32.47</td><td>153</td><td>15 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	111.86	-----	97.51	35.27	11.55	32.47	153	15 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5855.00	52.70	110.80	-58.10	38.37	35.30	11.52	32.49	153	15 PEAK																																																																																																										
2	5867.00	66.46	107.44	-40.98	52.15	35.31	11.50	32.50	153	15 PEAK																																																																																																										
3	5924.75	52.59	68.38	-15.79	38.34	35.39	11.40	32.54	153	15 PEAK																																																																																																										
4	5949.00	53.59	68.30	-14.71	39.36	35.43	11.36	32.56	153	15 PEAK																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5825.00	111.86	-----	97.51	35.27	11.55	32.47	153	15 PEAK																																																																																																											
Avg	Blank	Level (dBuV/m) Date: 2024-06-27 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>104.55</td><td>-----</td><td>90.20</td><td>35.27</td><td>11.55</td><td>32.47</td><td>153</td><td>15 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.55	-----	90.20	35.27	11.55	32.47	153	15 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5825.00	104.55	-----	90.20	35.27	11.55	32.47	153	15 AVERAGE																																																																																																											



Mode	45																																																																																																																																																																																																																											
	LF																																																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																																																																																																																											
ANT	10																																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																																					
QP/Peak																																																																																																																																																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>35.82</td><td>17.73</td><td>40.00</td><td>-22.27</td><td>37.31</td><td>19.22</td><td>1.10</td><td>39.90</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>106.63</td><td>18.31</td><td>43.50</td><td>-25.19</td><td>40.54</td><td>15.95</td><td>1.88</td><td>40.06</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>191.99</td><td>25.66</td><td>43.50</td><td>-17.84</td><td>46.41</td><td>16.73</td><td>2.52</td><td>40.00</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>217.21</td><td>27.52</td><td>46.00</td><td>-18.48</td><td>47.87</td><td>16.96</td><td>2.67</td><td>39.98</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>288.99</td><td>31.97</td><td>46.00</td><td>-14.03</td><td>49.32</td><td>19.54</td><td>3.06</td><td>39.95</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>801.15</td><td>29.58</td><td>46.00</td><td>-16.42</td><td>35.73</td><td>28.24</td><td>5.08</td><td>39.47</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	35.82	17.73	40.00	-22.27	37.31	19.22	1.10	39.90	--	--	--	Peak	2	106.63	18.31	43.50	-25.19	40.54	15.95	1.88	40.06	--	--	--	Peak	3	191.99	25.66	43.50	-17.84	46.41	16.73	2.52	40.00	--	--	--	Peak	4	217.21	27.52	46.00	-18.48	47.87	16.96	2.67	39.98	--	--	--	Peak	5	288.99	31.97	46.00	-14.03	49.32	19.54	3.06	39.95	--	--	--	Peak	6	801.15	29.58	46.00	-16.42	35.73	28.24	5.08	39.47	--	--	--	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>40.67</td><td>24.48</td><td>40.00</td><td>-15.52</td><td>43.41</td><td>19.81</td><td>1.17</td><td>39.91</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>103.72</td><td>20.31</td><td>43.50</td><td>-23.19</td><td>43.03</td><td>15.49</td><td>1.86</td><td>40.07</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>165.80</td><td>23.90</td><td>43.50</td><td>-19.60</td><td>42.29</td><td>19.29</td><td>2.34</td><td>40.02</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>223.03</td><td>23.71</td><td>46.00</td><td>-22.29</td><td>43.75</td><td>17.24</td><td>2.70</td><td>39.98</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>270.56</td><td>23.93</td><td>46.00</td><td>-22.07</td><td>41.99</td><td>18.92</td><td>2.97</td><td>39.95</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>810.85</td><td>29.72</td><td>46.00</td><td>-16.28</td><td>35.78</td><td>28.29</td><td>5.11</td><td>39.46</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	40.67	24.48	40.00	-15.52	43.41	19.81	1.17	39.91	--	--	--	Peak	2	103.72	20.31	43.50	-23.19	43.03	15.49	1.86	40.07	--	--	--	Peak	3	165.80	23.90	43.50	-19.60	42.29	19.29	2.34	40.02	--	--	--	Peak	4	223.03	23.71	46.00	-22.29	43.75	17.24	2.70	39.98	--	--	--	Peak	5	270.56	23.93	46.00	-22.07	41.99	18.92	2.97	39.95	--	--	--	Peak	6	810.85	29.72	46.00	-16.28	35.78	28.29	5.11	39.46	--	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	35.82	17.73	40.00	-22.27	37.31	19.22	1.10	39.90	--	--	--	Peak																																																																																																																																																																																																																
2	106.63	18.31	43.50	-25.19	40.54	15.95	1.88	40.06	--	--	--	Peak																																																																																																																																																																																																																
3	191.99	25.66	43.50	-17.84	46.41	16.73	2.52	40.00	--	--	--	Peak																																																																																																																																																																																																																
4	217.21	27.52	46.00	-18.48	47.87	16.96	2.67	39.98	--	--	--	Peak																																																																																																																																																																																																																
5	288.99	31.97	46.00	-14.03	49.32	19.54	3.06	39.95	--	--	--	Peak																																																																																																																																																																																																																
6	801.15	29.58	46.00	-16.42	35.73	28.24	5.08	39.47	--	--	--	Peak																																																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																																
1	40.67	24.48	40.00	-15.52	43.41	19.81	1.17	39.91	--	--	--	Peak																																																																																																																																																																																																																
2	103.72	20.31	43.50	-23.19	43.03	15.49	1.86	40.07	--	--	--	Peak																																																																																																																																																																																																																
3	165.80	23.90	43.50	-19.60	42.29	19.29	2.34	40.02	--	--	--	Peak																																																																																																																																																																																																																
4	223.03	23.71	46.00	-22.29	43.75	17.24	2.70	39.98	--	--	--	Peak																																																																																																																																																																																																																
5	270.56	23.93	46.00	-22.07	41.99	18.92	2.97	39.95	--	--	--	Peak																																																																																																																																																																																																																
6	810.85	29.72	46.00	-16.28	35.78	28.29	5.11	39.46	--	--	--	Peak																																																																																																																																																																																																																







	48																																																																																								
Mode	Band Edge																																																																																								
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link																																																																																								
ANT	0+10+10																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak	Date: 2024-06-27					Date: 2024-06-27																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2486.03</td><td>49.69</td><td>74.00</td><td>-24.31</td><td>41.44</td><td>32.47</td><td>7.88</td><td>32.10</td><td>384</td><td>223 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2486.03	49.69	74.00	-24.31	41.44	32.47	7.88	32.10	384	223 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2478.00</td><td>97.34</td><td>-----</td><td>-----</td><td>89.11</td><td>32.45</td><td>7.87</td><td>32.09</td><td>384</td><td>223 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2478.00	97.34	-----	-----	89.11	32.45	7.87	32.09	384
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2486.03	49.69	74.00	-24.31	41.44	32.47	7.88	32.10	384	223 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2478.00	97.34	-----	-----	89.11	32.45	7.87	32.09	384	223 PEAK																																																																																
Avg	Date: 2024-06-27					Date: 2024-06-27																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2493.62</td><td>41.33</td><td>54.00</td><td>-12.67</td><td>33.05</td><td>32.49</td><td>7.89</td><td>32.10</td><td>384</td><td>223 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2493.62	41.33	54.00	-12.67	33.05	32.49	7.89	32.10	384	223 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 2478.00</td><td>95.35</td><td>-----</td><td>-----</td><td>87.12</td><td>32.45</td><td>7.87</td><td>32.09</td><td>384</td><td>223 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 2478.00	95.35	-----	-----	87.12	32.45	7.87	32.09	384
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2493.62	41.33	54.00	-12.67	33.05	32.49	7.89	32.10	384	223 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 2478.00	95.35	-----	-----	87.12	32.45	7.87	32.09	384	223 AVERAGE																																																																																



Mode	48																																																																																										
	Band Edge																																																																																										
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link																																																																																										
ANT	0+10+10																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2024-06-27 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.68</td><td>50.06</td><td>74.00</td><td>-23.94</td><td>41.81</td><td>32.47</td><td>7.88</td><td>32.10</td><td>187</td><td>295</td><td>PEAK</td></tr></table> <td colspan="5"> Level (dBuV/m) Date: 2024-06-27 PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.17</td><td>-----</td><td>-----</td><td>88.94</td><td>32.45</td><td>7.87</td><td>32.09</td><td>187</td><td>295</td><td>PEAK</td></tr></table> </td>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2487.68	50.06	74.00	-23.94	41.81	32.47	7.88	32.10	187	295	PEAK	Level (dBuV/m) Date: 2024-06-27 PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.17</td><td>-----</td><td>-----</td><td>88.94</td><td>32.45</td><td>7.87</td><td>32.09</td><td>187</td><td>295</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.17	-----	-----	88.94	32.45	7.87	32.09	187	295	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2487.68	50.06	74.00	-23.94	41.81	32.47	7.88	32.10	187	295	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2478.00	97.17	-----	-----	88.94	32.45	7.87	32.09	187	295	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2024-06-27 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.55</td><td>41.72</td><td>54.00</td><td>-12.28</td><td>33.46</td><td>32.48</td><td>7.88</td><td>32.10</td><td>187</td><td>295</td><td>AVERAGE</td></tr></table> <td colspan="5"> Level (dBuV/m) Date: 2024-06-27 AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>95.34</td><td>-----</td><td>-----</td><td>87.11</td><td>32.45</td><td>7.87</td><td>32.09</td><td>187</td><td>295</td><td>AVERAGE</td></tr></table> </td>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2489.55	41.72	54.00	-12.28	33.46	32.48	7.88	32.10	187	295	AVERAGE	Level (dBuV/m) Date: 2024-06-27 AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>95.34</td><td>-----</td><td>-----</td><td>87.11</td><td>32.45</td><td>7.87</td><td>32.09</td><td>187</td><td>295</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2478.00	95.34	-----	-----	87.11	32.45	7.87	32.09	187	295	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2489.55	41.72	54.00	-12.28	33.46	32.48	7.88	32.10	187	295	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2478.00	95.34	-----	-----	87.11	32.45	7.87	32.09	187	295	AVERAGE																																																																																



	48																																																																																								
Mode	Band Edge - L																																																																																								
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link																																																																																								
ANT	0+10+10																																																																																								
Pol.	Horizontal					Fundamental																																																																																			
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5140.51</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>39.04</td><td>34.87</td><td>11.09</td><td>31.77</td><td>198 9 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5140.51	53.23	74.00	-20.77	39.04	34.87	11.09	31.77	198 9 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>95.53</td><td>-----</td><td>-----</td><td>81.63</td><td>34.84</td><td>11.00</td><td>31.94</td><td>198 9 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.53	-----	-----	81.63	34.84	11.00	31.94
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5140.51	53.23	74.00	-20.77	39.04	34.87	11.09	31.77	198 9 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5290.00	95.53	-----	-----	81.63	34.84	11.00	31.94	198 9 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5072.09</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>31.19</td><td>34.89</td><td>11.13</td><td>31.68</td><td>198 9 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5072.09	45.53	54.00	-8.47	31.19	34.89	11.13	31.68	198 9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>92.91</td><td>-----</td><td>-----</td><td>84.69</td><td>32.44</td><td>7.87</td><td>32.09</td><td>198 9 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5290.00	92.91	-----	-----	84.69	32.44	7.87	32.09
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5072.09	45.53	54.00	-8.47	31.19	34.89	11.13	31.68	198 9 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5290.00	92.91	-----	-----	84.69	32.44	7.87	32.09	198 9 AVERAGE																																																																																



Mode	48																																	
	Band Edge - R																																	
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link																																	
ANT	0+10+10																																	
Pol.	Horizontal	Fundamental																																
Peak	Date: 2024-06-27 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5354.18</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>42.13</td><td>34.83</td><td>10.94</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5354.18	55.87	74.00	-18.13	42.13	34.83	10.94	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																											
1	5354.18	55.87	74.00	-18.13	42.13	34.83	10.94																											
Avg	Date: 2024-06-27 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5350.10</td><td>47.40</td><td>54.00</td><td>-6.60</td><td>33.66</td><td>34.83</td><td>10.94</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	1	5350.10	47.40	54.00	-6.60	33.66	34.83	10.94	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm																											
1	5350.10	47.40	54.00	-6.60	33.66	34.83	10.94																											



Mode	48										
	Band Edge - L										
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link										
ANT	0+10+10										
Pol.	Vertical						Fundamental				
Peak											



Mode	48																																	
	Band Edge - R																																	
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link																																	
ANT	0+10+10																																	
Pol.	Vertical	Fundamental																																
Peak	Date: 2024-06-27 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5354.35</td><td>55.11</td><td>74.00</td><td>-18.89</td><td>41.37</td><td>34.83</td><td>10.94</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	5354.35	55.11	74.00	-18.89	41.37	34.83	10.94	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																											
1	5354.35	55.11	74.00	-18.89	41.37	34.83	10.94																											
Avg	Date: 2024-06-27 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.79</td><td>48.48</td><td>54.00</td><td>-5.52</td><td>34.74</td><td>34.83</td><td>10.94</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	5350.79	48.48	54.00	-5.52	34.74	34.83	10.94	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																											
1	5350.79	48.48	54.00	-5.52	34.74	34.83	10.94																											



Mode	48																																																																																													
	Harmonic																																																																																													
	Bluetooth-LE_2M_CH38_TX + U-NII-2A_802.11ax HE80_CH58_TX + LTE_Band13 Link																																																																																													
ANT	0+10+10																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg	Level (dBuV/m) Date: 2024-06-27 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4956.00</td><td>46.00</td><td>74.00</td><td>-28.00</td><td>51.51</td><td>34.88</td><td>11.13</td><td>51.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>47.05</td><td>74.00</td><td>-26.95</td><td>48.88</td><td>36.37</td><td>12.99</td><td>51.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10580.00</td><td>48.45</td><td>68.30</td><td>-19.85</td><td>45.48</td><td>39.48</td><td>14.29</td><td>50.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>39.70</td><td>42.02</td><td>17.11</td><td>51.70</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4956.00	46.00	74.00	-28.00	51.51	34.88	11.13	51.52	--	--	Peak	2	7434.00	47.05	74.00	-26.95	48.88	36.37	12.99	51.19	--	--	Peak	3	10580.00	48.45	68.30	-19.85	45.48	39.48	14.29	50.80	--	--	Peak	4	15870.00	47.13	74.00	-26.87	39.70	42.02	17.11	51.70	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
	1	4956.00	46.00	74.00	-28.00	51.51	34.88	11.13	51.52	--	--	Peak																																																																																		
2	7434.00	47.05	74.00	-26.95	48.88	36.37	12.99	51.19	--	--	Peak																																																																																			
3	10580.00	48.45	68.30	-19.85	45.48	39.48	14.29	50.80	--	--	Peak																																																																																			
4	15870.00	47.13	74.00	-26.87	39.70	42.02	17.11	51.70	--	--	Peak																																																																																			
Peak Avg	Level (dBuV/m) Date: 2024-06-27 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>4956.00</td><td>46.23</td><td>74.00</td><td>-27.77</td><td>51.74</td><td>34.88</td><td>11.13</td><td>51.52</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>47.88</td><td>36.37</td><td>12.99</td><td>51.19</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>10580.00</td><td>48.62</td><td>68.30</td><td>-19.68</td><td>45.65</td><td>39.48</td><td>14.29</td><td>50.80</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>15870.00</td><td>47.34</td><td>74.00</td><td>-26.66</td><td>39.91</td><td>42.02</td><td>17.11</td><td>51.70</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	4956.00	46.23	74.00	-27.77	51.74	34.88	11.13	51.52	--	--	Peak	2	7434.00	46.05	74.00	-27.95	47.88	36.37	12.99	51.19	--	--	Peak	3	10580.00	48.62	68.30	-19.68	45.65	39.48	14.29	50.80	--	--	Peak	4	15870.00	47.34	74.00	-26.66	39.91	42.02	17.11	51.70	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
	1	4956.00	46.23	74.00	-27.77	51.74	34.88	11.13	51.52	--	--	Peak																																																																																		
2	7434.00	46.05	74.00	-27.95	47.88	36.37	12.99	51.19	--	--	Peak																																																																																			
3	10580.00	48.62	68.30	-19.68	45.65	39.48	14.29	50.80	--	--	Peak																																																																																			
4	15870.00	47.34	74.00	-26.66	39.91	42.02	17.11	51.70	--	--	Peak																																																																																			


Note: the two highest signals over limit are BLE + 5G WLAN co-location fundamental signals.



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.53	1.390	0.719	1KHz
802.11ax HE20	96.19	1.010	0.990	1KHz
802.11ax HE40	93.10	0.540	1.852	3KHz
802.11ax HE80	87.88	0.290	3.448	10KHZ


802.11a



Date: 20.JUN.2024 15:06:59




802.11ax HE20



Date: 20.JUN.2024 15:22:19


802.11ax HE40



Date: 20.JUN.2024 15:32:28



802.11ax HE80



Date: 20.JUN.2024 15:39:18