

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	24.00	-4.94	16.91	<=38.45	Pass
			2	24.12	-4.94	17.03	<=38.45	Pass
			5	24.05	-4.94	16.96	<=38.45	Pass
		3	0	24.07	-4.94	16.98	<=38.45	Pass
			2	24.08	-4.94	16.99	<=38.45	Pass
			3	24.03	-4.94	16.94	<=38.45	Pass
		6	0	23.06	-4.94	15.97	<=38.45	Pass
	836.5	1	0	24.13	-4.94	17.04	<=38.45	Pass
			2	24.10	-4.94	17.01	<=38.45	Pass
			5	24.03	-4.94	16.94	<=38.45	Pass
		3	0	24.14	-4.94	17.05	<=38.45	Pass
			2	24.13	-4.94	17.04	<=38.45	Pass
			3	24.13	-4.94	17.04	<=38.45	Pass
		6	0	23.14	-4.94	16.05	<=38.45	Pass
	848.3	1	0	23.97	-4.94	16.88	<=38.45	Pass
			2	24.02	-4.94	16.93	<=38.45	Pass
			5	23.83	-4.94	16.74	<=38.45	Pass
		3	0	24.00	-4.94	16.91	<=38.45	Pass
			2	23.96	-4.94	16.87	<=38.45	Pass
			3	23.84	-4.94	16.75	<=38.45	Pass
		6	0	22.99	-4.94	15.90	<=38.45	Pass
16QAM	824.7	1	0	23.11	-4.94	16.02	<=38.45	Pass
			2	23.16	-4.94	16.07	<=38.45	Pass
			5	23.23	-4.94	16.14	<=38.45	Pass
		3	0	23.16	-4.94	16.07	<=38.45	Pass
			2	23.17	-4.94	16.08	<=38.45	Pass
			3	23.17	-4.94	16.08	<=38.45	Pass
		6	0	22.06	-4.94	14.97	<=38.45	Pass
	836.5	1	0	23.22	-4.94	16.13	<=38.45	Pass
			2	23.26	-4.94	16.17	<=38.45	Pass
			5	23.33	-4.94	16.24	<=38.45	Pass
		3	0	23.17	-4.94	16.08	<=38.45	Pass
			2	23.21	-4.94	16.12	<=38.45	Pass
			3	23.21	-4.94	16.12	<=38.45	Pass
		6	0	22.13	-4.94	15.04	<=38.45	Pass
	848.3	1	0	23.03	-4.94	15.94	<=38.45	Pass
			2	23.10	-4.94	16.01	<=38.45	Pass
			5	22.98	-4.94	15.89	<=38.45	Pass
		3	0	23.08	-4.94	15.99	<=38.45	Pass
			2	23.09	-4.94	16.00	<=38.45	Pass
			3	22.98	-4.94	15.89	<=38.45	Pass
		6	0	21.95	-4.94	14.86	<=38.45	Pass
64QAM	824.7	1	0	22.12	-4.94	15.03	<=38.45	Pass
			2	22.32	-4.94	15.23	<=38.45	Pass
			5	22.28	-4.94	15.19	<=38.45	Pass
		3	0	22.14	-4.94	15.05	<=38.45	Pass
			2	22.11	-4.94	15.02	<=38.45	Pass
			3	22.10	-4.94	15.01	<=38.45	Pass
		6	0	21.15	-4.94	14.06	<=38.45	Pass

	836.5	1	0	22.35	-4.94	15.26	<=38.45	Pass
			2	22.29	-4.94	15.20	<=38.45	Pass
			5	22.18	-4.94	15.09	<=38.45	Pass
		3	0	22.17	-4.94	15.08	<=38.45	Pass
			2	22.19	-4.94	15.10	<=38.45	Pass
			3	22.18	-4.94	15.09	<=38.45	Pass
	848.3	6	0	21.17	-4.94	14.08	<=38.45	Pass
			0	22.11	-4.94	15.02	<=38.45	Pass
			2	22.22	-4.94	15.13	<=38.45	Pass
		1	5	22.12	-4.94	15.03	<=38.45	Pass
			0	22.12	-4.94	15.03	<=38.45	Pass
			2	22.11	-4.94	15.02	<=38.45	Pass
		3	3	22.08	-4.94	14.99	<=38.45	Pass
			6	21.00	-4.94	13.91	<=38.45	Pass
			0	21.00	-4.94	13.91	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	24.05	-4.94	16.96	<=38.45	Pass
			7	24.17	-4.94	17.08	<=38.45	Pass
			14	24.01	-4.94	16.92	<=38.45	Pass
		8	0	23.02	-4.94	15.93	<=38.45	Pass
			4	23.14	-4.94	16.05	<=38.45	Pass
			7	23.14	-4.94	16.05	<=38.45	Pass
		15	0	23.12	-4.94	16.03	<=38.45	Pass
	836.5	1	0	24.11	-4.94	17.02	<=38.45	Pass
			7	24.21	-4.94	17.12	<=38.45	Pass
			14	24.04	-4.94	16.95	<=38.45	Pass
		8	0	23.12	-4.94	16.03	<=38.45	Pass
			4	23.16	-4.94	16.07	<=38.45	Pass
			7	23.17	-4.94	16.08	<=38.45	Pass
		15	0	23.15	-4.94	16.06	<=38.45	Pass
	847.5	1	0	23.98	-4.94	16.89	<=38.45	Pass
			7	24.14	-4.94	17.05	<=38.45	Pass
			14	23.89	-4.94	16.80	<=38.45	Pass
		8	0	22.97	-4.94	15.88	<=38.45	Pass
			4	23.07	-4.94	15.98	<=38.45	Pass
			7	23.00	-4.94	15.91	<=38.45	Pass
		15	0	22.97	-4.94	15.88	<=38.45	Pass
16QAM	825.5	1	0	23.16	-4.94	16.07	<=38.45	Pass
			7	23.35	-4.94	16.26	<=38.45	Pass
			14	23.12	-4.94	16.03	<=38.45	Pass
		8	0	22.08	-4.94	14.99	<=38.45	Pass
			4	22.18	-4.94	15.09	<=38.45	Pass
			7	22.15	-4.94	15.06	<=38.45	Pass
		15	0	22.15	-4.94	15.06	<=38.45	Pass
	836.5	1	0	23.30	-4.94	16.21	<=38.45	Pass
			7	23.36	-4.94	16.27	<=38.45	Pass
			14	23.22	-4.94	16.13	<=38.45	Pass
		8	0	22.16	-4.94	15.07	<=38.45	Pass
			4	22.22	-4.94	15.13	<=38.45	Pass
			7	22.19	-4.94	15.10	<=38.45	Pass
		15	0	22.17	-4.94	15.08	<=38.45	Pass
	847.5	1	0	23.09	-4.94	16.00	<=38.45	Pass

			7	23.18	-4.94	16.09	<=38.45	Pass	
			14	23.16	-4.94	16.07	<=38.45	Pass	
		8	0	22.00	-4.94	14.91	<=38.45	Pass	
			4	22.09	-4.94	15.00	<=38.45	Pass	
			7	22.05	-4.94	14.96	<=38.45	Pass	
		15	0	21.96	-4.94	14.87	<=38.45	Pass	
64QAM	825.5	1	0	22.17	-4.94	15.08	<=38.45	Pass	
			7	22.40	-4.94	15.31	<=38.45	Pass	
			14	22.26	-4.94	15.17	<=38.45	Pass	
		8	0	21.08	-4.94	13.99	<=38.45	Pass	
			4	21.18	-4.94	14.09	<=38.45	Pass	
			7	21.21	-4.94	14.12	<=38.45	Pass	
	15	0	21.13	-4.94	14.04	<=38.45	Pass		
	836.5	1	0	22.24	-4.94	15.15	<=38.45	Pass	
			7	22.47	-4.94	15.38	<=38.45	Pass	
			14	22.34	-4.94	15.25	<=38.45	Pass	
		8	0	21.22	-4.94	14.13	<=38.45	Pass	
			4	21.18	-4.94	14.09	<=38.45	Pass	
			7	21.22	-4.94	14.13	<=38.45	Pass	
	15	0	21.11	-4.94	14.02	<=38.45	Pass		
	847.5	1	0	22.18	-4.94	15.09	<=38.45	Pass	
			7	22.32	-4.94	15.23	<=38.45	Pass	
			14	22.23	-4.94	15.14	<=38.45	Pass	
		8	0	20.96	-4.94	13.87	<=38.45	Pass	
			4	21.09	-4.94	14.00	<=38.45	Pass	
			7	21.01	-4.94	13.92	<=38.45	Pass	
	15	0	20.95	-4.94	13.86	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	24.14	-4.94	17.05	<=38.45	Pass
			13	24.20	-4.94	17.11	<=38.45	Pass
			24	24.15	-4.94	17.06	<=38.45	Pass
		12	0	23.05	-4.94	15.96	<=38.45	Pass
			6	23.17	-4.94	16.08	<=38.45	Pass
			13	23.11	-4.94	16.02	<=38.45	Pass
		25	0	23.10	-4.94	16.01	<=38.45	Pass
	836.5	1	0	24.12	-4.94	17.03	<=38.45	Pass
			13	24.16	-4.94	17.07	<=38.45	Pass
			24	24.11	-4.94	17.02	<=38.45	Pass
		12	0	23.07	-4.94	15.98	<=38.45	Pass
			6	23.17	-4.94	16.08	<=38.45	Pass
			13	23.13	-4.94	16.04	<=38.45	Pass
		25	0	23.11	-4.94	16.02	<=38.45	Pass
	846.5	1	0	24.04	-4.94	16.95	<=38.45	Pass
			13	24.11	-4.94	17.02	<=38.45	Pass
			24	24.06	-4.94	16.97	<=38.45	Pass
		12	0	22.98	-4.94	15.89	<=38.45	Pass
			6	23.05	-4.94	15.96	<=38.45	Pass
			13	23.04	-4.94	15.95	<=38.45	Pass
		25	0	23.04	-4.94	15.95	<=38.45	Pass
16QAM	826.5	1	0	23.19	-4.94	16.10	<=38.45	Pass
			13	23.40	-4.94	16.31	<=38.45	Pass

		12	24	23.20	-4.94	16.11	<=38.45	Pass	
			0	22.05	-4.94	14.96	<=38.45	Pass	
				6	22.15	-4.94	15.06	<=38.45	Pass
				13	22.13	-4.94	15.04	<=38.45	Pass
		25	0	22.10	-4.94	15.01	<=38.45	Pass	
	836.5	1	0	23.17	-4.94	16.08	<=38.45	Pass	
			13	23.36	-4.94	16.27	<=38.45	Pass	
			24	23.30	-4.94	16.21	<=38.45	Pass	
		12	0	22.09	-4.94	15.00	<=38.45	Pass	
			6	22.21	-4.94	15.12	<=38.45	Pass	
			13	22.15	-4.94	15.06	<=38.45	Pass	
		25	0	22.13	-4.94	15.04	<=38.45	Pass	
		846.5	1	0	23.26	-4.94	16.17	<=38.45	Pass
	13			23.23	-4.94	16.14	<=38.45	Pass	
	24			23.21	-4.94	16.12	<=38.45	Pass	
	12		0	21.94	-4.94	14.85	<=38.45	Pass	
			6	22.10	-4.94	15.01	<=38.45	Pass	
			13	22.07	-4.94	14.98	<=38.45	Pass	
	25		0	22.05	-4.94	14.96	<=38.45	Pass	
	64QAM	826.5	1	0	22.17	-4.94	15.08	<=38.45	Pass
				13	22.38	-4.94	15.29	<=38.45	Pass
24				22.21	-4.94	15.12	<=38.45	Pass	
12			0	21.08	-4.94	13.99	<=38.45	Pass	
			6	21.17	-4.94	14.08	<=38.45	Pass	
			13	21.08	-4.94	13.99	<=38.45	Pass	
25			0	21.12	-4.94	14.03	<=38.45	Pass	
836.5		1	0	22.24	-4.94	15.15	<=38.45	Pass	
			13	22.32	-4.94	15.23	<=38.45	Pass	
			24	22.29	-4.94	15.20	<=38.45	Pass	
		12	0	21.07	-4.94	13.98	<=38.45	Pass	
			6	21.19	-4.94	14.10	<=38.45	Pass	
			13	21.17	-4.94	14.08	<=38.45	Pass	
25		0	21.12	-4.94	14.03	<=38.45	Pass		
846.5		1	0	22.09	-4.94	15.00	<=38.45	Pass	
			13	22.28	-4.94	15.19	<=38.45	Pass	
			24	22.16	-4.94	15.07	<=38.45	Pass	
		12	0	21.00	-4.94	13.91	<=38.45	Pass	
			6	21.10	-4.94	14.01	<=38.45	Pass	
			13	21.01	-4.94	13.92	<=38.45	Pass	
		25	0	21.05	-4.94	13.96	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	24.00	-4.94	16.91	<=38.45	Pass
			25	24.09	-4.94	17.00	<=38.45	Pass
			49	24.01	-4.94	16.92	<=38.45	Pass
		25	0	23.05	-4.94	15.96	<=38.45	Pass
			13	23.17	-4.94	16.08	<=38.45	Pass
			25	23.10	-4.94	16.01	<=38.45	Pass
		50	0	23.12	-4.94	16.03	<=38.45	Pass
	836.5	1	0	24.12	-4.94	17.03	<=38.45	Pass
			25	24.12	-4.94	17.03	<=38.45	Pass
			49	24.03	-4.94	16.94	<=38.45	Pass

		25	0	23.04	-4.94	15.95	<=38.45	Pass
			13	23.15	-4.94	16.06	<=38.45	Pass
			25	23.10	-4.94	16.01	<=38.45	Pass
		50	0	23.09	-4.94	16.00	<=38.45	Pass
	844	1	0	24.06	-4.94	16.97	<=38.45	Pass
			25	24.10	-4.94	17.01	<=38.45	Pass
			49	23.94	-4.94	16.85	<=38.45	Pass
		25	0	23.00	-4.94	15.91	<=38.45	Pass
			13	23.07	-4.94	15.98	<=38.45	Pass
			25	23.04	-4.94	15.95	<=38.45	Pass
		50	0	23.03	-4.94	15.94	<=38.45	Pass
16QAM		829	1	0	23.18	-4.94	16.09	<=38.45
	25			23.22	-4.94	16.13	<=38.45	Pass
	49			23.22	-4.94	16.13	<=38.45	Pass
	25		0	22.07	-4.94	14.98	<=38.45	Pass
			13	22.12	-4.94	15.03	<=38.45	Pass
			25	22.11	-4.94	15.02	<=38.45	Pass
	50		0	22.10	-4.94	15.01	<=38.45	Pass
	836.5	1	0	23.29	-4.94	16.20	<=38.45	Pass
			25	23.27	-4.94	16.18	<=38.45	Pass
			49	23.13	-4.94	16.04	<=38.45	Pass
		25	0	22.09	-4.94	15.00	<=38.45	Pass
			13	22.15	-4.94	15.06	<=38.45	Pass
			25	22.14	-4.94	15.05	<=38.45	Pass
		50	0	22.14	-4.94	15.05	<=38.45	Pass
	844	1	0	23.17	-4.94	16.08	<=38.45	Pass
			25	23.24	-4.94	16.15	<=38.45	Pass
			49	23.19	-4.94	16.10	<=38.45	Pass
		25	0	22.03	-4.94	14.94	<=38.45	Pass
			13	22.11	-4.94	15.02	<=38.45	Pass
			25	22.05	-4.94	14.96	<=38.45	Pass
		50	0	22.06	-4.94	14.97	<=38.45	Pass
64QAM		829	1	0	22.17	-4.94	15.08	<=38.45
	25			22.20	-4.94	15.11	<=38.45	Pass
	49			22.16	-4.94	15.07	<=38.45	Pass
	25		0	21.03	-4.94	13.94	<=38.45	Pass
			13	21.13	-4.94	14.04	<=38.45	Pass
			25	21.13	-4.94	14.04	<=38.45	Pass
	50		0	21.14	-4.94	14.05	<=38.45	Pass
	836.5	1	0	22.30	-4.94	15.21	<=38.45	Pass
			25	22.40	-4.94	15.31	<=38.45	Pass
			49	22.28	-4.94	15.19	<=38.45	Pass
		25	0	21.10	-4.94	14.01	<=38.45	Pass
			13	21.15	-4.94	14.06	<=38.45	Pass
			25	21.11	-4.94	14.02	<=38.45	Pass
		50	0	21.15	-4.94	14.06	<=38.45	Pass
	844	1	0	22.27	-4.94	15.18	<=38.45	Pass
			25	22.26	-4.94	15.17	<=38.45	Pass
			49	22.17	-4.94	15.08	<=38.45	Pass
		25	0	21.00	-4.94	13.91	<=38.45	Pass
			13	21.07	-4.94	13.98	<=38.45	Pass
			25	21.01	-4.94	13.92	<=38.45	Pass
		50	0	21.09	-4.94	14.00	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.89	-4.94	16.80	<=38.45	Pass
			38	23.91	-4.94	16.82	<=38.45	Pass
			74	23.84	-4.94	16.75	<=38.45	Pass
		36	0	22.98	-4.94	15.89	<=38.45	Pass
			18	22.93	-4.94	15.84	<=38.45	Pass
			39	22.98	-4.94	15.89	<=38.45	Pass
		75	0	22.90	-4.94	15.81	<=38.45	Pass
	836.5	1	0	23.94	-4.94	16.85	<=38.45	Pass
			38	23.97	-4.94	16.88	<=38.45	Pass
			74	23.80	-4.94	16.71	<=38.45	Pass
		36	0	22.96	-4.94	15.87	<=38.45	Pass
			18	22.99	-4.94	15.90	<=38.45	Pass
			39	22.94	-4.94	15.85	<=38.45	Pass
		75	0	22.92	-4.94	15.83	<=38.45	Pass
	841.5	1	0	23.90	-4.94	16.81	<=38.45	Pass
			38	23.90	-4.94	16.81	<=38.45	Pass
			74	23.83	-4.94	16.74	<=38.45	Pass
		36	0	22.90	-4.94	15.81	<=38.45	Pass
			18	22.95	-4.94	15.86	<=38.45	Pass
			39	22.91	-4.94	15.82	<=38.45	Pass
		75	0	22.96	-4.94	15.87	<=38.45	Pass
16QAM	831.5	1	0	23.15	-4.94	16.06	<=38.45	Pass
			38	23.07	-4.94	15.98	<=38.45	Pass
			74	22.93	-4.94	15.84	<=38.45	Pass
		36	0	21.95	-4.94	14.86	<=38.45	Pass
			18	21.94	-4.94	14.85	<=38.45	Pass
			39	22.00	-4.94	14.91	<=38.45	Pass
		75	0	21.93	-4.94	14.84	<=38.45	Pass
	836.5	1	0	23.17	-4.94	16.08	<=38.45	Pass
			38	23.19	-4.94	16.10	<=38.45	Pass
			74	22.85	-4.94	15.76	<=38.45	Pass
		36	0	21.95	-4.94	14.86	<=38.45	Pass
			18	22.00	-4.94	14.91	<=38.45	Pass
			39	21.97	-4.94	14.88	<=38.45	Pass
		75	0	21.89	-4.94	14.80	<=38.45	Pass
	841.5	1	0	23.16	-4.94	16.07	<=38.45	Pass
			38	23.02	-4.94	15.93	<=38.45	Pass
			74	22.91	-4.94	15.82	<=38.45	Pass
		36	0	21.95	-4.94	14.86	<=38.45	Pass
			18	21.97	-4.94	14.88	<=38.45	Pass
			39	21.88	-4.94	14.79	<=38.45	Pass
		75	0	21.96	-4.94	14.87	<=38.45	Pass
64QAM	831.5	1	0	22.04	-4.94	14.95	<=38.45	Pass
			38	22.15	-4.94	15.06	<=38.45	Pass
			74	21.99	-4.94	14.90	<=38.45	Pass
		36	0	20.98	-4.94	13.89	<=38.45	Pass
			18	20.97	-4.94	13.88	<=38.45	Pass
			39	21.01	-4.94	13.92	<=38.45	Pass
		75	0	20.96	-4.94	13.87	<=38.45	Pass
	836.5	1	0	22.19	-4.94	15.10	<=38.45	Pass
			38	22.10	-4.94	15.01	<=38.45	Pass
			74	22.19	-4.94	15.10	<=38.45	Pass
		36	0	20.94	-4.94	13.85	<=38.45	Pass
			18	21.01	-4.94	13.92	<=38.45	Pass
			39	20.99	-4.94	13.90	<=38.45	Pass
		75	0	20.92	-4.94	13.83	<=38.45	Pass

	841.5	1	0	22.20	-4.94	15.11	<=38.45	Pass
			38	22.23	-4.94	15.14	<=38.45	Pass
			74	22.00	-4.94	14.91	<=38.45	Pass
		36	0	20.93	-4.94	13.84	<=38.45	Pass
			18	20.95	-4.94	13.86	<=38.45	Pass
			39	20.93	-4.94	13.84	<=38.45	Pass
		75	0	21.00	-4.94	13.91	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.6	-16.105	-0.0195	-2.5 to 2.5	Pass
					3.92	-18.675	-0.0226	-2.5 to 2.5	Pass
					4.53	-11.229	-0.0136	-2.5 to 2.5	Pass
				-30	3.92	-7.074	-0.0086	-2.5 to 2.5	Pass
				-20	3.92	-2.350	-0.0028	-2.5 to 2.5	Pass
				-10	3.92	-0.860	-0.0010	-2.5 to 2.5	Pass
				0	3.92	0.194	0.0002	-2.5 to 2.5	Pass
				10	3.92	0.463	0.0006	-2.5 to 2.5	Pass
				30	3.92	-0.197	-0.0002	-2.5 to 2.5	Pass
				40	3.92	-0.750	-0.0009	-2.5 to 2.5	Pass
				50	3.92	0.483	0.0006	-2.5 to 2.5	Pass
	836.5	6	0	20	3.6	2.374	0.0028	-2.5 to 2.5	Pass
					3.92	0.413	0.0005	-2.5 to 2.5	Pass
					4.53	0.896	0.0011	-2.5 to 2.5	Pass
				-30	3.92	1.168	0.0014	-2.5 to 2.5	Pass
				-20	3.92	0.595	0.0007	-2.5 to 2.5	Pass
				-10	3.92	-0.332	-0.0004	-2.5 to 2.5	Pass
				0	3.92	-0.125	-0.0001	-2.5 to 2.5	Pass
				10	3.92	2.187	0.0026	-2.5 to 2.5	Pass
				30	3.92	1.040	0.0012	-2.5 to 2.5	Pass
				40	3.92	1.249	0.0015	-2.5 to 2.5	Pass
				50	3.92	1.192	0.0014	-2.5 to 2.5	Pass
	848.3	6	0	20	3.6	-4.230	-0.0050	-2.5 to 2.5	Pass
					3.92	-9.928	-0.0117	-2.5 to 2.5	Pass
					4.53	-16.603	-0.0196	-2.5 to 2.5	Pass
				-30	3.92	-15.813	-0.0186	-2.5 to 2.5	Pass
				-20	3.92	-10.006	-0.0118	-2.5 to 2.5	Pass
				-10	3.92	-4.343	-0.0051	-2.5 to 2.5	Pass
				0	3.92	-2.253	-0.0027	-2.5 to 2.5	Pass
				10	3.92	-1.204	-0.0014	-2.5 to 2.5	Pass
				30	3.92	0.428	0.0005	-2.5 to 2.5	Pass
				40	3.92	1.090	0.0013	-2.5 to 2.5	Pass
				50	3.92	1.185	0.0014	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.6	-12.310	-0.0149	-2.5 to 2.5	Pass
					3.92	-19.040	-0.0231	-2.5 to 2.5	Pass
					4.53	-16.548	-0.0201	-2.5 to 2.5	Pass
				-30	3.92	-9.467	-0.0115	-2.5 to 2.5	Pass
				-20	3.92	-3.695	-0.0045	-2.5 to 2.5	Pass
				-10	3.92	-1.761	-0.0021	-2.5 to 2.5	Pass
				0	3.92	-1.286	-0.0016	-2.5 to 2.5	Pass
				10	3.92	-0.149	-0.0002	-2.5 to 2.5	Pass
				30	3.92	0.222	0.0003	-2.5 to 2.5	Pass
				40	3.92	0.534	0.0006	-2.5 to 2.5	Pass
				50	3.92	-0.273	-0.0003	-2.5 to 2.5	Pass
	836.5	6	0	20	3.6	-15.038	-0.0180	-2.5 to 2.5	Pass
					3.92	-18.396	-0.0220	-2.5 to 2.5	Pass
					4.53	-16.942	-0.0203	-2.5 to 2.5	Pass

				-30	3.92	-8.280	-0.0099	-2.5 to 2.5	Pass
				-20	3.92	-3.745	-0.0045	-2.5 to 2.5	Pass
				-10	3.92	-1.272	-0.0015	-2.5 to 2.5	Pass
				0	3.92	-0.834	-0.0010	-2.5 to 2.5	Pass
				10	3.92	1.518	0.0018	-2.5 to 2.5	Pass
				30	3.92	0.921	0.0011	-2.5 to 2.5	Pass
				40	3.92	-0.086	-0.0001	-2.5 to 2.5	Pass
				50	3.92	1.016	0.0012	-2.5 to 2.5	Pass
	848.3	6	0	20	3.6	1.638	0.0019	-2.5 to 2.5	Pass
					3.92	0.614	0.0007	-2.5 to 2.5	Pass
					4.53	1.408	0.0017	-2.5 to 2.5	Pass
				-30	3.92	1.920	0.0023	-2.5 to 2.5	Pass
				-20	3.92	0.935	0.0011	-2.5 to 2.5	Pass
				-10	3.92	0.975	0.0011	-2.5 to 2.5	Pass
				0	3.92	-0.246	-0.0003	-2.5 to 2.5	Pass
				10	3.92	1.582	0.0019	-2.5 to 2.5	Pass
				30	3.92	0.545	0.0006	-2.5 to 2.5	Pass
				40	3.92	-1.280	-0.0015	-2.5 to 2.5	Pass
				50	3.92	1.083	0.0013	-2.5 to 2.5	Pass
64QAM	824.7	6	0	20	3.6	-16.233	-0.0197	-2.5 to 2.5	Pass
					3.92	-18.596	-0.0225	-2.5 to 2.5	Pass
					4.53	-13.200	-0.0160	-2.5 to 2.5	Pass
				-30	3.92	-6.144	-0.0074	-2.5 to 2.5	Pass
				-20	3.92	-2.471	-0.0030	-2.5 to 2.5	Pass
				-10	3.92	-1.773	-0.0021	-2.5 to 2.5	Pass
				0	3.92	0.283	0.0003	-2.5 to 2.5	Pass
				10	3.92	0.770	0.0009	-2.5 to 2.5	Pass
				30	3.92	1.342	0.0016	-2.5 to 2.5	Pass
				40	3.92	0.553	0.0007	-2.5 to 2.5	Pass
				50	3.92	0.299	0.0004	-2.5 to 2.5	Pass
	836.5	6	0	20	3.6	-16.074	-0.0192	-2.5 to 2.5	Pass
					3.92	-19.731	-0.0236	-2.5 to 2.5	Pass
					4.53	-15.486	-0.0185	-2.5 to 2.5	Pass
				-30	3.92	-8.006	-0.0096	-2.5 to 2.5	Pass
				-20	3.92	-5.176	-0.0062	-2.5 to 2.5	Pass
				-10	3.92	-2.699	-0.0032	-2.5 to 2.5	Pass
				0	3.92	-0.870	-0.0010	-2.5 to 2.5	Pass
				10	3.92	-0.029	0.0000	-2.5 to 2.5	Pass
				30	3.92	1.117	0.0013	-2.5 to 2.5	Pass
				40	3.92	0.624	0.0007	-2.5 to 2.5	Pass
				50	3.92	0.457	0.0005	-2.5 to 2.5	Pass
	848.3	6	0	20	3.6	-5.023	-0.0059	-2.5 to 2.5	Pass
					3.92	-12.157	-0.0143	-2.5 to 2.5	Pass
					4.53	-19.665	-0.0232	-2.5 to 2.5	Pass
				-30	3.92	-21.499	-0.0253	-2.5 to 2.5	Pass
				-20	3.92	-11.271	-0.0133	-2.5 to 2.5	Pass
				-10	3.92	-6.388	-0.0075	-2.5 to 2.5	Pass
				0	3.92	-1.433	-0.0017	-2.5 to 2.5	Pass
				10	3.92	-2.260	-0.0027	-2.5 to 2.5	Pass
				30	3.92	-0.836	-0.0010	-2.5 to 2.5	Pass
				40	3.92	-1.041	-0.0012	-2.5 to 2.5	Pass
				50	3.92	0.050	0.0001	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz							
Modulation	Frequency	RB Allocation	Temp.	Voltage	Freq. Error	Freq. vs. Rated (ppm)	Verdict

	(MHz)	Size	Offset	(°C)	(VDC)	(Hz)	Result	Limit	
QPSK	825.5	15	0	20	3.6	2.711	0.0033	-2.5 to 2.5	Pass
					3.92	1.781	0.0022	-2.5 to 2.5	Pass
					4.53	2.515	0.0030	-2.5 to 2.5	Pass
				-30	3.92	0.556	0.0007	-2.5 to 2.5	Pass
				-20	3.92	0.894	0.0011	-2.5 to 2.5	Pass
				-10	3.92	0.746	0.0009	-2.5 to 2.5	Pass
				0	3.92	1.707	0.0021	-2.5 to 2.5	Pass
				10	3.92	0.439	0.0005	-2.5 to 2.5	Pass
				30	3.92	0.234	0.0003	-2.5 to 2.5	Pass
				40	3.92	0.821	0.0010	-2.5 to 2.5	Pass
				50	3.92	1.822	0.0022	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	1.054	0.0013	-2.5 to 2.5	Pass
					3.92	1.736	0.0021	-2.5 to 2.5	Pass
					4.53	1.107	0.0013	-2.5 to 2.5	Pass
				-30	3.92	1.185	0.0014	-2.5 to 2.5	Pass
				-20	3.92	0.142	0.0002	-2.5 to 2.5	Pass
				-10	3.92	1.145	0.0014	-2.5 to 2.5	Pass
				0	3.92	0.921	0.0011	-2.5 to 2.5	Pass
				10	3.92	-0.603	-0.0007	-2.5 to 2.5	Pass
				30	3.92	-0.718	-0.0009	-2.5 to 2.5	Pass
				40	3.92	0.427	0.0005	-2.5 to 2.5	Pass
				50	3.92	0.042	0.0001	-2.5 to 2.5	Pass
	847.5	15	0	20	3.6	0.304	0.0004	-2.5 to 2.5	Pass
					3.92	0.773	0.0009	-2.5 to 2.5	Pass
					4.53	1.175	0.0014	-2.5 to 2.5	Pass
				-30	3.92	0.650	0.0008	-2.5 to 2.5	Pass
				-20	3.92	0.217	0.0003	-2.5 to 2.5	Pass
				-10	3.92	0.310	0.0004	-2.5 to 2.5	Pass
				0	3.92	1.621	0.0019	-2.5 to 2.5	Pass
				10	3.92	1.686	0.0020	-2.5 to 2.5	Pass
				30	3.92	-0.327	-0.0004	-2.5 to 2.5	Pass
				40	3.92	0.893	0.0011	-2.5 to 2.5	Pass
				50	3.92	0.912	0.0011	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.6	0.652	0.0008	-2.5 to 2.5	Pass
					3.92	0.473	0.0006	-2.5 to 2.5	Pass
					4.53	1.594	0.0019	-2.5 to 2.5	Pass
				-30	3.92	0.227	0.0003	-2.5 to 2.5	Pass
				-20	3.92	-0.543	-0.0007	-2.5 to 2.5	Pass
				-10	3.92	0.525	0.0006	-2.5 to 2.5	Pass
				0	3.92	-1.078	-0.0013	-2.5 to 2.5	Pass
				10	3.92	-0.078	-0.0001	-2.5 to 2.5	Pass
				30	3.92	-1.240	-0.0015	-2.5 to 2.5	Pass
				40	3.92	0.117	0.0001	-2.5 to 2.5	Pass
				50	3.92	0.339	0.0004	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	-0.183	-0.0002	-2.5 to 2.5	Pass
					3.92	-0.040	0.0000	-2.5 to 2.5	Pass
					4.53	0.591	0.0007	-2.5 to 2.5	Pass
				-30	3.92	1.963	0.0023	-2.5 to 2.5	Pass
				-20	3.92	0.492	0.0006	-2.5 to 2.5	Pass
				-10	3.92	0.140	0.0002	-2.5 to 2.5	Pass
				0	3.92	0.154	0.0002	-2.5 to 2.5	Pass
				10	3.92	-1.110	-0.0013	-2.5 to 2.5	Pass
				30	3.92	0.641	0.0008	-2.5 to 2.5	Pass
				40	3.92	0.266	0.0003	-2.5 to 2.5	Pass
				50	3.92	0.323	0.0004	-2.5 to 2.5	Pass
	847.5	15	0	20	3.6	0.564	0.0007	-2.5 to 2.5	Pass
					3.92	-0.364	-0.0004	-2.5 to 2.5	Pass
					4.53	-0.573	-0.0007	-2.5 to 2.5	Pass

				-30	3.92	0.103	0.0001	-2.5 to 2.5	Pass
				-20	3.92	0.061	0.0001	-2.5 to 2.5	Pass
				-10	3.92	0.536	0.0006	-2.5 to 2.5	Pass
				0	3.92	-0.407	-0.0005	-2.5 to 2.5	Pass
				10	3.92	1.419	0.0017	-2.5 to 2.5	Pass
				30	3.92	0.924	0.0011	-2.5 to 2.5	Pass
				40	3.92	0.339	0.0004	-2.5 to 2.5	Pass
				50	3.92	0.306	0.0004	-2.5 to 2.5	Pass
64QAM	825.5	15	0	20	3.6	1.018	0.0012	-2.5 to 2.5	Pass
					3.92	1.831	0.0022	-2.5 to 2.5	Pass
					4.53	1.030	0.0012	-2.5 to 2.5	Pass
				-30	3.92	1.440	0.0017	-2.5 to 2.5	Pass
				-20	3.92	1.506	0.0018	-2.5 to 2.5	Pass
				-10	3.92	2.403	0.0029	-2.5 to 2.5	Pass
				0	3.92	0.763	0.0009	-2.5 to 2.5	Pass
				10	3.92	0.979	0.0012	-2.5 to 2.5	Pass
				30	3.92	1.708	0.0021	-2.5 to 2.5	Pass
				40	3.92	0.838	0.0010	-2.5 to 2.5	Pass
				50	3.92	1.408	0.0017	-2.5 to 2.5	Pass
	836.5	15	0	20	3.6	0.254	0.0003	-2.5 to 2.5	Pass
					3.92	-1.841	-0.0022	-2.5 to 2.5	Pass
					4.53	-0.471	-0.0006	-2.5 to 2.5	Pass
				-30	3.92	-0.021	0.0000	-2.5 to 2.5	Pass
				-20	3.92	-1.186	-0.0014	-2.5 to 2.5	Pass
				-10	3.92	0.840	0.0010	-2.5 to 2.5	Pass
				0	3.92	-0.596	-0.0007	-2.5 to 2.5	Pass
				10	3.92	-1.772	-0.0021	-2.5 to 2.5	Pass
				30	3.92	-0.662	-0.0008	-2.5 to 2.5	Pass
				40	3.92	0.847	0.0010	-2.5 to 2.5	Pass
				50	3.92	0.669	0.0008	-2.5 to 2.5	Pass
	847.5	15	0	20	3.6	0.267	0.0003	-2.5 to 2.5	Pass
					3.92	1.284	0.0015	-2.5 to 2.5	Pass
					4.53	1.130	0.0013	-2.5 to 2.5	Pass
				-30	3.92	0.692	0.0008	-2.5 to 2.5	Pass
				-20	3.92	0.475	0.0006	-2.5 to 2.5	Pass
				-10	3.92	1.523	0.0018	-2.5 to 2.5	Pass
				0	3.92	1.324	0.0016	-2.5 to 2.5	Pass
				10	3.92	0.819	0.0010	-2.5 to 2.5	Pass
				30	3.92	1.045	0.0012	-2.5 to 2.5	Pass
				40	3.92	1.853	0.0022	-2.5 to 2.5	Pass
				50	3.92	1.819	0.0021	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.6	1.308	0.0016	-2.5 to 2.5	Pass
					3.92	-0.278	-0.0003	-2.5 to 2.5	Pass
					4.53	-0.099	-0.0001	-2.5 to 2.5	Pass
				-30	3.92	0.276	0.0003	-2.5 to 2.5	Pass
				-20	3.92	0.694	0.0008	-2.5 to 2.5	Pass
				-10	3.92	-1.451	-0.0018	-2.5 to 2.5	Pass
				0	3.92	-0.357	-0.0004	-2.5 to 2.5	Pass
				10	3.92	0.236	0.0003	-2.5 to 2.5	Pass
				30	3.92	0.058	0.0001	-2.5 to 2.5	Pass
				40	3.92	0.819	0.0010	-2.5 to 2.5	Pass

				50	3.92	0.754	0.0009	-2.5 to 2.5	Pass
	836.5	25	0	20	3.6	0.923	0.0011	-2.5 to 2.5	Pass
					3.92	0.948	0.0011	-2.5 to 2.5	Pass
					4.53	1.522	0.0018	-2.5 to 2.5	Pass
					-30	3.92	1.739	0.0021	-2.5 to 2.5
				-20	3.92	1.269	0.0015	-2.5 to 2.5	Pass
				-10	3.92	0.137	0.0002	-2.5 to 2.5	Pass
				0	3.92	0.479	0.0006	-2.5 to 2.5	Pass
				10	3.92	-0.011	0.0000	-2.5 to 2.5	Pass
				30	3.92	-1.584	-0.0019	-2.5 to 2.5	Pass
				40	3.92	-1.045	-0.0012	-2.5 to 2.5	Pass
	50	3.92	-2.115	-0.0025	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.6	2.203	0.0026	-2.5 to 2.5	Pass
					3.92	1.954	0.0023	-2.5 to 2.5	Pass
					4.53	0.877	0.0010	-2.5 to 2.5	Pass
					-30	3.92	2.004	0.0024	-2.5 to 2.5
				-20	3.92	0.590	0.0007	-2.5 to 2.5	Pass
				-10	3.92	0.444	0.0005	-2.5 to 2.5	Pass
				0	3.92	0.706	0.0008	-2.5 to 2.5	Pass
				10	3.92	0.362	0.0004	-2.5 to 2.5	Pass
30				3.92	0.072	0.0001	-2.5 to 2.5	Pass	
40				3.92	1.384	0.0016	-2.5 to 2.5	Pass	
50	3.92	1.248	0.0015	-2.5 to 2.5	Pass				
16QAM	826.5	25	0	20	3.6	-1.180	-0.0014	-2.5 to 2.5	Pass
					3.92	-0.644	-0.0008	-2.5 to 2.5	Pass
					4.53	0.737	0.0009	-2.5 to 2.5	Pass
					-30	3.92	2.227	0.0027	-2.5 to 2.5
				-20	3.92	1.431	0.0017	-2.5 to 2.5	Pass
				-10	3.92	0.421	0.0005	-2.5 to 2.5	Pass
				0	3.92	-1.174	-0.0014	-2.5 to 2.5	Pass
				10	3.92	-0.150	-0.0002	-2.5 to 2.5	Pass
				30	3.92	-0.708	-0.0009	-2.5 to 2.5	Pass
				40	3.92	-0.135	-0.0002	-2.5 to 2.5	Pass
	50	3.92	1.186	0.0014	-2.5 to 2.5	Pass			
	836.5	25	0	20	3.6	1.029	0.0012	-2.5 to 2.5	Pass
					3.92	0.408	0.0005	-2.5 to 2.5	Pass
					4.53	0.137	0.0002	-2.5 to 2.5	Pass
					-30	3.92	1.694	0.0020	-2.5 to 2.5
				-20	3.92	0.630	0.0008	-2.5 to 2.5	Pass
				-10	3.92	2.391	0.0029	-2.5 to 2.5	Pass
				0	3.92	2.624	0.0031	-2.5 to 2.5	Pass
				10	3.92	1.501	0.0018	-2.5 to 2.5	Pass
				30	3.92	1.278	0.0015	-2.5 to 2.5	Pass
				40	3.92	1.931	0.0023	-2.5 to 2.5	Pass
	50	3.92	1.627	0.0019	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.6	0.094	0.0001	-2.5 to 2.5	Pass
					3.92	0.329	0.0004	-2.5 to 2.5	Pass
					4.53	0.175	0.0002	-2.5 to 2.5	Pass
					-30	3.92	-0.818	-0.0010	-2.5 to 2.5
				-20	3.92	0.146	0.0002	-2.5 to 2.5	Pass
				-10	3.92	-0.722	-0.0009	-2.5 to 2.5	Pass
				0	3.92	-0.231	-0.0003	-2.5 to 2.5	Pass
				10	3.92	-0.425	-0.0005	-2.5 to 2.5	Pass
30				3.92	-0.621	-0.0007	-2.5 to 2.5	Pass	
40				3.92	-0.389	-0.0005	-2.5 to 2.5	Pass	
50	3.92	0.516	0.0006	-2.5 to 2.5	Pass				
64QAM	826.5	25	0	20	3.6	0.466	0.0006	-2.5 to 2.5	Pass
					3.92	1.902	0.0023	-2.5 to 2.5	Pass
					4.53	0.348	0.0004	-2.5 to 2.5	Pass

				-30	3.92	0.394	0.0005	-2.5 to 2.5	Pass
				-20	3.92	-0.508	-0.0006	-2.5 to 2.5	Pass
				-10	3.92	-0.976	-0.0012	-2.5 to 2.5	Pass
				0	3.92	-1.007	-0.0012	-2.5 to 2.5	Pass
				10	3.92	1.036	0.0013	-2.5 to 2.5	Pass
				30	3.92	1.738	0.0021	-2.5 to 2.5	Pass
				40	3.92	-0.266	-0.0003	-2.5 to 2.5	Pass
				50	3.92	0.239	0.0003	-2.5 to 2.5	Pass
	836.5	25	0	20	3.6	0.901	0.0011	-2.5 to 2.5	Pass
					3.92	2.689	0.0032	-2.5 to 2.5	Pass
					4.53	1.652	0.0020	-2.5 to 2.5	Pass
				-30	3.92	1.848	0.0022	-2.5 to 2.5	Pass
				-20	3.92	1.727	0.0021	-2.5 to 2.5	Pass
				-10	3.92	0.678	0.0008	-2.5 to 2.5	Pass
				0	3.92	0.235	0.0003	-2.5 to 2.5	Pass
				10	3.92	1.451	0.0017	-2.5 to 2.5	Pass
				30	3.92	1.894	0.0023	-2.5 to 2.5	Pass
				40	3.92	1.065	0.0013	-2.5 to 2.5	Pass
				50	3.92	0.438	0.0005	-2.5 to 2.5	Pass
	846.5	25	0	20	3.6	-0.579	-0.0007	-2.5 to 2.5	Pass
					3.92	-0.297	-0.0004	-2.5 to 2.5	Pass
					4.53	-0.018	0.0000	-2.5 to 2.5	Pass
				-30	3.92	0.572	0.0007	-2.5 to 2.5	Pass
				-20	3.92	-0.758	-0.0009	-2.5 to 2.5	Pass
				-10	3.92	0.583	0.0007	-2.5 to 2.5	Pass
				0	3.92	1.908	0.0023	-2.5 to 2.5	Pass
				10	3.92	1.145	0.0014	-2.5 to 2.5	Pass
				30	3.92	0.985	0.0012	-2.5 to 2.5	Pass
				40	3.92	0.571	0.0007	-2.5 to 2.5	Pass
				50	3.92	1.151	0.0014	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.6	-0.599	-0.0007	-2.5 to 2.5	Pass
					3.92	-0.057	-0.0001	-2.5 to 2.5	Pass
					4.53	-1.971	-0.0024	-2.5 to 2.5	Pass
				-30	3.92	0.863	0.0010	-2.5 to 2.5	Pass
				-20	3.92	-0.152	-0.0002	-2.5 to 2.5	Pass
				-10	3.92	-0.700	-0.0008	-2.5 to 2.5	Pass
				0	3.92	-0.757	-0.0009	-2.5 to 2.5	Pass
				10	3.92	0.189	0.0002	-2.5 to 2.5	Pass
				30	3.92	1.262	0.0015	-2.5 to 2.5	Pass
				40	3.92	1.542	0.0019	-2.5 to 2.5	Pass
				50	3.92	0.665	0.0008	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	0.522	0.0006	-2.5 to 2.5	Pass
					3.92	0.074	0.0001	-2.5 to 2.5	Pass
					4.53	0.435	0.0005	-2.5 to 2.5	Pass
				-30	3.92	0.765	0.0009	-2.5 to 2.5	Pass
				-20	3.92	0.471	0.0006	-2.5 to 2.5	Pass
				-10	3.92	-1.183	-0.0014	-2.5 to 2.5	Pass
				0	3.92	0.354	0.0004	-2.5 to 2.5	Pass
				10	3.92	0.898	0.0011	-2.5 to 2.5	Pass
				30	3.92	-0.985	-0.0012	-2.5 to 2.5	Pass
				40	3.92	-0.589	-0.0007	-2.5 to 2.5	Pass

	844	50	0	50	3.92	-1.668	-0.0020	-2.5 to 2.5	Pass
				20	3.6	-2.241	-0.0027	-2.5 to 2.5	Pass
					3.92	-2.561	-0.0030	-2.5 to 2.5	Pass
					4.53	-2.047	-0.0024	-2.5 to 2.5	Pass
				-30	3.92	-2.654	-0.0031	-2.5 to 2.5	Pass
				-20	3.92	-1.507	-0.0018	-2.5 to 2.5	Pass
				-10	3.92	-1.616	-0.0019	-2.5 to 2.5	Pass
				0	3.92	-1.274	-0.0015	-2.5 to 2.5	Pass
				10	3.92	-0.689	-0.0008	-2.5 to 2.5	Pass
				30	3.92	-0.708	-0.0008	-2.5 to 2.5	Pass
				40	3.92	-0.073	-0.0001	-2.5 to 2.5	Pass
				50	3.92	0.250	0.0003	-2.5 to 2.5	Pass
16QAM	829	50	0	20	3.6	-0.782	-0.0009	-2.5 to 2.5	Pass
					3.92	-0.097	-0.0001	-2.5 to 2.5	Pass
					4.53	-0.427	-0.0005	-2.5 to 2.5	Pass
				-30	3.92	-1.217	-0.0015	-2.5 to 2.5	Pass
				-20	3.92	-1.635	-0.0020	-2.5 to 2.5	Pass
				-10	3.92	-0.112	-0.0001	-2.5 to 2.5	Pass
				0	3.92	0.509	0.0006	-2.5 to 2.5	Pass
				10	3.92	-0.139	-0.0002	-2.5 to 2.5	Pass
				30	3.92	0.552	0.0007	-2.5 to 2.5	Pass
				40	3.92	0.470	0.0006	-2.5 to 2.5	Pass
				50	3.92	0.134	0.0002	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	0.634	0.0008	-2.5 to 2.5	Pass
					3.92	-0.149	-0.0002	-2.5 to 2.5	Pass
					4.53	0.995	0.0012	-2.5 to 2.5	Pass
				-30	3.92	0.333	0.0004	-2.5 to 2.5	Pass
				-20	3.92	-0.044	-0.0001	-2.5 to 2.5	Pass
				-10	3.92	-0.944	-0.0011	-2.5 to 2.5	Pass
				0	3.92	0.875	0.0010	-2.5 to 2.5	Pass
				10	3.92	0.183	0.0002	-2.5 to 2.5	Pass
				30	3.92	0.927	0.0011	-2.5 to 2.5	Pass
				40	3.92	0.767	0.0009	-2.5 to 2.5	Pass
				50	3.92	-0.245	-0.0003	-2.5 to 2.5	Pass
	844	50	0	20	3.6	-0.213	-0.0003	-2.5 to 2.5	Pass
					3.92	0.892	0.0011	-2.5 to 2.5	Pass
					4.53	-0.216	-0.0003	-2.5 to 2.5	Pass
				-30	3.92	0.314	0.0004	-2.5 to 2.5	Pass
				-20	3.92	-0.361	-0.0004	-2.5 to 2.5	Pass
				-10	3.92	-0.561	-0.0007	-2.5 to 2.5	Pass
				0	3.92	-0.301	-0.0004	-2.5 to 2.5	Pass
				10	3.92	-0.379	-0.0004	-2.5 to 2.5	Pass
				30	3.92	-0.909	-0.0011	-2.5 to 2.5	Pass
				40	3.92	1.208	0.0014	-2.5 to 2.5	Pass
				50	3.92	0.236	0.0003	-2.5 to 2.5	Pass
64QAM	829	50	0	20	3.6	1.110	0.0013	-2.5 to 2.5	Pass
					3.92	-0.002	0.0000	-2.5 to 2.5	Pass
					4.53	1.404	0.0017	-2.5 to 2.5	Pass
				-30	3.92	1.037	0.0013	-2.5 to 2.5	Pass
				-20	3.92	-0.596	-0.0007	-2.5 to 2.5	Pass
				-10	3.92	-0.336	-0.0004	-2.5 to 2.5	Pass
				0	3.92	-0.885	-0.0011	-2.5 to 2.5	Pass
				10	3.92	1.133	0.0014	-2.5 to 2.5	Pass
				30	3.92	-0.717	-0.0009	-2.5 to 2.5	Pass
				40	3.92	0.671	0.0008	-2.5 to 2.5	Pass
				50	3.92	-0.694	-0.0008	-2.5 to 2.5	Pass
	836.5	50	0	20	3.6	-0.131	-0.0002	-2.5 to 2.5	Pass
					3.92	-0.842	-0.0010	-2.5 to 2.5	Pass
					4.53	0.675	0.0008	-2.5 to 2.5	Pass

				-30	3.92	1.206	0.0014	-2.5 to 2.5	Pass
				-20	3.92	1.338	0.0016	-2.5 to 2.5	Pass
				-10	3.92	0.484	0.0006	-2.5 to 2.5	Pass
				0	3.92	-0.760	-0.0009	-2.5 to 2.5	Pass
				10	3.92	-0.734	-0.0009	-2.5 to 2.5	Pass
				30	3.92	-0.760	-0.0009	-2.5 to 2.5	Pass
				40	3.92	0.120	0.0001	-2.5 to 2.5	Pass
				50	3.92	-0.287	-0.0003	-2.5 to 2.5	Pass
	844	50	0	20	3.6	0.072	0.0001	-2.5 to 2.5	Pass
					3.92	0.531	0.0006	-2.5 to 2.5	Pass
					4.53	1.080	0.0013	-2.5 to 2.5	Pass
				-30	3.92	-0.266	-0.0003	-2.5 to 2.5	Pass
				-20	3.92	1.139	0.0013	-2.5 to 2.5	Pass
				-10	3.92	-0.431	-0.0005	-2.5 to 2.5	Pass
				0	3.92	0.716	0.0008	-2.5 to 2.5	Pass
				10	3.92	-1.111	-0.0013	-2.5 to 2.5	Pass
				30	3.92	0.394	0.0005	-2.5 to 2.5	Pass
				40	3.92	-1.022	-0.0012	-2.5 to 2.5	Pass
				50	3.92	-0.636	-0.0008	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	3.6	-1.793	-0.0022	-2.5 to 2.5	Pass
					3.92	-0.573	-0.0007	-2.5 to 2.5	Pass
					4.53	-0.420	-0.0005	-2.5 to 2.5	Pass
				-30	3.92	-0.405	-0.0005	-2.5 to 2.5	Pass
				-20	3.92	-0.146	-0.0002	-2.5 to 2.5	Pass
				-10	3.92	-0.693	-0.0008	-2.5 to 2.5	Pass
				0	3.92	-2.015	-0.0024	-2.5 to 2.5	Pass
				10	3.92	-0.409	-0.0005	-2.5 to 2.5	Pass
				30	3.92	-0.875	-0.0011	-2.5 to 2.5	Pass
				40	3.92	-0.865	-0.0010	-2.5 to 2.5	Pass
	836.5	75	0	20	3.6	-0.285	-0.0003	-2.5 to 2.5	Pass
					3.92	-0.964	-0.0012	-2.5 to 2.5	Pass
					4.53	-0.800	-0.0010	-2.5 to 2.5	Pass
				-30	3.92	-1.462	-0.0017	-2.5 to 2.5	Pass
				-20	3.92	0.245	0.0003	-2.5 to 2.5	Pass
				-10	3.92	-0.877	-0.0010	-2.5 to 2.5	Pass
				0	3.92	0.586	0.0007	-2.5 to 2.5	Pass
				10	3.92	-0.347	-0.0004	-2.5 to 2.5	Pass
				30	3.92	0.371	0.0004	-2.5 to 2.5	Pass
				40	3.92	0.712	0.0009	-2.5 to 2.5	Pass
	841.5	75	0	20	3.6	-1.686	-0.0020	-2.5 to 2.5	Pass
					3.92	-1.206	-0.0014	-2.5 to 2.5	Pass
					4.53	-1.894	-0.0023	-2.5 to 2.5	Pass
				-30	3.92	0.725	0.0009	-2.5 to 2.5	Pass
				-20	3.92	-0.056	-0.0001	-2.5 to 2.5	Pass
				-10	3.92	-0.742	-0.0009	-2.5 to 2.5	Pass
				0	3.92	-0.133	-0.0002	-2.5 to 2.5	Pass
				10	3.92	1.228	0.0015	-2.5 to 2.5	Pass
				30	3.92	1.478	0.0018	-2.5 to 2.5	Pass
				40	3.92	0.206	0.0002	-2.5 to 2.5	Pass

16QAM	831.5	75	0	50	3.92	0.722	0.0009	-2.5 to 2.5	Pass
				20	3.6	-1.686	-0.0020	-2.5 to 2.5	Pass
					3.92	-0.788	-0.0009	-2.5 to 2.5	Pass
					4.53	-1.229	-0.0015	-2.5 to 2.5	Pass
				-30	3.92	-0.114	-0.0001	-2.5 to 2.5	Pass
				-20	3.92	-0.780	-0.0009	-2.5 to 2.5	Pass
				-10	3.92	-1.909	-0.0023	-2.5 to 2.5	Pass
				0	3.92	-2.472	-0.0030	-2.5 to 2.5	Pass
				10	3.92	-2.208	-0.0027	-2.5 to 2.5	Pass
				30	3.92	-1.279	-0.0015	-2.5 to 2.5	Pass
	836.5	75	0	40	3.92	-0.541	-0.0007	-2.5 to 2.5	Pass
				50	3.92	-0.434	-0.0005	-2.5 to 2.5	Pass
				20	3.6	-1.778	-0.0021	-2.5 to 2.5	Pass
					3.92	-1.453	-0.0017	-2.5 to 2.5	Pass
					4.53	-2.129	-0.0025	-2.5 to 2.5	Pass
				-30	3.92	-1.566	-0.0019	-2.5 to 2.5	Pass
				-20	3.92	-1.407	-0.0017	-2.5 to 2.5	Pass
				-10	3.92	-1.917	-0.0023	-2.5 to 2.5	Pass
				0	3.92	-2.512	-0.0030	-2.5 to 2.5	Pass
				10	3.92	-1.982	-0.0024	-2.5 to 2.5	Pass
	841.5	75	0	30	3.92	-1.484	-0.0018	-2.5 to 2.5	Pass
				40	3.92	-1.875	-0.0022	-2.5 to 2.5	Pass
				50	3.92	-0.772	-0.0009	-2.5 to 2.5	Pass
				20	3.6	0.988	0.0012	-2.5 to 2.5	Pass
					3.92	0.167	0.0002	-2.5 to 2.5	Pass
					4.53	1.803	0.0021	-2.5 to 2.5	Pass
				-30	3.92	0.424	0.0005	-2.5 to 2.5	Pass
				-20	3.92	1.101	0.0013	-2.5 to 2.5	Pass
				-10	3.92	1.157	0.0014	-2.5 to 2.5	Pass
				0	3.92	-0.110	-0.0001	-2.5 to 2.5	Pass
64QAM	831.5	75	0	10	3.92	-0.661	-0.0008	-2.5 to 2.5	Pass
				30	3.92	-0.547	-0.0007	-2.5 to 2.5	Pass
				40	3.92	-0.082	-0.0001	-2.5 to 2.5	Pass
				50	3.92	0.669	0.0008	-2.5 to 2.5	Pass
				20	3.6	-0.252	-0.0003	-2.5 to 2.5	Pass
					3.92	-1.526	-0.0018	-2.5 to 2.5	Pass
					4.53	1.055	0.0013	-2.5 to 2.5	Pass
				-30	3.92	-0.738	-0.0009	-2.5 to 2.5	Pass
				-20	3.92	-1.210	-0.0015	-2.5 to 2.5	Pass
				-10	3.92	-1.576	-0.0019	-2.5 to 2.5	Pass
	836.5	75	0	0	3.92	-1.950	-0.0023	-2.5 to 2.5	Pass
				10	3.92	-1.420	-0.0017	-2.5 to 2.5	Pass
				30	3.92	-0.601	-0.0007	-2.5 to 2.5	Pass
				40	3.92	-1.212	-0.0015	-2.5 to 2.5	Pass
				50	3.92	-0.965	-0.0012	-2.5 to 2.5	Pass
				20	3.6	-1.908	-0.0023	-2.5 to 2.5	Pass
					3.92	-1.848	-0.0022	-2.5 to 2.5	Pass
					4.53	-2.278	-0.0027	-2.5 to 2.5	Pass
				-30	3.92	-2.601	-0.0031	-2.5 to 2.5	Pass
				-20	3.92	-0.907	-0.0011	-2.5 to 2.5	Pass
	841.5	75	0	-10	3.92	-1.701	-0.0020	-2.5 to 2.5	Pass
				0	3.92	-0.590	-0.0007	-2.5 to 2.5	Pass
				10	3.92	-0.899	-0.0011	-2.5 to 2.5	Pass
				30	3.92	-1.461	-0.0017	-2.5 to 2.5	Pass
				40	3.92	0.449	0.0005	-2.5 to 2.5	Pass
				50	3.92	-1.446	-0.0017	-2.5 to 2.5	Pass
				20	3.6	-0.673	-0.0008	-2.5 to 2.5	Pass
					3.92	0.224	0.0003	-2.5 to 2.5	Pass
					4.53	-0.562	-0.0007	-2.5 to 2.5	Pass

				-30	3.92	-1.181	-0.0014	-2.5 to 2.5	Pass
				-20	3.92	0.242	0.0003	-2.5 to 2.5	Pass
				-10	3.92	1.079	0.0013	-2.5 to 2.5	Pass
				0	3.92	1.621	0.0019	-2.5 to 2.5	Pass
				10	3.92	0.806	0.0010	-2.5 to 2.5	Pass
				30	3.92	0.245	0.0003	-2.5 to 2.5	Pass
				40	3.92	-0.993	-0.0012	-2.5 to 2.5	Pass
				50	3.92	1.100	0.0013	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.122	/	Pass
		836.5	6	0	1.115	/	Pass
		848.3	6	0	1.118	/	Pass
	16QAM	824.7	6	0	1.126	/	Pass
		836.5	6	0	1.120	/	Pass
		848.3	6	0	1.124	/	Pass
	64QAM	824.7	6	0	1.124	/	Pass
		836.5	6	0	1.121	/	Pass
		848.3	6	0	1.128	/	Pass
3	QPSK	825.5	15	0	2.753	/	Pass
		836.5	15	0	2.755	/	Pass
		847.5	15	0	2.749	/	Pass
	16QAM	825.5	15	0	2.750	/	Pass
		836.5	15	0	2.750	/	Pass
		847.5	15	0	2.738	/	Pass
	64QAM	825.5	15	0	2.748	/	Pass
		836.5	15	0	2.751	/	Pass
		847.5	15	0	2.752	/	Pass
5	QPSK	826.5	25	0	4.573	/	Pass
		836.5	25	0	4.566	/	Pass
		846.5	25	0	4.575	/	Pass
	16QAM	826.5	25	0	4.567	/	Pass
		836.5	25	0	4.585	/	Pass
		846.5	25	0	4.563	/	Pass
	64QAM	826.5	25	0	4.578	/	Pass
		836.5	25	0	4.579	/	Pass
		846.5	25	0	4.562	/	Pass
10	QPSK	829	50	0	9.060	/	Pass
		836.5	50	0	9.037	/	Pass
		844	50	0	9.069	/	Pass
	16QAM	829	50	0	9.060	/	Pass
		836.5	50	0	9.075	/	Pass
		844	50	0	9.040	/	Pass
	64QAM	829	50	0	9.063	/	Pass
		836.5	50	0	9.114	/	Pass
		844	50	0	9.030	/	Pass
15	QPSK	831.5	75	0	13.612	/	Pass
		836.5	75	0	13.598	/	Pass
		841.5	75	0	13.595	/	Pass
	16QAM	831.5	75	0	13.632	/	Pass
		836.5	75	0	13.620	/	Pass
		841.5	75	0	13.528	/	Pass
	64QAM	831.5	75	0	13.596	/	Pass
		836.5	75	0	13.602	/	Pass
		841.5	75	0	13.561	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.370	/	Pass
		836.5	6	0	1.411	/	Pass
		848.3	6	0	1.377	/	Pass
	16QAM	824.7	6	0	1.385	/	Pass
		836.5	6	0	1.434	/	Pass
		848.3	6	0	1.405	/	Pass
	64QAM	824.7	6	0	1.411	/	Pass
		836.5	6	0	1.358	/	Pass
		848.3	6	0	1.386	/	Pass
3	QPSK	825.5	15	0	3.158	/	Pass
		836.5	15	0	3.118	/	Pass
		847.5	15	0	3.097	/	Pass
	16QAM	825.5	15	0	3.118	/	Pass
		836.5	15	0	3.138	/	Pass
		847.5	15	0	3.131	/	Pass
	64QAM	825.5	15	0	3.122	/	Pass
		836.5	15	0	3.097	/	Pass
		847.5	15	0	3.102	/	Pass
5	QPSK	826.5	25	0	5.221	/	Pass
		836.5	25	0	5.249	/	Pass
		846.5	25	0	5.278	/	Pass
	16QAM	826.5	25	0	5.255	/	Pass
		836.5	25	0	5.289	/	Pass
		846.5	25	0	5.237	/	Pass
	64QAM	826.5	25	0	5.254	/	Pass
		836.5	25	0	5.269	/	Pass
		846.5	25	0	5.273	/	Pass
10	QPSK	829	50	0	10.097	/	Pass
		836.5	50	0	10.113	/	Pass
		844	50	0	10.171	/	Pass
	16QAM	829	50	0	10.158	/	Pass
		836.5	50	0	10.300	/	Pass
		844	50	0	10.048	/	Pass
	64QAM	829	50	0	10.122	/	Pass
		836.5	50	0	10.032	/	Pass
		844	50	0	10.161	/	Pass
15	QPSK	831.5	75	0	15.172	/	Pass
		836.5	75	0	15.076	/	Pass
		841.5	75	0	15.213	/	Pass
	16QAM	831.5	75	0	15.058	/	Pass
		836.5	75	0	15.131	/	Pass
		841.5	75	0	15.141	/	Pass
	64QAM	831.5	75	0	15.047	/	Pass
		836.5	75	0	14.989	/	Pass
		841.5	75	0	15.075	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTN




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTN




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b 5MHz 64QAM LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz 64QAM MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz 64QAM HCH 846.5MHz RB 25 0 NTN




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0 NTN




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV




Band26b 10MHz 64QAM MCH 836.5MHz RB 50 0 NTN




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0 NTN




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTN




Band26b 15MHz 16QAM LCH 831.5MHz RB 75 0 NTN




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b 15MHz 64QAM LCH 831.5MHz RB 75 0 NTNV




Band26b 15MHz 64QAM MCH 836.5MHz RB 75 0 NTNV




Band26b 15MHz 64QAM HCH 841.5MHz RB 75 0 NTV




3.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band26b 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM LCH 824.7MHz RB 6 0 NTNV




Band26b 1.4MHz 64QAM MCH 836.5MHz RB 6 0 NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV



Band26b 5MHz 64QAM LCH 826.5MHz RB 25 0 NTN



Band26b 5MHz 64QAM MCH 836.5MHz RB 25 0 NTN

