

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15k_SISO_5MHz_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	/	/	Ant3	/	/	Limit	
DFT-s-OFDM QPSK	1852.5	Edge 1RB Left	23.16	/	/	20.86	/	/	<=33	Pass
		Edge 1RB Right	23.31	/	/	21.01	/	/	<=33	Pass
		Outer Full	23.32	/	/	21.02	/	/	<=33	Pass
		Inner Full	24.02	/	/	21.72	/	/	<=33	Pass
		Inner 1RB Left	23.92	/	/	21.62	/	/	<=33	Pass
		Inner 1RB Right	24.12	/	/	21.82	/	/	<=33	Pass
	1880	Edge 1RB Left	24.59	/	/	22.29	/	/	<=33	Pass
		Edge 1RB Right	24.35	/	/	22.05	/	/	<=33	Pass
		Outer Full	24.34	/	/	22.04	/	/	<=33	Pass
		Inner Full	24.34	/	/	22.04	/	/	<=33	Pass
		Inner 1RB Left	24.62	/	/	22.32	/	/	<=33	Pass
		Inner 1RB Right	24.34	/	/	22.04	/	/	<=33	Pass
	1907.5	Edge 1RB Left	23.65	/	/	21.35	/	/	<=33	Pass
		Edge 1RB Right	24.17	/	/	21.87	/	/	<=33	Pass
		Outer Full	24.04	/	/	21.74	/	/	<=33	Pass
		Inner Full	24.06	/	/	21.76	/	/	<=33	Pass
		Inner 1RB Left	24.11	/	/	21.81	/	/	<=33	Pass
		Inner 1RB Right	23.92	/	/	21.62	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1852.5	Edge 1RB Left	22.29	/	/	19.99	/	/	<=33	Pass
		Edge 1RB Right	22.41	/	/	20.11	/	/	<=33	Pass
		Outer Full	22.24	/	/	19.94	/	/	<=33	Pass
		Inner Full	23.01	/	/	20.71	/	/	<=33	Pass
		Inner 1RB Left	23.09	/	/	20.79	/	/	<=33	Pass
		Inner 1RB Right	23.26	/	/	20.96	/	/	<=33	Pass
	1880	Edge 1RB Left	23.49	/	/	21.19	/	/	<=33	Pass
		Edge 1RB Right	23.39	/	/	21.09	/	/	<=33	Pass
		Outer Full	23.33	/	/	21.03	/	/	<=33	Pass
		Inner Full	24.28	/	/	21.98	/	/	<=33	Pass
		Inner 1RB Left	24.57	/	/	22.27	/	/	<=33	Pass
		Inner 1RB Right	24.45	/	/	22.15	/	/	<=33	Pass
	1907.5	Edge 1RB Left	23.24	/	/	20.94	/	/	<=33	Pass
		Edge 1RB Right	23.19	/	/	20.89	/	/	<=33	Pass
		Outer Full	23.04	/	/	20.74	/	/	<=33	Pass
		Inner Full	23.97	/	/	21.67	/	/	<=33	Pass
		Inner 1RB Left	24.31	/	/	22.01	/	/	<=33	Pass
		Inner 1RB Right	24.32	/	/	22.02	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1852.5	Edge 1RB Left	21.81	/	/	19.51	/	/	<=33	Pass
		Edge 1RB Right	21.89	/	/	19.59	/	/	<=33	Pass
		Outer Full	21.87	/	/	19.57	/	/	<=33	Pass
		Inner Full	21.75	/	/	19.45	/	/	<=33	Pass
		Inner 1RB Left	21.81	/	/	19.51	/	/	<=33	Pass
		Inner 1RB Right	21.89	/	/	19.59	/	/	<=33	Pass
	1880	Edge 1RB Left	23.03	/	/	20.73	/	/	<=33	Pass
		Edge 1RB Right	22.93	/	/	20.63	/	/	<=33	Pass
		Outer Full	22.95	/	/	20.65	/	/	<=33	Pass
		Inner Full	22.89	/	/	20.59	/	/	<=33	Pass
		Inner 1RB Left	23.05	/	/	20.75	/	/	<=33	Pass
		Inner 1RB Right	22.87	/	/	20.57	/	/	<=33	Pass
	1907.5	Edge 1RB Left	22.75	/	/	20.45	/	/	<=33	Pass

		Edge_1RB_Right	22.77	/	/	20.47	/	/	<=33	Pass
		Outer_Full	22.69	/	/	20.39	/	/	<=33	Pass
		Inner_Full	22.52	/	/	20.22	/	/	<=33	Pass
		Inner_1RB_Left	22.87	/	/	20.57	/	/	<=33	Pass
		Inner_1RB_Right	22.71	/	/	20.41	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1852.5	Edge_1RB_Left	20.13	/	/	17.83	/	/	<=33	Pass
		Edge_1RB_Right	20.21	/	/	17.91	/	/	<=33	Pass
		Outer_Full	20.31	/	/	18.01	/	/	<=33	Pass
		Inner_Full	20.21	/	/	17.91	/	/	<=33	Pass
		Inner_1RB_Left	20.15	/	/	17.85	/	/	<=33	Pass
		Inner_1RB_Right	20.19	/	/	17.89	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.69	/	/	18.39	/	/	<=33	Pass
		Edge_1RB_Right	20.42	/	/	18.12	/	/	<=33	Pass
		Outer_Full	20.80	/	/	18.50	/	/	<=33	Pass
		Inner_Full	20.78	/	/	18.48	/	/	<=33	Pass
		Inner_1RB_Left	20.71	/	/	18.41	/	/	<=33	Pass
		Inner_1RB_Right	20.43	/	/	18.13	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	20.24	/	/	17.94	/	/	<=33	Pass
		Edge_1RB_Right	20.20	/	/	17.90	/	/	<=33	Pass
		Outer_Full	20.49	/	/	18.19	/	/	<=33	Pass
		Inner_Full	20.47	/	/	18.17	/	/	<=33	Pass
		Inner_1RB_Left	20.29	/	/	17.99	/	/	<=33	Pass
		Inner_1RB_Right	20.19	/	/	17.89	/	/	<=33	Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	21.93	/	/	19.63	/	/	<=33	Pass
		Edge_1RB_Right	22.04	/	/	19.74	/	/	<=33	Pass
		Outer_Full	21.84	/	/	19.54	/	/	<=33	Pass
		Inner_Full	22.40	/	/	20.10	/	/	<=33	Pass
		Inner_1RB_Left	22.73	/	/	20.43	/	/	<=33	Pass
		Inner_1RB_Right	22.86	/	/	20.56	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.52	/	/	20.22	/	/	<=33	Pass
		Edge_1RB_Right	22.24	/	/	19.94	/	/	<=33	Pass
		Outer_Full	22.36	/	/	20.06	/	/	<=33	Pass
		Inner_Full	23.89	/	/	21.59	/	/	<=33	Pass
		Inner_1RB_Left	24.05	/	/	21.75	/	/	<=33	Pass
		Inner_1RB_Right	23.78	/	/	21.48	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	22.05	/	/	19.75	/	/	<=33	Pass
		Edge_1RB_Right	21.67	/	/	19.37	/	/	<=33	Pass
		Outer_Full	22.59	/	/	20.29	/	/	<=33	Pass
		Inner_Full	23.58	/	/	21.28	/	/	<=33	Pass
		Inner_1RB_Left	23.69	/	/	21.39	/	/	<=33	Pass
		Inner_1RB_Right	23.57	/	/	21.27	/	/	<=33	Pass
CP-OFDM 16 QAM	1852.5	Edge_1RB_Left	21.81	/	/	19.51	/	/	<=33	Pass
		Edge_1RB_Right	21.96	/	/	19.66	/	/	<=33	Pass
		Outer_Full	21.64	/	/	19.34	/	/	<=33	Pass
		Inner_Full	22.00	/	/	19.70	/	/	<=33	Pass
		Inner_1RB_Left	22.23	/	/	19.93	/	/	<=33	Pass
		Inner_1RB_Right	22.38	/	/	20.08	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.40	/	/	20.10	/	/	<=33	Pass
		Edge_1RB_Right	22.15	/	/	19.85	/	/	<=33	Pass
		Outer_Full	22.47	/	/	20.17	/	/	<=33	Pass
		Inner_Full	23.29	/	/	20.99	/	/	<=33	Pass
		Inner_1RB_Left	23.46	/	/	21.16	/	/	<=33	Pass
		Inner_1RB_Right	23.26	/	/	20.96	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	22.10	/	/	19.80	/	/	<=33	Pass
		Edge_1RB_Right	22.03	/	/	19.73	/	/	<=33	Pass
		Outer_Full	21.93	/	/	19.63	/	/	<=33	Pass
		Inner_Full	23.02	/	/	20.72	/	/	<=33	Pass
		Inner_1RB_Left	23.13	/	/	20.83	/	/	<=33	Pass
		Inner_1RB_Right	23.07	/	/	20.77	/	/	<=33	Pass

CP-OFDM 64 QAM	1852.5	Edge 1RB Left	21.71	/	/	19.41	/	/	<=33	Pass
		Edge 1RB Right	21.80	/	/	19.50	/	/	<=33	Pass
		Outer Full	21.78	/	/	19.48	/	/	<=33	Pass
		Inner Full	21.62	/	/	19.32	/	/	<=33	Pass
		Inner 1RB Left	21.72	/	/	19.42	/	/	<=33	Pass
		Inner 1RB Right	21.60	/	/	19.30	/	/	<=33	Pass
	1880	Edge 1RB Left	22.01	/	/	19.71	/	/	<=33	Pass
		Edge 1RB Right	21.82	/	/	19.52	/	/	<=33	Pass
		Outer Full	21.96	/	/	19.66	/	/	<=33	Pass
		Inner Full	21.91	/	/	19.61	/	/	<=33	Pass
		Inner 1RB Left	22.08	/	/	19.78	/	/	<=33	Pass
		Inner 1RB Right	21.77	/	/	19.47	/	/	<=33	Pass
	1907.5	Edge 1RB Left	21.58	/	/	19.28	/	/	<=33	Pass
		Edge 1RB Right	21.50	/	/	19.20	/	/	<=33	Pass
		Outer Full	21.68	/	/	19.38	/	/	<=33	Pass
		Inner Full	21.50	/	/	19.20	/	/	<=33	Pass
		Inner 1RB Left	21.63	/	/	19.33	/	/	<=33	Pass
		Inner 1RB Right	21.57	/	/	19.27	/	/	<=33	Pass
CP-OFDM 256 QAM	1852.5	Edge 1RB Left	18.56	/	/	16.26	/	/	<=33	Pass
		Edge 1RB Right	18.39	/	/	16.09	/	/	<=33	Pass
		Outer Full	18.85	/	/	16.55	/	/	<=33	Pass
		Inner Full	18.89	/	/	16.59	/	/	<=33	Pass
		Inner 1RB Left	18.65	/	/	16.35	/	/	<=33	Pass
		Inner 1RB Right	18.43	/	/	16.13	/	/	<=33	Pass
	1880	Edge 1RB Left	18.71	/	/	16.41	/	/	<=33	Pass
		Edge 1RB Right	18.42	/	/	16.12	/	/	<=33	Pass
		Outer Full	18.86	/	/	16.56	/	/	<=33	Pass
		Inner Full	18.83	/	/	16.53	/	/	<=33	Pass
		Inner 1RB Left	18.69	/	/	16.39	/	/	<=33	Pass
		Inner 1RB Right	18.41	/	/	16.11	/	/	<=33	Pass
	1907.5	Edge 1RB Left	18.38	/	/	16.08	/	/	<=33	Pass
		Edge 1RB Right	18.30	/	/	16.00	/	/	<=33	Pass
		Outer Full	18.52	/	/	16.22	/	/	<=33	Pass
		Inner Full	18.58	/	/	16.28	/	/	<=33	Pass
		Inner 1RB Left	18.39	/	/	16.09	/	/	<=33	Pass
		Inner 1RB Right	18.21	/	/	15.91	/	/	<=33	Pass
Note1: Antenna Gain: Ant3: -2.30dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15k_SISO_10MHz_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	/	/	Ant3	/	/	Limit	
DFT-s-OFDM QPSK	1855	Edge 1RB Left	23.27	/	/	20.97	/	/	<=33	Pass
		Edge 1RB Right	23.86	/	/	21.56	/	/	<=33	Pass
		Outer Full	23.56	/	/	21.26	/	/	<=33	Pass
		Inner Full	24.09	/	/	21.79	/	/	<=33	Pass
		Inner 1RB Left	24.03	/	/	21.73	/	/	<=33	Pass
		Inner 1RB Right	24.15	/	/	21.85	/	/	<=33	Pass
	1880	Edge 1RB Left	24.55	/	/	22.25	/	/	<=33	Pass
		Edge 1RB Right	24.21	/	/	21.91	/	/	<=33	Pass
		Outer Full	24.38	/	/	22.08	/	/	<=33	Pass
		Inner Full	24.25	/	/	21.95	/	/	<=33	Pass
		Inner 1RB Left	24.53	/	/	22.23	/	/	<=33	Pass
		Inner 1RB Right	24.25	/	/	21.95	/	/	<=33	Pass
	1905	Edge 1RB Left	24.46	/	/	22.16	/	/	<=33	Pass
		Edge 1RB Right	24.16	/	/	21.86	/	/	<=33	Pass

		Outer Full	24.40	/	/	22.10	/	/	<=33	Pass
		Inner Full	24.08	/	/	21.78	/	/	<=33	Pass
		Inner 1RB Left	24.09	/	/	21.79	/	/	<=33	Pass
		Inner 1RB Right	24.26	/	/	21.96	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1855	Edge 1RB Left	22.44	/	/	20.14	/	/	<=33	Pass
		Edge 1RB Right	23.03	/	/	20.73	/	/	<=33	Pass
		Outer Full	22.44	/	/	20.14	/	/	<=33	Pass
		Inner Full	23.16	/	/	20.86	/	/	<=33	Pass
		Inner 1RB Left	23.30	/	/	21.00	/	/	<=33	Pass
		Inner 1RB Right	23.89	/	/	21.59	/	/	<=33	Pass
	1880	Edge 1RB Left	23.53	/	/	21.23	/	/	<=33	Pass
		Edge 1RB Right	23.15	/	/	20.85	/	/	<=33	Pass
		Outer Full	23.28	/	/	20.98	/	/	<=33	Pass
		Inner Full	24.28	/	/	21.98	/	/	<=33	Pass
		Inner 1RB Left	24.65	/	/	22.35	/	/	<=33	Pass
		Inner 1RB Right	24.32	/	/	22.02	/	/	<=33	Pass
	1905	Edge 1RB Left	23.37	/	/	21.07	/	/	<=33	Pass
		Edge 1RB Right	23.25	/	/	20.95	/	/	<=33	Pass
		Outer Full	22.72	/	/	20.42	/	/	<=33	Pass
		Inner Full	24.03	/	/	21.73	/	/	<=33	Pass
		Inner 1RB Left	24.48	/	/	22.18	/	/	<=33	Pass
		Inner 1RB Right	24.37	/	/	22.07	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1855	Edge 1RB Left	21.97	/	/	19.67	/	/	<=33	Pass
		Edge 1RB Right	22.51	/	/	20.21	/	/	<=33	Pass
		Outer Full	22.01	/	/	19.71	/	/	<=33	Pass
		Inner Full	21.89	/	/	19.59	/	/	<=33	Pass
		Inner 1RB Left	21.94	/	/	19.64	/	/	<=33	Pass
		Inner 1RB Right	22.50	/	/	20.20	/	/	<=33	Pass
	1880	Edge 1RB Left	23.12	/	/	20.82	/	/	<=33	Pass
		Edge 1RB Right	22.82	/	/	20.52	/	/	<=33	Pass
		Outer Full	22.84	/	/	20.54	/	/	<=33	Pass
		Inner Full	22.88	/	/	20.58	/	/	<=33	Pass
		Inner 1RB Left	23.13	/	/	20.83	/	/	<=33	Pass
		Inner 1RB Right	22.82	/	/	20.52	/	/	<=33	Pass
	1905	Edge 1RB Left	22.84	/	/	20.54	/	/	<=33	Pass
		Edge 1RB Right	22.72	/	/	20.42	/	/	<=33	Pass
		Outer Full	22.70	/	/	20.40	/	/	<=33	Pass
		Inner Full	23.06	/	/	20.76	/	/	<=33	Pass
		Inner 1RB Left	23.19	/	/	20.89	/	/	<=33	Pass
		Inner 1RB Right	22.72	/	/	20.42	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1855	Edge 1RB Left	20.24	/	/	17.94	/	/	<=33	Pass
		Edge 1RB Right	20.16	/	/	17.86	/	/	<=33	Pass
		Outer Full	20.51	/	/	18.21	/	/	<=33	Pass
		Inner Full	20.26	/	/	17.96	/	/	<=33	Pass
		Inner 1RB Left	20.22	/	/	17.92	/	/	<=33	Pass
		Inner 1RB Right	20.16	/	/	17.86	/	/	<=33	Pass
	1880	Edge 1RB Left	20.62	/	/	18.32	/	/	<=33	Pass
		Edge 1RB Right	20.30	/	/	18.00	/	/	<=33	Pass
		Outer Full	20.78	/	/	18.48	/	/	<=33	Pass
		Inner Full	20.69	/	/	18.39	/	/	<=33	Pass
		Inner 1RB Left	20.64	/	/	18.34	/	/	<=33	Pass
		Inner 1RB Right	20.38	/	/	18.08	/	/	<=33	Pass
	1905	Edge 1RB Left	20.38	/	/	18.08	/	/	<=33	Pass
		Edge 1RB Right	20.21	/	/	17.91	/	/	<=33	Pass
		Outer Full	20.48	/	/	18.18	/	/	<=33	Pass
		Inner Full	20.47	/	/	18.17	/	/	<=33	Pass
		Inner 1RB Left	20.37	/	/	18.07	/	/	<=33	Pass
		Inner 1RB Right	20.20	/	/	17.90	/	/	<=33	Pass
CP-OFDM QPSK	1855	Edge 1RB Left	21.98	/	/	19.68	/	/	<=33	Pass

		Edge_1RB_Right	22.06	/	/	19.76	/	/	<=33	Pass
		Outer_Full	22.07	/	/	19.77	/	/	<=33	Pass
		Inner_Full	22.54	/	/	20.24	/	/	<=33	Pass
		Inner_1RB_Left	22.83	/	/	20.53	/	/	<=33	Pass
		Inner_1RB_Right	23.34	/	/	21.04	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.46	/	/	20.16	/	/	<=33	Pass
		Edge_1RB_Right	22.10	/	/	19.80	/	/	<=33	Pass
		Outer_Full	22.37	/	/	20.07	/	/	<=33	Pass
		Inner_Full	23.84	/	/	21.54	/	/	<=33	Pass
		Inner_1RB_Left	23.97	/	/	21.67	/	/	<=33	Pass
	1905	Inner_1RB_Right	23.56	/	/	21.26	/	/	<=33	Pass
		Edge_1RB_Left	22.14	/	/	19.84	/	/	<=33	Pass
		Edge_1RB_Right	22.07	/	/	19.77	/	/	<=33	Pass
		Outer_Full	22.12	/	/	19.82	/	/	<=33	Pass
		Inner_Full	23.57	/	/	21.27	/	/	<=33	Pass
		Inner_1RB_Left	23.73	/	/	21.43	/	/	<=33	Pass
		Inner_1RB_Right	23.50	/	/	21.20	/	/	<=33	Pass
		Edge_1RB_Left	21.92	/	/	19.62	/	/	<=33	Pass
		Edge_1RB_Right	22.07	/	/	19.77	/	/	<=33	Pass
		Outer_Full	21.91	/	/	19.61	/	/	<=33	Pass
CP-OFDM 16 QAM	1855	Inner_Full	22.09	/	/	19.79	/	/	<=33	Pass
		Inner_1RB_Left	22.44	/	/	20.14	/	/	<=33	Pass
		Inner_1RB_Right	22.90	/	/	20.60	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.36	/	/	20.06	/	/	<=33	Pass
		Edge_1RB_Right	22.05	/	/	19.75	/	/	<=33	Pass
		Outer_Full	22.25	/	/	19.95	/	/	<=33	Pass
		Inner_Full	23.23	/	/	20.93	/	/	<=33	Pass
		Inner_1RB_Left	23.49	/	/	21.19	/	/	<=33	Pass
	1905	Inner_1RB_Right	23.19	/	/	20.89	/	/	<=33	Pass
		Edge_1RB_Left	22.30	/	/	20.00	/	/	<=33	Pass
		Edge_1RB_Right	22.01	/	/	19.71	/	/	<=33	Pass
		Outer_Full	22.12	/	/	19.82	/	/	<=33	Pass
		Inner_Full	23.07	/	/	20.77	/	/	<=33	Pass
CP-OFDM 64 QAM	1855	Inner_1RB_Left	23.12	/	/	20.82	/	/	<=33	Pass
		Inner_1RB_Right	23.02	/	/	20.72	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.71	/	/	19.41	/	/	<=33	Pass
		Edge_1RB_Right	21.50	/	/	19.20	/	/	<=33	Pass
		Outer_Full	21.71	/	/	19.41	/	/	<=33	Pass
		Inner_Full	21.72	/	/	19.42	/	/	<=33	Pass
		Inner_1RB_Left	21.71	/	/	19.41	/	/	<=33	Pass
	1880	Inner_1RB_Right	21.38	/	/	19.08	/	/	<=33	Pass
		Edge_1RB_Left	22.03	/	/	19.73	/	/	<=33	Pass
		Edge_1RB_Right	21.72	/	/	19.42	/	/	<=33	Pass
		Outer_Full	21.74	/	/	19.44	/	/	<=33	Pass
		Inner_Full	21.96	/	/	19.66	/	/	<=33	Pass
	1905	Inner_1RB_Left	21.97	/	/	19.67	/	/	<=33	Pass
		Inner_1RB_Right	21.71	/	/	19.41	/	/	<=33	Pass
		Edge_1RB_Left	21.78	/	/	19.48	/	/	<=33	Pass
		Edge_1RB_Right	21.39	/	/	19.09	/	/	<=33	Pass
		Outer_Full	21.56	/	/	19.26	/	/	<=33	Pass
CP-OFDM 256 QAM	1855	Inner_Full	21.64	/	/	19.34	/	/	<=33	Pass
		Inner_1RB_Left	21.78	/	/	19.48	/	/	<=33	Pass
		Inner_1RB_Right	21.53	/	/	19.23	/	/	<=33	Pass
		Edge_1RB_Left	18.65	/	/	16.35	/	/	<=33	Pass
		Edge_1RB_Right	18.16	/	/	15.86	/	/	<=33	Pass
		Outer_Full	18.69	/	/	16.39	/	/	<=33	Pass
	1855	Inner_Full	18.68	/	/	16.38	/	/	<=33	Pass
		Inner_1RB_Left	18.64	/	/	16.34	/	/	<=33	Pass
		Inner_1RB_Right	18.19	/	/	15.89	/	/	<=33	Pass

	1880	Edge_1RB_Left	18.63	/	/	16.33	/	/	<=33	Pass
		Edge_1RB_Right	18.28	/	/	15.98	/	/	<=33	Pass
		Outer_Full	18.86	/	/	16.56	/	/	<=33	Pass
		Inner_Full	18.77	/	/	16.47	/	/	<=33	Pass
		Inner_1RB_Left	18.60	/	/	16.30	/	/	<=33	Pass
		Inner_1RB_Right	18.29	/	/	15.99	/	/	<=33	Pass
	1905	Edge_1RB_Left	18.39	/	/	16.09	/	/	<=33	Pass
		Edge_1RB_Right	18.17	/	/	15.87	/	/	<=33	Pass
		Outer_Full	18.72	/	/	16.42	/	/	<=33	Pass
		Inner_Full	18.62	/	/	16.32	/	/	<=33	Pass
		Inner_1RB_Left	18.35	/	/	16.05	/	/	<=33	Pass
		Inner_1RB_Right	18.22	/	/	15.92	/	/	<=33	Pass
Note1: Antenna Gain: Ant3: -2.30dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15k_SISO_15MHz_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	/	/	Ant3	/	/	Limit	
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	23.10	/	/	20.80	/	/	<=33	Pass
		Edge_1RB_Right	24.21	/	/	21.91	/	/	<=33	Pass
		Outer_Full	23.63	/	/	21.33	/	/	<=33	Pass
		Inner_Full	24.13	/	/	21.83	/	/	<=33	Pass
		Inner_1RB_Left	23.87	/	/	21.57	/	/	<=33	Pass
		Inner_1RB_Right	24.23	/	/	21.93	/	/	<=33	Pass
	1880	Edge_1RB_Left	24.80	/	/	22.50	/	/	<=33	Pass
		Edge_1RB_Right	24.39	/	/	22.09	/	/	<=33	Pass
		Outer_Full	24.44	/	/	22.14	/	/	<=33	Pass
		Inner_Full	24.49	/	/	22.19	/	/	<=33	Pass
		Inner_1RB_Left	24.81	/	/	22.51	/	/	<=33	Pass
		Inner_1RB_Right	24.30	/	/	22.00	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	23.96	/	/	21.66	/	/	<=33	Pass
		Edge_1RB_Right	24.29	/	/	21.99	/	/	<=33	Pass
		Outer_Full	24.14	/	/	21.84	/	/	<=33	Pass
		Inner_Full	24.47	/	/	22.17	/	/	<=33	Pass
		Inner_1RB_Left	24.40	/	/	22.10	/	/	<=33	Pass
		Inner_1RB_Right	24.25	/	/	21.95	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1857.5	Edge_1RB_Left	22.27	/	/	19.97	/	/	<=33	Pass
		Edge_1RB_Right	23.24	/	/	20.94	/	/	<=33	Pass
		Outer_Full	22.51	/	/	20.21	/	/	<=33	Pass
		Inner_Full	23.17	/	/	20.87	/	/	<=33	Pass
		Inner_1RB_Left	23.13	/	/	20.83	/	/	<=33	Pass
		Inner_1RB_Right	24.17	/	/	21.87	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.80	/	/	21.50	/	/	<=33	Pass
		Edge_1RB_Right	23.44	/	/	21.14	/	/	<=33	Pass
		Outer_Full	23.39	/	/	21.09	/	/	<=33	Pass
		Inner_Full	24.75	/	/	22.45	/	/	<=33	Pass
		Inner_1RB_Left	24.83	/	/	22.53	/	/	<=33	Pass
		Inner_1RB_Right	24.40	/	/	22.10	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	23.15	/	/	20.85	/	/	<=33	Pass
		Edge_1RB_Right	23.40	/	/	21.10	/	/	<=33	Pass
		Outer_Full	23.13	/	/	20.83	/	/	<=33	Pass
		Inner_Full	24.32	/	/	22.02	/	/	<=33	Pass
		Inner_1RB_Left	23.92	/	/	21.62	/	/	<=33	Pass
		Inner_1RB_Right	24.23	/	/	21.93	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1857.5	Edge_1RB_Left	21.77	/	/	19.47	/	/	<=33	Pass
		Edge_1RB_Right	22.72	/	/	20.42	/	/	<=33	Pass

		Outer Full	22.07	/	/	19.77	/	/	<=33	Pass
		Inner Full	21.85	/	/	19.55	/	/	<=33	Pass
		Inner 1RB Left	21.75	/	/	19.45	/	/	<=33	Pass
		Inner 1RB Right	22.73	/	/	20.43	/	/	<=33	Pass
	1880	Edge 1RB Left	23.27	/	/	20.97	/	/	<=33	Pass
		Edge 1RB Right	22.91	/	/	20.61	/	/	<=33	Pass
		Outer Full	22.96	/	/	20.66	/	/	<=33	Pass
		Inner Full	23.01	/	/	20.71	/	/	<=33	Pass
	1902.5	Inner 1RB Left	23.31	/	/	21.01	/	/	<=33	Pass
		Inner 1RB Right	22.93	/	/	20.63	/	/	<=33	Pass
		Edge 1RB Left	22.70	/	/	20.40	/	/	<=33	Pass
		Edge 1RB Right	22.85	/	/	20.55	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1857.5	Outer Full	22.70	/	/	20.40	/	/	<=33	Pass
		Inner Full	22.73	/	/	20.43	/	/	<=33	Pass
		Inner 1RB Left	22.70	/	/	20.40	/	/	<=33	Pass
		Inner 1RB Right	22.65	/	/	20.35	/	/	<=33	Pass
	1880	Edge 1RB Left	20.00	/	/	17.70	/	/	<=33	Pass
		Edge 1RB Right	20.25	/	/	17.95	/	/	<=33	Pass
		Outer Full	20.58	/	/	18.28	/	/	<=33	Pass
		Inner Full	20.29	/	/	17.99	/	/	<=33	Pass
	1902.5	Inner 1RB Left	20.03	/	/	17.73	/	/	<=33	Pass
		Inner 1RB Right	20.23	/	/	17.93	/	/	<=33	Pass
		Edge 1RB Left	20.86	/	/	18.56	/	/	<=33	Pass
		Edge 1RB Right	20.47	/	/	18.17	/	/	<=33	Pass
CP-OFDM QPSK	1857.5	Outer Full	20.90	/	/	18.60	/	/	<=33	Pass
		Inner Full	20.91	/	/	18.61	/	/	<=33	Pass
		Inner 1RB Left	20.76	/	/	18.46	/	/	<=33	Pass
		Inner 1RB Right	20.49	/	/	18.19	/	/	<=33	Pass
	1880	Edge 1RB Left	20.37	/	/	18.07	/	/	<=33	Pass
		Edge 1RB Right	20.31	/	/	18.01	/	/	<=33	Pass
		Outer Full	20.62	/	/	18.32	/	/	<=33	Pass
		Inner Full	20.59	/	/	18.29	/	/	<=33	Pass
	1902.5	Inner 1RB Left	20.41	/	/	18.11	/	/	<=33	Pass
		Inner 1RB Right	20.50	/	/	18.20	/	/	<=33	Pass
		Edge 1RB Left	21.89	/	/	19.59	/	/	<=33	Pass
		Edge 1RB Right	22.25	/	/	19.95	/	/	<=33	Pass
CP-OFDM 16 QAM	1857.5	Outer Full	22.16	/	/	19.86	/	/	<=33	Pass
		Inner Full	22.61	/	/	20.31	/	/	<=33	Pass
		Inner 1RB Left	22.69	/	/	20.39	/	/	<=33	Pass
		Inner 1RB Right	23.73	/	/	21.43	/	/	<=33	Pass
	1880	Edge 1RB Left	22.60	/	/	20.30	/	/	<=33	Pass
		Edge 1RB Right	22.32	/	/	20.02	/	/	<=33	Pass
		Outer Full	22.55	/	/	20.25	/	/	<=33	Pass
		Inner Full	23.95	/	/	21.65	/	/	<=33	Pass
	1902.5	Inner 1RB Left	24.14	/	/	21.84	/	/	<=33	Pass
		Inner 1RB Right	23.73	/	/	21.43	/	/	<=33	Pass
		Edge 1RB Left	22.30	/	/	20.00	/	/	<=33	Pass
		Edge 1RB Right	22.18	/	/	19.88	/	/	<=33	Pass
CP-OFDM 16 QAM	1857.5	Outer Full	22.09	/	/	19.79	/	/	<=33	Pass
		Inner Full	23.75	/	/	21.45	/	/	<=33	Pass
		Inner 1RB Left	23.49	/	/	21.19	/	/	<=33	Pass
		Inner 1RB Right	23.67	/	/	21.37	/	/	<=33	Pass
	1880	Edge 1RB Left	21.76	/	/	19.46	/	/	<=33	Pass
		Edge 1RB Right	22.15	/	/	19.85	/	/	<=33	Pass
		Outer Full	21.95	/	/	19.65	/	/	<=33	Pass
		Inner Full	22.15	/	/	19.85	/	/	<=33	Pass
	1902.5	Inner 1RB Left	22.20	/	/	19.90	/	/	<=33	Pass
		Inner 1RB Right	23.13	/	/	20.83	/	/	<=33	Pass
		Edge 1RB Left	22.47	/	/	20.17	/	/	<=33	Pass
		Edge 1RB Right	22.47	/	/	20.17	/	/	<=33	Pass

		Edge_1RB_Right	22.18	/	/	19.88	/	/	<=33	Pass
		Outer_Full	22.42	/	/	20.12	/	/	<=33	Pass
		Inner_Full	23.68	/	/	21.38	/	/	<=33	Pass
		Inner_1RB_Left	23.72	/	/	21.42	/	/	<=33	Pass
		Inner_1RB_Right	23.38	/	/	21.08	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	22.31	/	/	20.01	/	/	<=33	Pass
		Edge_1RB_Right	22.13	/	/	19.83	/	/	<=33	Pass
		Outer_Full	22.14	/	/	19.84	/	/	<=33	Pass
		Inner_Full	23.07	/	/	20.77	/	/	<=33	Pass
		Inner_1RB_Left	23.05	/	/	20.75	/	/	<=33	Pass
		Inner_1RB_Right	23.11	/	/	20.81	/	/	<=33	Pass
CP-OFDM 64 QAM	1857.5	Edge_1RB_Left	21.66	/	/	19.36	/	/	<=33	Pass
		Edge_1RB_Right	21.66	/	/	19.36	/	/	<=33	Pass
		Outer_Full	21.81	/	/	19.51	/	/	<=33	Pass
		Inner_Full	21.76	/	/	19.46	/	/	<=33	Pass
		Inner_1RB_Left	21.67	/	/	19.37	/	/	<=33	Pass
		Inner_1RB_Right	21.65	/	/	19.35	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.17	/	/	19.87	/	/	<=33	Pass
		Edge_1RB_Right	21.89	/	/	19.59	/	/	<=33	Pass
		Outer_Full	21.94	/	/	19.64	/	/	<=33	Pass
		Inner_Full	22.00	/	/	19.70	/	/	<=33	Pass
		Inner_1RB_Left	22.21	/	/	19.91	/	/	<=33	Pass
		Inner_1RB_Right	22.08	/	/	19.78	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.79	/	/	19.49	/	/	<=33	Pass
		Edge_1RB_Right	21.27	/	/	18.97	/	/	<=33	Pass
		Outer_Full	21.64	/	/	19.34	/	/	<=33	Pass
Inner_Full		21.69	/	/	19.39	/	/	<=33	Pass	
Inner_1RB_Left		21.64	/	/	19.34	/	/	<=33	Pass	
CP-OFDM 256 QAM	1857.5	Inner_1RB_Right	21.59	/	/	19.29	/	/	<=33	Pass
		Edge_1RB_Left	18.86	/	/	16.56	/	/	<=33	Pass
		Edge_1RB_Right	18.37	/	/	16.07	/	/	<=33	Pass
		Outer_Full	18.77	/	/	16.47	/	/	<=33	Pass
		Inner_Full	18.69	/	/	16.39	/	/	<=33	Pass
		Inner_1RB_Left	18.76	/	/	16.46	/	/	<=33	Pass
	1880	Inner_1RB_Right	18.27	/	/	15.97	/	/	<=33	Pass
		Edge_1RB_Left	18.78	/	/	16.48	/	/	<=33	Pass
		Edge_1RB_Right	18.39	/	/	16.09	/	/	<=33	Pass
		Outer_Full	18.94	/	/	16.64	/	/	<=33	Pass
		Inner_Full	19.00	/	/	16.70	/	/	<=33	Pass
		Inner_1RB_Left	18.77	/	/	16.47	/	/	<=33	Pass
	1902.5	Inner_1RB_Right	18.44	/	/	16.14	/	/	<=33	Pass
		Edge_1RB_Left	18.39	/	/	16.09	/	/	<=33	Pass
		Edge_1RB_Right	18.29	/	/	15.99	/	/	<=33	Pass
		Outer_Full	18.61	/	/	16.31	/	/	<=33	Pass
		Inner_Full	18.62	/	/	16.32	/	/	<=33	Pass
		Inner_1RB_Left	18.39	/	/	16.09	/	/	<=33	Pass
Inner_1RB_Right	18.30	/	/	16.00	/	/	<=33	Pass		
Note1: Antenna Gain: Ant3: -2.30dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15k_SISO_20MHz_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	/	/	Ant3	/	/	Limit	
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	22.97	/	/	20.67	/	/	<=33	Pass
		Edge_1RB_Right	24.55	/	/	22.25	/	/	<=33	Pass
		Outer_Full	24.00	/	/	21.70	/	/	<=33	Pass

		Inner Full	24.15	/	/	21.85	/	/	<=33	Pass
		Inner 1RB Left	23.73	/	/	21.43	/	/	<=33	Pass
		Inner 1RB Right	24.49	/	/	22.19	/	/	<=33	Pass
	1880	Edge 1RB Left	24.79	/	/	22.49	/	/	<=33	Pass
		Edge 1RB Right	24.29	/	/	21.99	/	/	<=33	Pass
		Outer Full	24.52	/	/	22.22	/	/	<=33	Pass
		Inner Full	24.50	/	/	22.20	/	/	<=33	Pass
		Inner 1RB Left	24.75	/	/	22.45	/	/	<=33	Pass
		Inner 1RB Right	24.47	/	/	22.17	/	/	<=33	Pass
		Edge 1RB Left	24.19	/	/	21.89	/	/	<=33	Pass
	1900	Edge 1RB Right	24.35	/	/	22.05	/	/	<=33	Pass
		Outer Full	24.18	/	/	21.88	/	/	<=33	Pass
		Inner Full	24.22	/	/	21.92	/	/	<=33	Pass
		Inner 1RB Left	24.47	/	/	22.17	/	/	<=33	Pass
		Inner 1RB Right	24.36	/	/	22.06	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1860	Edge 1RB Left	22.09	/	/	19.79	/	/	<=33	Pass
		Edge 1RB Right	23.61	/	/	21.31	/	/	<=33	Pass
		Outer Full	22.90	/	/	20.60	/	/	<=33	Pass
		Inner Full	23.63	/	/	21.33	/	/	<=33	Pass
		Inner 1RB Left	22.98	/	/	20.68	/	/	<=33	Pass
		Inner 1RB Right	24.70	/	/	22.40	/	/	<=33	Pass
		Edge 1RB Left	23.78	/	/	21.48	/	/	<=33	Pass
	1880	Edge 1RB Right	23.41	/	/	21.11	/	/	<=33	Pass
		Outer Full	23.46	/	/	21.16	/	/	<=33	Pass
		Inner Full	24.43	/	/	22.13	/	/	<=33	Pass
		Inner 1RB Left	24.81	/	/	22.51	/	/	<=33	Pass
		Inner 1RB Right	24.35	/	/	22.05	/	/	<=33	Pass
	1900	Edge 1RB Left	23.31	/	/	21.01	/	/	<=33	Pass
		Edge 1RB Right	23.33	/	/	21.03	/	/	<=33	Pass
		Outer Full	23.21	/	/	20.91	/	/	<=33	Pass
		Inner Full	23.94	/	/	21.64	/	/	<=33	Pass
		Inner 1RB Left	24.25	/	/	21.95	/	/	<=33	Pass
		Inner 1RB Right	24.38	/	/	22.08	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1860	Edge 1RB Left	21.57	/	/	19.27	/	/	<=33	Pass
		Edge 1RB Right	23.20	/	/	20.90	/	/	<=33	Pass
		Outer Full	22.39	/	/	20.09	/	/	<=33	Pass
		Inner Full	22.35	/	/	20.05	/	/	<=33	Pass
		Inner 1RB Left	21.59	/	/	19.29	/	/	<=33	Pass
		Inner 1RB Right	23.23	/	/	20.93	/	/	<=33	Pass
		Edge 1RB Left	23.18	/	/	20.88	/	/	<=33	Pass
	1880	Edge 1RB Right	22.89	/	/	20.59	/	/	<=33	Pass
		Outer Full	22.94	/	/	20.64	/	/	<=33	Pass
		Inner Full	23.00	/	/	20.70	/	/	<=33	Pass
		Inner 1RB Left	23.20	/	/	20.90	/	/	<=33	Pass
		Inner 1RB Right	22.92	/	/	20.62	/	/	<=33	Pass
	1900	Edge 1RB Left	22.89	/	/	20.59	/	/	<=33	Pass
		Edge 1RB Right	22.82	/	/	20.52	/	/	<=33	Pass
		Outer Full	22.63	/	/	20.33	/	/	<=33	Pass
		Inner Full	22.72	/	/	20.42	/	/	<=33	Pass
		Inner 1RB Left	22.85	/	/	20.55	/	/	<=33	Pass
		Inner 1RB Right	22.78	/	/	20.48	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1860	Edge 1RB Left	20.11	/	/	17.81	/	/	<=33	Pass
		Edge 1RB Right	20.69	/	/	18.39	/	/	<=33	Pass
		Outer Full	20.77	/	/	18.47	/	/	<=33	Pass
		Inner Full	20.64	/	/	18.34	/	/	<=33	Pass
		Inner 1RB Left	20.12	/	/	17.82	/	/	<=33	Pass
		Inner 1RB Right	20.71	/	/	18.41	/	/	<=33	Pass
	1880	Edge 1RB Left	20.71	/	/	18.41	/	/	<=33	Pass
		Edge 1RB Right	20.43	/	/	18.13	/	/	<=33	Pass

		Outer_Full	20.94	/	/	18.64	/	/	<=33	Pass
		Inner_Full	21.24	/	/	18.94	/	/	<=33	Pass
		Inner_1RB_Left	20.76	/	/	18.46	/	/	<=33	Pass
		Inner_1RB_Right	20.47	/	/	18.17	/	/	<=33	Pass
	1900	Edge_1RB_Left	20.55	/	/	18.25	/	/	<=33	Pass
		Edge_1RB_Right	20.37	/	/	18.07	/	/	<=33	Pass
		Outer_Full	20.42	/	/	18.12	/	/	<=33	Pass
		Inner_Full	20.59	/	/	18.29	/	/	<=33	Pass
		Inner_1RB_Left	20.43	/	/	18.13	/	/	<=33	Pass
		Inner_1RB_Right	20.33	/	/	18.03	/	/	<=33	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	21.64	/	/	19.34	/	/	<=33	Pass
		Edge_1RB_Right	22.49	/	/	20.19	/	/	<=33	Pass
		Outer_Full	22.33	/	/	20.03	/	/	<=33	Pass
		Inner_Full	23.01	/	/	20.71	/	/	<=33	Pass
		Inner_1RB_Left	22.48	/	/	20.18	/	/	<=33	Pass
		Inner_1RB_Right	23.95	/	/	21.65	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.51	/	/	20.21	/	/	<=33	Pass
		Edge_1RB_Right	22.27	/	/	19.97	/	/	<=33	Pass
		Outer_Full	22.52	/	/	20.22	/	/	<=33	Pass
		Inner_Full	24.15	/	/	21.85	/	/	<=33	Pass
		Inner_1RB_Left	24.07	/	/	21.77	/	/	<=33	Pass
		Inner_1RB_Right	23.72	/	/	21.42	/	/	<=33	Pass
	1900	Edge_1RB_Left	22.27	/	/	19.97	/	/	<=33	Pass
		Edge_1RB_Right	22.31	/	/	20.01	/	/	<=33	Pass
		Outer_Full	22.14	/	/	19.84	/	/	<=33	Pass
		Inner_Full	23.73	/	/	21.43	/	/	<=33	Pass
		Inner_1RB_Left	23.80	/	/	21.50	/	/	<=33	Pass
		Inner_1RB_Right	23.63	/	/	21.33	/	/	<=33	Pass
CP-OFDM 16 QAM	1860	Edge_1RB_Left	21.65	/	/	19.35	/	/	<=33	Pass
		Edge_1RB_Right	22.38	/	/	20.08	/	/	<=33	Pass
		Outer_Full	22.24	/	/	19.94	/	/	<=33	Pass
		Inner_Full	22.69	/	/	20.39	/	/	<=33	Pass
		Inner_1RB_Left	21.97	/	/	19.67	/	/	<=33	Pass
		Inner_1RB_Right	23.52	/	/	21.22	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.63	/	/	20.33	/	/	<=33	Pass
		Edge_1RB_Right	22.32	/	/	20.02	/	/	<=33	Pass
		Outer_Full	22.35	/	/	20.05	/	/	<=33	Pass
		Inner_Full	23.46	/	/	21.16	/	/	<=33	Pass
		Inner_1RB_Left	23.76	/	/	21.46	/	/	<=33	Pass
		Inner_1RB_Right	23.43	/	/	21.13	/	/	<=33	Pass
	1900	Edge_1RB_Left	22.26	/	/	19.96	/	/	<=33	Pass
		Edge_1RB_Right	22.12	/	/	19.82	/	/	<=33	Pass
		Outer_Full	22.14	/	/	19.84	/	/	<=33	Pass
		Inner_Full	23.47	/	/	21.17	/	/	<=33	Pass
		Inner_1RB_Left	23.30	/	/	21.00	/	/	<=33	Pass
		Inner_1RB_Right	23.18	/	/	20.88	/	/	<=33	Pass
CP-OFDM 64 QAM	1860	Edge_1RB_Left	21.53	/	/	19.23	/	/	<=33	Pass
		Edge_1RB_Right	22.07	/	/	19.77	/	/	<=33	Pass
		Outer_Full	21.78	/	/	19.48	/	/	<=33	Pass
		Inner_Full	21.63	/	/	19.33	/	/	<=33	Pass
		Inner_1RB_Left	21.54	/	/	19.24	/	/	<=33	Pass
		Inner_1RB_Right	22.06	/	/	19.76	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.01	/	/	19.71	/	/	<=33	Pass
		Edge_1RB_Right	21.82	/	/	19.52	/	/	<=33	Pass
		Outer_Full	21.90	/	/	19.60	/	/	<=33	Pass
		Inner_Full	21.92	/	/	19.62	/	/	<=33	Pass
		Inner_1RB_Left	22.14	/	/	19.84	/	/	<=33	Pass
		Inner_1RB_Right	21.83	/	/	19.53	/	/	<=33	Pass
	1900	Edge_1RB_Left	21.81	/	/	19.51	/	/	<=33	Pass

		Edge 1RB Right	21.47	/	/	19.17	/	/	<=33	Pass
		Outer Full	21.72	/	/	19.42	/	/	<=33	Pass
		Inner Full	21.64	/	/	19.34	/	/	<=33	Pass
		Inner 1RB Left	21.82	/	/	19.52	/	/	<=33	Pass
		Inner 1RB Right	21.71	/	/	19.41	/	/	<=33	Pass
CP-OFDM 256 QAM	1860	Edge 1RB Left	18.81	/	/	16.51	/	/	<=33	Pass
		Edge 1RB Right	18.72	/	/	16.42	/	/	<=33	Pass
		Outer Full	18.73	/	/	16.43	/	/	<=33	Pass
		Inner Full	18.59	/	/	16.29	/	/	<=33	Pass
		Inner 1RB Left	18.81	/	/	16.51	/	/	<=33	Pass
		Inner 1RB Right	18.59	/	/	16.29	/	/	<=33	Pass
	1880	Edge 1RB Left	18.69	/	/	16.39	/	/	<=33	Pass
		Edge 1RB Right	18.39	/	/	16.09	/	/	<=33	Pass
		Outer Full	18.91	/	/	16.61	/	/	<=33	Pass
		Inner Full	18.90	/	/	16.60	/	/	<=33	Pass
		Inner 1RB Left	18.70	/	/	16.40	/	/	<=33	Pass
		Inner 1RB Right	18.36	/	/	16.06	/	/	<=33	Pass
	1900	Edge 1RB Left	18.44	/	/	16.14	/	/	<=33	Pass
		Edge 1RB Right	18.28	/	/	15.98	/	/	<=33	Pass
		Outer Full	18.65	/	/	16.35	/	/	<=33	Pass
Inner Full		18.64	/	/	16.34	/	/	<=33	Pass	
Inner 1RB Left		18.40	/	/	16.10	/	/	<=33	Pass	
		Inner 1RB Right	18.28	/	/	15.98	/	/	<=33	Pass
Note1: Antenna Gain: Ant3: -2.30dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15k_SISO_5MHz

5G NR n2 SCS=15kHz SISO 5MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-5.20	-0.0028	>=-2.5 & <=2.5	Pass
				HV	2.10	0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	4.90	0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	1.20	0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	3.20	0.0017	>=-2.5 & <=2.5	Pass
			0	NV	-10.60	-0.0056	>=-2.5 & <=2.5	Pass
			10	NV	1.20	0.0006	>=-2.5 & <=2.5	Pass
			20	NV	3.80	0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			40	NV	4.80	0.0026	>=-2.5 & <=2.5	Pass
			50	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-6.60	-0.0035	>=-2.5 & <=2.5	Pass
			-30	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	-4.60	-0.0024	>=-2.5 & <=2.5	Pass
			-10	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			0	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			20	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			30	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			40	NV	-4.30	-0.0023	>=-2.5 & <=2.5	Pass
			50	NV	5.30	0.0028	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
				HV	-7.40	-0.0039	>=-2.5 & <=2.5	Pass
			-30	NV	2.50	0.0013	>=-2.5 & <=2.5	Pass
			-20	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	1.10	0.0006	>=-2.5 & <=2.5	Pass
			0	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			30	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			40	NV	-5.40	-0.0029	>=-2.5 & <=2.5	Pass
			50	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
				HV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	3.80	0.0020	>=-2.5 & <=2.5	Pass
			0	NV	-0.80	-0.0004	>=-2.5 & <=2.5	Pass
			10	NV	3.70	0.0020	>=-2.5 & <=2.5	Pass
			20	NV	5.40	0.0029	>=-2.5 & <=2.5	Pass
			30	NV	-5.60	-0.0030	>=-2.5 & <=2.5	Pass
			40	NV	-7.70	-0.0041	>=-2.5 & <=2.5	Pass
			50	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	1.30	0.0007	>=-2.5 & <=2.5	Pass
				HV	2.70	0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	4.10	0.0022	>=-2.5 & <=2.5	Pass

			-20	NV	3.20	0.0017	>=-2.5 & <=2.5	Pass
			-10	NV	-7.30	-0.0039	>=-2.5 & <=2.5	Pass
			0	NV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
			10	NV	5.20	0.0028	>=-2.5 & <=2.5	Pass
			20	NV	-2.00	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	8.00	0.0043	>=-2.5 & <=2.5	Pass
			40	NV	5.70	0.0030	>=-2.5 & <=2.5	Pass
			50	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
				HV	4.90	0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	5.40	0.0029	>=-2.5 & <=2.5	Pass
			-20	NV	4.30	0.0023	>=-2.5 & <=2.5	Pass
			-10	NV	2.50	0.0013	>=-2.5 & <=2.5	Pass
			0	NV	4.80	0.0026	>=-2.5 & <=2.5	Pass
			10	NV	4.50	0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
			30	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			40	NV	4.60	0.0024	>=-2.5 & <=2.5	Pass
			50	NV	-1.90	-0.0010	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	4.00	0.0021	>=-2.5 & <=2.5	Pass
				HV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			-30	NV	4.00	0.0021	>=-2.5 & <=2.5	Pass
			-20	NV	-1.60	-0.0009	>=-2.5 & <=2.5	Pass
			-10	NV	-1.70	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			10	NV	3.40	0.0018	>=-2.5 & <=2.5	Pass
			20	NV	3.30	0.0018	>=-2.5 & <=2.5	Pass
			30	NV	5.00	0.0027	>=-2.5 & <=2.5	Pass
			40	NV	4.60	0.0024	>=-2.5 & <=2.5	Pass
			50	NV	0.80	0.0004	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	2.40	0.0013	>=-2.5 & <=2.5	Pass
				HV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	4.10	0.0022	>=-2.5 & <=2.5	Pass
			-20	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	1.90	0.0010	>=-2.5 & <=2.5	Pass
			0	NV	2.10	0.0011	>=-2.5 & <=2.5	Pass
			10	NV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			20	NV	2.50	0.0013	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	-1.60	-0.0009	>=-2.5 & <=2.5	Pass
			50	NV	4.00	0.0021	>=-2.5 & <=2.5	Pass

2.1.2 15k_SISO_10MHz

5G NR n2 SCS=15kHz SISO 10MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
				HV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	3.30	0.0018	>=-2.5 & <=2.5	Pass
			-20	NV	-3.10	-0.0016	>=-2.5 & <=2.5	Pass
			-10	NV	1.90	0.0010	>=-2.5 & <=2.5	Pass
			0	NV	4.80	0.0026	>=-2.5 & <=2.5	Pass
			10	NV	-1.50	-0.0008	>=-2.5 & <=2.5	Pass
			20	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	5.90	0.0031	>=-2.5 & <=2.5	Pass
			40	NV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass

			50	NV	-3.00	-0.0016	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	3.30	0.0018	>=-2.5 & <=2.5	Pass
				HV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
			-30	NV	-0.90	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			-10	NV	-10.00	-0.0053	>=-2.5 & <=2.5	Pass
			0	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			20	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			30	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
			40	NV	-7.10	-0.0038	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	1.20	0.0006	>=-2.5 & <=2.5	Pass
				HV	4.20	0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			-20	NV	-3.70	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			10	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			20	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			30	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			40	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-4.40	-0.0023	>=-2.5 & <=2.5	Pass
				HV	4.00	0.0021	>=-2.5 & <=2.5	Pass
			-30	NV	-1.00	-0.0005	>=-2.5 & <=2.5	Pass
			-20	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
			-10	NV	-3.20	-0.0017	>=-2.5 & <=2.5	Pass
			0	NV	1.70	0.0009	>=-2.5 & <=2.5	Pass
			10	NV	5.80	0.0031	>=-2.5 & <=2.5	Pass
			20	NV	-2.10	-0.0011	>=-2.5 & <=2.5	Pass
			30	NV	2.40	0.0013	>=-2.5 & <=2.5	Pass
			40	NV	6.20	0.0033	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	3.60	0.0019	>=-2.5 & <=2.5	Pass
				HV	0.60	0.0003	>=-2.5 & <=2.5	Pass
			-30	NV	5.00	0.0027	>=-2.5 & <=2.5	Pass
			-20	NV	9.70	0.0052	>=-2.5 & <=2.5	Pass
			-10	NV	2.90	0.0015	>=-2.5 & <=2.5	Pass
			0	NV	-2.90	-0.0015	>=-2.5 & <=2.5	Pass
			10	NV	4.40	0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-4.00	-0.0021	>=-2.5 & <=2.5	Pass
			30	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			40	NV	-5.10	-0.0027	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	8.20	0.0044	>=-2.5 & <=2.5	Pass
				HV	4.40	0.0023	>=-2.5 & <=2.5	Pass
			-30	NV	2.90	0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	0.60	0.0003	>=-2.5 & <=2.5	Pass
			-10	NV	3.80	0.0020	>=-2.5 & <=2.5	Pass
			0	NV	4.60	0.0024	>=-2.5 & <=2.5	Pass
			10	NV	2.90	0.0015	>=-2.5 & <=2.5	Pass
			20	NV	-0.90	-0.0005	>=-2.5 & <=2.5	Pass
			30	NV	-0.60	-0.0003	>=-2.5 & <=2.5	Pass
			40	NV	3.10	0.0016	>=-2.5 & <=2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	4.90	0.0026	>=-2.5 & <=2.5	Pass
				HV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			-30	NV	5.70	0.0030	>=-2.5 & <=2.5	Pass

			-20	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
			0	NV	2.60	0.0014	>=-2.5 & <=2.5	Pass
			10	NV	3.10	0.0016	>=-2.5 & <=2.5	Pass
			20	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			30	NV	6.40	0.0034	>=-2.5 & <=2.5	Pass
			40	NV	3.00	0.0016	>=-2.5 & <=2.5	Pass
			50	NV	1.10	0.0006	>=-2.5 & <=2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
				HV	4.80	0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	4.90	0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	6.70	0.0036	>=-2.5 & <=2.5	Pass
			0	NV	3.00	0.0016	>=-2.5 & <=2.5	Pass
			10	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			20	NV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass
			30	NV	0.60	0.0003	>=-2.5 & <=2.5	Pass
			40	NV	1.70	0.0009	>=-2.5 & <=2.5	Pass
			50	NV	7.40	0.0039	>=-2.5 & <=2.5	Pass

2.1.3 15k_SISO_15MHz

5G NR n2 SCS=15kHz SISO 15MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-2.80	-0.0015	>=-2.5 & <=2.5	Pass
				HV	-4.80	-0.0026	>=-2.5 & <=2.5	Pass
			-30	NV	2.80	0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
			-10	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			0	NV	-1.70	-0.0009	>=-2.5 & <=2.5	Pass
			10	NV	4.40	0.0023	>=-2.5 & <=2.5	Pass
			20	NV	-3.50	-0.0019	>=-2.5 & <=2.5	Pass
			30	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			40	NV	-2.30	-0.0012	>=-2.5 & <=2.5	Pass
			50	NV	-1.30	-0.0007	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	1.50	0.0008	>=-2.5 & <=2.5	Pass
				HV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-30	NV	-4.90	-0.0026	>=-2.5 & <=2.5	Pass
			-20	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			-10	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			0	NV	2.30	0.0012	>=-2.5 & <=2.5	Pass
			10	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-4.70	-0.0025	>=-2.5 & <=2.5	Pass
			30	NV	1.70	0.0009	>=-2.5 & <=2.5	Pass
			40	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			50	NV	2.50	0.0013	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	5.30	0.0028	>=-2.5 & <=2.5	Pass
				HV	2.00	0.0011	>=-2.5 & <=2.5	Pass
			-30	NV	2.90	0.0015	>=-2.5 & <=2.5	Pass
			-20	NV	-2.20	-0.0012	>=-2.5 & <=2.5	Pass
			-10	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			0	NV	-2.40	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	-6.10	-0.0032	>=-2.5 & <=2.5	Pass
			20	NV	4.40	0.0023	>=-2.5 & <=2.5	Pass
			30	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			40	NV	3.30	0.0018	>=-2.5 & <=2.5	Pass

			50	NV	8.50	0.0045	≥ -2.5 & ≤ 2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	2.90	0.0015	≥ -2.5 & ≤ 2.5	Pass
				HV	-1.90	-0.0010	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-6.30	-0.0034	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	0.70	0.0004	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-3.30	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-4.40	-0.0023	≥ -2.5 & ≤ 2.5	Pass
			10	NV	2.70	0.0014	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-7.90	-0.0042	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-1.90	-0.0010	≥ -2.5 & ≤ 2.5	Pass
			40	NV	4.80	0.0026	≥ -2.5 & ≤ 2.5	Pass
			50	NV	6.50	0.0035	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	4.90	0.0026	≥ -2.5 & ≤ 2.5	Pass
				HV	1.10	0.0006	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-2.70	-0.0014	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	3.30	0.0018	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	3.00	0.0016	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-1.40	-0.0007	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-5.60	-0.0030	≥ -2.5 & ≤ 2.5	Pass
			20	NV	5.70	0.0030	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-6.50	-0.0035	≥ -2.5 & ≤ 2.5	Pass
			40	NV	-2.30	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			50	NV	2.60	0.0014	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	6.60	0.0035	≥ -2.5 & ≤ 2.5	Pass
				HV	0.60	0.0003	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-3.20	-0.0017	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	3.10	0.0016	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	4.40	0.0023	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-4.10	-0.0022	≥ -2.5 & ≤ 2.5	Pass
			10	NV	3.20	0.0017	≥ -2.5 & ≤ 2.5	Pass
			20	NV	7.60	0.0040	≥ -2.5 & ≤ 2.5	Pass
			30	NV	4.30	0.0023	≥ -2.5 & ≤ 2.5	Pass
			40	NV	0.60	0.0003	≥ -2.5 & ≤ 2.5	Pass
			50	NV	6.10	0.0032	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 64 QAM	1880	Outer_Full	20	LV	-4.00	-0.0021	≥ -2.5 & ≤ 2.5	Pass
				HV	-1.80	-0.0010	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-3.40	-0.0018	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	5.10	0.0027	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-1.60	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-2.40	-0.0013	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-5.20	-0.0028	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-1.60	-0.0009	≥ -2.5 & ≤ 2.5	Pass
			30	NV	2.00	0.0011	≥ -2.5 & ≤ 2.5	Pass
			40	NV	6.80	0.0036	≥ -2.5 & ≤ 2.5	Pass
			50	NV	1.20	0.0006	≥ -2.5 & ≤ 2.5	Pass
CP-OFDM 256 QAM	1880	Outer_Full	20	LV	2.70	0.0014	≥ -2.5 & ≤ 2.5	Pass
				HV	-2.90	-0.0015	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	7.20	0.0038	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	4.20	0.0022	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-3.70	-0.0020	≥ -2.5 & ≤ 2.5	Pass
			0	NV	-2.20	-0.0012	≥ -2.5 & ≤ 2.5	Pass
			10	NV	-4.70	-0.0025	≥ -2.5 & ≤ 2.5	Pass
			20	NV	3.00	0.0016	≥ -2.5 & ≤ 2.5	Pass
			30	NV	3.20	0.0017	≥ -2.5 & ≤ 2.5	Pass
			40	NV	4.40	0.0023	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-0.80	-0.0004	≥ -2.5 & ≤ 2.5	Pass

2.1.4 15k_SISO_20MHz

5G NR n2 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-3.40	-0.0018	>=-2.5 & <=2.5	Pass
				HV	-8.30	-0.0044	>=-2.5 & <=2.5	Pass
			-30	NV	-11.40	-0.0061	>=-2.5 & <=2.5	Pass
			-20	NV	-12.20	-0.0065	>=-2.5 & <=2.5	Pass
			-10	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass
			0	NV	-12.40	-0.0066	>=-2.5 & <=2.5	Pass
			10	NV	-7.80	-0.0041	>=-2.5 & <=2.5	Pass
			20	NV	-12.50	-0.0066	>=-2.5 & <=2.5	Pass
			30	NV	-6.40	-0.0034	>=-2.5 & <=2.5	Pass
			40	NV	-8.20	-0.0044	>=-2.5 & <=2.5	Pass
			50	NV	-6.20	-0.0033	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	20	LV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
				HV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			-30	NV	-7.20	-0.0038	>=-2.5 & <=2.5	Pass
			-20	NV	-6.30	-0.0034	>=-2.5 & <=2.5	Pass
			-10	NV	-4.50	-0.0024	>=-2.5 & <=2.5	Pass
			0	NV	-6.90	-0.0037	>=-2.5 & <=2.5	Pass
			10	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			20	NV	-11.80	-0.0063	>=-2.5 & <=2.5	Pass
			30	NV	-8.20	-0.0044	>=-2.5 & <=2.5	Pass
			40	NV	-9.90	-0.0053	>=-2.5 & <=2.5	Pass
			50	NV	-8.60	-0.0046	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	20	LV	-7.90	-0.0042	>=-2.5 & <=2.5	Pass
				HV	-8.20	-0.0044	>=-2.5 & <=2.5	Pass
			-30	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			-20	NV	-4.10	-0.0022	>=-2.5 & <=2.5	Pass
			-10	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			0	NV	-8.80	-0.0047	>=-2.5 & <=2.5	Pass
			10	NV	-12.20	-0.0065	>=-2.5 & <=2.5	Pass
			20	NV	-13.00	-0.0069	>=-2.5 & <=2.5	Pass
			30	NV	-9.10	-0.0048	>=-2.5 & <=2.5	Pass
			40	NV	-12.00	-0.0064	>=-2.5 & <=2.5	Pass
			50	NV	-9.50	-0.0051	>=-2.5 & <=2.5	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	20	LV	-1.50	-0.0008	>=-2.5 & <=2.5	Pass
				HV	-6.00	-0.0032	>=-2.5 & <=2.5	Pass
			-30	NV	-1.60	-0.0009	>=-2.5 & <=2.5	Pass
			-20	NV	-5.50	-0.0029	>=-2.5 & <=2.5	Pass
			-10	NV	-1.70	-0.0009	>=-2.5 & <=2.5	Pass
			0	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			10	NV	6.40	0.0034	>=-2.5 & <=2.5	Pass
			20	NV	-1.10	-0.0006	>=-2.5 & <=2.5	Pass
			30	NV	4.30	0.0023	>=-2.5 & <=2.5	Pass
			40	NV	-4.20	-0.0022	>=-2.5 & <=2.5	Pass
			50	NV	-5.70	-0.0030	>=-2.5 & <=2.5	Pass
CP-OFDM QPSK	1880	Outer_Full	20	LV	2.50	0.0013	>=-2.5 & <=2.5	Pass
				HV	1.00	0.0005	>=-2.5 & <=2.5	Pass
			-30	NV	-1.40	-0.0007	>=-2.5 & <=2.5	Pass
			-20	NV	2.80	0.0015	>=-2.5 & <=2.5	Pass
			-10	NV	7.50	0.0040	>=-2.5 & <=2.5	Pass
			0	NV	-2.50	-0.0013	>=-2.5 & <=2.5	Pass
			10	NV	4.50	0.0024	>=-2.5 & <=2.5	Pass
			20	NV	-0.60	-0.0003	>=-2.5 & <=2.5	Pass
			30	NV	1.50	0.0008	>=-2.5 & <=2.5	Pass
			40	NV	-3.60	-0.0019	>=-2.5 & <=2.5	Pass
			50	NV	-3.80	-0.0020	>=-2.5 & <=2.5	Pass
CP-OFDM 16 QAM	1880	Outer_Full	20	LV	-2.70	-0.0014	>=-2.5 & <=2.5	Pass

				HV	3.40	0.0018	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-30	NV	1.50	0.0008	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-20	NV	1.70	0.0009	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-10	NV	-1.50	-0.0008	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			0	NV	5.80	0.0031	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			10	NV	-2.50	-0.0013	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			20	NV	2.20	0.0012	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			30	NV	-2.30	-0.0012	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			40	NV	-2.70	-0.0014	$\geq -2.5 \ \& \ \leq 2.5$	Pass
CP-OFDM 64 QAM	1880	Outer_Full	50	NV	2.90	0.0015	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			20	LV	-1.00	-0.0005	$\geq -2.5 \ \& \ \leq 2.5$	Pass
				HV	2.00	0.0011	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-30	NV	-3.10	-0.0016	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-20	NV	2.70	0.0014	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-10	NV	-0.60	-0.0003	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			0	NV	3.80	0.0020	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			10	NV	2.50	0.0013	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			20	NV	1.80	0.0010	$\geq -2.5 \ \& \ \leq 2.5$	Pass
CP-OFDM 256 QAM	1880	Outer_Full	30	NV	-5.00	-0.0027	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			40	NV	8.20	0.0044	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			50	NV	3.80	0.0020	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			20	LV	4.40	0.0023	$\geq -2.5 \ \& \ \leq 2.5$	Pass
				HV	1.30	0.0007	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-30	NV	3.40	0.0018	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-20	NV	-6.50	-0.0035	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			-10	NV	-6.40	-0.0034	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			0	NV	-2.70	-0.0014	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			10	NV	3.00	0.0016	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			20	NV	-1.60	-0.0009	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			30	NV	2.90	0.0015	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			40	NV	3.10	0.0016	$\geq -2.5 \ \& \ \leq 2.5$	Pass
			50	NV	1.10	0.0006	$\geq -2.5 \ \& \ \leq 2.5$	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15k_SISO_5MHz_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM QPSK	1852.5	Outer_Full	4.58	5.42	/	Pass
	1880	Outer_Full	4.55	5.36	/	Pass
	1907.5	Outer_Full	4.54	5.37	/	Pass
DFT-s-OFDM 16 QAM	1852.5	Outer_Full	4.61	5.44	/	Pass
	1880	Outer_Full	4.57	5.41	/	Pass
	1907.5	Outer_Full	4.58	5.46	/	Pass
DFT-s-OFDM 64 QAM	1852.5	Outer_Full	4.58	5.40	/	Pass
	1880	Outer_Full	4.57	5.38	/	Pass
	1907.5	Outer_Full	4.54	5.20	/	Pass
DFT-s-OFDM 256 QAM	1852.5	Outer_Full	4.58	5.40	/	Pass
	1880	Outer_Full	4.61	5.38	/	Pass
	1907.5	Outer_Full	4.63	5.41	/	Pass
CP-OFDM QPSK	1852.5	Outer_Full	4.54	5.23	/	Pass
	1880	Outer_Full	4.56	5.36	/	Pass
	1907.5	Outer_Full	4.62	8.50	/	Pass
CP-OFDM 16 QAM	1852.5	Outer_Full	4.60	5.46	/	Pass
	1880	Outer_Full	4.63	5.55	/	Pass
	1907.5	Outer_Full	4.67	8.87	/	Pass
CP-OFDM 64 QAM	1852.5	Outer_Full	4.54	5.30	/	Pass
	1880	Outer_Full	4.52	5.21	/	Pass
	1907.5	Outer_Full	4.56	5.32	/	Pass
CP-OFDM 256 QAM	1852.5	Outer_Full	4.58	5.39	/	Pass
	1880	Outer_Full	4.56	5.41	/	Pass
	1907.5	Outer_Full	4.56	5.35	/	Pass

3.1.2 15k_SISO_10MHz_NTNV

5G NR n2 SCS=15kHz SISO 10MHz NTV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM QPSK	1855	Outer_Full	9.07	10.07	/	Pass
	1880	Outer_Full	9.07	10.09	/	Pass
	1905	Outer_Full	9.07	10.06	/	Pass
DFT-s-OFDM 16 QAM	1855	Outer_Full	9.08	10.12	/	Pass
	1880	Outer_Full	9.05	10.11	/	Pass
	1905	Outer_Full	9.07	10.12	/	Pass
DFT-s-OFDM 64 QAM	1855	Outer_Full	9.08	10.02	/	Pass
	1880	Outer_Full	9.08	10.02	/	Pass
	1905	Outer_Full	9.06	10.05	/	Pass
DFT-s-OFDM 256 QAM	1855	Outer_Full	9.06	9.93	/	Pass
	1880	Outer_Full	9.04	9.90	/	Pass
	1905	Outer_Full	9.09	13.29	/	Pass
CP-OFDM QPSK	1855	Outer_Full	9.41	10.40	/	Pass
	1880	Outer_Full	9.40	10.41	/	Pass
	1905	Outer_Full	9.44	10.45	/	Pass

CP-OFDM 16 QAM	1855	Outer_Full	9.45	10.53	/	Pass
	1880	Outer_Full	9.44	10.39	/	Pass
	1905	Outer_Full	9.46	10.59	/	Pass
CP-OFDM 64 QAM	1855	Outer_Full	9.40	10.30	/	Pass
	1880	Outer_Full	9.39	10.37	/	Pass
	1905	Outer_Full	9.39	10.46	/	Pass
CP-OFDM 256 QAM	1855	Outer_Full	9.39	10.40	/	Pass
	1880	Outer_Full	9.37	10.35	/	Pass
	1905	Outer_Full	9.39	10.39	/	Pass

3.1.3 15k_SISO_15MHz_NTNV

5G NR n2 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM QPSK	1857.5	Outer_Full	13.65	14.90	/	Pass
	1880	Outer_Full	13.67	14.91	/	Pass
	1902.5	Outer_Full	13.64	14.96	/	Pass
DFT-s-OFDM 16 QAM	1857.5	Outer_Full	13.64	14.88	/	Pass
	1880	Outer_Full	13.62	14.77	/	Pass
	1902.5	Outer_Full	13.67	14.84	/	Pass
DFT-s-OFDM 64 QAM	1857.5	Outer_Full	13.58	14.89	/	Pass
	1880	Outer_Full	13.57	14.74	/	Pass
	1902.5	Outer_Full	13.61	14.87	/	Pass
DFT-s-OFDM 256 QAM	1857.5	Outer_Full	13.63	14.71	/	Pass
	1880	Outer_Full	13.61	14.87	/	Pass
	1902.5	Outer_Full	13.63	14.67	/	Pass
CP-OFDM QPSK	1857.5	Outer_Full	14.32	15.44	/	Pass
	1880	Outer_Full	14.33	15.59	/	Pass
	1902.5	Outer_Full	14.37	18.73	/	Pass
CP-OFDM 16 QAM	1857.5	Outer_Full	14.31	15.56	/	Pass
	1880	Outer_Full	14.31	15.61	/	Pass
	1902.5	Outer_Full	14.36	15.58	/	Pass
CP-OFDM 64 QAM	1857.5	Outer_Full	14.30	15.52	/	Pass
	1880	Outer_Full	14.31	15.56	/	Pass
	1902.5	Outer_Full	14.30	15.92	/	Pass
CP-OFDM 256 QAM	1857.5	Outer_Full	14.28	15.55	/	Pass
	1880	Outer_Full	14.27	15.52	/	Pass
	1902.5	Outer_Full	14.29	15.56	/	Pass


3.1.4 15k_SISO_20MHz_NTNV

5G NR n2 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM QPSK	1860	Outer_Full	18.08	19.55	/	Pass
	1880	Outer_Full	18.08	19.61	/	Pass
	1900	Outer_Full	18.10	19.62	/	Pass
DFT-s-OFDM 16 QAM	1860	Outer_Full	18.14	19.62	/	Pass
	1880	Outer_Full	18.15	19.68	/	Pass
	1900	Outer_Full	18.14	19.64	/	Pass
DFT-s-OFDM 64 QAM	1860	Outer_Full	18.17	19.57	/	Pass
	1880	Outer_Full	18.15	19.60	/	Pass
	1900	Outer_Full	18.17	19.61	/	Pass
DFT-s-OFDM 256 QAM	1860	Outer_Full	18.07	19.62	/	Pass
	1880	Outer_Full	18.08	19.61	/	Pass


	1900	Outer_Full	18.09	19.55	/	Pass
CP-OFDM QPSK	1860	Outer_Full	19.16	20.72	/	Pass
	1880	Outer_Full	19.17	23.87	/	Pass
	1900	Outer_Full	19.16	25.21	/	Pass
CP-OFDM 16 QAM	1860	Outer_Full	19.26	20.64	/	Pass
	1880	Outer_Full	19.30	22.83	/	Pass
	1900	Outer_Full	19.27	23.38	/	Pass
CP-OFDM 64 QAM	1860	Outer_Full	19.21	20.57	/	Pass
	1880	Outer_Full	19.18	20.57	/	Pass
	1900	Outer_Full	19.25	20.61	/	Pass
CP-OFDM 256 QAM	1860	Outer_Full	19.15	20.60	/	Pass
	1880	Outer_Full	19.14	20.69	/	Pass
	1900	Outer_Full	19.10	20.56	/	Pass

3.2 Test Graph


3.2.1 15k_SISO_5MHz_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1852.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16_QAM_1907.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1852.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64_QAM_1907.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_1852.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_1907.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1852.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK 1907.5MHz Outer Full Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM 1852.5MHz Outer Full Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_16_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_16_QAM_1907.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_64_QAM_1852.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_64_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_64_QAM_1907.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1852.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1907.5MHz_Outer_Full_Ant3




3.2.2 15k_SISO_10MHz_NTNV




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_1905MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_1855MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_1905MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_1855MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant3




n2 15kHz SISO NTNv 10MHz DFT-s-OFDM 64 QAM 1905MHz Outer Full Ant3




n2 15kHz SISO NTNv 10MHz DFT-s-OFDM 256 QAM 1855MHz Outer Full Ant3




n2 15kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 1880MHz Outer Full Ant3




n2 15kHz SISO NTN 10MHz DFT-s-OFDM 256 QAM 1905MHz Outer Full Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1855MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1905MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_1855MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_1905MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_1855MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_1905MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1855MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1905MHz_Outer_Full_Ant3




3.2.3 15k_SISO_15MHz_NTNV




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1902.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16_QAM_1857.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16_QAM_1902.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64_QAM_1857.5MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64_QAM_1880MHz_Outer_Full_Ant3




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64_QAM_1902.5MHz_Outer_Full_Ant3



n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1857.5MHz_Outer_Full_Ant3



n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant3



n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1902.5MHz_Outer_Full_Ant3

