


































Min emission bandwidth


Test Result B4


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant8	5745	15.12	5737.44	5752.56	0.5	PASS
		5785	15.12	5777.44	5792.56	0.5	PASS
		5825	15.12	5817.44	5832.56	0.5	PASS
11N20SISO	Ant8	5745	15.12	5737.44	5752.56	0.5	PASS
		5785	15.12	5777.44	5792.56	0.5	PASS
		5825	15.12	5817.44	5832.56	0.5	PASS
11N40SISO	Ant8	5755	35.12	5737.40	5772.52	0.5	PASS
		5795	35.12	5777.40	5812.52	0.5	PASS
11AC80SISO	Ant8	5775	75.20	5737.40	5812.60	0.5	PASS





Test Graphs B4













Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant8	5180	6.88	≤11.00	PASS
		5220	6.79	≤11.00	PASS
		5240	6.89	≤11.00	PASS
		5260	4.69	≤11.00	PASS
		5300	4.64	≤11.00	PASS
		5320	4.70	≤11.00	PASS
		5500	4.93	≤11.00	PASS
		5580	4.48	≤11.00	PASS
		5700	4.13	≤11.00	PASS
		5745	0.95	≤30.00	PASS
		5785	0.79	≤30.00	PASS
11N20SISO	Ant8	5825	0.61	≤30.00	PASS
		5180	6.93	≤11.00	PASS
		5220	6.64	≤11.00	PASS
		5240	6.54	≤11.00	PASS
		5260	4.44	≤11.00	PASS
		5300	4.23	≤11.00	PASS
		5320	4.25	≤11.00	PASS
		5500	4.62	≤11.00	PASS
		5580	3.69	≤11.00	PASS
		5700	4.05	≤11.00	PASS
		5745	0.46	≤30.00	PASS
11N40SISO	Ant8	5785	-0.09	≤30.00	PASS
		5825	-0.02	≤30.00	PASS
		5190	2.52	≤11.00	PASS
		5230	3.14	≤11.00	PASS
		5270	0.69	≤11.00	PASS
		5310	0.72	≤11.00	PASS
		5510	0.75	≤11.00	PASS
		5550	0.38	≤11.00	PASS
		5670	1.21	≤11.00	PASS
		5755	-3.49	≤30.00	PASS
		5795	-4.03	≤30.00	PASS
11AC80SISO	Ant8	5210	-0.85	≤11.00	PASS
		5290	-2.38	≤11.00	PASS
		5530	-2.42	≤11.00	PASS
		5610	-1.84	≤11.00	PASS
		5775	-7.18	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs




























































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.16	36.62	-19.03	55.65	16.99	9.62	10.01	Average
2	0.16	47.22	-18.43	65.65	27.59	9.62	10.01	QP
3	0.17	31.84	-23.24	55.08	12.10	9.73	10.01	Average
4	0.17	44.34	-20.74	65.08	24.60	9.73	10.01	QP
5	0.19	31.74	-22.37	54.11	11.90	9.82	10.02	Average
6	0.19	40.24	-23.87	64.11	20.40	9.82	10.02	QP
7	0.46	33.49	-13.18	46.67	13.70	9.69	10.10	Average
8 *	0.46	39.49	-17.18	56.67	19.70	9.69	10.10	QP
9	0.59	25.76	-20.24	46.00	5.99	9.64	10.13	Average
10	0.59	37.56	-18.44	56.00	17.79	9.64	10.13	QP
11	3.72	23.55	-22.45	46.00	3.60	9.67	10.28	Average
12	3.72	33.95	-22.05	56.00	14.00	9.67	10.28	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Wenbo Xiao	Relative Humidity :	48~49%
		Temperature :	24℃~25℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	8	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	8	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	8	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	8	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	8	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	8	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	8	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	8	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	8	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	8	802.11n HT20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	8	802.11n HT20	44	5220	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	8	802.11n HT20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	8	802.11n HT20	52	5260	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	8	802.11n HT20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	8	802.11n HT20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	8	802.11n HT20	100	5500	MCS0	Full RU	-
Mode 17	U-NII-2C	5.47-5.725	8	802.11n HT20	116	5580	MCS0	Full RU	-
Mode 18	U-NII-2C	5.47-5.725	8	802.11n HT20	140	5700	MCS0	Full RU	-
Mode 19	U-NII-1	5.15-5.25	8	802.11n HT40	38	5190	MCS0	Full RU	-
Mode 20	U-NII-1	5.15-5.25	8	802.11n HT40	46	5230	MCS0	Full RU	-
Mode 21	U-NII-2A	5.25-5.35	8	802.11n HT40	54	5270	MCS0	Full RU	-
Mode 22	U-NII-2A	5.25-5.35	8	802.11n HT40	62	5310	MCS0	Full RU	-
Mode 23	U-NII-2C	5.47-5.725	8	802.11n HT40	102	5510	MCS0	Full RU	-
Mode 24	U-NII-2C	5.47-5.725	8	802.11n HT40	134	5670	MCS0	Full RU	-
Mode 25	U-NII-1	5.15-5.25	8	802.11ac VHT80	42	5210	MCS0	Full RU	-
Mode 26	U-NII-2A	5.25-5.35	8	802.11ac VHT80	58	5290	MCS0	Full RU	-
Mode 27	U-NII-2C	5.47-5.725	8	802.11ac VHT80	106	5530	MCS0	Full RU	-
Mode 28	U-NII-2C	5.47-5.725	8	802.11ac VHT80	122	5610	MCS0	Full RU	-
Mode 29	U-NII-3	5.725-5.85	8	802.11a	149	5745	6Mbps	-	-
Mode 30	U-NII-3	5.725-5.85	8	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	8	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	8	802.11n HT20	149	5745	MCS0	Full RU	-
Mode 33	U-NII-3	5.725-5.85	8	802.11n HT20	157	5785	MCS0	Full RU	-
Mode 34	U-NII-3	5.725-5.85	8	802.11n HT20	165	5825	MCS0	Full RU	-
Mode 35	U-NII-3	5.725-5.85	8	802.11n HT40	151	5755	MCS0	Full RU	-
Mode 36	U-NII-3	5.725-5.85	8	802.11n HT40	159	5795	MCS0	Full RU	-
Mode 37	U-NII-3	5.725-5.85	8	802.11ac VHT80	155	5775	MCS0	Full RU	-



Mode 38	U-NII-1	5.15-5.25	9	802.11a	36	5180	6Mbps	-	-
Mode 39	U-NII-1	5.15-5.25	9	802.11a	44	5220	6Mbps	-	-
Mode 40	U-NII-1	5.15-5.25	9	802.11a	48	5240	6Mbps	-	-
Mode 41	U-NII-2A	5.25-5.35	9	802.11a	52	5260	6Mbps	-	-
Mode 42	U-NII-2A	5.25-5.35	9	802.11a	60	5300	6Mbps	-	-
Mode 43	U-NII-2A	5.25-5.35	9	802.11a	64	5320	6Mbps	-	-
Mode 44	U-NII-2C	5.47-5.725	9	802.11a	100	5500	6Mbps	-	-
Mode 45	U-NII-2C	5.47-5.725	9	802.11a	116	5580	6Mbps	-	-
Mode 46	U-NII-2C	5.47-5.725	9	802.11a	140	5700	6Mbps	-	-
Mode 47	U-NII-1	5.15-5.25	9	802.11n HT20	36	5180	MCS0	Full RU	-
Mode 48	U-NII-1	5.15-5.25	9	802.11n HT20	44	5220	MCS0	Full RU	-
Mode 49	U-NII-1	5.15-5.25	9	802.11n HT20	48	5240	MCS0	Full RU	-
Mode 50	U-NII-2A	5.25-5.35	9	802.11n HT20	52	5260	MCS0	Full RU	-
Mode 51	U-NII-2A	5.25-5.35	9	802.11n HT20	60	5300	MCS0	Full RU	-
Mode 52	U-NII-2A	5.25-5.35	9	802.11n HT20	64	5320	MCS0	Full RU	-
Mode 53	U-NII-2C	5.47-5.725	9	802.11n HT20	100	5500	MCS0	Full RU	-
Mode 54	U-NII-2C	5.47-5.725	9	802.11n HT20	116	5580	MCS0	Full RU	-
Mode 55	U-NII-2C	5.47-5.725	9	802.11n HT20	140	5700	MCS0	Full RU	-
Mode 56	U-NII-1	5.15-5.25	9	802.11n HT40	38	5190	MCS0	Full RU	-
Mode 57	U-NII-1	5.15-5.25	9	802.11n HT40	46	5230	MCS0	Full RU	-
Mode 58	U-NII-2A	5.25-5.35	9	802.11n HT40	54	5270	MCS0	Full RU	-
Mode 59	U-NII-2A	5.25-5.35	9	802.11n HT40	62	5310	MCS0	Full RU	-
Mode 60	U-NII-2C	5.47-5.725	9	802.11n HT40	102	5510	MCS0	Full RU	-
Mode 61	U-NII-2C	5.47-5.725	9	802.11n HT40	134	5670	MCS0	Full RU	-
Mode 62	U-NII-1	5.15-5.25	9	802.11ac VHT80	42	5210	MCS0	Full RU	-
Mode 63	U-NII-2A	5.25-5.35	9	802.11ac VHT80	58	5290	MCS0	Full RU	-
Mode 64	U-NII-2C	5.47-5.725	9	802.11ac VHT80	106	5530	MCS0	Full RU	-
Mode 65	U-NII-2C	5.47-5.725	9	802.11ac VHT80	122	5610	MCS0	Full RU	-
Mode 66	U-NII-3	5.725-5.85	9	802.11a	149	5745	6Mbps	-	-
Mode 67	U-NII-3	5.725-5.85	9	802.11a	157	5785	6Mbps	-	-
Mode 68	U-NII-3	5.725-5.85	9	802.11a	165	5825	6Mbps	-	-
Mode 69	U-NII-3	5.725-5.85	9	802.11n HT20	149	5745	MCS0	Full RU	-
Mode 70	U-NII-3	5.725-5.85	9	802.11n HT20	157	5785	MCS0	Full RU	-
Mode 71	U-NII-3	5.725-5.85	9	802.11n HT20	165	5825	MCS0	Full RU	-
Mode 72	U-NII-3	5.725-5.85	9	802.11n HT40	151	5755	MCS0	Full RU	-
Mode 73	U-NII-3	5.725-5.85	9	802.11n HT40	159	5795	MCS0	Full RU	-
Mode 74	U-NII-3	5.725-5.85	9	802.11ac VHT80	155	5775	MCS0	Full RU	-
Mode 19	U-NII-1	5.15-5.25	8	802.11n HT40-LF	38	5190	MCS0	Full RU	LF
Mode 30	U-NII-3	5.725-5.85	8	802.11a-LF	157	5785	6Mbps	-	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.94	45.66	54.00	-8.34	V	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	47.72	68.30	-20.58	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	48.10	68.30	-20.20	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	47.81	68.30	-20.49	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	46.89	68.30	-21.41	V	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	48.05	74.00	-25.95	V	Peak	Pass	Harmonic
6	802.11a	64	5350.10	43.18	54.00	-10.82	V	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	47.79	54.00	-6.21	V	Average	Pass	Harmonic
7	802.11a	100	5459.65	41.60	54.00	-12.40	H	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	62.05	68.30	-6.25	V	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	62.10	68.30	-6.20	V	Peak	Pass	Harmonic
9	802.11a	140	5727.30	57.44	68.30	-10.86	V	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	62.24	68.30	-6.06	V	Peak	Pass	Harmonic
10	802.11n HT20	36	5149.94	45.73	54.00	-8.27	V	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	47.88	68.30	-20.42	V	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	47.36	68.30	-20.94	H	Peak	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	10480.00	47.13	68.30	-21.17	V	Peak	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	10520.00	47.01	68.30	-21.29	H	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	47.44	74.00	-26.56	V	Peak	Pass	Harmonic
15	802.11n HT20	64	5350.24	43.74	54.00	-10.26	V	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	47.25	54.00	-6.75	V	Average	Pass	Harmonic
16	802.11n HT20	100	5459.05	41.73	54.00	-12.27	V	AVERAGE	Pass	Band Edge
16	802.11n HT20	100	16500.00	61.90	68.30	-6.40	V	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	61.85	68.30	-6.45	V	Peak	Pass	Harmonic
18	802.11n HT20	140	5726.59	59.41	68.30	-8.89	V	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	61.92	68.30	-6.38	V	Peak	Pass	Harmonic
19	802.11n HT40	38	5149.91	48.93	54.00	-5.07	V	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	10380.00	46.80	68.30	-21.50	H	Peak	Pass	Harmonic
20	802.11n HT40	46	5000.92	42.74	54.00	-11.26	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11n HT40	54	5040.23	43.05	54.00	-10.95	V	AVERAGE	Pass	Band Edge



21	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11n HT40	62	5350.35	47.04	54.00	-6.96	V	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
23	802.11n HT40	102	5459.92	44.87	54.00	-9.13	V	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11n HT40	134	5419.12	42.24	54.00	-11.76	H	AVERAGE	Pass	Band Edge
24	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11ac VHT80	42	5149.52	48.66	54.00	-5.34	V	AVERAGE	Pass	Band Edge
25	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
26	802.11ac VHT80	58	5352.22	48.43	54.00	-5.57	V	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5459.98	46.83	54.00	-7.17	V	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11ac VHT80	122	5445.68	44.33	54.00	-9.67	V	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
29	802.11a	149	5622.77	51.77	68.30	-16.53	V	PEAK	Pass	Band Edge
29	802.11a	149	17235.00	61.62	68.30	-6.68	V	Peak	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	17355.00	62.20	68.30	-6.10	V	Peak	Pass	Harmonic
31	802.11a	165	5939.88	52.31	68.30	-15.99	V	PEAK	Pass	Band Edge
31	802.11a	165	17475.00	61.85	68.30	-6.45	V	Peak	Pass	Harmonic
32	802.11n HT20	149	5627.99	52.00	68.30	-16.30	H	PEAK	Pass	Band Edge
32	802.11n HT20	149	17235.00	62.01	68.30	-6.29	V	Peak	Pass	Harmonic
33	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	157	17355.00	61.17	68.30	-7.13	V	Peak	Pass	Harmonic
34	802.11n HT20	165	5930.88	52.50	68.30	-15.80	H	PEAK	Pass	Band Edge
34	802.11n HT20	165	17475.00	61.84	68.30	-6.46	V	Peak	Pass	Harmonic
35	802.11n HT40	151	5609.61	52.49	68.30	-15.81	H	PEAK	Pass	Band Edge
35	802.11n HT40	151	17265.00	62.08	68.30	-6.22	V	Peak	Pass	Harmonic
36	802.11n HT40	159	5933.57	52.40	68.30	-15.90	H	PEAK	Pass	Band Edge
36	802.11n HT40	159	17385.00	61.66	68.30	-6.64	V	Peak	Pass	Harmonic
37	802.11ac VHT80	155	5939.15	52.72	68.30	-15.58	V	PEAK	Pass	Band Edge
37	802.11ac VHT80	155	17325.00	47.75	68.30	-20.55	H	Peak	Pass	Harmonic
38	802.11a	36	5149.40	48.52	54.00	-5.48	V	AVERAGE	Pass	Band Edge
38	802.11a	36	10360.00	47.94	68.30	-20.36	H	Peak	Pass	Harmonic
39	802.11a	44	-	-	-	-	-	-	-	Band Edge
39	802.11a	44	10440.00	46.77	68.30	-21.53	V	Peak	Pass	Harmonic
40	802.11a	48	-	-	-	-	-	-	-	Band Edge
40	802.11a	48	10480.00	48.56	68.30	-19.74	V	Peak	Pass	Harmonic
41	802.11a	52	-	-	-	-	-	-	-	Band Edge
41	802.11a	52	10520.00	47.25	68.30	-21.05	H	Peak	Pass	Harmonic
42	802.11a	60	-	-	-	-	-	-	-	Band Edge
42	802.11a	60	15900.00	47.40	74.00	-26.60	V	Peak	Pass	Harmonic
43	802.11a	64	5350.24	43.50	54.00	-10.50	V	AVERAGE	Pass	Band Edge
43	802.11a	64	15960.00	48.56	74.00	-25.44	V	Peak	Pass	Harmonic



44	802.11a	100	5467.15	59.36	68.30	-8.94	V	PEAK	Pass	Band Edge
44	802.11a	100	16500.00	48.21	68.30	-20.09	H	Peak	Pass	Harmonic
45	802.11a	116	-	-	-	-	-	-	-	Band Edge
45	802.11a	116	16740.00	47.66	68.30	-20.64	V	Peak	Pass	Harmonic
46	802.11a	140	5725.74	60.48	68.30	-7.82	V	PEAK	Pass	Band Edge
46	802.11a	140	17100.00	49.52	68.30	-18.78	H	Peak	Pass	Harmonic
47	802.11n HT20	36	5149.76	48.80	54.00	-5.20	V	AVERAGE	Pass	Band Edge
47	802.11n HT20	36	10360.00	45.98	68.30	-22.32	V	Peak	Pass	Harmonic
48	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
48	802.11n HT20	44	10440.00	47.33	68.30	-20.97	H	Peak	Pass	Harmonic
49	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
49	802.11n HT20	48	10480.00	48.32	68.30	-19.98	H	Peak	Pass	Harmonic
50	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
50	802.11n HT20	52	10520.00	47.38	68.30	-20.92	H	Peak	Pass	Harmonic
51	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
51	802.11n HT20	60	10600.00	47.04	74.00	-26.96	V	Peak	Pass	Harmonic
52	802.11n HT20	64	5350.38	44.42	54.00	-9.58	V	AVERAGE	Pass	Band Edge
52	802.11n HT20	64	15960.00	48.83	74.00	-25.17	H	Peak	Pass	Harmonic
53	802.11n HT20	100	5469.10	61.45	68.30	-6.85	V	PEAK	Pass	Band Edge
53	802.11n HT20	100	16500.00	47.37	68.30	-20.93	H	Peak	Pass	Harmonic
54	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
54	802.11n HT20	116	16740.00	48.65	68.30	-19.65	H	Peak	Pass	Harmonic
55	802.11n HT20	140	5727.30	61.42	68.30	-6.88	V	PEAK	Pass	Band Edge
55	802.11n HT20	140	17100.00	49.70	68.30	-18.60	H	Peak	Pass	Harmonic
56	802.11n HT40	38	5149.34	48.90	54.00	-5.10	V	AVERAGE	Pass	Band Edge
56	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
57	802.11n HT40	46	5113.39	42.68	54.00	-11.32	V	AVERAGE	Pass	Band Edge
57	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
58	802.11n HT40	54	5362.15	42.85	54.00	-11.15	V	AVERAGE	Pass	Band Edge
58	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
59	802.11n HT40	62	5352.00	48.81	54.00	-5.19	V	AVERAGE	Pass	Band Edge
59	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
60	802.11n HT40	102	5469.84	61.94	68.30	-6.36	V	PEAK	Pass	Band Edge
60	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
61	802.11n HT40	134	5726.81	60.95	68.30	-7.35	V	PEAK	Pass	Band Edge
61	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
62	802.11ac VHT80	42	5149.73	47.81	54.00	-6.19	V	AVERAGE	Pass	Band Edge
62	802.11ac VHT80	42	-	-	-	-	-	-	-	Harmonic
63	802.11ac VHT80	58	5350.18	48.34	54.00	-5.66	V	AVERAGE	Pass	Band Edge
63	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
64	802.11ac VHT80	106	5459.98	48.17	54.00	-5.83	V	AVERAGE	Pass	Band Edge
64	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
65	802.11ac VHT80	122	5725.01	60.58	68.30	-7.72	V	PEAK	Pass	Band Edge
65	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
66	802.11a	149	5642.34	52.67	68.30	-15.63	H	PEAK	Pass	Band Edge



66	802.11a	149	17235.00	48.58	68.30	-19.72	V	Peak	Pass	Harmonic
67	802.11a	157	-	-	-	-	-	-	-	Band Edge
67	802.11a	157	17355.00	49.17	68.30	-19.13	V	Peak	Pass	Harmonic
68	802.11a	165	5927.00	52.69	68.30	-15.61	V	PEAK	Pass	Band Edge
68	802.11a	165	17475.00	49.19	68.30	-19.11	V	Peak	Pass	Harmonic
69	802.11n HT20	149	5637.70	53.08	68.30	-15.22	H	PEAK	Pass	Band Edge
69	802.11n HT20	149	17235.00	48.52	68.30	-19.78	V	Peak	Pass	Harmonic
70	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
70	802.11n HT20	157	17355.00	49.18	68.30	-19.12	V	Peak	Pass	Harmonic
71	802.11n HT20	165	5947.00	52.79	68.30	-15.51	H	PEAK	Pass	Band Edge
71	802.11n HT20	165	17475.00	50.71	68.30	-17.59	H	Peak	Pass	Harmonic
72	802.11n HT40	151	5646.81	54.34	68.30	-13.96	H	PEAK	Pass	Band Edge
72	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
73	802.11n HT40	159	5937.76	52.51	68.30	-15.79	V	PEAK	Pass	Band Edge
73	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
74	802.11ac VHT80	155	5936.88	52.38	68.30	-15.92	V	PEAK	Pass	Band Edge
74	802.11ac VHT80	155	-	-	-	-	-	-	-	Harmonic
19	802.11n HT40-LF	38	33.88	29.03	40.00	-10.97	V	PEAK	Pass	LF
30	802.11a-LF	157	32.91	29.32	40.00	-10.68	V	PEAK	Pass	LF





Co-location mode:**Radiated Spurious Emission Test Modes**

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 75	CO_TX	5.15-5.25	8	802.11n HT40	38	5190	MCS0	Full RU	-
		-	1	LTE B13			-	-	-
Mode 76	CO_TX	5.15-5.25	8	802.11n HT40	38	5190	MCS0	Full RU	-
		-	1	LTE B13			-	-	-
		2.4-2.4835	8	Bluetooth BR_GFSK	Ch00	2402	1DH5		

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
75	CO_TX		5149.91	48.74	54.00	-5.26	H	AVERAGE	Pass	Band Edge
			10380.00	46.09	68.30	-22.21	H	Peak	Pass	Harmonic
76	CO_TX		5149.91	48.99	54.00	-5.01	H	AVERAGE	Pass	Band Edge
			7206.00	53.77	68.30	- 14.53	H	Peak	Pass	Harmonic



		1																																																																																								
Mode		Band Edge																																																																																								
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																								
ANT		8																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	 Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.94</td><td>53.72</td><td>74.00</td><td>-20.28</td><td>42.07</td><td>36.58</td><td>8.54</td><td>33.47</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	53.72	74.00	-20.28	42.07	36.58	8.54	33.47	100	300	PEAK	 Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>91.81</td><td>-----</td><td>-----</td><td>80.13</td><td>36.55</td><td>8.59</td><td>33.46</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	91.81	-----	-----	80.13	36.55	8.59	33.46	100	300	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.94	53.72	74.00	-20.28	42.07	36.58	8.54	33.47	100	300	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	91.81	-----	-----	80.13	36.55	8.59	33.46	100	300	PEAK																																																																															
Avg	 Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.94</td><td>44.23</td><td>54.00</td><td>-9.77</td><td>32.58</td><td>36.58</td><td>8.54</td><td>33.47</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.94	44.23	54.00	-9.77	32.58	36.58	8.54	33.47	100	300	AVERAGE	 Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>85.18</td><td>-----</td><td>-----</td><td>73.50</td><td>36.55</td><td>8.59</td><td>33.46</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	85.18	-----	-----	73.50	36.55	8.59	33.46	100	300	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5149.94	44.23	54.00	-9.77	32.58	36.58	8.54	33.47	100	300	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5180.00	85.18	-----	-----	73.50	36.55	8.59	33.46	100	300	AVERAGE																																																																															





Mode	1																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																									
ANT	8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.94</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>42.96</td><td>36.58</td><td>8.54</td><td>33.47</td><td>211 0 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.94	54.61	74.00	-19.39	42.96	36.58	8.54	33.47	211 0 PEAK	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>92.02</td><td>-----</td><td>-----</td><td>80.34</td><td>36.55</td><td>8.59</td><td>33.46</td><td>211 0 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	92.02	-----	-----	80.34	36.55	8.59	33.46	211 0 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.94	54.61	74.00	-19.39	42.96	36.58	8.54	33.47	211 0 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	92.02	-----	-----	80.34	36.55	8.59	33.46	211 0 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.94</td><td>45.66</td><td>54.00</td><td>-8.34</td><td>34.01</td><td>36.58</td><td>8.54</td><td>33.47</td><td>211 0 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.94	45.66	54.00	-8.34	34.01	36.58	8.54	33.47	211 0 AVERAGE	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>85.77</td><td>-----</td><td>-----</td><td>74.09</td><td>36.56</td><td>8.58</td><td>33.46</td><td>211 0 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	85.77	-----	-----	74.09	36.56	8.58	33.46	211 0 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.94	45.66	54.00	-8.34	34.01	36.58	8.54	33.47	211 0 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	85.77	-----	-----	74.09	36.56	8.58	33.46	211 0 AVERAGE																																																																		





Mode	1																																																																																									
	Harmonic																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																									
ANT	8																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-02-15 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>46.41</td><td>68.30</td><td>-21.89</td><td>59.64</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>Peak</td></tr><tr><td>2 15540.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>55.78</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10360.00	46.41	68.30	-21.89	59.64	38.47	12.06	63.76	---	Peak	2 15540.00	47.30	74.00	-26.70	55.78	41.32	14.58	64.38	---	Peak	Level (dBuV/m) Date: 2025-02-15 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>47.72</td><td>68.30</td><td>-20.58</td><td>60.95</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>Peak</td></tr><tr><td>2 15540.00</td><td>49.08</td><td>74.00</td><td>-24.92</td><td>57.56</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 10360.00	47.72	68.30	-20.58	60.95	38.47	12.06	63.76	---	Peak	2 15540.00	49.08	74.00	-24.92	57.56	41.32	14.58	64.38	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1 10360.00	46.41	68.30	-21.89	59.64	38.47	12.06	63.76	---	Peak																																																																																	
2 15540.00	47.30	74.00	-26.70	55.78	41.32	14.58	64.38	---	Peak																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1 10360.00	47.72	68.30	-20.58	60.95	38.47	12.06	63.76	---	Peak																																																																																	
2 15540.00	49.08	74.00	-24.92	57.56	41.32	14.58	64.38	---	Peak																																																																																	





Mode	2																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10440.00</td><td>46.41</td><td>68.30</td><td>-21.89</td><td>59.52</td><td>38.49</td><td>12.12</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>49.30</td><td>74.00</td><td>-24.70</td><td>57.72</td><td>41.40</td><td>14.64</td><td>64.46</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10440.00	46.41	68.30	-21.89	59.52	38.49	12.12	63.72	---	---	Peak	2	15660.00	49.30	74.00	-24.70	57.72	41.40	14.64	64.46	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10440.00</td><td>48.10</td><td>68.30</td><td>-20.20</td><td>61.21</td><td>38.49</td><td>12.12</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>56.94</td><td>41.40</td><td>14.64</td><td>64.46</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10440.00	48.10	68.30	-20.20	61.21	38.49	12.12	63.72	---	---	Peak	2	15660.00	48.52	74.00	-25.48	56.94	41.40	14.64	64.46	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10440.00	46.41	68.30	-21.89	59.52	38.49	12.12	63.72	---	---	Peak																																																																																																																							
2	15660.00	49.30	74.00	-24.70	57.72	41.40	14.64	64.46	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10440.00	48.10	68.30	-20.20	61.21	38.49	12.12	63.72	---	---	Peak																																																																																																																							
2	15660.00	48.52	74.00	-25.48	56.94	41.40	14.64	64.46	---	---	Peak																																																																																																																							





Mode	3																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.02</td><td>68.30</td><td>-21.28</td><td>60.08</td><td>38.50</td><td>12.15</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.62</td><td>74.00</td><td>-25.38</td><td>57.03</td><td>41.43</td><td>14.66</td><td>64.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	47.02	68.30	-21.28	60.08	38.50	12.15	63.71	---	---	Peak	2	15720.00	48.62	74.00	-25.38	57.03	41.43	14.66	64.50	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.81</td><td>68.30</td><td>-20.49</td><td>60.87</td><td>38.50</td><td>12.15</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.90</td><td>74.00</td><td>-26.10</td><td>56.31</td><td>41.43</td><td>14.66</td><td>64.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10480.00	47.81	68.30	-20.49	60.87	38.50	12.15	63.71	---	---	Peak	2	15720.00	47.90	74.00	-26.10	56.31	41.43	14.66	64.50	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	47.02	68.30	-21.28	60.08	38.50	12.15	63.71	---	---	Peak																																																																																																																							
2	15720.00	48.62	74.00	-25.38	57.03	41.43	14.66	64.50	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10480.00	47.81	68.30	-20.49	60.87	38.50	12.15	63.71	---	---	Peak																																																																																																																							
2	15720.00	47.90	74.00	-26.10	56.31	41.43	14.66	64.50	---	---	Peak																																																																																																																							



Mode	4																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>45.57</td><td>68.30</td><td>-22.73</td><td>58.58</td><td>38.50</td><td>12.18</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.60</td><td>74.00</td><td>-25.40</td><td>56.99</td><td>41.47</td><td>14.69</td><td>64.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	45.57	68.30	-22.73	58.58	38.50	12.18	63.69	---	---	Peak	2	15780.00	48.60	74.00	-25.40	56.99	41.47	14.69	64.55	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>46.89</td><td>68.30</td><td>-21.41</td><td>59.90</td><td>38.50</td><td>12.18</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>55.17</td><td>41.47</td><td>14.69</td><td>64.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	46.89	68.30	-21.41	59.90	38.50	12.18	63.69	---	---	Peak	2	15780.00	46.78	74.00	-27.22	55.17	41.47	14.69	64.55	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10520.00	45.57	68.30	-22.73	58.58	38.50	12.18	63.69	---	---	Peak																																																																																																										
2	15780.00	48.60	74.00	-25.40	56.99	41.47	14.69	64.55	---	---	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10520.00	46.89	68.30	-21.41	59.90	38.50	12.18	63.69	---	---	Peak																																																																																																										
2	15780.00	46.78	74.00	-27.22	55.17	41.47	14.69	64.55	---	---	Peak																																																																																																										



Mode	5																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																															
ANT	8																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10600.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>60.45</td><td>38.52</td><td>12.23</td></tr><tr><td>2</td><td>15900.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>54.86</td><td>41.54</td><td>14.75</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	1	10600.00	47.54	74.00	-26.46	60.45	38.52	12.23	2	15900.00	46.52	74.00	-27.48	54.86	41.54	14.75	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10600.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>60.00</td><td>38.52</td><td>12.23</td></tr><tr><td>2</td><td>15900.00</td><td>48.05</td><td>74.00</td><td>-25.95</td><td>56.39</td><td>41.54</td><td>14.75</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	1	10600.00	47.09	74.00	-26.91	60.00	38.52	12.23	2	15900.00	48.05	74.00	-25.95	56.39	41.54	14.75
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB																																																																																									
1	10600.00	47.54	74.00	-26.46	60.45	38.52	12.23																																																																																									
2	15900.00	46.52	74.00	-27.48	54.86	41.54	14.75																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB																																																																																									
1	10600.00	47.09	74.00	-26.91	60.00	38.52	12.23																																																																																									
2	15900.00	48.05	74.00	-25.95	56.39	41.54	14.75																																																																																									



		6									
Mode		Band Edge									
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz									
ANT		8									
Pol.		Horizontal					Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-10 </										



Mode	6																																																																																	
	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																	
ANT	8																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5353.04</td><td>57.23</td><td>74.00</td><td>-16.77</td><td>44.86</td><td>36.42</td><td>9.38</td><td>33.43</td><td>277</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5353.04	57.23	74.00	-16.77	44.86	36.42	9.38	33.43	277	0 PEAK	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>89.27</td><td>-----</td><td>-----</td><td>77.06</td><td>36.44</td><td>9.21</td><td>33.44</td><td>277</td><td>0 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	89.27	-----	-----	77.06	36.44	9.21	33.44	277	0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5353.04	57.23	74.00	-16.77	44.86	36.42	9.38	33.43	277	0 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5320.00	89.27	-----	-----	77.06	36.44	9.21	33.44	277	0 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5350.10</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>30.82</td><td>36.42</td><td>9.37</td><td>33.43</td><td>277</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5350.10	43.18	54.00	-10.82	30.82	36.42	9.37	33.43	277	0 AVERAGE	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>83.03</td><td>-----</td><td>-----</td><td>70.82</td><td>36.44</td><td>9.21</td><td>33.44</td><td>277</td><td>0 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	83.03	-----	-----	70.82	36.44	9.21	33.44	277	0 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5350.10	43.18	54.00	-10.82	30.82	36.42	9.37	33.43	277	0 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 5320.00	83.03	-----	-----	70.82	36.44	9.21	33.44	277	0 AVERAGE																																																																									







Mode	6																																																																																																							
	Harmonic																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																							
ANT	8																																																																																																							
Pol.	Horizontal								Vertical																																																																																															
Peak Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>47.98</td><td>74.00</td><td>-26.02</td><td>60.83</td><td>38.53</td><td>12.26</td></tr><tr><td>2</td><td>15960.00</td><td>47.35</td><td>74.00</td><td>-26.65</td><td>55.67</td><td>41.58</td><td>14.77</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10640.00	47.98	74.00	-26.02	60.83	38.53	12.26	2	15960.00	47.35	74.00	-26.65	55.67	41.58	14.77	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>59.06</td><td>38.53</td><td>12.26</td></tr><tr><td>2</td><td>15960.00</td><td>51.63</td><td>74.00</td><td>-22.37</td><td>59.95</td><td>41.58</td><td>14.77</td></tr><tr><td>3</td><td>15960.00</td><td>47.79</td><td>54.00</td><td>-6.21</td><td>56.11</td><td>41.58</td><td>14.77</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	10640.00	46.21	74.00	-27.79	59.06	38.53	12.26	2	15960.00	51.63	74.00	-22.37	59.95	41.58	14.77	3	15960.00	47.79	54.00	-6.21	56.11	41.58	14.77
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																	
1	10640.00	47.98	74.00	-26.02	60.83	38.53	12.26																																																																																																	
2	15960.00	47.35	74.00	-26.65	55.67	41.58	14.77																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																	
1	10640.00	46.21	74.00	-27.79	59.06	38.53	12.26																																																																																																	
2	15960.00	51.63	74.00	-22.37	59.95	41.58	14.77																																																																																																	
3	15960.00	47.79	54.00	-6.21	56.11	41.58	14.77																																																																																																	



Mode	7																																																			
	Band Edge																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																			
ANT	8																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-02-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5416.60</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>38.14</td><td>36.37</td><td>9.66</td><td>33.42</td><td>200</td><td>360 PEAK</td></tr><tr><td>2 5461.75</td><td>50.69</td><td>68.30</td><td>-17.61</td><td>38.08</td><td>36.33</td><td>9.69</td><td>33.41</td><td>200</td><td>360 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5416.60	50.75	74.00	-23.25	38.14	36.37	9.66	33.42	200	360 PEAK	2 5461.75	50.69	68.30	-17.61	38.08	36.33	9.69	33.41	200	360 PEAK	Level (dBuV/m) Date: 2025-02-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>84.15</td><td>-----</td><td>-----</td><td>71.54</td><td>36.30</td><td>9.71</td><td>33.40</td><td>200</td><td>360 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	84.15	-----	-----	71.54	36.30	9.71	33.40	200	360 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 5416.60	50.75	74.00	-23.25	38.14	36.37	9.66	33.42	200	360 PEAK																																											
2 5461.75	50.69	68.30	-17.61	38.08	36.33	9.69	33.41	200	360 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	84.15	-----	-----	71.54	36.30	9.71	33.40	200	360 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-02-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5459.65</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>28.99</td><td>36.33</td><td>9.69</td><td>33.41</td><td>200</td><td>360 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.65	41.60	54.00	-12.40	28.99	36.33	9.69	33.41	200	360 AVERAGE	Level (dBuV/m) Date: 2025-02-10 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5500.00</td><td>77.97</td><td>-----</td><td>-----</td><td>65.36</td><td>36.30</td><td>9.71</td><td>33.40</td><td>200</td><td>360 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5500.00	77.97	-----	-----	65.36	36.30	9.71	33.40	200	360 AVERAGE										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5459.65	41.60	54.00	-12.40	28.99	36.33	9.69	33.41	200	360 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 5500.00	77.97	-----	-----	65.36	36.30	9.71	33.40	200	360 AVERAGE																																											





Mode	7																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	8																																																																																																						
Pol.	Vertical					Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.90</td><td>52.07</td><td>74.00</td><td>-21.93</td><td>39.51</td><td>36.39</td><td>9.59</td><td>33.42</td><td>159</td><td>0° PEAK</td></tr><tr><td>2</td><td>5468.95</td><td>50.62</td><td>68.30</td><td>-17.68</td><td>38.02</td><td>36.32</td><td>9.69</td><td>33.41</td><td>159</td><td>0° PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5392.90	52.07	74.00	-21.93	39.51	36.39	9.59	33.42	159	0° PEAK	2	5468.95	50.62	68.30	-17.68	38.02	36.32	9.69	33.41	159	0° PEAK	Level (dBuV/m) Date: 2025-02-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>89.71</td><td>-----</td><td>-----</td><td>77.10</td><td>36.30</td><td>9.71</td><td>33.40</td><td>159</td><td>0° PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	89.71	-----	-----	77.10	36.30	9.71	33.40	159	0° PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5392.90	52.07	74.00	-21.93	39.51	36.39	9.59	33.42	159	0° PEAK																																																																																													
2	5468.95	50.62	68.30	-17.68	38.02	36.32	9.69	33.41	159	0° PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	89.71	-----	-----	77.10	36.30	9.71	33.40	159	0° PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-02-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.50</td><td>41.57</td><td>54.00</td><td>-12.43</td><td>28.96</td><td>36.33</td><td>9.69</td><td>33.41</td><td>159</td><td>0° AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	41.57	54.00	-12.43	28.96	36.33	9.69	33.41	159	0° AVERAGE	Level (dBuV/m) Date: 2025-02-10 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>83.30</td><td>-----</td><td>-----</td><td>70.69</td><td>36.30</td><td>9.71</td><td>33.40</td><td>159</td><td>0° AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	83.30	-----	-----	70.69	36.30	9.71	33.40	159	0° AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5459.50	41.57	54.00	-12.43	28.96	36.33	9.69	33.41	159	0° AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	83.30	-----	-----	70.69	36.30	9.71	33.40	159	0° AVERAGE																																																																																													



Mode	7																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2025-02-15 Frequency (MHz)						Level (dBuV/m) Date: 2025-02-15 Frequency (MHz)																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>60.07</td><td>38.60</td><td>12.52</td><td>63.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>61.06</td><td>68.30</td><td>-7.24</td><td>68.69</td><td>41.95</td><td>15.17</td><td>64.75</td><td>197</td><td>54</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	47.69	74.00	-26.31	60.07	38.60	12.52	63.50	---	---	Peak	2	16500.00	61.06	68.30	-7.24	68.69	41.95	15.17	64.75	197	54	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.82</td><td>74.00</td><td>-26.18</td><td>60.20</td><td>38.60</td><td>12.52</td><td>63.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>62.05</td><td>68.30</td><td>-6.25</td><td>69.68</td><td>41.95</td><td>15.17</td><td>64.75</td><td>148</td><td>27</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11000.00	47.82	74.00	-26.18	60.20	38.60	12.52	63.50	---	---	Peak	2	16500.00	62.05	68.30	-6.25	69.68	41.95	15.17	64.75	148	27	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11000.00	47.69	74.00	-26.31	60.07	38.60	12.52	63.50	---	---	Peak																																																																																																																							
2	16500.00	61.06	68.30	-7.24	68.69	41.95	15.17	64.75	197	54	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11000.00	47.82	74.00	-26.18	60.20	38.60	12.52	63.50	---	---	Peak																																																																																																																							
2	16500.00	62.05	68.30	-6.25	69.68	41.95	15.17	64.75	148	27	Peak																																																																																																																							



Mode	8																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																															
ANT	8																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11160.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>61.29</td><td>38.79</td><td>12.64</td></tr><tr><td>2</td><td>16740.00</td><td>61.91</td><td>68.30</td><td>-6.39</td><td>69.21</td><td>42.12</td><td>15.35</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64	2	16740.00	61.91	68.30	-6.39	69.21	42.12	15.35	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11160.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>61.58</td><td>38.79</td><td>12.64</td></tr><tr><td>2</td><td>16740.00</td><td>62.10</td><td>68.30</td><td>-6.20</td><td>69.40</td><td>42.12</td><td>15.35</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	49.40	74.00	-24.60	61.58	38.79	12.64	2	16740.00	62.10	68.30	-6.20	69.40	42.12	15.35
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64																																																																									
2	16740.00	61.91	68.30	-6.39	69.21	42.12	15.35																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11160.00	49.40	74.00	-24.60	61.58	38.79	12.64																																																																									
2	16740.00	62.10	68.30	-6.20	69.40	42.12	15.35																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11160.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>61.29</td><td>38.79</td><td>12.64</td></tr><tr><td>2</td><td>16740.00</td><td>61.91</td><td>68.30</td><td>-6.39</td><td>69.21</td><td>42.12</td><td>15.35</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64	2	16740.00	61.91	68.30	-6.39	69.21	42.12	15.35	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11160.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>61.58</td><td>38.79</td><td>12.64</td></tr><tr><td>2</td><td>16740.00</td><td>62.10</td><td>68.30</td><td>-6.20</td><td>69.40</td><td>42.12</td><td>15.35</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	49.40	74.00	-24.60	61.58	38.79	12.64	2	16740.00	62.10	68.30	-6.20	69.40	42.12	15.35	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64																																																																									
2	16740.00	61.91	68.30	-6.39	69.21	42.12	15.35																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11160.00	49.40	74.00	-24.60	61.58	38.79	12.64																																																																									
2	16740.00	62.10	68.30	-6.20	69.40	42.12	15.35																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11160.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>61.29</td><td>38.79</td><td>12.64</td></tr><tr><td>2</td><td>16740.00</td><td>61.91</td><td>68.30</td><td>-6.39</td><td>69.21</td><td>42.12</td><td>15.35</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64	2	16740.00	61.91	68.30	-6.39	69.21	42.12	15.35	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11160.00</td><td>49.40</td><td>74.00</td><td>-24.60</td><td>61.58</td><td>38.79</td><td>12.64</td></tr><tr><td>2</td><td>16740.00</td><td>62.10</td><td>68.30</td><td>-6.20</td><td>69.40</td><td>42.12</td><td>15.35</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11160.00	49.40	74.00	-24.60	61.58	38.79	12.64	2	16740.00	62.10	68.30	-6.20	69.40	42.12	15.35	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64																																																																									
2	16740.00	61.91	68.30	-6.39	69.21	42.12	15.35																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11160.00	49.40	74.00	-24.60	61.58	38.79	12.64																																																																									
2	16740.00	62.10	68.30	-6.20	69.40	42.12	15.35																																																																									



Mode	9																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																					
ANT	8																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.03</td><td>55.06</td><td>68.30</td><td>-13.24</td><td>41.96</td><td>36.53</td><td>10.02</td><td>33.45</td><td>239</td><td>322</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.03	55.06	68.30	-13.24	41.96	36.53	10.02	33.45	239	322	PEAK	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>88.13</td><td>-----</td><td>-----</td><td>75.10</td><td>36.50</td><td>9.97</td><td>33.44</td><td>239</td><td>322</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.13	-----	-----	75.10	36.50	9.97	33.44	239	322	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5725.03	55.06	68.30	-13.24	41.96	36.53	10.02	33.45	239	322	PEAK																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5700.00	88.13	-----	-----	75.10	36.50	9.97	33.44	239	322	PEAK																																																																											
Avg	Blank	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>82.21</td><td>-----</td><td>-----</td><td>69.19</td><td>36.50</td><td>9.96</td><td>33.44</td><td>239</td><td>322</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	82.21	-----	-----	69.19	36.50	9.96	33.44	239	322	AVERAGE																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5700.00	82.21	-----	-----	69.19	36.50	9.96	33.44	239	322	AVERAGE																																																																											



Mode	9																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.30</td><td>57.44</td><td>68.30</td><td>-10.86</td><td>44.34</td><td>36.53</td><td>10.02</td><td>33.45</td><td>100</td><td>349 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5727.30	57.44	68.30	-10.86	44.34	36.53	10.02	33.45	100	349 PEAK	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>88.61</td><td>-----</td><td>-----</td><td>75.59</td><td>36.50</td><td>9.96</td><td>33.44</td><td>100</td><td>349 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	88.61	-----	-----	75.59	36.50	9.96	33.44	100	349 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5727.30	57.44	68.30	-10.86	44.34	36.53	10.02	33.45	100	349 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	88.61	-----	-----	75.59	36.50	9.96	33.44	100	349 PEAK																																																																																		
Avg	Blank					Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>82.63</td><td>-----</td><td>-----</td><td>69.61</td><td>36.50</td><td>9.96</td><td>33.44</td><td>100</td><td>349 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	82.63	-----	-----	69.61	36.50	9.96	33.44	100	349 AVERAGE																																									
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	82.63	-----	-----	69.61	36.50	9.96	33.44	100	349 AVERAGE																																																																																		