







Mode	9																																																																	
	Harmonic																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																	
ANT	8																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11400.00</td><td>46.63</td><td>74.00</td><td>-27.37</td><td>58.52</td><td>39.08</td><td>12.81 63.78 --- --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>61.69</td><td>68.30</td><td>-6.61</td><td>68.57</td><td>42.41</td><td>15.62 64.91 198 155 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11400.00	46.63	74.00	-27.37	58.52	39.08	12.81 63.78 --- --- Peak	2	17100.00	61.69	68.30	-6.61	68.57	42.41	15.62 64.91 198 155 Peak	Level (dBuV/m) Date: 2025-02-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11400.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>60.15</td><td>39.08</td><td>12.81 63.78 --- --- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>62.24</td><td>68.30</td><td>-6.06</td><td>69.12</td><td>42.41</td><td>15.62 64.91 115 23 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11400.00	48.26	74.00	-25.74	60.15	39.08	12.81 63.78 --- --- Peak	2	17100.00	62.24	68.30	-6.06	69.12	42.41	15.62 64.91 115 23 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																										
1	11400.00	46.63	74.00	-27.37	58.52	39.08	12.81 63.78 --- --- Peak																																																											
2	17100.00	61.69	68.30	-6.61	68.57	42.41	15.62 64.91 198 155 Peak																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																											
1	11400.00	48.26	74.00	-25.74	60.15	39.08	12.81 63.78 --- --- Peak																																																											
2	17100.00	62.24	68.30	-6.06	69.12	42.41	15.62 64.91 115 23 Peak																																																											





		10																																																																																													
Mode		Band Edge																																																																																													
		U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																													
ANT		8																																																																																													
Pol.		Horizontal					Fundamental																																																																																								
Peak		Level (dBuV/m) Date: 2025-02-10  PART 15.407 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.22</td><td>56.83</td><td>74.00</td><td>-17.17</td><td>45.19</td><td>36.58</td><td>8.53</td><td>33.47</td><td>102 301 PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.22	56.83	74.00	-17.17	45.19	36.58	8.53	33.47	102 301 PEAK	Level (dBuV/m) Date: 2025-02-10  PART 15.407 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>92.47</td><td>-----</td><td>-----</td><td>80.79</td><td>36.55</td><td>8.59</td><td>33.46</td><td>102 301 PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	92.47	-----	-----	80.79	36.55	8.59	33.46	102 301 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.22	56.83	74.00	-17.17	45.19	36.58	8.53	33.47	102 301 PEAK																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	92.47	-----	-----	80.79	36.55	8.59	33.46	102 301 PEAK																																																																																						
Avg		Level (dBuV/m) Date: 2025-02-10  PART 15.407 AVG Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.94</td><td>45.44</td><td>54.00</td><td>-8.56</td><td>33.79</td><td>36.58</td><td>8.54</td><td>33.47</td><td>102 301 AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5149.94	45.44	54.00	-8.56	33.79	36.58	8.54	33.47	102 301 AVERAGE	Level (dBuV/m) Date: 2025-02-10  PART 15.407 AVG Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>85.90</td><td>-----</td><td>-----</td><td>74.22</td><td>36.55</td><td>8.59</td><td>33.46</td><td>102 301 AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	85.90	-----	-----	74.22	36.55	8.59	33.46	102 301 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5149.94	45.44	54.00	-8.56	33.79	36.58	8.54	33.47	102 301 AVERAGE																																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5180.00	85.90	-----	-----	74.22	36.55	8.59	33.46	102 301 AVERAGE																																																																																						



Mode	10																																																																			
	Band Edge																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																			
ANT	8																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2025-02-10 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5149.94</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>47.69</td><td>36.58</td><td>8.54</td><td>33.47</td><td>147</td><td>0</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5149.94	59.34	74.00	-14.66	47.69	36.58	8.54	33.47	147	0	PEAK	Level (dBuV/m) Date: 2025-02-10 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5180.00</td><td>91.34</td><td>-----</td><td>-----</td><td>79.66</td><td>36.55</td><td>8.59</td><td>33.46</td><td>147</td><td>0</td><td>PEAK</td></tr></tbody></table>	Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5180.00	91.34	-----	-----	79.66	36.55	8.59	33.46	147	0	PEAK
	Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5149.94	59.34	74.00	-14.66	47.69	36.58	8.54	33.47	147	0	PEAK																																																										
Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5180.00	91.34	-----	-----	79.66	36.55	8.59	33.46	147	0	PEAK																																																										
Avg	Level (dBuV/m) Date: 2025-02-10 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5149.94</td><td>45.73</td><td>54.00</td><td>-8.27</td><td>34.08</td><td>36.58</td><td>8.54</td><td>33.47</td><td>147</td><td>0</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5149.94	45.73	54.00	-8.27	34.08	36.58	8.54	33.47	147	0	AVERAGE	Level (dBuV/m) Date: 2025-02-10 <table><thead><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5180.00</td><td>84.54</td><td>-----</td><td>-----</td><td>72.86</td><td>36.55</td><td>8.59</td><td>33.46</td><td>147</td><td>0</td><td>AVERAGE</td></tr></tbody></table>	Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5180.00	84.54	-----	-----	72.86	36.55	8.59	33.46	147	0	AVERAGE
Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5149.94	45.73	54.00	-8.27	34.08	36.58	8.54	33.47	147	0	AVERAGE																																																										
Freq	Level	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1 5180.00	84.54	-----	-----	72.86	36.55	8.59	33.46	147	0	AVERAGE																																																										



Mode	10																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-02-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.33</td><td>68.30</td><td>-20.97</td><td>60.56</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.28</td><td>74.00</td><td>-25.72</td><td>56.76</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2025-02-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>47.88</td><td>68.30</td><td>-20.42</td><td>61.11</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>48.58</td><td>74.00</td><td>-25.42</td><td>57.06</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	47.33	68.30	-20.97	60.56	38.47	12.06	63.76	---	---	Peak	2	15540.00	48.28	74.00	-25.72	56.76	41.32	14.58	64.38	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	47.88	68.30	-20.42	61.11	38.47	12.06	63.76	---	---	Peak	2	15540.00	48.58	74.00	-25.42	57.06	41.32	14.58	64.38	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10360.00	47.33	68.30	-20.97	60.56	38.47	12.06	63.76	---	---	Peak																																																																																																									
2	15540.00	48.28	74.00	-25.72	56.76	41.32	14.58	64.38	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	10360.00	47.88	68.30	-20.42	61.11	38.47	12.06	63.76	---	---	Peak																																																																																																									
2	15540.00	48.58	74.00	-25.42	57.06	41.32	14.58	64.38	---	---	Peak																																																																																																									



Mode	11																																																																	
	Harmonic																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH44_Full RU_5220MHz																																																																	
ANT	8																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10440.00</td><td>47.36</td><td>68.30</td><td>-20.94</td><td>60.47</td><td>38.49</td><td>12.12 63.72</td></tr><tr><td>2</td><td>15660.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>55.43</td><td>41.40</td><td>14.64 64.46</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10440.00	47.36	68.30	-20.94	60.47	38.49	12.12 63.72	2	15660.00	47.01	74.00	-26.99	55.43	41.40	14.64 64.46	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10440.00</td><td>46.44</td><td>68.30</td><td>-21.86</td><td>59.55</td><td>38.49</td><td>12.12 63.72</td></tr><tr><td>2</td><td>15660.00</td><td>48.71</td><td>74.00</td><td>-25.29</td><td>57.13</td><td>41.40</td><td>14.64 64.46</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10440.00	46.44	68.30	-21.86	59.55	38.49	12.12 63.72	2	15660.00	48.71	74.00	-25.29	57.13	41.40	14.64 64.46
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																										
1	10440.00	47.36	68.30	-20.94	60.47	38.49	12.12 63.72																																																											
2	15660.00	47.01	74.00	-26.99	55.43	41.40	14.64 64.46																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
1	10440.00	46.44	68.30	-21.86	59.55	38.49	12.12 63.72																																																											
2	15660.00	48.71	74.00	-25.29	57.13	41.40	14.64 64.46																																																											



Mode	12																																																																																															
	Harmonic																																																																																															
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full RU_5240MHz																																																																																															
ANT	8																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10480.00</td><td>46.21</td><td>68.30</td><td>-22.09</td><td>59.27</td><td>38.50</td><td>12.15</td><td>63.71</td></tr><tr><td>2 15720.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>57.35</td><td>41.43</td><td>14.66</td><td>64.50</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10480.00	46.21	68.30	-22.09	59.27	38.50	12.15	63.71	2 15720.00	48.94	74.00	-25.06	57.35	41.43	14.66	64.50	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 10480.00</td><td>47.13</td><td>68.30</td><td>-21.17</td><td>60.19</td><td>38.50</td><td>12.15</td><td>63.71</td></tr><tr><td>2 15720.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>55.96</td><td>41.43</td><td>14.66</td><td>64.50</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10480.00	47.13	68.30	-21.17	60.19	38.50	12.15	63.71	2 15720.00	47.55	74.00	-26.45	55.96	41.43	14.66	64.50
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10480.00	46.21	68.30	-22.09	59.27	38.50	12.15	63.71																																																																																									
2 15720.00	48.94	74.00	-25.06	57.35	41.43	14.66	64.50																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 10480.00	47.13	68.30	-21.17	60.19	38.50	12.15	63.71																																																																																									
2 15720.00	47.55	74.00	-26.45	55.96	41.43	14.66	64.50																																																																																									
<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>---</td><td>---</td></tr><tr><td>---</td><td>Peak</td></tr></tbody></table>									Remark	---	---	---	Peak	<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>---</td><td>---</td></tr><tr><td>---</td><td>Peak</td></tr></tbody></table>									Remark	---	---	---	Peak																																																																					
	Remark																																																																																															
---	---																																																																																															
---	Peak																																																																																															
	Remark																																																																																															
---	---																																																																																															
---	Peak																																																																																															







Mode	13																																																																					
	Harmonic																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full RU_5260MHz																																																																					
ANT	8																																																																					
Pol.	Horizontal																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-02-16 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10520.00</td><td>47.01</td><td>68.30</td><td>-21.29</td><td>60.02</td><td>38.50</td><td>12.18</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.46</td><td>74.00</td><td>-25.54</td><td>56.85</td><td>41.47</td><td>14.69</td><td>64.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10520.00	47.01	68.30	-21.29	60.02	38.50	12.18	63.69	---	---	Peak	2	15780.00	48.46	74.00	-25.54	56.85	41.47	14.69	64.55	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	10520.00	47.01	68.30	-21.29	60.02	38.50	12.18	63.69	---	---	Peak																																																											
2	15780.00	48.46	74.00	-25.54	56.85	41.47	14.69	64.55	---	---	Peak																																																											
Level (dBuV/m) Date: 2025-02-16 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.45</td><td>68.30</td><td>-21.85</td><td>59.46</td><td>38.50</td><td>12.18</td><td>63.69</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>49.62</td><td>74.00</td><td>-24.38</td><td>58.01</td><td>41.47</td><td>14.69</td><td>64.55</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10520.00	46.45	68.30	-21.85	59.46	38.50	12.18	63.69	---	---	Peak	2	15780.00	49.62	74.00	-24.38	58.01	41.47	14.69	64.55	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	10520.00	46.45	68.30	-21.85	59.46	38.50	12.18	63.69	---	---	Peak																																																											
2	15780.00	49.62	74.00	-24.38	58.01	41.47	14.69	64.55	---	---	Peak																																																											



Mode	14																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_Full RU_5300MHz																																																																																																																					
ANT	8																																																																																																																					
Pol.	Horizontal								Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)																																																																																																													
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.81</td><td>74.00</td><td>-27.19</td><td>59.72</td><td>38.52</td><td>12.23</td><td>63.66</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>53.86</td><td>41.54</td><td>14.75</td><td>64.63</td><td>---</td><td>Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.81	74.00	-27.19	59.72	38.52	12.23	63.66	---	Peak	2	15900.00	45.52	74.00	-28.48	53.86	41.54	14.75	64.63	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>46.78</td><td>74.00</td><td>-27.22</td><td>59.69</td><td>38.52</td><td>12.23</td><td>63.66</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>55.78</td><td>41.54</td><td>14.75</td><td>64.63</td><td>---</td><td>Peak</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	46.78	74.00	-27.22	59.69	38.52	12.23	63.66	---	Peak	2	15900.00	47.44	74.00	-26.56	55.78	41.54	14.75	64.63	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10600.00	46.81	74.00	-27.19	59.72	38.52	12.23	63.66	---	Peak																																																																																																												
2	15900.00	45.52	74.00	-28.48	53.86	41.54	14.75	64.63	---	Peak																																																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	10600.00	46.78	74.00	-27.22	59.69	38.52	12.23	63.66	---	Peak																																																																																																												
2	15900.00	47.44	74.00	-26.56	55.78	41.54	14.75	64.63	---	Peak																																																																																																												





		15																																																																																							
Mode		Band Edge																																																																																							
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																																							
ANT		8																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-10  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-10  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.38</td><td>53.45</td><td>74.00</td><td>-20.55</td><td>41.09</td><td>36.42</td><td>9.37</td><td>33.43</td><td>191 351 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5350.38	53.45	74.00	-20.55	41.09	36.42	9.37	33.43	191 351 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>87.50</td><td>-----</td><td>-----</td><td>75.29</td><td>36.44</td><td>9.21</td><td>33.44</td><td>191 351 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	87.50	-----	-----	75.29	36.44	9.21	33.44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5350.38	53.45	74.00	-20.55	41.09	36.42	9.37	33.43	191 351 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	87.50	-----	-----	75.29	36.44	9.21	33.44	191 351 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-10  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-10  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.22</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>29.87</td><td>36.42</td><td>9.37</td><td>33.43</td><td>191 351 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5351.22	42.23	54.00	-11.77	29.87	36.42	9.37	33.43	191 351 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>81.32</td><td>-----</td><td>-----</td><td>69.11</td><td>36.44</td><td>9.21</td><td>33.44</td><td>191 351 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	81.32	-----	-----	69.11	36.44	9.21	33.44
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5351.22	42.23	54.00	-11.77	29.87	36.42	9.37	33.43	191 351 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5320.00	81.32	-----	-----	69.11	36.44	9.21	33.44	191 351 AVERAGE																																																																																







Mode	15																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																									
ANT	8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5351.08</td><td>55.33</td><td>74.00</td><td>-18.67</td><td>42.97</td><td>36.42</td><td>9.37</td><td>33.43</td><td>249 10 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5351.08	55.33	74.00	-18.67	42.97	36.42	9.37	33.43	249 10 PEAK	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>89.97</td><td>-----</td><td>-----</td><td>77.76</td><td>36.44</td><td>9.21</td><td>33.44</td><td>249 10 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	89.97	-----	-----	77.76	36.44	9.21	33.44	249 10 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5351.08	55.33	74.00	-18.67	42.97	36.42	9.37	33.43	249 10 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	89.97	-----	-----	77.76	36.44	9.21	33.44	249 10 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5350.24</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>31.38</td><td>36.42</td><td>9.37</td><td>33.43</td><td>249 10 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5350.24	43.74	54.00	-10.26	31.38	36.42	9.37	33.43	249 10 AVERAGE	Level (dBuV/m) Date: 2025-02-10 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5320.00</td><td>83.52</td><td>-----</td><td>-----</td><td>71.31</td><td>36.44</td><td>9.21</td><td>33.44</td><td>249 10 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	83.52	-----	-----	71.31	36.44	9.21	33.44	249 10 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5350.24	43.74	54.00	-10.26	31.38	36.42	9.37	33.43	249 10 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5320.00	83.52	-----	-----	71.31	36.44	9.21	33.44	249 10 AVERAGE																																																																		







Mode	15																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																																																																																			
ANT	8																																																																																																																																			
Pol.	Horizontal					Vertical																																																																																																																														
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>47.49</td><td>74.00</td><td>-26.51</td><td>60.34</td><td>38.53</td><td>12.26</td><td>63.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>55.12</td><td>41.58</td><td>14.77</td><td>64.67</td><td>100</td><td>49</td><td>Peak</td></tr><tr><td>3 15960.00</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>52.65</td><td>41.58</td><td>14.77</td><td>64.67</td><td>100</td><td>49</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	47.49	74.00	-26.51	60.34	38.53	12.26	63.64	---	---	Peak	2 15960.00	46.80	74.00	-27.20	55.12	41.58	14.77	64.67	100	49	Peak	3 15960.00	44.33	54.00	-9.67	52.65	41.58	14.77	64.67	100	49	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>60.71</td><td>38.53</td><td>12.26</td><td>63.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 15960.00</td><td>55.50</td><td>74.00</td><td>-18.50</td><td>63.82</td><td>41.58</td><td>14.77</td><td>64.67</td><td>149</td><td>62</td><td>Peak</td></tr><tr><td>3 15960.00</td><td>47.25</td><td>54.00</td><td>-6.75</td><td>55.57</td><td>41.58</td><td>14.77</td><td>64.67</td><td>149</td><td>62</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	47.86	74.00	-26.14	60.71	38.53	12.26	63.64	---	---	Peak	2 15960.00	55.50	74.00	-18.50	63.82	41.58	14.77	64.67	149	62	Peak	3 15960.00	47.25	54.00	-6.75	55.57	41.58	14.77	64.67	149	62	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 10640.00	47.49	74.00	-26.51	60.34	38.53	12.26	63.64	---	---	Peak																																																																																																																										
2 15960.00	46.80	74.00	-27.20	55.12	41.58	14.77	64.67	100	49	Peak																																																																																																																										
3 15960.00	44.33	54.00	-9.67	52.65	41.58	14.77	64.67	100	49	Average																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1 10640.00	47.86	74.00	-26.14	60.71	38.53	12.26	63.64	---	---	Peak																																																																																																																										
2 15960.00	55.50	74.00	-18.50	63.82	41.58	14.77	64.67	149	62	Peak																																																																																																																										
3 15960.00	47.25	54.00	-6.75	55.57	41.58	14.77	64.67	149	62	Average																																																																																																																										



Mode	16																																																																																																											
	Band Edge																																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full RU_5500MHz																																																																																																											
ANT	8																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																					
Peak	Level (dBuV/m) Date: 2025-02-10  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.80</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>38.98</td><td>36.34</td><td>9.68</td><td>33.41</td><td>400</td><td>352</td><td>PEAK</td></tr><tr><td>2</td><td>5465.35</td><td>50.53</td><td>68.30</td><td>-17.77</td><td>37.92</td><td>36.33</td><td>9.69</td><td>33.41</td><td>400</td><td>352</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5453.80	51.59	74.00	-22.41	38.98	36.34	9.68	33.41	400	352	PEAK	2	5465.35	50.53	68.30	-17.77	37.92	36.33	9.69	33.41	400	352	PEAK	Level (dBuV/m) Date: 2025-02-10  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>83.11</td><td>-----</td><td>-----</td><td>70.50</td><td>36.30</td><td>9.71</td><td>33.40</td><td>400</td><td>352</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	83.11	-----	-----	70.50	36.30	9.71	33.40	400	352	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5453.80	51.59	74.00	-22.41	38.98	36.34	9.68	33.41	400	352	PEAK																																																																																																	
2	5465.35	50.53	68.30	-17.77	37.92	36.33	9.69	33.41	400	352	PEAK																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	83.11	-----	-----	70.50	36.30	9.71	33.40	400	352	PEAK																																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-10  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5421.70</td><td>41.58</td><td>54.00</td><td>-12.42</td><td>28.97</td><td>36.36</td><td>9.67</td><td>33.42</td><td>400</td><td>352</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5421.70	41.58	54.00	-12.42	28.97	36.36	9.67	33.42	400	352	AVERAGE	Level (dBuV/m) Date: 2025-02-10  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>77.03</td><td>-----</td><td>-----</td><td>64.42</td><td>36.30</td><td>9.71</td><td>33.40</td><td>400</td><td>352</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5500.00	77.03	-----	-----	64.42	36.30	9.71	33.40	400	352	AVERAGE												
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5421.70	41.58	54.00	-12.42	28.97	36.36	9.67	33.42	400	352	AVERAGE																																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	77.03	-----	-----	64.42	36.30	9.71	33.40	400	352	AVERAGE																																																																																																	



		16																																																																																												
Mode		Band Edge																																																																																												
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full RU_5500MHz																																																																																												
ANT		8																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5405.80	52.04	74.00	-21.96	39.43	36.38	9.65	33.42	253 360 PEAK	2	5461.60	51.41	68.30	-16.89	38.80	36.33	9.69	33.41	253 360 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	88.46	-----	-----	75.85	36.30	9.71	33.40	253 360 PEAK				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5405.80	52.04	74.00	-21.96	39.43	36.38	9.65	33.42	253 360 PEAK																																																																																					
2	5461.60	51.41	68.30	-16.89	38.80	36.33	9.69	33.41	253 360 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5500.00	88.46	-----	-----	75.85	36.30	9.71	33.40	253 360 PEAK																																																																																					
Avg																																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.05	41.73	54.00	-12.27	29.12	36.33	9.69	33.41	253 360 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5500.00	82.25	-----	-----	69.64	36.30	9.71	33.40	253 360 AVERAGE														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5459.05	41.73	54.00	-12.27	29.12	36.33	9.69	33.41	253 360 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5500.00	82.25	-----	-----	69.64	36.30	9.71	33.40	253 360 AVERAGE																																																																																					



Mode	16																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full RU_5500MHz																																																																															
ANT	8																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11000.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>60.19</td><td>38.60</td><td>12.52 63.50 --- --- Peak</td></tr><tr><td>2</td><td>16500.00</td><td>58.96</td><td>68.30</td><td>-9.34</td><td>66.59</td><td>41.95</td><td>15.17 64.75 199 215 Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11000.00	47.81	74.00	-26.19	60.19	38.60	12.52 63.50 --- --- Peak	2	16500.00	58.96	68.30	-9.34	66.59	41.95	15.17 64.75 199 215 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11000.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>60.56</td><td>38.60</td><td>12.52 63.50 --- --- Peak</td></tr><tr><td>2</td><td>16500.00</td><td>61.90</td><td>68.30</td><td>-6.40</td><td>69.53</td><td>41.95</td><td>15.17 64.75 153 35 Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11000.00	48.18	74.00	-25.82	60.56	38.60	12.52 63.50 --- --- Peak	2	16500.00	61.90	68.30	-6.40	69.53	41.95	15.17 64.75 153 35 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																								
1	11000.00	47.81	74.00	-26.19	60.19	38.60	12.52 63.50 --- --- Peak																																																																									
2	16500.00	58.96	68.30	-9.34	66.59	41.95	15.17 64.75 199 215 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
1	11000.00	48.18	74.00	-25.82	60.56	38.60	12.52 63.50 --- --- Peak																																																																									
2	16500.00	61.90	68.30	-6.40	69.53	41.95	15.17 64.75 153 35 Peak																																																																									



Mode	17																																																																					
	Harmonic																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_Full RU_5580MHz																																																																					
ANT	8																																																																					
Pol.	Horizontal																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz)																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11160.00</td><td>48.67</td><td>74.00</td><td>-25.33</td><td>60.85</td><td>38.79</td><td>12.64</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>60.11</td><td>68.30</td><td>-8.19</td><td>67.41</td><td>42.12</td><td>15.35</td><td>64.77</td><td>201</td><td>314</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11160.00	48.67	74.00	-25.33	60.85	38.79	12.64	63.61	---	---	Peak	2	16740.00	60.11	68.30	-8.19	67.41	42.12	15.35	64.77	201	314	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11160.00	48.67	74.00	-25.33	60.85	38.79	12.64	63.61	---	---	Peak																																																											
2	16740.00	60.11	68.30	-8.19	67.41	42.12	15.35	64.77	201	314	Peak																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11160.00</td><td>48.58</td><td>74.00</td><td>-25.42</td><td>60.76</td><td>38.79</td><td>12.64</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>61.85</td><td>68.30</td><td>-6.45</td><td>69.15</td><td>42.12</td><td>15.35</td><td>64.77</td><td>131</td><td>20</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11160.00	48.58	74.00	-25.42	60.76	38.79	12.64	63.61	---	---	Peak	2	16740.00	61.85	68.30	-6.45	69.15	42.12	15.35	64.77	131	20	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11160.00	48.58	74.00	-25.42	60.76	38.79	12.64	63.61	---	---	Peak																																																											
2	16740.00	61.85	68.30	-6.45	69.15	42.12	15.35	64.77	131	20	Peak																																																											
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11160.00</td><td>48.58</td><td>74.00</td><td>-25.42</td><td>60.76</td><td>38.79</td><td>12.64</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>61.85</td><td>68.30</td><td>-6.45</td><td>69.15</td><td>42.12</td><td>15.35</td><td>64.77</td><td>131</td><td>20</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11160.00	48.58	74.00	-25.42	60.76	38.79	12.64	63.61	---	---	Peak	2	16740.00	61.85	68.30	-6.45	69.15	42.12	15.35	64.77	131	20	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1	11160.00	48.58	74.00	-25.42	60.76	38.79	12.64	63.61	---	---	Peak																																																											
2	16740.00	61.85	68.30	-6.45	69.15	42.12	15.35	64.77	131	20	Peak																																																											





Mode	18																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full RU_5700MHz																																																																																			
ANT	8																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.22</td><td>54.36</td><td>68.30</td><td>-13.94</td><td>41.26</td><td>36.53</td><td>10.02</td><td>33.45</td><td>100</td><td>326 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.22	54.36	68.30	-13.94	41.26	36.53	10.02	33.45	100	326 PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>83.54</td><td>-----</td><td>-----</td><td>70.51</td><td>36.50</td><td>9.97</td><td>33.44</td><td>100</td><td>326 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	83.54	-----	-----	70.51	36.50	9.97	33.44	100	326 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5725.22	54.36	68.30	-13.94	41.26	36.53	10.02	33.45	100	326 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	83.54	-----	-----	70.51	36.50	9.97	33.44	100	326 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>77.77</td><td>-----</td><td>-----</td><td>64.74</td><td>36.50</td><td>9.97</td><td>33.44</td><td>100</td><td>326 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	77.77	-----	-----	64.74	36.50	9.97	33.44	100	326 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	77.77	-----	-----	64.74	36.50	9.97	33.44	100	326 AVERAGE																																																																										







Mode	18																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full RU_5700MHz																																																																																		
ANT	8																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.59</td><td>59.41</td><td>68.30</td><td>-8.89</td><td>46.31</td><td>36.53</td><td>10.02</td><td>33.45</td><td>200</td><td>52 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>87.82</td><td>-----</td><td>74.79</td><td>36.50</td><td>9.97</td><td>33.44</td><td>200</td><td>52 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5726.59	59.41	68.30	-8.89	46.31	36.53	10.02	33.45	200	52 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	87.82	-----	74.79	36.50	9.97	33.44	200	52 PEAK	
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5726.59	59.41	68.30	-8.89	46.31	36.53	10.02	33.45	200	52 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	87.82	-----	74.79	36.50	9.97	33.44	200	52 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>82.05</td><td>-----</td><td>69.02</td><td>36.50</td><td>9.97</td><td>33.44</td><td>200</td><td>52 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	82.05	-----	69.02	36.50	9.97	33.44	200	52 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																													
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	5700.00	82.05	-----	69.02	36.50	9.97	33.44	200	52 AVERAGE																																																																										



Mode	18																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full RU_5700MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-02-16 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>59.63</td><td>39.08</td><td>12.81</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>59.65</td><td>68.30</td><td>-8.65</td><td>66.53</td><td>42.41</td><td>15.62</td><td>64.91</td><td>231</td><td>52</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	47.74	74.00	-26.26	59.63	39.08	12.81	63.78	---	---	Peak	2	17100.00	59.65	68.30	-8.65	66.53	42.41	15.62	64.91	231	52	Peak	Level (dBuV/m) Date: 2025-02-16 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>59.60</td><td>39.08</td><td>12.81</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>61.92</td><td>68.30</td><td>-6.38</td><td>68.80</td><td>42.41</td><td>15.62</td><td>64.91</td><td>147</td><td>8</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	47.71	74.00	-26.29	59.60	39.08	12.81	63.78	---	---	Peak	2	17100.00	61.92	68.30	-6.38	68.80	42.41	15.62	64.91	147	8	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11400.00	47.74	74.00	-26.26	59.63	39.08	12.81	63.78	---	---	Peak																																																																																																									
2	17100.00	59.65	68.30	-8.65	66.53	42.41	15.62	64.91	231	52	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11400.00	47.71	74.00	-26.29	59.60	39.08	12.81	63.78	---	---	Peak																																																																																																									
2	17100.00	61.92	68.30	-6.38	68.80	42.41	15.62	64.91	147	8	Peak																																																																																																									



		19																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																																																							
ANT		8																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.34</td><td>58.72</td><td>74.00</td><td>-15.28</td><td>47.08</td><td>36.58</td><td>8.53</td><td>33.47</td><td>222</td><td>53 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.34	58.72	74.00	-15.28	47.08	36.58	8.53	33.47	222	53 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>86.72</td><td>-----</td><td>-----</td><td>75.02</td><td>36.55</td><td>8.61</td><td>33.46</td><td>222</td><td>53 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5190.00	86.72	-----	-----	75.02	36.55	8.61	33.46	222
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5149.34	58.72	74.00	-15.28	47.08	36.58	8.53	33.47	222	53 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5190.00	86.72	-----	-----	75.02	36.55	8.61	33.46	222	53 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-11  Frequency (MHz)																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.91</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>36.88</td><td>36.58</td><td>8.54</td><td>33.47</td><td>222</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.91	48.53	54.00	-5.47	36.88	36.58	8.54	33.47	222	53 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5190.00</td><td>79.96</td><td>-----</td><td>-----</td><td>68.26</td><td>36.55</td><td>8.61</td><td>33.46</td><td>222</td><td>53 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5190.00	79.96	-----	-----	68.26	36.55	8.61	33.46	222
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5149.91	48.53	54.00	-5.47	36.88	36.58	8.54	33.47	222	53 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5190.00	79.96	-----	-----	68.26	36.55	8.61	33.46	222	53 AVERAGE																																																																																





Mode	19																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																										
ANT	8																																										
Pol.	Horizontal	Fundamental																																									
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.74</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>39.07</td><td>36.36</td><td>9.67</td><td>33.42</td><td>222</td><td>53 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5422.74	51.68	74.00	-22.32	39.07	36.36	9.67	33.42	222	53 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5422.74	51.68	74.00	-22.32	39.07	36.36	9.67	33.42	222	53 PEAK																																	
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5440.56</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>29.55</td><td>36.35</td><td>9.68</td><td>33.41</td><td>222</td><td>53 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5440.56	42.17	54.00	-11.83	29.55	36.35	9.68	33.41	222	53 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5440.56	42.17	54.00	-11.83	29.55	36.35	9.68	33.41	222	53 AVERAGE																																	



Mode	19																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																																									
ANT	8																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5148.77</td><td>57.71</td><td>74.00</td><td>-16.29</td><td>46.07</td><td>36.58</td><td>8.53</td><td>33.47</td><td>235 72 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5148.77	57.71	74.00	-16.29	46.07	36.58	8.53	33.47	235 72 PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5190.00</td><td>88.70</td><td>-----</td><td>-----</td><td>77.00</td><td>36.55</td><td>8.61</td><td>33.46</td><td>235 72 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	88.70	-----	-----	77.00	36.55	8.61	33.46	235 72 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5148.77	57.71	74.00	-16.29	46.07	36.58	8.53	33.47	235 72 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5190.00	88.70	-----	-----	77.00	36.55	8.61	33.46	235 72 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.91</td><td>48.93</td><td>54.00</td><td>-5.07</td><td>37.28</td><td>36.58</td><td>8.54</td><td>33.47</td><td>235 72 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.91	48.93	54.00	-5.07	37.28	36.58	8.54	33.47	235 72 AVERAGE	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5190.00</td><td>81.06</td><td>-----</td><td>-----</td><td>69.36</td><td>36.54</td><td>8.62</td><td>33.46</td><td>235 72 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5190.00	81.06	-----	-----	69.36	36.54	8.62	33.46	235 72 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.91	48.93	54.00	-5.07	37.28	36.58	8.54	33.47	235 72 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5190.00	81.06	-----	-----	69.36	36.54	8.62	33.46	235 72 AVERAGE																																																																		



Mode	19																																																																	
	Harmonic																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full RU_5190MHz																																																																	
ANT	8																																																																	
Pol.	Horizontal	Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-25  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10380.00</td><td>46.80</td><td>68.30</td><td>-21.50</td><td>59.99</td><td>38.48</td><td>12.08</td></tr><tr><td>2</td><td>15570.00</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>56.41</td><td>41.34</td><td>14.60</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10380.00	46.80	68.30	-21.50	59.99	38.48	12.08	2	15570.00	47.95	74.00	-26.05	56.41	41.34	14.60	Level (dBuV/m) Date: 2025-02-25  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10380.00</td><td>45.99</td><td>68.30</td><td>-22.31</td><td>59.18</td><td>38.48</td><td>12.08</td></tr><tr><td>2</td><td>15570.00</td><td>48.70</td><td>74.00</td><td>-25.30</td><td>57.16</td><td>41.34</td><td>14.60</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10380.00	45.99	68.30	-22.31	59.18	38.48	12.08	2	15570.00	48.70	74.00	-25.30	57.16	41.34	14.60
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																										
1	10380.00	46.80	68.30	-21.50	59.99	38.48	12.08																																																											
2	15570.00	47.95	74.00	-26.05	56.41	41.34	14.60																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
1	10380.00	45.99	68.30	-22.31	59.18	38.48	12.08																																																											
2	15570.00	48.70	74.00	-25.30	57.16	41.34	14.60																																																											



		20																																																																																																
Mode		Band Edge - L																																																																																																
		U-NII-1_5.15-5.25_802.11n HT40_CH46_Full RU_5230MHz																																																																																																
ANT		8																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5072.91</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>39.96</td><td>36.64</td><td>8.39</td><td>33.49</td><td>100</td><td>44 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>84.54</td><td>-----</td><td>-----</td><td>72.73</td><td>36.52</td><td>8.74</td><td>33.45</td><td>100</td><td>44 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5072.91	51.50	74.00	-22.50	39.96	36.64	8.39	33.49	100	44 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5230.00	84.54	-----	-----	72.73	36.52	8.74	33.45	100	44 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5072.91	51.50	74.00	-22.50	39.96	36.64	8.39	33.49	100	44 PEAK																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	84.54	-----	-----	72.73	36.52	8.74	33.45	100	44 PEAK																																																																																								
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5000.92</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>31.20</td><td>36.70</td><td>8.34</td><td>33.50</td><td>100</td><td>44 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>77.78</td><td>-----</td><td>-----</td><td>65.97</td><td>36.52</td><td>8.74</td><td>33.45</td><td>100</td><td>44 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5000.92	42.74	54.00	-11.26	31.20	36.70	8.34	33.50	100	44 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5230.00	77.78	-----	-----	65.97	36.52	8.74	33.45	100	44 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5000.92	42.74	54.00	-11.26	31.20	36.70	8.34	33.50	100	44 AVERAGE																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	77.78	-----	-----	65.97	36.52	8.74	33.45	100	44 AVERAGE																																																																																								



Mode	20																																										
	Band Edge - R																																										
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full RU_5230MHz																																										
ANT	8																																										
Pol.	Horizontal	Fundamental																																									
Peak	Date: 2025-02-11 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.31</td><td>51.13</td><td>74.00</td><td>-22.87</td><td>38.51</td><td>36.35</td><td>9.68</td><td>33.41</td><td>100</td><td>44 PEAK</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5436.31	51.13	74.00	-22.87	38.51	36.35	9.68	33.41	100	44 PEAK	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5436.31	51.13	74.00	-22.87	38.51	36.35	9.68	33.41	100	44 PEAK																																	
Avg	Date: 2025-02-11 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.99</td><td>42.08</td><td>54.00</td><td>-11.92</td><td>29.53</td><td>36.38</td><td>9.59</td><td>33.42</td><td>100</td><td>44 AVERAGE</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5393.99	42.08	54.00	-11.92	29.53	36.38	9.59	33.42	100	44 AVERAGE	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5393.99	42.08	54.00	-11.92	29.53	36.38	9.59	33.42	100	44 AVERAGE																																	



Mode	20	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full RU_5230MHz	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-02-11 1 5133.63 51.08 74.00 -22.92 39.45 36.59 8.51 33.47 149 0 PEAK	Level (dBuV/m) Date: 2025-02-11 1 5230.00 87.14 ----- 75.33 36.52 8.74 33.45 149 0 PEAK
	Level (dBuV/m) Date: 2025-02-11 1 5025.53 42.66 54.00 -11.34 31.16 36.68 8.31 33.49 149 0 AVERAGE	Level (dBuV/m) Date: 2025-02-11 1 5230.00 80.36 ----- 68.55 36.52 8.74 33.45 149 0 AVERAGE



		21																																																																																		
Mode		Band Edge - L																																																																																		
		U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full RU_5270MHz																																																																																		
ANT		8																																																																																		
Pol.		Horizontal					Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5048.06</td><td>51.37</td><td>74.00</td><td>-22.63</td><td>39.85</td><td>36.66</td><td>8.35</td><td>33.49</td><td>100 45 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5048.06	51.37	74.00	-22.63	39.85	36.66	8.35	33.49	100 45 PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>82.38</td><td>-----</td><td>-----</td><td>70.41</td><td>36.49</td><td>8.93</td><td>33.45</td><td>100 45 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	82.38	-----	-----	70.41	36.49	8.93	33.45	100 45 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5048.06	51.37	74.00	-22.63	39.85	36.66	8.35	33.49	100 45 PEAK																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5270.00	82.38	-----	-----	70.41	36.49	8.93	33.45	100 45 PEAK																																																																											
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5031.59</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>31.45</td><td>36.67</td><td>8.32</td><td>33.49</td><td>100 45 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5031.59	42.95	54.00	-11.05	31.45	36.67	8.32	33.49	100 45 AVERAGE	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>74.84</td><td>-----</td><td>-----</td><td>62.85</td><td>36.48</td><td>8.96</td><td>33.45</td><td>100 45 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	74.84	-----	-----	62.85	36.48	8.96	33.45	100 45 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5031.59	42.95	54.00	-11.05	31.45	36.67	8.32	33.49	100 45 AVERAGE																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5270.00	74.84	-----	-----	62.85	36.48	8.96	33.45	100 45 AVERAGE																																																																											



Mode	21									
	Band Edge - R									
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full RU_5270MHz									
ANT	8									
Pol.	Horizontal					Fundamental				
Peak	Level (dBuV/m)									



		21																																																																																									
Mode		Band Edge - L																																																																																									
		U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full RU_5270MHz																																																																																									
ANT		8																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5094.77</td><td>51.86</td><td>74.00</td><td>-22.14</td><td>40.29</td><td>36.62</td><td>8.43</td><td>33.48</td><td>124</td><td>360</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5094.77	51.86	74.00	-22.14	40.29	36.62	8.43	33.48	124	360	PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>86.79</td><td>-----</td><td>-----</td><td>74.80</td><td>36.48</td><td>8.96</td><td>33.45</td><td>124</td><td>360</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5270.00	86.79	-----	-----	74.80	36.48	8.96	33.45	124	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5094.77	51.86	74.00	-22.14	40.29	36.62	8.43	33.48	124	360	PEAK																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5270.00	86.79	-----	-----	74.80	36.48	8.96	33.45	124	360	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5040.23</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>31.54</td><td>36.67</td><td>8.33</td><td>33.49</td><td>124</td><td>360</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5040.23	43.05	54.00	-10.95	31.54	36.67	8.33	33.49	124	360	AVERAGE	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>78.52</td><td>-----</td><td>-----</td><td>66.55</td><td>36.49</td><td>8.93</td><td>33.45</td><td>124</td><td>360</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5270.00	78.52	-----	-----	66.55	36.49	8.93	33.45	124	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5040.23	43.05	54.00	-10.95	31.54	36.67	8.33	33.49	124	360	AVERAGE																																																																																
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5270.00	78.52	-----	-----	66.55	36.49	8.93	33.45	124	360	AVERAGE																																																																																



Mode	22																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full RU_5310MHz																																																																											
ANT	8																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5096.10</td><td>51.57</td><td>74.00</td><td>-22.43</td><td>39.99</td><td>36.62</td><td>8.44</td><td>33.48</td><td>310 360 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5096.10	51.57	74.00	-22.43	39.99	36.62	8.44	33.48	310 360 PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>81.20</td><td>-----</td><td>-----</td><td>69.04</td><td>36.45</td><td>9.15</td><td>33.44</td><td>310 360 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	81.20	-----	-----	69.04	36.45	9.15	33.44	310 360 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5096.10	51.57	74.00	-22.43	39.99	36.62	8.44	33.48	310 360 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5310.00	81.20	-----	-----	69.04	36.45	9.15	33.44	310 360 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5101.06</td><td>42.77</td><td>54.00</td><td>-11.23</td><td>31.18</td><td>36.62</td><td>8.45</td><td>33.48</td><td>310 360 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5101.06	42.77	54.00	-11.23	31.18	36.62	8.45	33.48	310 360 AVERAGE	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>74.81</td><td>-----</td><td>-----</td><td>62.62</td><td>36.45</td><td>9.18</td><td>33.44</td><td>310 360 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	74.81	-----	-----	62.62	36.45	9.18	33.44	310 360 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5101.06	42.77	54.00	-11.23	31.18	36.62	8.45	33.48	310 360 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5310.00	74.81	-----	-----	62.62	36.45	9.18	33.44	310 360 AVERAGE																																																																			



Mode	22																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full RU_5310MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5358.15</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>40.28</td><td>36.41</td><td>9.41</td><td>33.43</td><td>310 360 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5358.15	52.67	74.00	-21.33	40.28	36.41	9.41	33.43	310 360 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5358.15	52.67	74.00	-21.33	40.28	36.41	9.41	33.43	310 360 PEAK																																	
Avg	Date: 2025-02-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.05</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>30.93</td><td>36.42</td><td>9.37</td><td>33.43</td><td>310 360 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	43.29	54.00	-10.71	30.93	36.42	9.37	33.43	310 360 AVERAGE	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.05	43.29	54.00	-10.71	30.93	36.42	9.37	33.43	310 360 AVERAGE																																	



Mode	22																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full RU_5310MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5110.98</td><td>51.56</td><td>74.00</td><td>-22.44</td><td>39.97</td><td>36.61</td><td>8.46</td><td>33.48</td><td>218</td><td>20 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5110.98	51.56	74.00	-22.44	39.97	36.61	8.46	33.48	218	20 PEAK	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>86.49</td><td>-----</td><td>-----</td><td>74.30</td><td>36.45</td><td>9.18</td><td>33.44</td><td>218</td><td>20 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	86.49	-----	-----	74.30	36.45	9.18	33.44	218	20 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5110.98	51.56	74.00	-22.44	39.97	36.61	8.46	33.48	218	20 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5310.00	86.49	-----	-----	74.30	36.45	9.18	33.44	218	20 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5070.68</td><td>42.86</td><td>54.00</td><td>-11.14</td><td>31.32</td><td>36.64</td><td>8.39</td><td>33.49</td><td>218</td><td>20 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5070.68	42.86	54.00	-11.14	31.32	36.64	8.39	33.49	218	20 AVERAGE	Level (dBuV/m) Date: 2025-02-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>79.89</td><td>-----</td><td>-----</td><td>67.73</td><td>36.45</td><td>9.15</td><td>33.44</td><td>218</td><td>20 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5310.00	79.89	-----	-----	67.73	36.45	9.15	33.44	218	20 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5070.68	42.86	54.00	-11.14	31.32	36.64	8.39	33.49	218	20 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5310.00	79.89	-----	-----	67.73	36.45	9.15	33.44	218	20 AVERAGE																																																																																		



Mode	22																																									
	Band Edge - R																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full RU_5310MHz																																									
ANT	8																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-02-11 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.35</td><td>59.11</td><td>74.00</td><td>-14.89</td><td>46.70</td><td>36.41</td><td>9.43</td><td>33.43</td><td>218 20 PEAK</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5362.35	59.11	74.00	-14.89	46.70	36.41	9.43	33.43	218 20 PEAK	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5362.35	59.11	74.00	-14.89	46.70	36.41	9.43	33.43	218 20 PEAK																																	
Avg	Date: 2025-02-11 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>47.04</td><td>54.00</td><td>-6.96</td><td>34.68</td><td>36.42</td><td>9.37</td><td>33.43</td><td>218 20 AVERAGE</td></tr></table> Blank		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.35	47.04	54.00	-6.96	34.68	36.42	9.37	33.43	218 20 AVERAGE	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5350.35	47.04	54.00	-6.96	34.68	36.42	9.37	33.43	218 20 AVERAGE																																	



Mode	23																																																																																											
	Band Edge - L																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full RU_5510MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.96</td><td>53.04</td><td>74.00</td><td>-20.96</td><td>40.43</td><td>36.34</td><td>9.68</td><td>33.41</td><td>200</td><td>349</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>55.30</td><td>68.30</td><td>-13.00</td><td>42.69</td><td>36.33</td><td>9.69</td><td>33.41</td><td>200</td><td>349</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5454.96	53.04	74.00	-20.96	40.43	36.34	9.68	33.41	200	349	PEAK	2	5468.72	55.30	68.30	-13.00	42.69	36.33	9.69	33.41	200	349	PEAK	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>83.07</td><td>-----</td><td>-----</td><td>70.45</td><td>36.31</td><td>9.71</td><td>33.40</td><td>200</td><td>349</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	83.07	-----	-----	70.45	36.31	9.71	33.40	200	349	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5454.96	53.04	74.00	-20.96	40.43	36.34	9.68	33.41	200	349	PEAK																																																																																	
2	5468.72	55.30	68.30	-13.00	42.69	36.33	9.69	33.41	200	349	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	83.07	-----	-----	70.45	36.31	9.71	33.40	200	349	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>31.03</td><td>36.33</td><td>9.69</td><td>33.41</td><td>200</td><td>349</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	43.64	54.00	-10.36	31.03	36.33	9.69	33.41	200	349	AVERAGE	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>76.56</td><td>-----</td><td>-----</td><td>63.94</td><td>36.31</td><td>9.71</td><td>33.40</td><td>200</td><td>349</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	76.56	-----	-----	63.94	36.31	9.71	33.40	200	349	AVERAGE												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5459.76	43.64	54.00	-10.36	31.03	36.33	9.69	33.41	200	349	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5510.00	76.56	-----	-----	63.94	36.31	9.71	33.40	200	349	AVERAGE																																																																																	



Mode	23																																																											
	Band Edge - L																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full RU_5510MHz																																																											
ANT	8																																																											
Pol.	Vertical					Fundamental																																																						
Peak	Level (dBuV/m) Date: 2025-02-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5459.92</td><td>55.83</td><td>74.00</td><td>-18.17</td><td>43.22</td><td>36.33</td><td>9.69</td><td>33.41</td><td>154</td><td>360 PEAK</td></tr><tr><td>2 5466.00</td><td>56.76</td><td>68.30</td><td>-11.54</td><td>44.15</td><td>36.33</td><td>9.69</td><td>33.41</td><td>154</td><td>360 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.92	55.83	74.00	-18.17	43.22	36.33	9.69	33.41	154	360 PEAK	2 5466.00	56.76	68.30	-11.54	44.15	36.33	9.69	33.41	154	360 PEAK	Level (dBuV/m) Date: 2025-02-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5510.00</td><td>87.57</td><td>-----</td><td>-----</td><td>74.93</td><td>36.32</td><td>9.72</td><td>33.40</td><td>154</td><td>360 PEAK</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5510.00	87.57	-----	-----	74.93	36.32	9.72	33.40	154	360 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																		
1 5459.92	55.83	74.00	-18.17	43.22	36.33	9.69	33.41	154	360 PEAK																																																			
2 5466.00	56.76	68.30	-11.54	44.15	36.33	9.69	33.41	154	360 PEAK																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5510.00	87.57	-----	-----	74.93	36.32	9.72	33.40	154	360 PEAK																																																			
Avg	Level (dBuV/m) Date: 2025-02-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5459.92</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>32.26</td><td>36.33</td><td>9.69</td><td>33.41</td><td>154</td><td>360 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5459.92	44.87	54.00	-9.13	32.26	36.33	9.69	33.41	154	360 AVERAGE	Level (dBuV/m) Date: 2025-02-13 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5510.00</td><td>81.08</td><td>-----</td><td>-----</td><td>68.46</td><td>36.31</td><td>9.71</td><td>33.40</td><td>154</td><td>360 AVERAGE</td></tr></table>					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 5510.00	81.08	-----	-----	68.46	36.31	9.71	33.40	154	360 AVERAGE										
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5459.92	44.87	54.00	-9.13	32.26	36.33	9.69	33.41	154	360 AVERAGE																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																			
1 5510.00	81.08	-----	-----	68.46	36.31	9.71	33.40	154	360 AVERAGE																																																			



Mode	23																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full RU_5510MHz																																										
ANT	8																																										
Pol.	Vertical	Fundamental																																									
Peak	Date: 2025-02-13 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5748.94</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>38.73</td><td>36.55</td><td>10.07</td><td>33.45</td><td>154</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5748.94	51.90	68.30	-16.40	38.73	36.55	10.07	33.45	154	360 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																		
1	5748.94	51.90	68.30	-16.40	38.73	36.55	10.07	33.45	154	360 PEAK																																	



Mode	24																																																																																					
	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full RU_5670MHz																																																																																					
ANT	8																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5447.28</td><td>51.15</td><td>74.00</td><td>-22.85</td><td>38.54</td><td>36.34</td><td>9.68</td><td>33.41</td><td>321 334 PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>52.46</td><td>68.30</td><td>-15.84</td><td>39.85</td><td>36.33</td><td>9.69</td><td>33.41</td><td>321 334 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5447.28	51.15	74.00	-22.85	38.54	36.34	9.68	33.41	321 334 PEAK	2	5460.40	52.46	68.30	-15.84	39.85	36.33	9.69	33.41	321 334 PEAK	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>80.71</td><td>-----</td><td>-----</td><td>67.77</td><td>36.47</td><td>9.90</td><td>33.43</td><td>321 334 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	80.71	-----	-----	67.77	36.47	9.90	33.43	321 334 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5447.28	51.15	74.00	-22.85	38.54	36.34	9.68	33.41	321 334 PEAK																																																																													
2	5460.40	52.46	68.30	-15.84	39.85	36.33	9.69	33.41	321 334 PEAK																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5670.00	80.71	-----	-----	67.77	36.47	9.90	33.43	321 334 PEAK																																																																													
Avg	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5419.12</td><td>42.24</td><td>54.00</td><td>-11.76</td><td>29.63</td><td>36.36</td><td>9.67</td><td>33.42</td><td>321 334 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5419.12	42.24	54.00	-11.76	29.63	36.36	9.67	33.42	321 334 AVERAGE	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>75.60</td><td>-----</td><td>-----</td><td>62.65</td><td>36.47</td><td>9.91</td><td>33.43</td><td>321 334 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	75.60	-----	-----	62.65	36.47	9.91	33.43	321 334 AVERAGE										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5419.12	42.24	54.00	-11.76	29.63	36.36	9.67	33.42	321 334 AVERAGE																																																																													
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5670.00	75.60	-----	-----	62.65	36.47	9.91	33.43	321 334 AVERAGE																																																																													



Mode	24																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full RU_5670MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-13 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.20</td><td>52.20</td><td>68.30</td><td>-16.10</td><td>39.10</td><td>36.53</td><td>10.02</td><td>33.45</td><td>321 334 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBUV/m	dBUV/m	dBUV	dB/m	dB	dB	cm	deg	1	5725.20	52.20	68.30	-16.10	39.10	36.53	10.02	33.45	321 334 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBUV/m	dBUV/m	dBUV	dB/m	dB	dB	cm	deg																																	
1	5725.20	52.20	68.30	-16.10	39.10	36.53	10.02	33.45	321 334 PEAK																																	







		24																																																																																																		
Mode		Band Edge - L																																																																																																		
		U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full RU_5670MHz																																																																																																		
ANT		8																																																																																																		
Pol.		Vertical					Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.24</td><td>50.74</td><td>74.00</td><td>-23.26</td><td>38.12</td><td>36.35</td><td>9.68</td><td>33.41</td><td>342 0 PEAK</td></tr><tr><td>2</td><td>5463.92</td><td>50.02</td><td>68.30</td><td>-18.28</td><td>37.41</td><td>36.33</td><td>9.69</td><td>33.41</td><td>342 0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5440.24	50.74	74.00	-23.26	38.12	36.35	9.68	33.41	342 0 PEAK	2	5463.92	50.02	68.30	-18.28	37.41	36.33	9.69	33.41	342 0 PEAK	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>79.98</td><td>-----</td><td>-----</td><td>67.03</td><td>36.47</td><td>9.91</td><td>33.43</td><td>342 0 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	79.98	-----	-----	67.03	36.47	9.91	33.43	342 0 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5440.24	50.74	74.00	-23.26	38.12	36.35	9.68	33.41	342 0 PEAK																																																																																											
2	5463.92	50.02	68.30	-18.28	37.41	36.33	9.69	33.41	342 0 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	79.98	-----	-----	67.03	36.47	9.91	33.43	342 0 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.76</td><td>42.15</td><td>54.00</td><td>-11.85</td><td>29.54</td><td>36.34</td><td>9.68</td><td>33.41</td><td>342 0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5443.76	42.15	54.00	-11.85	29.54	36.34	9.68	33.41	342 0 AVERAGE	Level (dBuV/m) Date: 2025-02-13 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>74.03</td><td>-----</td><td>-----</td><td>61.07</td><td>36.48</td><td>9.92</td><td>33.44</td><td>342 0 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5670.00	74.03	-----	-----	61.07	36.48	9.92	33.44	342 0 AVERAGE										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5443.76	42.15	54.00	-11.85	29.54	36.34	9.68	33.41	342 0 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5670.00	74.03	-----	-----	61.07	36.48	9.92	33.44	342 0 AVERAGE																																																																																											



Mode	24																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full RU_5670MHz																																																			
ANT	8																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Date: 2025-02-13 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.20</td><td>52.35</td><td>68.30</td><td>-15.95</td><td>39.25</td><td>36.53</td><td>10.02</td><td>33.45</td><td>342</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	52.35	68.30	-15.95	39.25	36.53	10.02	33.45	342										0 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5725.20	52.35	68.30	-15.95	39.25	36.53	10.02	33.45	342																																											
									0 PEAK																																											



		25																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																																																																							
ANT		8																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-14  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-14  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5140.49</td><td>54.32</td><td>74.00</td><td>-19.68</td><td>42.68</td><td>36.59</td><td>8.52</td><td>33.47</td><td>100</td><td>300 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5140.49	54.32	74.00	-19.68	42.68	36.59	8.52	33.47	100	300 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>81.50</td><td>-----</td><td>-----</td><td>69.78</td><td>36.54</td><td>8.64</td><td>33.46</td><td>100</td><td>300 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	81.50	-----	-----	69.78	36.54	8.64	33.46	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5140.49	54.32	74.00	-19.68	42.68	36.59	8.52	33.47	100	300 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5210.00	81.50	-----	-----	69.78	36.54	8.64	33.46	100	300 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-02-14  Frequency (MHz)					Level (dBuV/m) Date: 2025-02-14  Frequency (MHz)																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5147.42</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>36.50</td><td>36.58</td><td>8.53</td><td>33.47</td><td>100</td><td>300 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5147.42	48.14	54.00	-5.86	36.50	36.58	8.53	33.47	100	300 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>75.78</td><td>-----</td><td>-----</td><td>64.06</td><td>36.54</td><td>8.64</td><td>33.46</td><td>100</td><td>300 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	75.78	-----	-----	64.06	36.54	8.64	33.46	100
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5147.42	48.14	54.00	-5.86	36.50	36.58	8.53	33.47	100	300 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5210.00	75.78	-----	-----	64.06	36.54	8.64	33.46	100	300 AVERAGE																																																																																



Mode	25																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-14 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.25</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>38.24</td><td>36.35</td><td>9.68</td><td>33.41</td><td>100</td><td>300</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5443.25	50.86	74.00	-23.14	38.24	36.35	9.68	33.41	100	300	PEAK	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5443.25	50.86	74.00	-23.14	38.24	36.35	9.68	33.41	100	300	PEAK																															
Avg	Date: 2025-02-14 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.75</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>30.86</td><td>36.35</td><td>9.67</td><td>33.41</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5431.75	43.47	54.00	-10.53	30.86	36.35	9.67	33.41	100	300	AVERAGE	Blank
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																	
1	5431.75	43.47	54.00	-10.53	30.86	36.35	9.67	33.41	100	300	AVERAGE																															



		25																																																																															
Mode		Band Edge - L																																																																															
		U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																																																															
ANT		8																																																																															
Pol.		Vertical					Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz)					Level (dBuV/m) Date: 2025-02-14 Frequency (MHz)																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5148.89</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>43.70</td><td>36.58</td><td>8.53</td><td>33.47</td><td>135</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5148.89	55.34	74.00	-18.66	43.70	36.58	8.53	33.47	135	360 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>82.73</td><td>-----</td><td>-----</td><td>71.01</td><td>36.54</td><td>8.64</td><td>33.46</td><td>135</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	82.73	-----	-----	71.01	36.54	8.64	33.46	135
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																								
1 5148.89	55.34	74.00	-18.66	43.70	36.58	8.53	33.47	135	360 PEAK																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																								
1 5210.00	82.73	-----	-----	71.01	36.54	8.64	33.46	135	360 PEAK																																																																								
Avg	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz)					Level (dBuV/m) Date: 2025-02-14 Frequency (MHz)																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.52</td><td>48.66</td><td>54.00</td><td>-5.34</td><td>37.02</td><td>36.58</td><td>8.53</td><td>33.47</td><td>135</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5149.52	48.66	54.00	-5.34	37.02	36.58	8.53	33.47	135	360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>77.10</td><td>-----</td><td>-----</td><td>65.38</td><td>36.54</td><td>8.64</td><td>33.46</td><td>135</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5210.00	77.10	-----	-----	65.38	36.54	8.64	33.46	135
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																								
1 5149.52	48.66	54.00	-5.34	37.02	36.58	8.53	33.47	135	360 AVERAGE																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																								
1 5210.00	77.10	-----	-----	65.38	36.54	8.64	33.46	135	360 AVERAGE																																																																								



Mode	25																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full RU_5210MHz																																		
ANT	8																																		
Pol.	Vertical	Fundamental																																	
Peak	Date: 2025-02-14 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5428.00</td><td>51.30</td><td>74.00</td><td>-22.70</td><td>38.68</td><td>36.36</td><td>9.67</td><td>33.41</td><td>135</td><td>360</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5428.00	51.30	74.00	-22.70	38.68	36.36	9.67	33.41	135	360	PEAK	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5428.00	51.30	74.00	-22.70	38.68	36.36	9.67	33.41	135	360	PEAK																									
Avg	Date: 2025-02-14 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5397.75</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>31.07</td><td>36.38</td><td>9.61</td><td>33.42</td><td>135</td><td>360</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5397.75	43.64	54.00	-10.36	31.07	36.38	9.61	33.42	135	360	AVERAGE	Blank
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																										
1 5397.75	43.64	54.00	-10.36	31.07	36.38	9.61	33.42	135	360	AVERAGE																									





Mode	26																																																																											
	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																											
ANT	8																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5125.86</td><td>51.83</td><td>74.00</td><td>-22.17</td><td>40.21</td><td>36.60</td><td>8.49</td><td>33.47</td><td>200 68 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5125.86	51.83	74.00	-22.17	40.21	36.60	8.49	33.47	200 68 PEAK	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>71.64</td><td>-----</td><td>-----</td><td>59.61</td><td>36.48</td><td>8.99</td><td>33.44</td><td>200 68 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	71.64	-----	-----	59.61	36.48	8.99	33.44	200 68 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5125.86	51.83	74.00	-22.17	40.21	36.60	8.49	33.47	200 68 PEAK																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5290.00	71.64	-----	-----	59.61	36.48	8.99	33.44	200 68 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5000.58</td><td>44.27</td><td>54.00</td><td>-9.73</td><td>32.73</td><td>36.70</td><td>8.34</td><td>33.50</td><td>200 68 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5000.58	44.27	54.00	-9.73	32.73	36.70	8.34	33.50	200 68 AVERAGE	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>66.20</td><td>-----</td><td>-----</td><td>54.17</td><td>36.48</td><td>8.99</td><td>33.44</td><td>200 68 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	66.20	-----	-----	54.17	36.48	8.99	33.44	200 68 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5000.58	44.27	54.00	-9.73	32.73	36.70	8.34	33.50	200 68 AVERAGE																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5290.00	66.20	-----	-----	54.17	36.48	8.99	33.44	200 68 AVERAGE																																																																			







Mode	26																																																																																			
	Band Edge - L																																																																																			
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																																																			
ANT	8																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5039.44</td><td>51.66</td><td>74.00</td><td>-22.34</td><td>40.15</td><td>36.67</td><td>8.33</td><td>33.49</td><td>249</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5039.44	51.66	74.00	-22.34	40.15	36.67	8.33	33.49	249	360 PEAK	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>81.43</td><td>-----</td><td>-----</td><td>69.32</td><td>36.46</td><td>9.09</td><td>33.44</td><td>249</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	81.43	-----	-----	69.32	36.46	9.09	33.44	249	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5039.44	51.66	74.00	-22.34	40.15	36.67	8.33	33.49	249	360 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	81.43	-----	-----	69.32	36.46	9.09	33.44	249	360 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5003.48</td><td>44.16</td><td>54.00</td><td>-9.84</td><td>32.63</td><td>36.70</td><td>8.33</td><td>33.50</td><td>249</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5003.48	44.16	54.00	-9.84	32.63	36.70	8.33	33.50	249	360 AVERAGE	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>74.41</td><td>-----</td><td>-----</td><td>62.33</td><td>36.47</td><td>9.05</td><td>33.44</td><td>249</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	74.41	-----	-----	62.33	36.47	9.05	33.44	249	360 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5003.48	44.16	54.00	-9.84	32.63	36.70	8.33	33.50	249	360 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																														
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5290.00	74.41	-----	-----	62.33	36.47	9.05	33.44	249	360 AVERAGE																																																																										



Mode	26																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full RU_5290MHz																																																	
ANT	8																																																	
Pol.	Vertical					Fundamental																																												
Peak	Date: 2025-02-14 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>59.42</td><td>74.00</td><td>-14.58</td><td>47.07</td><td>36.42</td><td>9.36</td><td>33.43</td><td>249 360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5350.01	59.42	74.00	-14.58	47.07	36.42	9.36	33.43	249 360 PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5350.01	59.42	74.00	-14.58	47.07	36.42	9.36	33.43	249 360 PEAK																																									
Avg	Date: 2025-02-14 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.22</td><td>48.43</td><td>54.00</td><td>-5.57</td><td>36.06</td><td>36.42</td><td>9.38</td><td>33.43</td><td>249 360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5352.22	48.43	54.00	-5.57	36.06	36.42	9.38	33.43	249 360 AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																									
1	5352.22	48.43	54.00	-5.57	36.06	36.42	9.38	33.43	249 360 AVERAGE																																									



		27																																																																																																																																				
Mode		Band Edge - L																																																																																																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																																																																																																				
ANT		8																																																																																																																																				
Pol.		Horizontal					Fundamental																																																																																																																															
Peak	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with two peaks labeled 1 and 2. A red limit line is at 70.0 dBuV/m, labeled PART 15.407. The x-axis ranges from 5350 to 5530 MHz, and the y-axis ranges from 0 to 140 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a single peak labeled 1. A red limit line is at 70.0 dBuV/m, labeled PART 15.407. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5445.94	51.11	74.00	-22.89	38.50	36.34	9.68	33.41	182 316 PEAK	2	5467.18	53.11	68.30	-15.19	40.50	36.33	9.69	33.41	182 316 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	78.46	-----	-----	65.82	36.32	9.72	33.40	182 316 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>78.46</td><td>-----</td><td>-----</td><td>65.82</td><td>36.32</td><td>9.72</td><td>33.40</td><td>182 316 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	78.46	-----	-----	65.82	36.32	9.72	33.40
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5445.94	51.11	74.00	-22.89	38.50	36.34	9.68	33.41	182 316 PEAK																																																																																																																													
2	5467.18	53.11	68.30	-15.19	40.50	36.33	9.69	33.41	182 316 PEAK																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5530.00	78.46	-----	-----	65.82	36.32	9.72	33.40	182 316 PEAK																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5530.00	78.46	-----	-----	65.82	36.32	9.72	33.40	182 316 PEAK																																																																																																																													
Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a blue signal line with a peak labeled 1. A red limit line is at 52.5 dBuV/m, labeled PART 15.407 AVG. The x-axis ranges from 5350 to 5530 MHz, and the y-axis ranges from 0 to 140 dBuV/m.					 Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. The plot shows a blue signal line with a peak labeled 1. A red limit line is at 52.5 dBuV/m, labeled PART 15.407 AVG. The x-axis ranges from 1000 to 7000 MHz, and the y-axis ranges from 0 to 140 dBuV/m.																																																																																																																																
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5456.02	45.03	54.00	-8.97	32.41	36.34	9.69	33.41	182 316 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	73.01	-----	-----	60.37	36.32	9.72	33.40	182 316 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>73.01</td><td>-----</td><td>-----</td><td>60.37</td><td>36.32</td><td>9.72</td><td>33.40</td><td>182 316 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5530.00	73.01	-----	-----	60.37	36.32	9.72	33.40	182 316 AVERAGE									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5456.02	45.03	54.00	-8.97	32.41	36.34	9.69	33.41	182 316 AVERAGE																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5530.00	73.01	-----	-----	60.37	36.32	9.72	33.40	182 316 AVERAGE																																																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5530.00	73.01	-----	-----	60.37	36.32	9.72	33.40	182 316 AVERAGE																																																																																																																													



Mode	27																																																			
	Band Edge - L																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full RU_5530MHz																																																			
ANT	8																																																			
Pol.	Vertical	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-02-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5455.48</td><td>54.15</td><td>74.00</td><td>-19.85</td><td>41.54</td><td>36.34</td><td>9.68</td><td>33.41</td><td>213</td><td>0 PEAK</td></tr><tr><td>2 5469.16</td><td>54.76</td><td>68.30</td><td>-13.54</td><td>42.16</td><td>36.32</td><td>9.69</td><td>33.41</td><td>213</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5455.48	54.15	74.00	-19.85	41.54	36.34	9.68	33.41	213	0 PEAK	2 5469.16	54.76	68.30	-13.54	42.16	36.32	9.69	33.41	213	0 PEAK	Level (dBuV/m) Date: 2025-02-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5530.00</td><td>81.57</td><td>-----</td><td>-----</td><td>68.93</td><td>36.32</td><td>9.72</td><td>33.40</td><td>213</td><td>0 PEAK</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5530.00	81.57	-----	-----	68.93	36.32	9.72	33.40	213	0 PEAK
	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																										
1 5455.48	54.15	74.00	-19.85	41.54	36.34	9.68	33.41	213	0 PEAK																																											
2 5469.16	54.76	68.30	-13.54	42.16	36.32	9.69	33.41	213	0 PEAK																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 5530.00	81.57	-----	-----	68.93	36.32	9.72	33.40	213	0 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-02-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5459.98</td><td>46.83</td><td>54.00</td><td>-7.17</td><td>34.22</td><td>36.33</td><td>9.69</td><td>33.41</td><td>213</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5459.98	46.83	54.00	-7.17	34.22	36.33	9.69	33.41	213	0 AVERAGE	Level (dBuV/m) Date: 2025-02-14 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor cm deg Remark <table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1 5530.00</td><td>76.23</td><td>-----</td><td>-----</td><td>63.59</td><td>36.32</td><td>9.72</td><td>33.40</td><td>213</td><td>0 AVERAGE</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark	1 5530.00	76.23	-----	-----	63.59	36.32	9.72	33.40	213	0 AVERAGE										
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 5459.98	46.83	54.00	-7.17	34.22	36.33	9.69	33.41	213	0 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dB	dB/m	dB	dB	cm	deg	Remark																																											
1 5530.00	76.23	-----	-----	63.59	36.32	9.72	33.40	213	0 AVERAGE																																											



Mode	28																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																													
ANT	8																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5444.64</td><td>51.08</td><td>74.00</td><td>-22.92</td><td>38.47</td><td>36.34</td><td>9.68</td><td>33.41</td><td>300</td><td>105 PEAK</td></tr><tr><td>2</td><td>5468.04</td><td>50.14</td><td>68.30</td><td>-18.16</td><td>37.53</td><td>36.33</td><td>9.69</td><td>33.41</td><td>300</td><td>105 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5444.64	51.08	74.00	-22.92	38.47	36.34	9.68	33.41	300	105 PEAK	2	5468.04	50.14	68.30	-18.16	37.53	36.33	9.69	33.41	300	105 PEAK	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>69.22</td><td>-----</td><td>56.41</td><td>36.43</td><td>9.81</td><td>33.43</td><td>300</td><td>105 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	69.22	-----	56.41	36.43	9.81	33.43	300	105 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5444.64	51.08	74.00	-22.92	38.47	36.34	9.68	33.41	300	105 PEAK																																																																																				
2	5468.04	50.14	68.30	-18.16	37.53	36.33	9.69	33.41	300	105 PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	69.22	-----	56.41	36.43	9.81	33.43	300	105 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5383.02</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>31.06</td><td>36.39</td><td>9.54</td><td>33.42</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5383.02	43.57	54.00	-10.43	31.06	36.39	9.54	33.42	300	105 AVERAGE	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>63.47</td><td>-----</td><td>50.69</td><td>36.41</td><td>9.79</td><td>33.42</td><td>300</td><td>105 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	63.47	-----	50.69	36.41	9.79	33.42	300	105 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5383.02	43.57	54.00	-10.43	31.06	36.39	9.54	33.42	300	105 AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5610.00	63.47	-----	50.69	36.41	9.79	33.42	300	105 AVERAGE																																																																																					



Mode	28																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-02-14 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.32</td><td>51.06</td><td>68.30</td><td>-17.24</td><td>37.96</td><td>36.53</td><td>10.02</td><td>33.45</td><td>300</td><td>105</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.32	51.06	68.30	-17.24	37.96	36.53	10.02	33.45	300	105	PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5725.32	51.06	68.30	-17.24	37.96	36.53	10.02	33.45	300	105	PEAK																															






Mode	28																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																																																																														
ANT	8																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5427.22</td><td>50.70</td><td>74.00</td><td>-23.30</td><td>38.08</td><td>36.36</td><td>9.67</td><td>33.41</td><td>173</td><td>360 PEAK</td></tr><tr><td>2</td><td>5465.18</td><td>50.29</td><td>68.30</td><td>-18.01</td><td>37.68</td><td>36.33</td><td>9.69</td><td>33.41</td><td>173</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5427.22	50.70	74.00	-23.30	38.08	36.36	9.67	33.41	173	360 PEAK	2	5465.18	50.29	68.30	-18.01	37.68	36.33	9.69	33.41	173	360 PEAK	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>82.17</td><td>-----</td><td>-----</td><td>69.46</td><td>36.38</td><td>9.75</td><td>33.42</td><td>173</td><td>360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	82.17	-----	-----	69.46	36.38	9.75	33.42	173	360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5427.22	50.70	74.00	-23.30	38.08	36.36	9.67	33.41	173	360 PEAK																																																																																					
2	5465.18	50.29	68.30	-18.01	37.68	36.33	9.69	33.41	173	360 PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5610.00	82.17	-----	-----	69.46	36.38	9.75	33.42	173	360 PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.68</td><td>44.33</td><td>54.00</td><td>-9.67</td><td>31.72</td><td>36.34</td><td>9.68</td><td>33.41</td><td>173</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5445.68	44.33	54.00	-9.67	31.72	36.34	9.68	33.41	173	360 AVERAGE	Level (dBuV/m) Date: 2025-02-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>68.30</td><td>-----</td><td>-----</td><td>55.50</td><td>36.42</td><td>9.80</td><td>33.42</td><td>173</td><td>360 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5610.00	68.30	-----	-----	55.50	36.42	9.80	33.42	173	360 AVERAGE											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5445.68	44.33	54.00	-9.67	31.72	36.34	9.68	33.41	173	360 AVERAGE																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5610.00	68.30	-----	-----	55.50	36.42	9.80	33.42	173	360 AVERAGE																																																																																					



Mode	28																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full RU_5610MHz																																									
ANT	8																																									
Pol.	Vertical	Fundamental																																								
Peak	Date: 2025-02-14 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.66</td><td>51.44</td><td>68.30</td><td>-16.86</td><td>38.24</td><td>36.56</td><td>10.09</td><td>33.45</td><td>173 360 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5760.66	51.44	68.30	-16.86	38.24	36.56	10.09	33.45	173 360 PEAK	Blank
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																	
1	5760.66	51.44	68.30	-16.86	38.24	36.56	10.09	33.45	173 360 PEAK																																	





Mode	29																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																												
ANT	8																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak	Date: 2025-02-16  Level (dBuV/m) vs Frequency (MHz) plot showing a rising red line and a blue line with peaks. Peaks are labeled 1, 2, 3, 4. A red label 'PEAK_BEB[9]_10-24' is present. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5616.24</td><td>51.50</td><td>68.30</td><td>-16.80</td><td>38.71</td><td>36.42</td><td>9.79</td><td>33.42</td><td>300</td><td>336 PEAK</td></tr><tr><td>2</td><td>5651.04</td><td>50.98</td><td>69.07</td><td>-18.09</td><td>38.10</td><td>36.45</td><td>9.86</td><td>33.43</td><td>300</td><td>336 PEAK</td></tr><tr><td>3</td><td>5714.99</td><td>57.91</td><td>109.40</td><td>-51.49</td><td>44.84</td><td>36.51</td><td>10.00</td><td>33.44</td><td>300</td><td>336 PEAK</td></tr><tr><td>4</td><td>5720.21</td><td>60.21</td><td>111.27</td><td>-51.06</td><td>47.12</td><td>36.52</td><td>10.01</td><td>33.44</td><td>300</td><td>336 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5616.24	51.50	68.30	-16.80	38.71	36.42	9.79	33.42	300	336 PEAK	2	5651.04	50.98	69.07	-18.09	38.10	36.45	9.86	33.43	300	336 PEAK	3	5714.99	57.91	109.40	-51.49	44.84	36.51	10.00	33.44	300	336 PEAK	4	5720.21	60.21	111.27	-51.06	47.12	36.52	10.01	33.44	300	336 PEAK	Date: 2025-02-16  Level (dBuV/m) vs Frequency (MHz) plot showing a red line with a step-like pattern and a blue line with a sharp peak at 5800 MHz. A red label 'PART 15.407' is present. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>85.43</td><td>-----</td><td>-----</td><td>72.27</td><td>36.55</td><td>10.06</td><td>33.45</td><td>300</td><td>336 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	85.43	-----	-----	72.27	36.55	10.06	33.45	300	336 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5616.24	51.50	68.30	-16.80	38.71	36.42	9.79	33.42	300	336 PEAK																																																																																																																			
2	5651.04	50.98	69.07	-18.09	38.10	36.45	9.86	33.43	300	336 PEAK																																																																																																																			
3	5714.99	57.91	109.40	-51.49	44.84	36.51	10.00	33.44	300	336 PEAK																																																																																																																			
4	5720.21	60.21	111.27	-51.06	47.12	36.52	10.01	33.44	300	336 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	85.43	-----	-----	72.27	36.55	10.06	33.45	300	336 PEAK																																																																																																																			
Avg	Blank					Date: 2025-02-16  Level (dBuV/m) vs Frequency (MHz) plot showing a red line with a step-like pattern and a blue line with a sharp peak at 5800 MHz. A red label 'PART 15.407 AVG' is present. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>78.35</td><td>-----</td><td>-----</td><td>65.19</td><td>36.55</td><td>10.06</td><td>33.45</td><td>300</td><td>336 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	78.35	-----	-----	65.19	36.55	10.06	33.45	300	336 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	78.35	-----	-----	65.19	36.55	10.06	33.45	300	336 AVERAGE																																																																																																																			



Mode	29																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	8																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-16 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 5600 5629. 5658. 5687. 5716. 5745 PEAK_BE[B4]_10-24 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5622.77</td><td>51.77</td><td>68.30</td><td>-16.53</td><td>38.97</td><td>36.42</td><td>9.80</td><td>33.42</td><td>352</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>50.91</td><td>68.32</td><td>-17.41</td><td>38.03</td><td>36.45</td><td>9.86</td><td>33.43</td><td>352</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5718.76</td><td>60.64</td><td>110.45</td><td>-49.81</td><td>47.55</td><td>36.52</td><td>10.01</td><td>33.44</td><td>352</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>61.39</td><td>110.94</td><td>-49.55</td><td>48.30</td><td>36.52</td><td>10.01</td><td>33.44</td><td>352</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5622.77	51.77	68.30	-16.53	38.97	36.42	9.80	33.42	352	360	PEAK	2	5650.03	50.91	68.32	-17.41	38.03	36.45	9.86	33.43	352	360	PEAK	3	5718.76	60.64	110.45	-49.81	47.55	36.52	10.01	33.44	352	360	PEAK	4	5720.06	61.39	110.94	-49.55	48.30	36.52	10.01	33.44	352	360	PEAK	Level (dBuV/m) Date: 2025-02-16 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200. 3400. 4600. 5800. 7000 PART 15.407 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>86.81</td><td>-----</td><td>-----</td><td>73.65</td><td>36.55</td><td>10.06</td><td>33.45</td><td>352</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	86.81	-----	-----	73.65	36.55	10.06	33.45	352	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5622.77	51.77	68.30	-16.53	38.97	36.42	9.80	33.42	352	360	PEAK																																																																																																																									
2	5650.03	50.91	68.32	-17.41	38.03	36.45	9.86	33.43	352	360	PEAK																																																																																																																									
3	5718.76	60.64	110.45	-49.81	47.55	36.52	10.01	33.44	352	360	PEAK																																																																																																																									
4	5720.06	61.39	110.94	-49.55	48.30	36.52	10.01	33.44	352	360	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	86.81	-----	-----	73.65	36.55	10.06	33.45	352	360	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-02-16 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 2200. 3400. 4600. 5800. 7000 PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>80.27</td><td>-----</td><td>-----</td><td>67.11</td><td>36.55</td><td>10.06</td><td>33.45</td><td>352</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	80.27	-----	-----	67.11	36.55	10.06	33.45	352	360	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	80.27	-----	-----	67.11	36.55	10.06	33.45	352	360	AVERAGE																																																																																																																									



Mode	29																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																															
ANT	8																																																																																															
Pol.	Horizontal												Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-02-19 												Level (dBuV/m) Date: 2025-02-19 																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>45.34</td><td>74.00</td><td>-28.66</td><td>57.12</td><td>39.19</td><td>12.87 63.84</td></tr><tr><td>2</td><td>17235.00</td><td>56.69</td><td>68.30</td><td>-11.61</td><td>63.47</td><td>42.56</td><td>15.72 65.06</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11490.00	45.34	74.00	-28.66	57.12	39.19	12.87 63.84	2	17235.00	56.69	68.30	-11.61	63.47	42.56	15.72 65.06	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>44.63</td><td>74.00</td><td>-29.37</td><td>56.41</td><td>39.19</td><td>12.87 63.84</td></tr><tr><td>2</td><td>17235.00</td><td>61.62</td><td>68.30</td><td>-6.68</td><td>68.40</td><td>42.56</td><td>15.72 65.06</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11490.00	44.63	74.00	-29.37	56.41	39.19	12.87 63.84	2	17235.00	61.62	68.30	-6.68	68.40	42.56	15.72 65.06
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11490.00	45.34	74.00	-28.66	57.12	39.19	12.87 63.84																																																																																									
2	17235.00	56.69	68.30	-11.61	63.47	42.56	15.72 65.06																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11490.00	44.63	74.00	-29.37	56.41	39.19	12.87 63.84																																																																																									
2	17235.00	61.62	68.30	-6.68	68.40	42.56	15.72 65.06																																																																																									



Mode	30																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																															
ANT	8																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-25 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-25 Frequency (MHz)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1 11570.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>58.64</td><td>39.28</td><td>12.93</td><td>63.90</td></tr><tr><td>2 17355.00</td><td>54.16</td><td>68.30</td><td>-14.14</td><td>60.85</td><td>42.69</td><td>15.81</td><td>65.19</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	46.95	74.00	-27.05	58.64	39.28	12.93	63.90	2 17355.00	54.16	68.30	-14.14	60.85	42.69	15.81	65.19	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1 11570.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.23</td><td>39.28</td><td>12.93</td><td>63.90</td></tr><tr><td>2 17355.00</td><td>62.20</td><td>68.30</td><td>-6.10</td><td>68.89</td><td>42.69</td><td>15.81</td><td>65.19</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	63.90	2 17355.00	62.20	68.30	-6.10	68.89	42.69	15.81	65.19
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	46.95	74.00	-27.05	58.64	39.28	12.93	63.90																																																																																									
2 17355.00	54.16	68.30	-14.14	60.85	42.69	15.81	65.19																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1 11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	63.90																																																																																									
2 17355.00	62.20	68.30	-6.10	68.89	42.69	15.81	65.19																																																																																									
<table><tr><td>1</td><td>11570.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>58.64</td><td>39.28</td><td>12.93</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>54.16</td><td>68.30</td><td>-14.14</td><td>60.85</td><td>42.69</td><td>15.81</td><td>65.19</td><td>100</td><td>17</td><td>Peak</td></tr></table>								1	11570.00	46.95	74.00	-27.05	58.64	39.28	12.93	63.90	---	---	Peak	2	17355.00	54.16	68.30	-14.14	60.85	42.69	15.81	65.19	100	17	Peak	<table><tr><td>1</td><td>11570.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.23</td><td>39.28</td><td>12.93</td><td>63.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>62.20</td><td>68.30</td><td>-6.10</td><td>68.89</td><td>42.69</td><td>15.81</td><td>65.19</td><td>100</td><td>291</td><td>Peak</td></tr></table>								1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	63.90	---	---	Peak	2	17355.00	62.20	68.30	-6.10	68.89	42.69	15.81	65.19	100	291	Peak																																	
1	11570.00	46.95	74.00	-27.05	58.64	39.28	12.93	63.90	---	---	Peak																																																																																					
2	17355.00	54.16	68.30	-14.14	60.85	42.69	15.81	65.19	100	17	Peak																																																																																					
1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	63.90	---	---	Peak																																																																																					
2	17355.00	62.20	68.30	-6.10	68.89	42.69	15.81	65.19	100	291	Peak																																																																																					



Mode	31																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																											
ANT	8																																																																																																																											
Pol.	Horizontal					Fundamental																																																																																																																						
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>50.91</td><td>111.65</td><td>-60.74</td><td>37.44</td><td>36.65</td><td>10.29</td><td>33.47</td><td>100</td><td>11 PEAK</td></tr><tr><td>2</td><td>5873.50</td><td>51.56</td><td>105.62</td><td>-54.06</td><td>38.03</td><td>36.67</td><td>10.33</td><td>33.47</td><td>100</td><td>11 PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>50.87</td><td>68.48</td><td>-17.61</td><td>37.19</td><td>36.72</td><td>10.44</td><td>33.48</td><td>100</td><td>11 PEAK</td></tr><tr><td>4</td><td>5933.75</td><td>52.02</td><td>68.30</td><td>-16.28</td><td>38.32</td><td>36.73</td><td>10.46</td><td>33.49</td><td>100</td><td>11 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.63	50.91	111.65	-60.74	37.44	36.65	10.29	33.47	100	11 PEAK	2	5873.50	51.56	105.62	-54.06	38.03	36.67	10.33	33.47	100	11 PEAK	3	5924.75	50.87	68.48	-17.61	37.19	36.72	10.44	33.48	100	11 PEAK	4	5933.75	52.02	68.30	-16.28	38.32	36.73	10.46	33.49	100	11 PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>79.57</td><td>-----</td><td>66.18</td><td>36.62</td><td>10.23</td><td>33.46</td><td>100</td><td>11 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	79.57	-----	66.18	36.62	10.23	33.46	100	11 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5854.63	50.91	111.65	-60.74	37.44	36.65	10.29	33.47	100	11 PEAK																																																																																																																		
2	5873.50	51.56	105.62	-54.06	38.03	36.67	10.33	33.47	100	11 PEAK																																																																																																																		
3	5924.75	50.87	68.48	-17.61	37.19	36.72	10.44	33.48	100	11 PEAK																																																																																																																		
4	5933.75	52.02	68.30	-16.28	38.32	36.73	10.46	33.49	100	11 PEAK																																																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5825.00	79.57	-----	66.18	36.62	10.23	33.46	100	11 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>73.18</td><td>-----</td><td>59.79</td><td>36.62</td><td>10.23</td><td>33.46</td><td>100</td><td>11 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	73.18	-----	59.79	36.62	10.23	33.46	100	11 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	5825.00	73.18	-----	59.79	36.62	10.23	33.46	100	11 AVERAGE																																																																																																																			



Mode	31																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																												
ANT	8																																																																																																																												
Pol.	Vertical					Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.88</td><td>51.16</td><td>111.08</td><td>-59.92</td><td>37.69</td><td>36.65</td><td>10.29</td><td>33.47</td><td>400</td><td>9 PEAK</td></tr><tr><td>2</td><td>5872.88</td><td>51.21</td><td>105.79</td><td>-54.58</td><td>37.68</td><td>36.67</td><td>10.33</td><td>33.47</td><td>400</td><td>9 PEAK</td></tr><tr><td>3</td><td>5923.38</td><td>52.02</td><td>69.49</td><td>-17.47</td><td>38.34</td><td>36.72</td><td>10.44</td><td>33.48</td><td>400</td><td>9 PEAK</td></tr><tr><td>4</td><td>5939.88</td><td>52.31</td><td>68.30</td><td>-15.99</td><td>38.59</td><td>36.74</td><td>10.47</td><td>33.49</td><td>400</td><td>9 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.88	51.16	111.08	-59.92	37.69	36.65	10.29	33.47	400	9 PEAK	2	5872.88	51.21	105.79	-54.58	37.68	36.67	10.33	33.47	400	9 PEAK	3	5923.38	52.02	69.49	-17.47	38.34	36.72	10.44	33.48	400	9 PEAK	4	5939.88	52.31	68.30	-15.99	38.59	36.74	10.47	33.49	400	9 PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>82.62</td><td>-----</td><td>-----</td><td>69.23</td><td>36.62</td><td>10.23</td><td>33.46</td><td>400</td><td>9 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	82.62	-----	-----	69.23	36.62	10.23	33.46	400	9 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.88	51.16	111.08	-59.92	37.69	36.65	10.29	33.47	400	9 PEAK																																																																																																																			
2	5872.88	51.21	105.79	-54.58	37.68	36.67	10.33	33.47	400	9 PEAK																																																																																																																			
3	5923.38	52.02	69.49	-17.47	38.34	36.72	10.44	33.48	400	9 PEAK																																																																																																																			
4	5939.88	52.31	68.30	-15.99	38.59	36.74	10.47	33.49	400	9 PEAK																																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	82.62	-----	-----	69.23	36.62	10.23	33.46	400	9 PEAK																																																																																																																			
Avg	Blank					Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>76.14</td><td>-----</td><td>-----</td><td>62.75</td><td>36.62</td><td>10.23</td><td>33.46</td><td>400</td><td>9 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	76.14	-----	-----	62.75	36.62	10.23	33.46	400	9 AVERAGE																																																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	76.14	-----	-----	62.75	36.62	10.23	33.46	400	9 AVERAGE																																																																																																																			





Mode	31																																																																																											
	Harmonic																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Date: 2025-02-19						Date: 2025-02-19																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11650.00</td><td>44.62</td><td>74.00</td><td>-29.38</td><td>56.20</td><td>39.38</td><td>12.99</td><td>63.95</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>54.89</td><td>68.30</td><td>-13.41</td><td>61.49</td><td>42.82</td><td>15.90</td><td>65.32</td><td>100</td><td>16</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11650.00	44.62	74.00	-29.38	56.20	39.38	12.99	63.95	---	---	Peak	2	17475.00	54.89	68.30	-13.41	61.49	42.82	15.90	65.32	100	16	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>11650.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>56.97</td><td>39.38</td><td>12.99</td><td>63.95</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>61.85</td><td>68.30</td><td>-6.45</td><td>68.45</td><td>42.82</td><td>15.90</td><td>65.32</td><td>100</td><td>299</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	11650.00	45.39	74.00	-28.61	56.97	39.38	12.99	63.95	---	---	Peak	2	17475.00	61.85	68.30	-6.45	68.45	42.82	15.90	65.32	100	299	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
1	11650.00	44.62	74.00	-29.38	56.20	39.38	12.99	63.95	---	---	Peak																																																																																	
2	17475.00	54.89	68.30	-13.41	61.49	42.82	15.90	65.32	100	16	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																																					
1	11650.00	45.39	74.00	-28.61	56.97	39.38	12.99	63.95	---	---	Peak																																																																																	
2	17475.00	61.85	68.30	-6.45	68.45	42.82	15.90	65.32	100	299	Peak																																																																																	





Mode	32																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full RU_5745MHz																																																																																																																																			
ANT	8																																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																																													
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5633.06</td><td>51.63</td><td>68.30</td><td>-16.67</td><td>38.80</td><td>36.43</td><td>9.83</td><td>33.43</td><td>100</td><td>358</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>50.61</td><td>68.53</td><td>-17.92</td><td>37.73</td><td>36.45</td><td>9.86</td><td>33.43</td><td>100</td><td>358</td><td>PEAK</td></tr><tr><td>3</td><td>5719.48</td><td>63.92</td><td>110.65</td><td>-46.73</td><td>50.83</td><td>36.52</td><td>10.01</td><td>33.44</td><td>100</td><td>358</td><td>PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>63.32</td><td>111.93</td><td>-48.61</td><td>50.23</td><td>36.52</td><td>10.01</td><td>33.44</td><td>100</td><td>358</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5633.06	51.63	68.30	-16.67	38.80	36.43	9.83	33.43	100	358	PEAK	2	5650.32	50.61	68.53	-17.92	37.73	36.45	9.86	33.43	100	358	PEAK	3	5719.48	63.92	110.65	-46.73	50.83	36.52	10.01	33.44	100	358	PEAK	4	5720.50	63.32	111.93	-48.61	50.23	36.52	10.01	33.44	100	358	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>87.35</td><td>-----</td><td>-----</td><td>74.19</td><td>36.55</td><td>10.06</td><td>33.45</td><td>100</td><td>358</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	87.35	-----	-----	74.19	36.55	10.06	33.45	100	358	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5633.06	51.63	68.30	-16.67	38.80	36.43	9.83	33.43	100	358	PEAK																																																																																																																									
2	5650.32	50.61	68.53	-17.92	37.73	36.45	9.86	33.43	100	358	PEAK																																																																																																																									
3	5719.48	63.92	110.65	-46.73	50.83	36.52	10.01	33.44	100	358	PEAK																																																																																																																									
4	5720.50	63.32	111.93	-48.61	50.23	36.52	10.01	33.44	100	358	PEAK																																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	87.35	-----	-----	74.19	36.55	10.06	33.45	100	358	PEAK																																																																																																																									
Avg	Blank						Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>80.90</td><td>-----</td><td>-----</td><td>67.74</td><td>36.55</td><td>10.06</td><td>33.45</td><td>100</td><td>358</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5745.00	80.90	-----	-----	67.74	36.55	10.06	33.45	100	358	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5745.00	80.90	-----	-----	67.74	36.55	10.06	33.45	100	358	AVERAGE																																																																																																																									



Mode	32																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full RU_5745MHz																																																																																																																							
ANT	8																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																	
Peak Avg																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>56.37</td><td>39.19</td><td>12.87</td><td>63.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>57.57</td><td>68.30</td><td>-10.73</td><td>64.35</td><td>42.56</td><td>15.72</td><td>65.06</td><td>100</td><td>44</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.59	74.00	-29.41	56.37	39.19	12.87	63.84	---	---	Peak	2	17235.00	57.57	68.30	-10.73	64.35	42.56	15.72	65.06	100	44	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.48</td><td>74.00</td><td>-28.52</td><td>57.26</td><td>39.19</td><td>12.87</td><td>63.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>62.01</td><td>68.30</td><td>-6.29</td><td>68.79</td><td>42.56</td><td>15.72</td><td>65.06</td><td>100</td><td>286</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.48	74.00	-28.52	57.26	39.19	12.87	63.84	---	---	Peak	2	17235.00	62.01	68.30	-6.29	68.79	42.56	15.72	65.06	100	286	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11490.00	44.59	74.00	-29.41	56.37	39.19	12.87	63.84	---	---	Peak																																																																																																													
2	17235.00	57.57	68.30	-10.73	64.35	42.56	15.72	65.06	100	44	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	11490.00	45.48	74.00	-28.52	57.26	39.19	12.87	63.84	---	---	Peak																																																																																																													
2	17235.00	62.01	68.30	-6.29	68.79	42.56	15.72	65.06	100	286	Peak																																																																																																													



Mode	33																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full RU_5785MHz																																																																															
ANT	8																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11570.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.23</td><td>39.28</td><td>12.93</td></tr><tr><td>2</td><td>17355.00</td><td>59.07</td><td>68.30</td><td>-9.23</td><td>65.76</td><td>42.69</td><td>15.81</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	2	17355.00	59.07	68.30	-9.23	65.76	42.69	15.81	Level (dBuV/m) Date: 2025-02-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11570.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>57.42</td><td>39.28</td><td>12.93</td></tr><tr><td>2</td><td>17355.00</td><td>61.17</td><td>68.30</td><td>-7.13</td><td>67.86</td><td>42.69</td><td>15.81</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11570.00	45.73	74.00	-28.27	57.42	39.28	12.93	2	17355.00	61.17	68.30	-7.13	67.86	42.69	15.81
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93																																																																									
2	17355.00	59.07	68.30	-9.23	65.76	42.69	15.81																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11570.00	45.73	74.00	-28.27	57.42	39.28	12.93																																																																									
2	17355.00	61.17	68.30	-7.13	67.86	42.69	15.81																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11570.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.23</td><td>39.28</td><td>12.93</td></tr><tr><td>2</td><td>17355.00</td><td>59.07</td><td>68.30</td><td>-9.23</td><td>65.76</td><td>42.69</td><td>15.81</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	2	17355.00	59.07	68.30	-9.23	65.76	42.69	15.81	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11570.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>57.42</td><td>39.28</td><td>12.93</td></tr><tr><td>2</td><td>17355.00</td><td>61.17</td><td>68.30</td><td>-7.13</td><td>67.86</td><td>42.69</td><td>15.81</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11570.00	45.73	74.00	-28.27	57.42	39.28	12.93	2	17355.00	61.17	68.30	-7.13	67.86	42.69	15.81	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93																																																																									
2	17355.00	59.07	68.30	-9.23	65.76	42.69	15.81																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11570.00	45.73	74.00	-28.27	57.42	39.28	12.93																																																																									
2	17355.00	61.17	68.30	-7.13	67.86	42.69	15.81																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11570.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>56.23</td><td>39.28</td><td>12.93</td></tr><tr><td>2</td><td>17355.00</td><td>59.07</td><td>68.30</td><td>-9.23</td><td>65.76</td><td>42.69</td><td>15.81</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93	2	17355.00	59.07	68.30	-9.23	65.76	42.69	15.81	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>11570.00</td><td>45.73</td><td>74.00</td><td>-28.27</td><td>57.42</td><td>39.28</td><td>12.93</td></tr><tr><td>2</td><td>17355.00</td><td>61.17</td><td>68.30</td><td>-7.13</td><td>67.86</td><td>42.69</td><td>15.81</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11570.00	45.73	74.00	-28.27	57.42	39.28	12.93	2	17355.00	61.17	68.30	-7.13	67.86	42.69	15.81	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11570.00	44.54	74.00	-29.46	56.23	39.28	12.93																																																																									
2	17355.00	59.07	68.30	-9.23	65.76	42.69	15.81																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	11570.00	45.73	74.00	-28.27	57.42	39.28	12.93																																																																									
2	17355.00	61.17	68.30	-7.13	67.86	42.69	15.81																																																																									



Mode	34																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full RU_5825MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>50.40</td><td>110.80</td><td>-60.40</td><td>36.93</td><td>36.65</td><td>10.29</td><td>33.47</td><td>200</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>5873.75</td><td>50.93</td><td>105.55</td><td>-54.62</td><td>37.40</td><td>36.67</td><td>10.33</td><td>33.47</td><td>200</td><td>282</td><td>PEAK</td></tr><tr><td>3</td><td>5923.25</td><td>51.05</td><td>69.59</td><td>-18.54</td><td>37.37</td><td>36.72</td><td>10.44</td><td>33.48</td><td>200</td><td>282</td><td>PEAK</td></tr><tr><td>4</td><td>5930.88</td><td>52.50</td><td>68.30</td><td>-15.80</td><td>38.81</td><td>36.73</td><td>10.45</td><td>33.49</td><td>200</td><td>282</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	5855.00	50.40	110.80	-60.40	36.93	36.65	10.29	33.47	200	282	PEAK	2	5873.75	50.93	105.55	-54.62	37.40	36.67	10.33	33.47	200	282	PEAK	3	5923.25	51.05	69.59	-18.54	37.37	36.72	10.44	33.48	200	282	PEAK	4	5930.88	52.50	68.30	-15.80	38.81	36.73	10.45	33.49	200	282	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>78.36</td><td>-----</td><td>-----</td><td>64.97</td><td>36.62</td><td>10.23</td><td>33.46</td><td>200</td><td>282</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	5825.00	78.36	-----	-----	64.97	36.62	10.23	33.46	200	282	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5855.00	50.40	110.80	-60.40	36.93	36.65	10.29	33.47	200	282	PEAK																																																																																																																			
2	5873.75	50.93	105.55	-54.62	37.40	36.67	10.33	33.47	200	282	PEAK																																																																																																																			
3	5923.25	51.05	69.59	-18.54	37.37	36.72	10.44	33.48	200	282	PEAK																																																																																																																			
4	5930.88	52.50	68.30	-15.80	38.81	36.73	10.45	33.49	200	282	PEAK																																																																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	78.36	-----	-----	64.97	36.62	10.23	33.46	200	282	PEAK																																																																																																																			
Avg	Blank						Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>71.60</td><td>-----</td><td>-----</td><td>58.21</td><td>36.62</td><td>10.23</td><td>33.46</td><td>200</td><td>282</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg	1	5825.00	71.60	-----	-----	58.21	36.62	10.23	33.46	200	282	AVERAGE																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	71.60	-----	-----	58.21	36.62	10.23	33.46	200	282	AVERAGE																																																																																																																			



Mode	34																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full RU_5825MHz																																																																																																																														
ANT	8																																																																																																																														
Pol.	Vertical										Fundamental																																																																																																																				
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>51.87</td><td>111.37</td><td>-59.50</td><td>38.40</td><td>36.65</td><td>10.29</td><td>33.47</td><td>135</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5874.50</td><td>50.37</td><td>105.34</td><td>-54.97</td><td>36.84</td><td>36.67</td><td>10.33</td><td>33.47</td><td>135</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.50</td><td>50.44</td><td>68.67</td><td>-18.23</td><td>36.76</td><td>36.72</td><td>10.44</td><td>33.48</td><td>135</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5944.25</td><td>52.41</td><td>68.30</td><td>-15.89</td><td>38.68</td><td>36.74</td><td>10.48</td><td>33.49</td><td>135</td><td>360</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.75	51.87	111.37	-59.50	38.40	36.65	10.29	33.47	135	360	PEAK	2	5874.50	50.37	105.34	-54.97	36.84	36.67	10.33	33.47	135	360	PEAK	3	5924.50	50.44	68.67	-18.23	36.76	36.72	10.44	33.48	135	360	PEAK	4	5944.25	52.41	68.30	-15.89	38.68	36.74	10.48	33.49	135	360	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>85.09</td><td>-----</td><td>-----</td><td>71.70</td><td>36.62</td><td>10.23</td><td>33.46</td><td>135</td><td>360</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	85.09	-----	-----	71.70	36.62	10.23	33.46	135	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.75	51.87	111.37	-59.50	38.40	36.65	10.29	33.47	135	360	PEAK																																																																																																																				
2	5874.50	50.37	105.34	-54.97	36.84	36.67	10.33	33.47	135	360	PEAK																																																																																																																				
3	5924.50	50.44	68.67	-18.23	36.76	36.72	10.44	33.48	135	360	PEAK																																																																																																																				
4	5944.25	52.41	68.30	-15.89	38.68	36.74	10.48	33.49	135	360	PEAK																																																																																																																				
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	85.09	-----	-----	71.70	36.62	10.23	33.46	135	360	PEAK																																																																																																																				
Avg	Blank										Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>78.73</td><td>-----</td><td>-----</td><td>65.34</td><td>36.62</td><td>10.23</td><td>33.46</td><td>135</td><td>360</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5825.00	78.73	-----	-----	65.34	36.62	10.23	33.46	135	360	AVERAGE																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	78.73	-----	-----	65.34	36.62	10.23	33.46	135	360	AVERAGE																																																																																																																				





Mode	34																																																									
	Harmonic																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full RU_5825MHz																																																									
ANT	8																																																									
Pol.	Horizontal	Vertical																																																								
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11650.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>56.54</td><td>39.38</td><td>12.99 63.95</td></tr><tr><td>2 17475.00</td><td>56.95</td><td>68.30</td><td>-11.35</td><td>63.55</td><td>42.82</td><td>15.90 65.32</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11650.00	44.96	74.00	-29.04	56.54	39.38	12.99 63.95	2 17475.00	56.95	68.30	-11.35	63.55	42.82	15.90 65.32	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><td>1 11650.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>56.43</td><td>39.38</td><td>12.99 63.95</td></tr><tr><td>2 17475.00</td><td>61.84</td><td>68.30</td><td>-6.46</td><td>68.44</td><td>42.82</td><td>15.90 65.32</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	1 11650.00	44.85	74.00	-29.15	56.43	39.38	12.99 63.95	2 17475.00	61.84	68.30	-6.46	68.44	42.82	15.90 65.32
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																			
1 11650.00	44.96	74.00	-29.04	56.54	39.38	12.99 63.95																																																				
2 17475.00	56.95	68.30	-11.35	63.55	42.82	15.90 65.32																																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																				
1 11650.00	44.85	74.00	-29.15	56.43	39.38	12.99 63.95																																																				
2 17475.00	61.84	68.30	-6.46	68.44	42.82	15.90 65.32																																																				
	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>44.96</td><td>74.00</td><td>-29.04</td><td>56.54</td><td>39.38</td><td>12.99</td><td>63.95</td><td>---</td></tr><tr><td>2 17475.00</td><td>56.95</td><td>68.30</td><td>-11.35</td><td>63.55</td><td>42.82</td><td>15.90</td><td>65.32</td><td>---</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11650.00	44.96	74.00	-29.04	56.54	39.38	12.99	63.95	---	2 17475.00	56.95	68.30	-11.35	63.55	42.82	15.90	65.32	---	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11650.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>56.43</td><td>39.38</td><td>12.99</td><td>63.95</td><td>---</td></tr><tr><td>2 17475.00</td><td>61.84</td><td>68.30</td><td>-6.46</td><td>68.44</td><td>42.82</td><td>15.90</td><td>65.32</td><td>100</td></tr></table>	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11650.00	44.85	74.00	-29.15	56.43	39.38	12.99	63.95	---	2 17475.00	61.84	68.30	-6.46	68.44	42.82	15.90	65.32	100		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																		
1 11650.00	44.96	74.00	-29.04	56.54	39.38	12.99	63.95	---																																																		
2 17475.00	56.95	68.30	-11.35	63.55	42.82	15.90	65.32	---																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																		
1 11650.00	44.85	74.00	-29.15	56.43	39.38	12.99	63.95	---																																																		
2 17475.00	61.84	68.30	-6.46	68.44	42.82	15.90	65.32	100																																																		



Mode	35																																																																																																																																	
	Band Edge - L																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5609.61</td><td>52.49</td><td>68.30</td><td>-15.81</td><td>39.72</td><td>36.41</td><td>9.78</td><td>33.42</td><td>300</td><td>10</td><td>PEAK</td></tr><tr><td>2</td><td>5650.53</td><td>50.77</td><td>68.69</td><td>-17.92</td><td>37.89</td><td>36.45</td><td>9.86</td><td>33.43</td><td>300</td><td>10</td><td>PEAK</td></tr><tr><td>3</td><td>5702.46</td><td>51.41</td><td>105.89</td><td>-54.48</td><td>38.38</td><td>36.50</td><td>9.97</td><td>33.44</td><td>300</td><td>10</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>50.18</td><td>111.09</td><td>-60.91</td><td>37.09</td><td>36.52</td><td>10.01</td><td>33.44</td><td>300</td><td>10</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5609.61	52.49	68.30	-15.81	39.72	36.41	9.78	33.42	300	10	PEAK	2	5650.53	50.77	68.69	-17.92	37.89	36.45	9.86	33.43	300	10	PEAK	3	5702.46	51.41	105.89	-54.48	38.38	36.50	9.97	33.44	300	10	PEAK	4	5720.13	50.18	111.09	-60.91	37.09	36.52	10.01	33.44	300	10	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>72.30</td><td>-----</td><td>-----</td><td>59.12</td><td>36.55</td><td>10.08</td><td>33.45</td><td>300</td><td>10</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	72.30	-----	-----	59.12	36.55	10.08	33.45	300	10	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5609.61	52.49	68.30	-15.81	39.72	36.41	9.78	33.42	300	10	PEAK																																																																																																																							
2	5650.53	50.77	68.69	-17.92	37.89	36.45	9.86	33.43	300	10	PEAK																																																																																																																							
3	5702.46	51.41	105.89	-54.48	38.38	36.50	9.97	33.44	300	10	PEAK																																																																																																																							
4	5720.13	50.18	111.09	-60.91	37.09	36.52	10.01	33.44	300	10	PEAK																																																																																																																							
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	72.30	-----	-----	59.12	36.55	10.08	33.45	300	10	PEAK																																																																																																																							
Avg	Blank					Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>65.13</td><td>-----</td><td>-----</td><td>51.95</td><td>36.55</td><td>10.08</td><td>33.45</td><td>300</td><td>10</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5755.00	65.13	-----	-----	51.95	36.55	10.08	33.45	300	10	AVERAGE																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	5755.00	65.13	-----	-----	51.95	36.55	10.08	33.45	300	10	AVERAGE																																																																																																																							




Mode	35																																																																																													
	Harmonic																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full RU_5755MHz																																																																																													
ANT	8																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>56.59</td><td>39.21</td><td>12.89</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>54.56</td><td>68.30</td><td>-13.74</td><td>61.32</td><td>42.59</td><td>15.74</td><td>65.09</td><td>100</td><td>36</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11510.00	44.83	74.00	-29.17	56.59	39.21	12.89	63.86	---	---	Peak	2	17265.00	54.56	68.30	-13.74	61.32	42.59	15.74	65.09	100	36	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>56.86</td><td>39.21</td><td>12.89</td><td>63.86</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17265.00</td><td>62.08</td><td>68.30</td><td>-6.22</td><td>68.84</td><td>42.59</td><td>15.74</td><td>65.09</td><td>100</td><td>282</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11510.00	45.10	74.00	-28.90	56.86	39.21	12.89	63.86	---	---	Peak	2	17265.00	62.08	68.30	-6.22	68.84	42.59	15.74	65.09	100	282	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
1	11510.00	44.83	74.00	-29.17	56.59	39.21	12.89	63.86	---	---	Peak																																																																																			
2	17265.00	54.56	68.30	-13.74	61.32	42.59	15.74	65.09	100	36	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
1	11510.00	45.10	74.00	-28.90	56.86	39.21	12.89	63.86	---	---	Peak																																																																																			
2	17265.00	62.08	68.30	-6.22	68.84	42.59	15.74	65.09	100	282	Peak																																																																																			



Mode	36										
	Band Edge - L										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz										
ANT	8										
Pol.	Horizontal										Fundamental
Peak	Level (dBuV/m) Date: 2025-02-16										



Mode	36																																																																																								
	Band Edge - R																																																																																								
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																								
ANT	8																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	Date: 2025-02-16 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>51.64</td><td>110.83</td><td>-59.19</td><td>38.17</td><td>36.65</td><td>10.29</td><td>33.47</td><td>200</td><td>345</td><td>PEAK</td></tr><tr><td>2</td><td>5872.81</td><td>51.58</td><td>105.81</td><td>-54.23</td><td>38.05</td><td>36.67</td><td>10.33</td><td>33.47</td><td>200</td><td>345</td><td>PEAK</td></tr><tr><td>3</td><td>5924.58</td><td>51.09</td><td>68.61</td><td>-17.52</td><td>37.41</td><td>36.72</td><td>10.44</td><td>33.48</td><td>200</td><td>345</td><td>PEAK</td></tr><tr><td>4</td><td>5933.57</td><td>52.40</td><td>68.30</td><td>-15.90</td><td>38.70</td><td>36.73</td><td>10.46</td><td>33.49</td><td>200</td><td>345</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5854.99	51.64	110.83	-59.19	38.17	36.65	10.29	33.47	200	345	PEAK	2	5872.81	51.58	105.81	-54.23	38.05	36.67	10.33	33.47	200	345	PEAK	3	5924.58	51.09	68.61	-17.52	37.41	36.72	10.44	33.48	200	345	PEAK	4	5933.57	52.40	68.30	-15.90	38.70	36.73	10.46	33.49	200	345	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5854.99	51.64	110.83	-59.19	38.17	36.65	10.29	33.47	200	345	PEAK																																																																														
2	5872.81	51.58	105.81	-54.23	38.05	36.67	10.33	33.47	200	345	PEAK																																																																														
3	5924.58	51.09	68.61	-17.52	37.41	36.72	10.44	33.48	200	345	PEAK																																																																														
4	5933.57	52.40	68.30	-15.90	38.70	36.73	10.46	33.49	200	345	PEAK																																																																														



Mode	36																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																																																																																		
ANT	8																																																																																																																																		
Pol.	Vertical										Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5628.47</td><td>51.01</td><td>68.30</td><td>-17.29</td><td>38.19</td><td>36.43</td><td>9.82</td><td>33.43</td><td>400</td><td>286</td><td>PEAK</td></tr><tr><td>2</td><td>5651.09</td><td>50.53</td><td>69.11</td><td>-18.58</td><td>37.65</td><td>36.45</td><td>9.86</td><td>33.43</td><td>400</td><td>286</td><td>PEAK</td></tr><tr><td>3</td><td>5701.21</td><td>50.43</td><td>105.54</td><td>-55.11</td><td>37.40</td><td>36.50</td><td>9.97</td><td>33.44</td><td>400</td><td>286</td><td>PEAK</td></tr><tr><td>4</td><td>5720.32</td><td>50.85</td><td>111.52</td><td>-60.67</td><td>37.76</td><td>36.52</td><td>10.01</td><td>33.44</td><td>400</td><td>286</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5628.47	51.01	68.30	-17.29	38.19	36.43	9.82	33.43	400	286	PEAK	2	5651.09	50.53	69.11	-18.58	37.65	36.45	9.86	33.43	400	286	PEAK	3	5701.21	50.43	105.54	-55.11	37.40	36.50	9.97	33.44	400	286	PEAK	4	5720.32	50.85	111.52	-60.67	37.76	36.52	10.01	33.44	400	286	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>71.78</td><td>-----</td><td>-----</td><td>58.49</td><td>36.59</td><td>10.16</td><td>33.46</td><td>400</td><td>286</td><td>PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	71.78	-----	-----	58.49	36.59	10.16	33.46	400	286	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5628.47	51.01	68.30	-17.29	38.19	36.43	9.82	33.43	400	286	PEAK																																																																																																																								
2	5651.09	50.53	69.11	-18.58	37.65	36.45	9.86	33.43	400	286	PEAK																																																																																																																								
3	5701.21	50.43	105.54	-55.11	37.40	36.50	9.97	33.44	400	286	PEAK																																																																																																																								
4	5720.32	50.85	111.52	-60.67	37.76	36.52	10.01	33.44	400	286	PEAK																																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	71.78	-----	-----	58.49	36.59	10.16	33.46	400	286	PEAK																																																																																																																								
Avg	Blank										Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>65.43</td><td>-----</td><td>-----</td><td>52.14</td><td>36.59</td><td>10.16</td><td>33.46</td><td>400</td><td>286</td><td>AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5795.00	65.43	-----	-----	52.14	36.59	10.16	33.46	400	286	AVERAGE																																																																														
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5795.00	65.43	-----	-----	52.14	36.59	10.16	33.46	400	286	AVERAGE																																																																																																																								



Mode	36																																																																															
	Harmonic																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full RU_5795MHz																																																																															
ANT	8																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1 11590.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>55.76</td><td>39.31</td><td>12.95</td><td>63.91</td></tr><tr><td>2 17385.00</td><td>53.22</td><td>68.30</td><td>-15.08</td><td>59.89</td><td>42.72</td><td>15.83</td><td>65.22</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 11590.00	44.11	74.00	-29.89	55.76	39.31	12.95	63.91	2 17385.00	53.22	68.30	-15.08	59.89	42.72	15.83	65.22	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1 11590.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>56.85</td><td>39.31</td><td>12.95</td><td>63.91</td></tr><tr><td>2 17385.00</td><td>61.66</td><td>68.30</td><td>-6.64</td><td>68.33</td><td>42.72</td><td>15.83</td><td>65.22</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1 11590.00	45.20	74.00	-28.80	56.85	39.31	12.95	63.91	2 17385.00	61.66	68.30	-6.64	68.33	42.72	15.83	65.22
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
1 11590.00	44.11	74.00	-29.89	55.76	39.31	12.95	63.91																																																																									
2 17385.00	53.22	68.30	-15.08	59.89	42.72	15.83	65.22																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
1 11590.00	45.20	74.00	-28.80	56.85	39.31	12.95	63.91																																																																									
2 17385.00	61.66	68.30	-6.64	68.33	42.72	15.83	65.22																																																																									
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>55.76</td><td>39.31</td><td>12.95</td><td>63.91</td><td>---</td><td>---</td></tr><tr><td>2 17385.00</td><td>53.22</td><td>68.30</td><td>-15.08</td><td>59.89</td><td>42.72</td><td>15.83</td><td>65.22</td><td>100</td><td>52 Peak</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	44.11	74.00	-29.89	55.76	39.31	12.95	63.91	---	---	2 17385.00	53.22	68.30	-15.08	59.89	42.72	15.83	65.22	100	52 Peak	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11590.00</td><td>45.20</td><td>74.00</td><td>-28.80</td><td>56.85</td><td>39.31</td><td>12.95</td><td>63.91</td><td>---</td><td>---</td></tr><tr><td>2 17385.00</td><td>61.66</td><td>68.30</td><td>-6.64</td><td>68.33</td><td>42.72</td><td>15.83</td><td>65.22</td><td>100</td><td>286 Peak</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11590.00	45.20	74.00	-28.80	56.85	39.31	12.95	63.91	---	---	2 17385.00	61.66	68.30	-6.64	68.33	42.72	15.83	65.22	100	286 Peak					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	44.11	74.00	-29.89	55.76	39.31	12.95	63.91	---	---																																																																							
2 17385.00	53.22	68.30	-15.08	59.89	42.72	15.83	65.22	100	52 Peak																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11590.00	45.20	74.00	-28.80	56.85	39.31	12.95	63.91	---	---																																																																							
2 17385.00	61.66	68.30	-6.64	68.33	42.72	15.83	65.22	100	286 Peak																																																																							



Mode	37											
	Band Edge - L											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz											
ANT	8											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2025-02-16 </											



Mode	37																																																																						
	Harmonic																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full RU_5775MHz																																																																						
ANT	8																																																																						
Pol.	Horizontal						Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>56.34</td><td>39.26</td><td>12.92</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>54.46</td><td>42.66</td><td>15.79</td><td>65.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11550.00	44.64	74.00	-29.36	56.34	39.26	12.92	63.88	---	---	Peak	2	17325.00	47.75	68.30	-20.55	54.46	42.66	15.79	65.16	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11550.00	44.64	74.00	-29.36	56.34	39.26	12.92	63.88	---	---	Peak																																																												
2	17325.00	47.75	68.30	-20.55	54.46	42.66	15.79	65.16	---	---	Peak																																																												
Level (dBuV/m) Date: 2025-02-19 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>57.29</td><td>39.26</td><td>12.92</td><td>63.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.92</td><td>68.30</td><td>-21.38</td><td>53.63</td><td>42.66</td><td>15.79</td><td>65.16</td><td>---</td><td>---</td><td>Peak</td></tr></table>														Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11550.00	45.59	74.00	-28.41	57.29	39.26	12.92	63.88	---	---	Peak	2	17325.00	46.92	68.30	-21.38	53.63	42.66	15.79	65.16	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	11550.00	45.59	74.00	-28.41	57.29	39.26	12.92	63.88	---	---	Peak																																																												
2	17325.00	46.92	68.30	-21.38	53.63	42.66	15.79	65.16	---	---	Peak																																																												



Mode	38																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																									
ANT	9																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.76</td><td>61.44</td><td>74.00</td><td>-12.56</td><td>49.79</td><td>36.58</td><td>8.54</td><td>33.47</td><td>300 280 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.76	61.44	74.00	-12.56	49.79	36.58	8.54	33.47	300 280 PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>99.04</td><td>-----</td><td>-----</td><td>87.36</td><td>36.55</td><td>8.59</td><td>33.46</td><td>300 280 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	99.04	-----	-----	87.36	36.55	8.59	33.46	300 280 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.76	61.44	74.00	-12.56	49.79	36.58	8.54	33.47	300 280 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	99.04	-----	-----	87.36	36.55	8.59	33.46	300 280 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.40</td><td>44.00</td><td>54.00</td><td>-10.00</td><td>32.36</td><td>36.58</td><td>8.53</td><td>33.47</td><td>300 280 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.40	44.00	54.00	-10.00	32.36	36.58	8.53	33.47	300 280 AVERAGE	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>92.74</td><td>-----</td><td>-----</td><td>81.06</td><td>36.55</td><td>8.59</td><td>33.46</td><td>300 280 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	92.74	-----	-----	81.06	36.55	8.59	33.46	300 280 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.40	44.00	54.00	-10.00	32.36	36.58	8.53	33.47	300 280 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	92.74	-----	-----	81.06	36.55	8.59	33.46	300 280 AVERAGE																																																																		



		38																																																																																																			
Mode		Band Edge																																																																																																			
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																			
ANT		9																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak		Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.78</td><td>63.46</td><td>74.00</td><td>-10.54</td><td>51.82</td><td>36.58</td><td>8.53</td><td>33.47</td><td>352</td><td>360</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5147.78	63.46	74.00	-10.54	51.82	36.58	8.53	33.47	352	360	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>105.45</td><td>-----</td><td>-----</td><td>93.77</td><td>36.55</td><td>8.59</td><td>33.46</td><td>352</td><td>360</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	105.45	-----	-----	93.77	36.55	8.59	33.46	352	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5147.78	63.46	74.00	-10.54	51.82	36.58	8.53	33.47	352	360	PEAK																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5180.00	105.45	-----	-----	93.77	36.55	8.59	33.46	352	360	PEAK																																																																																										
Avg		Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>48.52</td><td>54.00</td><td>-5.48</td><td>36.88</td><td>36.58</td><td>8.53</td><td>33.47</td><td>352</td><td>360</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5149.40	48.52	54.00	-5.48	36.88	36.58	8.53	33.47	352	360	AVERAGE	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.91</td><td>-----</td><td>-----</td><td>87.23</td><td>36.56</td><td>8.58</td><td>33.46</td><td>352</td><td>360</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.91	-----	-----	87.23	36.56	8.58	33.46	352	360	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5149.40	48.52	54.00	-5.48	36.88	36.58	8.53	33.47	352	360	AVERAGE																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	5180.00	98.91	-----	-----	87.23	36.56	8.58	33.46	352	360	AVERAGE																																																																																										





Mode	38																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	9																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10360.00</td><td>47.94</td><td>68.30</td><td>-20.36</td><td>61.17</td><td>38.47</td><td>12.06</td></tr><tr><td>2</td><td>15540.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>56.81</td><td>41.32</td><td>14.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10360.00	47.94	68.30	-20.36	61.17	38.47	12.06	2	15540.00	48.33	74.00	-25.67	56.81	41.32	14.58	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10360.00</td><td>47.60</td><td>68.30</td><td>-20.70</td><td>60.83</td><td>38.47</td><td>12.06</td></tr><tr><td>2</td><td>15540.00</td><td>48.71</td><td>74.00</td><td>-25.29</td><td>57.19</td><td>41.32</td><td>14.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10360.00	47.60	68.30	-20.70	60.83	38.47	12.06	2	15540.00	48.71	74.00	-25.29	57.19	41.32	14.58
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
	1	10360.00	47.94	68.30	-20.36	61.17	38.47	12.06																																																																								
2	15540.00	48.33	74.00	-25.67	56.81	41.32	14.58																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10360.00	47.60	68.30	-20.70	60.83	38.47	12.06																																																																									
2	15540.00	48.71	74.00	-25.29	57.19	41.32	14.58																																																																									





Mode	39																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																
ANT	9																																																																																
Pol.	Horizontal								Vertical																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10440.00</td><td>46.54</td><td>68.30</td><td>-21.76</td><td>59.65</td><td>38.49</td><td>12.12</td></tr><tr><td>2</td><td>15660.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>56.55</td><td>41.40</td><td>14.64</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10440.00	46.54	68.30	-21.76	59.65	38.49	12.12	2	15660.00	48.13	74.00	-25.87	56.55	41.40	14.64	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10440.00</td><td>46.77</td><td>68.30</td><td>-21.53</td><td>59.88</td><td>38.49</td><td>12.12</td></tr><tr><td>2</td><td>15660.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>56.91</td><td>41.40</td><td>14.64</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10440.00	46.77	68.30	-21.53	59.88	38.49	12.12	2	15660.00	48.49	74.00	-25.51	56.91	41.40	14.64	
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1	10440.00	46.54	68.30	-21.76	59.65	38.49	12.12																																																																										
2	15660.00	48.13	74.00	-25.87	56.55	41.40	14.64																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
1	10440.00	46.77	68.30	-21.53	59.88	38.49	12.12																																																																										
2	15660.00	48.49	74.00	-25.51	56.91	41.40	14.64																																																																										
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.54</td><td>68.30</td><td>-21.76</td><td>59.65</td><td>38.49</td><td>12.12</td><td>63.72</td><td>---</td><td>---</td></tr><tr><td>2</td><td>15660.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>56.55</td><td>41.40</td><td>14.64</td><td>64.46</td><td>---</td><td>---</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.54	68.30	-21.76	59.65	38.49	12.12	63.72	---	---	2	15660.00	48.13	74.00	-25.87	56.55	41.40	14.64	64.46	---	---	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>46.77</td><td>68.30</td><td>-21.53</td><td>59.88</td><td>38.49</td><td>12.12</td><td>63.72</td><td>---</td><td>---</td></tr><tr><td>2</td><td>15660.00</td><td>48.49</td><td>74.00</td><td>-25.51</td><td>56.91</td><td>41.40</td><td>14.64</td><td>64.46</td><td>---</td><td>---</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.77	68.30	-21.53	59.88	38.49	12.12	63.72	---	---	2	15660.00	48.49	74.00	-25.51	56.91	41.40	14.64	64.46	---	---
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	10440.00	46.54	68.30	-21.76	59.65	38.49	12.12	63.72	---	---																																																																							
2	15660.00	48.13	74.00	-25.87	56.55	41.40	14.64	64.46	---	---																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	10440.00	46.77	68.30	-21.53	59.88	38.49	12.12	63.72	---	---																																																																							
2	15660.00	48.49	74.00	-25.51	56.91	41.40	14.64	64.46	---	---																																																																							
Peak								Peak																																																																									





Mode	40																																																																
	Harmonic																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																
ANT	9																																																																
Pol.	Horizontal						Vertical																																																										
Peak Avg	Level (dBuV/m) Date: 2025-02-19  Frequency (MHz)						Level (dBuV/m) Date: 2025-02-19  Frequency (MHz)																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>47.74</td><td>68.30</td><td>-20.56</td><td>60.80</td><td>38.50</td><td>12.15</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>55.29</td><td>41.43</td><td>14.66</td><td>64.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	47.74	68.30	-20.56	60.80	38.50	12.15	63.71	---	---	Peak	2	15720.00	46.88	74.00	-27.12	55.29	41.43	14.66	64.50	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10480.00	47.74	68.30	-20.56	60.80	38.50	12.15	63.71	---	---	Peak																																																						
2	15720.00	46.88	74.00	-27.12	55.29	41.43	14.66	64.50	---	---	Peak																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>48.56</td><td>68.30</td><td>-19.74</td><td>61.62</td><td>38.50</td><td>12.15</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>55.74</td><td>41.43</td><td>14.66</td><td>64.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10480.00	48.56	68.30	-19.74	61.62	38.50	12.15	63.71	---	---	Peak	2	15720.00	47.33	74.00	-26.67	55.74	41.43	14.66	64.50	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	10480.00	48.56	68.30	-19.74	61.62	38.50	12.15	63.71	---	---	Peak																																																						
2	15720.00	47.33	74.00	-26.67	55.74	41.43	14.66	64.50	---	---	Peak																																																						



Mode	41																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																															
ANT	9																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 70 dBuV/m, and the average level is approximately 52.5 dBuV/m. The frequency range is from 6500 to 18000 MHz. The date is 2025-02-19.								 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 70 dBuV/m, and the average level is approximately 52.5 dBuV/m. The frequency range is from 6500 to 18000 MHz. The date is 2025-02-19.																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10520.00</td><td>47.25</td><td>68.30</td><td>-21.05</td><td>60.26</td><td>38.50</td><td>12.18</td></tr><tr><td>2</td><td>15780.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>56.11</td><td>41.47</td><td>14.69</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.25	68.30	-21.05	60.26	38.50	12.18	2	15780.00	47.72	74.00	-26.28	56.11	41.47	14.69	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10520.00</td><td>47.00</td><td>68.30</td><td>-21.30</td><td>60.01</td><td>38.50</td><td>12.18</td></tr><tr><td>2</td><td>15780.00</td><td>48.24</td><td>74.00</td><td>-25.76</td><td>56.63</td><td>41.47</td><td>14.69</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10520.00	47.00	68.30	-21.30	60.01	38.50	12.18	2	15780.00	48.24	74.00	-25.76	56.63	41.47	14.69
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10520.00	47.25	68.30	-21.05	60.26	38.50	12.18																																																																																									
2	15780.00	47.72	74.00	-26.28	56.11	41.47	14.69																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10520.00	47.00	68.30	-21.30	60.01	38.50	12.18																																																																																									
2	15780.00	48.24	74.00	-25.76	56.63	41.47	14.69																																																																																									



Mode	42																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																
ANT	9																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>60.18</td><td>38.52</td><td>12.23</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>46.52</td><td>74.00</td><td>-27.48</td><td>54.86</td><td>41.54</td><td>14.75</td><td>64.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	47.27	74.00	-26.73	60.18	38.52	12.23	63.66	---	---	Peak	2	15900.00	46.52	74.00	-27.48	54.86	41.54	14.75	64.63	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10600.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>59.66</td><td>38.52</td><td>12.23</td><td>63.66</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>55.74</td><td>41.54</td><td>14.75</td><td>64.63</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10600.00	46.75	74.00	-27.25	59.66	38.52	12.23	63.66	---	---	Peak	2	15900.00	47.40	74.00	-26.60	55.74	41.54	14.75	64.63	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10600.00	47.27	74.00	-26.73	60.18	38.52	12.23	63.66	---	---	Peak																																																																																																																						
2	15900.00	46.52	74.00	-27.48	54.86	41.54	14.75	64.63	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10600.00	46.75	74.00	-27.25	59.66	38.52	12.23	63.66	---	---	Peak																																																																																																																						
2	15900.00	47.40	74.00	-26.60	55.74	41.54	14.75	64.63	---	---	Peak																																																																																																																						





Mode	43																																																																																											
	Band Edge																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																											
ANT	9																																																																																											
Pol.	Horizontal					Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5437.04</td><td>51.54</td><td>74.00</td><td>-22.46</td><td>38.92</td><td>36.35</td><td>9.68</td><td>33.41</td><td>400</td><td>101 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5437.04	51.54	74.00	-22.46	38.92	36.35	9.68	33.41	400	101 PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.24</td><td>-----</td><td>-----</td><td>84.03</td><td>36.44</td><td>9.21</td><td>33.44</td><td>400</td><td>101 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.24	-----	-----	84.03	36.44	9.21	33.44	400	101 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5437.04	51.54	74.00	-22.46	38.92	36.35	9.68	33.41	400	101 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5320.00	96.24	-----	-----	84.03	36.44	9.21	33.44	400	101 PEAK																																																																																		
Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.84</td><td>41.53</td><td>54.00</td><td>-12.47</td><td>28.92</td><td>36.36</td><td>9.67</td><td>33.42</td><td>400</td><td>101 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5418.84	41.53	54.00	-12.47	28.92	36.36	9.67	33.42	400	101 AVERAGE	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>90.02</td><td>-----</td><td>-----</td><td>77.81</td><td>36.44</td><td>9.21</td><td>33.44</td><td>400</td><td>101 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5320.00	90.02	-----	-----	77.81	36.44	9.21	33.44	400	101 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5418.84	41.53	54.00	-12.47	28.92	36.36	9.67	33.42	400	101 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5320.00	90.02	-----	-----	77.81	36.44	9.21	33.44	400	101 AVERAGE																																																																																		



		43									
Mode		Band Edge									
		U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz									
ANT		9									
Pol.		Vertical					Fundamental				
Peak	Level (dBuV/m) Date: 2025-02-16 </										



Mode	43																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																
ANT	9																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>46.74</td><td>74.00</td><td>-27.26</td><td>59.59</td><td>38.53</td><td>12.26</td><td>63.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>47.86</td><td>74.00</td><td>-26.14</td><td>56.18</td><td>41.58</td><td>14.77</td><td>64.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	46.74	74.00	-27.26	59.59	38.53	12.26	63.64	---	---	Peak	2	15960.00	47.86	74.00	-26.14	56.18	41.58	14.77	64.67	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.65</td><td>74.00</td><td>-26.35</td><td>60.50</td><td>38.53</td><td>12.26</td><td>63.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.56</td><td>74.00</td><td>-25.44</td><td>56.88</td><td>41.58</td><td>14.77</td><td>64.67</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.65	74.00	-26.35	60.50	38.53	12.26	63.64	---	---	Peak	2	15960.00	48.56	74.00	-25.44	56.88	41.58	14.77	64.67	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	46.74	74.00	-27.26	59.59	38.53	12.26	63.64	---	---	Peak																																																																																																																						
2	15960.00	47.86	74.00	-26.14	56.18	41.58	14.77	64.67	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10640.00	47.65	74.00	-26.35	60.50	38.53	12.26	63.64	---	---	Peak																																																																																																																						
2	15960.00	48.56	74.00	-25.44	56.88	41.58	14.77	64.67	---	---	Peak																																																																																																																						



Mode	44																																																																
	Band Edge																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																
ANT	9																																																																
Pol.	Horizontal					Fundamental																																																											
Peak	Level (dBuV/m) Date: 2025-02-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5457.55</td><td>51.98</td><td>74.00</td><td>-22.02</td><td>39.37</td><td>36.33</td><td>9.69</td><td>33.41</td><td>300</td><td>205 PEAK</td></tr><tr><td>2</td><td>5469.40</td><td>50.63</td><td>68.30</td><td>-17.67</td><td>38.03</td><td>36.32</td><td>9.69</td><td>33.41</td><td>300</td><td>205 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5457.55	51.98	74.00	-22.02	39.37	36.33	9.69	33.41	300	205 PEAK	2	5469.40	50.63	68.30	-17.67	38.03	36.32	9.69	33.41	300	205 PEAK	Level (dBuV/m) Date: 2025-02-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>92.40</td><td>-----</td><td>-----</td><td>79.78</td><td>36.31</td><td>9.71</td><td>33.40</td><td>300</td><td>205 PEAK</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	92.40	-----	-----	79.78	36.31	9.71	33.40	300	205 PEAK
		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																						
1	5457.55	51.98	74.00	-22.02	39.37	36.33	9.69	33.41	300	205 PEAK																																																							
2	5469.40	50.63	68.30	-17.67	38.03	36.32	9.69	33.41	300	205 PEAK																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	5500.00	92.40	-----	-----	79.78	36.31	9.71	33.40	300	205 PEAK																																																							
Avg	Level (dBuV/m) Date: 2025-02-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5458.90</td><td>41.26</td><td>54.00</td><td>-12.74</td><td>28.65</td><td>36.33</td><td>9.69</td><td>33.41</td><td>300</td><td>205 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5458.90	41.26	54.00	-12.74	28.65	36.33	9.69	33.41	300	205 AVERAGE	Level (dBuV/m) Date: 2025-02-16 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor dB cm deg Remark <table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><td>1</td><td>5500.00</td><td>85.73</td><td>-----</td><td>-----</td><td>73.12</td><td>36.30</td><td>9.71</td><td>33.40</td><td>300</td><td>205 AVERAGE</td></tr></table>						MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1	5500.00	85.73	-----	-----	73.12	36.30	9.71	33.40	300	205 AVERAGE											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	5458.90	41.26	54.00	-12.74	28.65	36.33	9.69	33.41	300	205 AVERAGE																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																																							
1	5500.00	85.73	-----	-----	73.12	36.30	9.71	33.40	300	205 AVERAGE																																																							





Mode	44																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																			
ANT	9																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-02-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.15</td><td>55.23</td><td>74.00</td><td>-18.77</td><td>42.62</td><td>36.33</td><td>9.69</td><td>33.41</td><td>311 360 PEAK</td></tr><tr><td>2</td><td>5467.15</td><td>59.36</td><td>68.30</td><td>-8.94</td><td>46.75</td><td>36.33</td><td>9.69</td><td>33.41</td><td>311 360 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5458.15	55.23	74.00	-18.77	42.62	36.33	9.69	33.41	311 360 PEAK	2	5467.15	59.36	68.30	-8.94	46.75	36.33	9.69	33.41	311 360 PEAK	Level (dBuV/m) Date: 2025-02-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.93</td><td>-----</td><td>-----</td><td>91.32</td><td>36.30</td><td>9.71</td><td>33.40</td><td>311 360 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.93	-----	-----	91.32	36.30	9.71	33.40	311 360 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5458.15	55.23	74.00	-18.77	42.62	36.33	9.69	33.41	311 360 PEAK																																																																																											
2	5467.15	59.36	68.30	-8.94	46.75	36.33	9.69	33.41	311 360 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	103.93	-----	-----	91.32	36.30	9.71	33.40	311 360 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-02-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>30.88</td><td>36.33</td><td>9.69</td><td>33.41</td><td>311 360 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	43.49	54.00	-10.51	30.88	36.33	9.69	33.41	311 360 AVERAGE	Level (dBuV/m) Date: 2025-02-16 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.20</td><td>-----</td><td>-----</td><td>84.59</td><td>36.30</td><td>9.71</td><td>33.40</td><td>311 360 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	97.20	-----	-----	84.59	36.30	9.71	33.40	311 360 AVERAGE										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.50	43.49	54.00	-10.51	30.88	36.33	9.69	33.41	311 360 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5500.00	97.20	-----	-----	84.59	36.30	9.71	33.40	311 360 AVERAGE																																																																																											



Mode	44																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																															
ANT	9																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1 11000.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>60.51</td><td>38.60</td><td>12.52</td><td>63.50</td></tr><tr><td>2 16500.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>55.84</td><td>41.95</td><td>15.17</td><td>64.75</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 11000.00	48.13	74.00	-25.87	60.51	38.60	12.52	63.50	2 16500.00	48.21	68.30	-20.09	55.84	41.95	15.17	64.75	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1 11000.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>58.36</td><td>38.60</td><td>12.52</td><td>63.50</td></tr><tr><td>2 16500.00</td><td>46.98</td><td>68.30</td><td>-21.32</td><td>54.61</td><td>41.95</td><td>15.17</td><td>64.75</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1 11000.00	45.98	74.00	-28.02	58.36	38.60	12.52	63.50	2 16500.00	46.98	68.30	-21.32	54.61	41.95	15.17	64.75
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1 11000.00	48.13	74.00	-25.87	60.51	38.60	12.52	63.50																																																																									
2 16500.00	48.21	68.30	-20.09	55.84	41.95	15.17	64.75																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																									
1 11000.00	45.98	74.00	-28.02	58.36	38.60	12.52	63.50																																																																									
2 16500.00	46.98	68.30	-21.32	54.61	41.95	15.17	64.75																																																																									
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>60.51</td><td>38.60</td><td>12.52</td><td>63.50</td><td>---</td><td>---</td></tr><tr><td>2 16500.00</td><td>48.21</td><td>68.30</td><td>-20.09</td><td>55.84</td><td>41.95</td><td>15.17</td><td>64.75</td><td>---</td><td>---</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	48.13	74.00	-25.87	60.51	38.60	12.52	63.50	---	---	2 16500.00	48.21	68.30	-20.09	55.84	41.95	15.17	64.75	---	---	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>45.98</td><td>74.00</td><td>-28.02</td><td>58.36</td><td>38.60</td><td>12.52</td><td>63.50</td><td>---</td><td>---</td></tr><tr><td>2 16500.00</td><td>46.98</td><td>68.30</td><td>-21.32</td><td>54.61</td><td>41.95</td><td>15.17</td><td>64.75</td><td>---</td><td>---</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11000.00	45.98	74.00	-28.02	58.36	38.60	12.52	63.50	---	---	2 16500.00	46.98	68.30	-21.32	54.61	41.95	15.17	64.75	---	---					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11000.00	48.13	74.00	-25.87	60.51	38.60	12.52	63.50	---	---																																																																							
2 16500.00	48.21	68.30	-20.09	55.84	41.95	15.17	64.75	---	---																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 11000.00	45.98	74.00	-28.02	58.36	38.60	12.52	63.50	---	---																																																																							
2 16500.00	46.98	68.30	-21.32	54.61	41.95	15.17	64.75	---	---																																																																							
Peak								Peak																																																																								



Mode	45																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																															
ANT	9																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>49.11</td><td>74.00</td><td>-24.89</td><td>61.29</td><td>38.79</td><td>12.64</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.26</td><td>68.30</td><td>-21.04</td><td>54.56</td><td>42.12</td><td>15.35</td><td>64.77</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64	63.61	---	---	Peak	2	16740.00	47.26	68.30	-21.04	54.56	42.12	15.35	64.77	---	---	Peak	<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11160.00</td><td>48.30</td><td>74.00</td><td>-25.70</td><td>60.48</td><td>38.79</td><td>12.64</td><td>63.61</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.66</td><td>68.30</td><td>-20.64</td><td>54.96</td><td>42.12</td><td>15.35</td><td>64.77</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	48.30	74.00	-25.70	60.48	38.79	12.64	63.61	---	---	Peak	2	16740.00	47.66	68.30	-20.64	54.96	42.12	15.35	64.77	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11160.00	49.11	74.00	-24.89	61.29	38.79	12.64	63.61	---	---	Peak																																																																																																																					
2	16740.00	47.26	68.30	-21.04	54.56	42.12	15.35	64.77	---	---	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	11160.00	48.30	74.00	-25.70	60.48	38.79	12.64	63.61	---	---	Peak																																																																																																																					
2	16740.00	47.66	68.30	-20.64	54.96	42.12	15.35	64.77	---	---	Peak																																																																																																																					





Mode	46																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																			
ANT	9																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5738.16</td><td>52.60</td><td>68.30</td><td>-15.70</td><td>39.46</td><td>36.54</td><td>10.05</td><td>33.45</td><td>400</td><td>233 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5738.16	52.60	68.30	-15.70	39.46	36.54	10.05	33.45	400	233 PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>93.56</td><td>-----</td><td>-----</td><td>80.54</td><td>36.50</td><td>9.96</td><td>33.44</td><td>400</td><td>233 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	93.56	-----	-----	80.54	36.50	9.96	33.44	400	233 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5738.16	52.60	68.30	-15.70	39.46	36.54	10.05	33.45	400	233 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	93.56	-----	-----	80.54	36.50	9.96	33.44	400	233 PEAK																																																																										
Avg	Blank	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>87.46</td><td>-----</td><td>-----</td><td>74.44</td><td>36.50</td><td>9.96</td><td>33.44</td><td>400</td><td>233 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	87.46	-----	-----	74.44	36.50	9.96	33.44	400	233 AVERAGE																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5700.00	87.46	-----	-----	74.44	36.50	9.96	33.44	400	233 AVERAGE																																																																										







Mode	46																																																																																															
	Band Edge																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																															
ANT	9																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.74</td><td>60.48</td><td>68.30</td><td>-7.82</td><td>47.38</td><td>36.53</td><td>10.02</td><td>33.45</td><td>373</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5725.74	60.48	68.30	-7.82	47.38	36.53	10.02	33.45	373	360	PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.36</td><td>-----</td><td>-----</td><td>91.33</td><td>36.50</td><td>9.97</td><td>33.44</td><td>373</td><td>360</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.36	-----	-----	91.33	36.50	9.97	33.44	373	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5725.74	60.48	68.30	-7.82	47.38	36.53	10.02	33.45	373	360	PEAK																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	104.36	-----	-----	91.33	36.50	9.97	33.44	373	360	PEAK																																																																																					
Avg	Blank						Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>96.91</td><td>-----</td><td>-----</td><td>83.89</td><td>36.50</td><td>9.96</td><td>33.44</td><td>373</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.91	-----	-----	83.89	36.50	9.96	33.44	373	360	AVERAGE																																										
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5700.00	96.91	-----	-----	83.89	36.50	9.96	33.44	373	360	AVERAGE																																																																																					



Mode	46																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																
ANT	9																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11400.00</td><td>45.47</td><td>74.00</td><td>-28.53</td><td>57.36</td><td>39.08</td><td>12.81</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.52</td><td>68.30</td><td>-18.78</td><td>56.40</td><td>42.41</td><td>15.62</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11400.00	45.47	74.00	-28.53	57.36	39.08	12.81	63.78	---	---	Peak	2	17100.00	49.52	68.30	-18.78	56.40	42.41	15.62	64.91	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11400.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>58.31</td><td>39.08</td><td>12.81</td><td>63.78</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.46</td><td>68.30</td><td>-19.84</td><td>55.34</td><td>42.41</td><td>15.62</td><td>64.91</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11400.00	46.42	74.00	-27.58	58.31	39.08	12.81	63.78	---	---	Peak	2	17100.00	48.46	68.30	-19.84	55.34	42.41	15.62	64.91	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	45.47	74.00	-28.53	57.36	39.08	12.81	63.78	---	---	Peak																																																																																																																						
2	17100.00	49.52	68.30	-18.78	56.40	42.41	15.62	64.91	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	46.42	74.00	-27.58	58.31	39.08	12.81	63.78	---	---	Peak																																																																																																																						
2	17100.00	48.46	68.30	-19.84	55.34	42.41	15.62	64.91	---	---	Peak																																																																																																																						



		47																																																																																																
Mode		Band Edge																																																																																																
		U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																																
ANT		9																																																																																																
Pol.		Horizontal					Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>59.00</td><td>74.00</td><td>-15.00</td><td>47.35</td><td>36.58</td><td>8.54</td><td>33.47</td><td>339</td><td>66 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>99.40</td><td>-----</td><td>-----</td><td>87.72</td><td>36.56</td><td>8.58</td><td>33.46</td><td>339</td><td>66 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5149.76	59.00	74.00	-15.00	47.35	36.58	8.54	33.47	339	66 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	99.40	-----	-----	87.72	36.56	8.58	33.46	339	66 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.76	59.00	74.00	-15.00	47.35	36.58	8.54	33.47	339	66 PEAK																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	99.40	-----	-----	87.72	36.56	8.58	33.46	339	66 PEAK																																																																																								
Avg	Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>44.99</td><td>54.00</td><td>-9.01</td><td>33.34</td><td>36.58</td><td>8.54</td><td>33.47</td><td>339</td><td>66 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>93.25</td><td>-----</td><td>-----</td><td>81.57</td><td>36.55</td><td>8.59</td><td>33.46</td><td>339</td><td>66 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5149.76	44.99	54.00	-9.01	33.34	36.58	8.54	33.47	339	66 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1	5180.00	93.25	-----	-----	81.57	36.55	8.59	33.46	339	66 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.76	44.99	54.00	-9.01	33.34	36.58	8.54	33.47	339	66 AVERAGE																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	93.25	-----	-----	81.57	36.55	8.59	33.46	339	66 AVERAGE																																																																																								



Mode	47																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																									
ANT	9																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.94</td><td>63.88</td><td>74.00</td><td>-10.12</td><td>52.23</td><td>36.58</td><td>8.54</td><td>33.47</td><td>351 360 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.94	63.88	74.00	-10.12	52.23	36.58	8.54	33.47	351 360 PEAK	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>105.56</td><td>-----</td><td>-----</td><td>93.88</td><td>36.55</td><td>8.59</td><td>33.46</td><td>351 360 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	105.56	-----	-----	93.88	36.55	8.59	33.46	351 360 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.94	63.88	74.00	-10.12	52.23	36.58	8.54	33.47	351 360 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	105.56	-----	-----	93.88	36.55	8.59	33.46	351 360 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.76</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>37.15</td><td>36.58</td><td>8.54</td><td>33.47</td><td>351 360 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5149.76	48.80	54.00	-5.20	37.15	36.58	8.54	33.47	351 360 AVERAGE	Level (dBuV/m) Date: 2025-02-16 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5180.00</td><td>98.52</td><td>-----</td><td>-----</td><td>86.84</td><td>36.55</td><td>8.59</td><td>33.46</td><td>351 360 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	98.52	-----	-----	86.84	36.55	8.59	33.46	351 360 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5149.76	48.80	54.00	-5.20	37.15	36.58	8.54	33.47	351 360 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5180.00	98.52	-----	-----	86.84	36.55	8.59	33.46	351 360 AVERAGE																																																																		



Mode	47																																																																																											
	Harmonic																																																																																											
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full RU_5180MHz																																																																																											
ANT	9																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)						Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10360.00</td><td>44.99</td><td>68.30</td><td>-23.31</td><td>58.22</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>55.23</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10360.00	44.99	68.30	-23.31	58.22	38.47	12.06	63.76	---	---	Peak	2	15540.00	46.75	74.00	-27.25	55.23	41.32	14.58	64.38	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10360.00</td><td>45.98</td><td>68.30</td><td>-22.32</td><td>59.21</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>55.03</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10360.00	45.98	68.30	-22.32	59.21	38.47	12.06	63.76	---	---	Peak	2	15540.00	46.55	74.00	-27.45	55.03	41.32	14.58	64.38	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
1	10360.00	44.99	68.30	-23.31	58.22	38.47	12.06	63.76	---	---	Peak																																																																																	
2	15540.00	46.75	74.00	-27.25	55.23	41.32	14.58	64.38	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
1	10360.00	45.98	68.30	-22.32	59.21	38.47	12.06	63.76	---	---	Peak																																																																																	
2	15540.00	46.55	74.00	-27.45	55.03	41.32	14.58	64.38	---	---	Peak																																																																																	
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10360.00</td><td>44.99</td><td>68.30</td><td>-23.31</td><td>58.22</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>55.23</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10360.00	44.99	68.30	-23.31	58.22	38.47	12.06	63.76	---	---	Peak	2	15540.00	46.75	74.00	-27.25	55.23	41.32	14.58	64.38	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><td>1</td><td>10360.00</td><td>45.98</td><td>68.30</td><td>-22.32</td><td>59.21</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.55</td><td>74.00</td><td>-27.45</td><td>55.03</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	10360.00	45.98	68.30	-22.32	59.21	38.47	12.06	63.76	---	---	Peak	2	15540.00	46.55	74.00	-27.45	55.03	41.32	14.58	64.38	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
1	10360.00	44.99	68.30	-23.31	58.22	38.47	12.06	63.76	---	---	Peak																																																																																	
2	15540.00	46.75	74.00	-27.25	55.23	41.32	14.58	64.38	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
1	10360.00	45.98	68.30	-22.32	59.21	38.47	12.06	63.76	---	---	Peak																																																																																	
2	15540.00	46.55	74.00	-27.45	55.03	41.32	14.58	64.38	---	---	Peak																																																																																	



Mode	48																																																																																													
	Harmonic																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH44_Full RU_5220MHz																																																																																													
ANT	9																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)						Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10440.00</td><td>47.33</td><td>68.30</td><td>-20.97</td><td>60.44</td><td>38.49</td><td>12.12</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>56.26</td><td>41.40</td><td>14.64</td><td>64.46</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10440.00	47.33	68.30	-20.97	60.44	38.49	12.12	63.72	---	---	Peak	2	15660.00	47.84	74.00	-26.16	56.26	41.40	14.64	64.46	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10440.00</td><td>46.88</td><td>68.30</td><td>-21.42</td><td>59.99</td><td>38.49</td><td>12.12</td><td>63.72</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>48.63</td><td>74.00</td><td>-25.37</td><td>57.05</td><td>41.40</td><td>14.64</td><td>64.46</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10440.00	46.88	68.30	-21.42	59.99	38.49	12.12	63.72	---	---	Peak	2	15660.00	48.63	74.00	-25.37	57.05	41.40	14.64	64.46	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
1	10440.00	47.33	68.30	-20.97	60.44	38.49	12.12	63.72	---	---	Peak																																																																																			
2	15660.00	47.84	74.00	-26.16	56.26	41.40	14.64	64.46	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
1	10440.00	46.88	68.30	-21.42	59.99	38.49	12.12	63.72	---	---	Peak																																																																																			
2	15660.00	48.63	74.00	-25.37	57.05	41.40	14.64	64.46	---	---	Peak																																																																																			



Mode	49																																																																																							
	Harmonic																																																																																							
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full RU_5240MHz																																																																																							
ANT	9																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10480.00</td><td>48.32</td><td>68.30</td><td>-19.98</td><td>61.38</td><td>38.50</td><td>12.15</td><td>63.71 --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>55.86</td><td>41.43</td><td>14.66</td><td>64.50 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10480.00	48.32	68.30	-19.98	61.38	38.50	12.15	63.71 --- Peak	2	15720.00	47.45	74.00	-26.55	55.86	41.43	14.66	64.50 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>10480.00</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>60.50</td><td>38.50</td><td>12.15</td><td>63.71 --- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>57.38</td><td>41.43</td><td>14.66</td><td>64.50 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	10480.00	47.44	68.30	-20.86	60.50	38.50	12.15	63.71 --- Peak	2	15720.00	48.97	74.00	-25.03	57.38	41.43	14.66	64.50 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	10480.00	48.32	68.30	-19.98	61.38	38.50	12.15	63.71 --- Peak																																																																																
2	15720.00	47.45	74.00	-26.55	55.86	41.43	14.66	64.50 --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
1	10480.00	47.44	68.30	-20.86	60.50	38.50	12.15	63.71 --- Peak																																																																																
2	15720.00	48.97	74.00	-25.03	57.38	41.43	14.66	64.50 --- Peak																																																																																
<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>48.32</td><td>68.30</td><td>-19.98</td><td>61.38</td><td>38.50</td><td>12.15</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>55.86</td><td>41.43</td><td>14.66</td><td>64.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	48.32	68.30	-19.98	61.38	38.50	12.15	63.71	---	---	Peak	2	15720.00	47.45	74.00	-26.55	55.86	41.43	14.66	64.50	---	---	Peak	<table><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>47.44</td><td>68.30</td><td>-20.86</td><td>60.50</td><td>38.50</td><td>12.15</td><td>63.71</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>57.38</td><td>41.43</td><td>14.66</td><td>64.50</td><td>---</td><td>---</td><td>Peak</td></tr></table>									MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10480.00	47.44	68.30	-20.86	60.50	38.50	12.15	63.71	---	---	Peak	2	15720.00	48.97	74.00	-25.03	57.38	41.43	14.66	64.50	---	---	Peak	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	10480.00	48.32	68.30	-19.98	61.38	38.50	12.15	63.71	---	---	Peak																																																																													
2	15720.00	47.45	74.00	-26.55	55.86	41.43	14.66	64.50	---	---	Peak																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	10480.00	47.44	68.30	-20.86	60.50	38.50	12.15	63.71	---	---	Peak																																																																													
2	15720.00	48.97	74.00	-25.03	57.38	41.43	14.66	64.50	---	---	Peak																																																																													







Mode	50																																																																															
	Harmonic																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full RU_5260MHz																																																																															
ANT	9																																																																															
Pol.	Horizontal								Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)								Level (dBuV/m) Date: 2025-02-19 Frequency (MHz)																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>10520.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>60.39</td><td>38.50</td><td>12.18 63.69 --- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>56.24</td><td>41.47</td><td>14.69 64.55 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	10520.00	47.38	68.30	-20.92	60.39	38.50	12.18 63.69 --- Peak	2	15780.00	47.85	74.00	-26.15	56.24	41.47	14.69 64.55 --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><td>1</td><td>10520.00</td><td>47.14</td><td>68.30</td><td>-21.16</td><td>60.15</td><td>38.50</td><td>12.18 63.69 --- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>57.19</td><td>41.47</td><td>14.69 64.55 --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	1	10520.00	47.14	68.30	-21.16	60.15	38.50	12.18 63.69 --- Peak	2	15780.00	48.80	74.00	-25.20	57.19	41.47	14.69 64.55 --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																								
1	10520.00	47.38	68.30	-20.92	60.39	38.50	12.18 63.69 --- Peak																																																																									
2	15780.00	47.85	74.00	-26.15	56.24	41.47	14.69 64.55 --- Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																									
1	10520.00	47.14	68.30	-21.16	60.15	38.50	12.18 63.69 --- Peak																																																																									
2	15780.00	48.80	74.00	-25.20	57.19	41.47	14.69 64.55 --- Peak																																																																									
<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>47.38</td><td>68.30</td><td>-20.92</td><td>60.39</td><td>38.50</td><td>12.18</td><td>63.69</td><td>---</td></tr><tr><td>2</td><td>15780.00</td><td>47.85</td><td>74.00</td><td>-26.15</td><td>56.24</td><td>41.47</td><td>14.69</td><td>64.55</td><td>---</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.38	68.30	-20.92	60.39	38.50	12.18	63.69	---	2	15780.00	47.85	74.00	-26.15	56.24	41.47	14.69	64.55	---	<table><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>47.14</td><td>68.30</td><td>-21.16</td><td>60.15</td><td>38.50</td><td>12.18</td><td>63.69</td><td>---</td></tr><tr><td>2</td><td>15780.00</td><td>48.80</td><td>74.00</td><td>-25.20</td><td>57.19</td><td>41.47</td><td>14.69</td><td>64.55</td><td>---</td></tr></table>								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	47.14	68.30	-21.16	60.15	38.50	12.18	63.69	---	2	15780.00	48.80	74.00	-25.20	57.19	41.47	14.69	64.55	---					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	10520.00	47.38	68.30	-20.92	60.39	38.50	12.18	63.69	---																																																																							
2	15780.00	47.85	74.00	-26.15	56.24	41.47	14.69	64.55	---																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	10520.00	47.14	68.30	-21.16	60.15	38.50	12.18	63.69	---																																																																							
2	15780.00	48.80	74.00	-25.20	57.19	41.47	14.69	64.55	---																																																																							



Mode	51																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_Full RU_5300MHz																																																																																															
ANT	9																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg	Date: 2025-02-19								Date: 2025-02-19																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10600.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>59.18</td><td>38.52</td><td>12.23</td></tr><tr><td>2</td><td>15900.00</td><td>45.18</td><td>74.00</td><td>-28.82</td><td>53.52</td><td>41.54</td><td>14.75</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	46.27	74.00	-27.73	59.18	38.52	12.23	2	15900.00	45.18	74.00	-28.82	53.52	41.54	14.75	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>10600.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>59.95</td><td>38.52</td><td>12.23</td></tr><tr><td>2</td><td>15900.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>53.62</td><td>41.54</td><td>14.75</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10600.00	47.04	74.00	-26.96	59.95	38.52	12.23	2	15900.00	45.28	74.00	-28.72	53.62	41.54	14.75
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10600.00	46.27	74.00	-27.73	59.18	38.52	12.23																																																																																									
2	15900.00	45.18	74.00	-28.82	53.52	41.54	14.75																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10600.00	47.04	74.00	-26.96	59.95	38.52	12.23																																																																																									
2	15900.00	45.28	74.00	-28.72	53.62	41.54	14.75																																																																																									
<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>Peak</td></tr><tr><td>2</td><td>Peak</td></tr></tbody></table>									Remark	1	Peak	2	Peak	<table><thead><tr><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>Peak</td></tr><tr><td>2</td><td>Peak</td></tr></tbody></table>									Remark	1	Peak	2	Peak																																																																					
	Remark																																																																																															
1	Peak																																																																																															
2	Peak																																																																																															
	Remark																																																																																															
1	Peak																																																																																															
2	Peak																																																																																															





		52																																																																																								
Mode		Band Edge																																																																																								
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																																								
ANT		9																																																																																								
Pol.		Horizontal					Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.38</td><td>55.47</td><td>74.00</td><td>-18.53</td><td>43.11</td><td>36.42</td><td>9.37</td><td>33.43</td><td>368 80 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.38	55.47	74.00	-18.53	43.11	36.42	9.37	33.43	368 80 PEAK	Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>95.72</td><td>-----</td><td>-----</td><td>83.51</td><td>36.44</td><td>9.21</td><td>33.44</td><td>368 80 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	95.72	-----	-----	83.51	36.44	9.21	33.44	368 80 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5350.38	55.47	74.00	-18.53	43.11	36.42	9.37	33.43	368 80 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5320.00	95.72	-----	-----	83.51	36.44	9.21	33.44	368 80 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.34</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>29.39</td><td>36.42</td><td>9.38</td><td>33.43</td><td>368 80 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5352.34	41.76	54.00	-12.24	29.39	36.42	9.38	33.43	368 80 AVERAGE	Level (dBuV/m) Date: 2025-02-16  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>89.49</td><td>-----</td><td>-----</td><td>77.28</td><td>36.44</td><td>9.21</td><td>33.44</td><td>368 80 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	89.49	-----	-----	77.28	36.44	9.21	33.44	368 80 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5352.34	41.76	54.00	-12.24	29.39	36.42	9.38	33.43	368 80 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																	
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																	
1	5320.00	89.49	-----	-----	77.28	36.44	9.21	33.44	368 80 AVERAGE																																																																																	



Mode	52	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz	
ANT	9	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-02-16 1 5350.24 59.73 74.00 -14.27 47.37 36.42 9.37 33.43 310 0 PEAK	Level (dBuV/m) Date: 2025-02-16 1 5320.00 102.29 ----- 90.08 36.44 9.21 33.44 310 0 PEAK
	Level (dBuV/m) Date: 2025-02-16 1 5350.38 44.42 54.00 -9.58 32.06 36.42 9.37 33.43 310 0 AVERAGE	Level (dBuV/m) Date: 2025-02-16 1 5320.00 95.80 ----- 83.59 36.44 9.21 33.44 310 0 AVERAGE



Mode	52																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full RU_5320MHz																																																																																																																			
ANT	9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>59.14</td><td>38.53</td><td>12.26</td><td>63.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.83</td><td>74.00</td><td>-25.17</td><td>57.15</td><td>41.58</td><td>14.77</td><td>64.67</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	46.29	74.00	-27.71	59.14	38.53	12.26	63.64	---	---	Peak	2	15960.00	48.83	74.00	-25.17	57.15	41.58	14.77	64.67	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>59.95</td><td>38.53</td><td>12.26</td><td>63.64</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>56.47</td><td>41.58</td><td>14.77</td><td>64.67</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	47.10	74.00	-26.90	59.95	38.53	12.26	63.64	---	---	Peak	2	15960.00	48.15	74.00	-25.85	56.47	41.58	14.77	64.67	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10640.00	46.29	74.00	-27.71	59.14	38.53	12.26	63.64	---	---	Peak																																																																																																									
2	15960.00	48.83	74.00	-25.17	57.15	41.58	14.77	64.67	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10640.00	47.10	74.00	-26.90	59.95	38.53	12.26	63.64	---	---	Peak																																																																																																									
2	15960.00	48.15	74.00	-25.85	56.47	41.58	14.77	64.67	---	---	Peak																																																																																																									