



TEST REPORT

No. 24T04N003078-001-SAR

For

Realme Chongqing Mobile Telecommunications Corp., Ltd.

Mobile Phone

Model Name: RMX5085

With

Hardware Version: 11

Software Version: realme UI 6.0

FCC ID: 2AUYFRMX5085

Issued Date: /

Designation Number: CN1210

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology


Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn www.caict.ac.cn




Picture 1: Front side of the sample




Picture 2: Back side of the sample


Test positions for Head:




Picture 3: Left Cheek Position



Picture 4: Left Tilt 15° Position



Picture 5: Right Cheek Position




Picture 6: Right Tilt 15° Position

Test positions for Body:**Picture 7: Front Side (10mm)****Picture 8: Rear Side (10mm)**



Picture 9: Left Side (10mm)




Picture 10: Right Side (10mm)




Picture 11: Top Side (10mm)



Picture 12: Bottom Side (10mm)




Picture 13: Front Side (15mm)



Picture 14: Rear Side (15mm)

Test positions for Extremity:




Picture 15: Front Side (0mm)



Picture 16: Rear Side (0mm)



Picture 17: Left Side (0mm)



Picture 18: Right Side (0mm)



Picture 19: Top Side (0mm)



Picture 20: Bottom Side (0mm)