


**TEST REPORT**

**Application No.:** SZCR2505002123WM  
**Applicant:** Realme Chongqing Mobile Telecommunications Corp., Ltd.  
**Address of Applicant:** No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing, China  
**Manufacturer:** Realme Chongqing Mobile Telecommunications Corp., Ltd.  
**Address of Manufacturer:** No.178 Yulong Avenue, Yufengshan, Yubei District, Chongqing, China  
**Equipment Under Test (EUT):**  
**EUT Name:** Mobile Phone  
**Model No.:** RMX5106  
**Trade Mark:** realme  
**FCC ID:** 2AUYFRMX5106  
**Standard(s) :** 47 CFR Part 15, Subpart B  
**Date of Receipt:** 2025-05-23  
**Date of Test:** 2025-05-31 to 2025-06-07  
**Date of Issue:** 2025-07-03

<b>Test Result:</b>	<b>Pass*</b>
---------------------	--------------

\* In the configuration tested, the EUT complied with the standards specified above.



Keny Xu  
EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)


**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250500212308

Page: 2 of 38

<b>Revision Record</b>				
<b>Version</b>	<b>Chapter</b>	<b>Date</b>	<b>Modifier</b>	<b>Remark</b>
01		2025-07-03		Original

<b>Authorized for issue by:</b>			
			
	<b>Sherlock Fang/Project Engineer</b>		
			
	<b>Eric Fu/Reviewer</b>		

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 2 Test Summary

<b>Emission Part</b>				
<b>Item</b>	<b>Standard</b>	<b>Method</b>	<b>Requirement</b>	<b>Result</b>
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4-2014 +C63.4a-2017	15.107(a);Class B	Pass
Radiated Emissions (30MHz-1GHz)		ANSI C63.4-2014 +C63.4a-2017	15.109(a);Class B	Pass
Radiated Emissions (Above 1GHz)		ANSI C63.4-2014 +C63.4a-2017	15.109(g);Class B	Pass



### 3 Contents

	Page
<b>1 Cover Page .....</b>	<b>1</b>
<b>2 Test Summary.....</b>	<b>3</b>
<b>3 Contents .....</b>	<b>4</b>
<b>4 General Information.....</b>	<b>5</b>
4.1    Details of E.U.T.....	5
4.2    Test modes .....	5
4.3    Description of Support Units.....	6
4.4    Measurement Uncertainty .....	6
4.5    Test Location .....	7
4.6    Test Facility.....	7
4.7    Deviation from Standards .....	7
4.8    Abnormalities from Standard Conditions .....	7
<b>5 Equipment List .....</b>	<b>8</b>
<b>6 Emission Test Results .....</b>	<b>10</b>
6.1    Conducted Emissions at Mains Terminals (150kHz-30MHz) .....	10
6.1.1    E.U.T. Operation.....	10
6.1.2    Test Mode Description .....	10
6.1.3    Test Setup Diagram .....	11
6.1.4    Measurement Procedure and Data.....	11
6.2    Radiated Emissions (30MHz-1GHz) .....	18
6.2.1    E.U.T. Operation.....	18
6.2.2    Test Mode Description .....	18
6.2.3    Test Setup Diagram .....	19
6.2.4    Measurement Procedure and Data.....	19
6.3    Radiated Emissions (Above 1GHz).....	28
6.3.1    E.U.T. Operation.....	28
6.3.2    Test Mode Description .....	28
6.3.3    Test Setup Diagram .....	29
6.3.4    Measurement Procedure and Data.....	29
<b>7 Test Setup Photo .....</b>	<b>38</b>
<b>8 EUT Constructional Details (EUT Photos).....</b>	<b>38</b>



## 4 General Information

### 4.1 Details of E.U.T.

Power supply:	DC 3.92V from internal rechargeable battery which can be charged by AC/DC adapter
---------------	---

Remark: The information in this section is provided by the applicant or manufacturer, SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

Item No.	Mode No.	Manufacturer
Adapter 1	VCB4JAUH	Dongguan Aohai Technology Co.,Ltd.
Adapter 2	VCB4JAUH	Huizhou Golden Lake Industrial Co., Ltd.
USB cable	DL154	/
Battery	BLPC93	/

Remark: Adapter 1 and 2 were selected to test.

### 4.2 Test modes

Pretest these modes to find the worst case and show the worse data in the test items:	19	Transfer data between the EUT and the PC+USB Cable
	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	29	LTE band 12(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	30	LTE band 13(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	31	LTE band 17(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	32	LTE band 26(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	33	LTE band 71(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
	34	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a SGS Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

	cable+Adapter(worst)/earphone 35 NR_SA_N26(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone 36 NR_SA_N71(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
--	---

#### 4.3 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Router	NETGEAR	DGN2200	REF. No.SEA22A00
Laptop	Lenovo	T14	REF. No.SEA18F04
Mouse	Lenovo	M-U0025-O	REF. No.:SEA24A00
Earphone	OPPO	MH135	/

#### 4.4 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at Mains Terminals (150kHz-30MHz)	± 3.1dB
Radiated Emissions (30MHz-1GHz)	± 6.0dB for 3m; ± 5.0dB for 10m
Radiated Emissions (Above 1GHz)	± 4.6dB

Remark:

The  $U_{lab}$  (lab Uncertainty) is less than  $U_{cispr/ETSI}$  (CISPR/ETSI Uncertainty), so the test results  
– compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;  
– non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

#### 4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

#### 4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI (Member No. 1937)**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen EMC laboratory have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

- **FCC –Designation Number: CN1336**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1336. Test Firm Registration Number: 787754.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

#### 4.7 Deviation from Standards

None

#### 4.8 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

## 5 Equipment List

Conducted Emissions at Mains Terminals (150kHz-30MHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2025-05-07	2028-05-06
EMI Test Receiver	Rohde&Schwarz	ESR	SZ-WRG-M-047	2025-01-08	2026-01-07
Measurement Software	AUDIX	e3 V8.2014-6-27a	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM024-01	2024-07-06	2025-07-05
LISN	Rohde&Schwarz	ENV216	SEM007-01	2024-08-15	2025-08-14
LISN	ETS-LINDGREN	3816/2	SEM007-02	2025-03-03	2026-03-02

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2023-06-19	2026-06-18
MXE EMI Receiver	Agilent Technologies	N9038A	SEM004-15	2024-08-14	2025-08-13
BiConiLog Antenna	ETS-LINDGREN	3142C	SEM003-01	2023-09-16	2025-09-15
Pre-Amplifier	Agilent Technologies	8447D	SEM005-01	2025-03-04	2026-03-03
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2024-07-06	2025-07-05

Radiated Emissions (Above 1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Fully-Anechoic Chamber	AUDIX	N/A	SEM001-02	2025-05-07	2028-05-06
Signal Analyzer	Rohde & Schwarz	FSV40	SEM008-04	2025-03-04	2026-03-03
Horn Antenna	Rohde&Schwarz	HF907	SEM003-07	2023-07-23	2025-07-22
Microwave system amplifier	Agilent	83017A	SEM005-25	2024-09-14	2025-09-13
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2024-07-06	2025-07-05



**SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch**

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250500212308

Page: 9 of 38

<b>General used equipment</b>					
<b>Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Inventory No.</b>	<b>Cal Date</b>	<b>Cal Due Date</b>
Humidity/ Temperature Indicator	deli	8838	SEM002-32	2024-07-24	2025-07-23
Humidity/ Temperature Indicator	deli	8838	SEM002-33	2024-07-24	2025-07-23
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2025-03-03	2026-03-02

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 6 Emission Test Results

### 6.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4-2014 +C63.4a-2017

Limit:

0.15M-0.5MHz 66dB(μV)-56dB(μV) quasi-peak, 56dB(μV)-46dB(μV) average

0.5M-5MHz 56dB(μV) quasi-peak, 46dB(μV) average

5M-30MHz 60dB(μV) quasi-peak, 50dB(μV) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

#### 6.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.1 °C Humidity: 46.9 % RH Atmospheric Pressure: 1020 mbar

#### 6.1.2 Test Mode Description


Pre-scan / Final test	Mode Code	Description
Final test	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
Final test	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
Final test	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
Pre-scan	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
Pre-scan	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
Pre-scan	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
Pre-scan	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	34	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

**6.1.3 Test Setup Diagram****6.1.4 Measurement Procedure and Data**


An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.

Remark : Level= Read Level+ Cable Loss+ LISN Factor

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 02123WM


Test mode: 20

Freq	Cable	LISN	Read	Limit		Over	Remark
	Loss	Factor	Level	Level	Line	Limit	
	MHz	dB	dB	dBuV	dBuV	dB	
1 *	0.1557	0.06	10.19	43.79	54.04	65.69	-11.65 QP
2	0.1557	0.06	10.19	32.33	42.58	55.69	-13.11 Average
3	0.1722	0.06	10.16	42.87	53.09	64.86	-11.77 QP
4 *	0.1722	0.06	10.16	31.88	42.10	54.86	-12.76 Average
5	0.2658	0.07	9.93	33.51	43.51	61.25	-17.74 QP
6	0.2658	0.07	9.93	18.79	28.79	51.25	-22.46 Average
7	0.3410	0.07	9.77	31.88	41.72	59.18	-17.46 QP
8	0.3410	0.07	9.77	22.73	32.57	49.18	-16.61 Average
9	3.6611	0.11	9.65	29.22	38.98	56.00	-17.02 QP
10	3.6611	0.11	9.65	20.35	30.11	46.00	-15.89 Average
11	6.7691	0.15	9.68	29.10	38.93	60.00	-21.07 QP
12	6.7691	0.15	9.68	20.95	30.78	50.00	-19.22 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 02123WM


Test mode: 20

Freq	Cable	LISN	Read	Limit		Over	Remark
	Freq	Loss	Factor	Level	Level	Line	
	MHz	dB	dB	dBuV	dBuV	dBuV	dB
1 *	0.1508	0.06	10.15	46.96	57.17	65.96	-8.79 QP
2 *	0.1508	0.06	10.15	32.06	42.27	55.96	-13.69 Average
3	0.1598	0.06	10.13	44.55	54.74	65.47	-10.73 QP
4	0.1598	0.06	10.13	30.11	40.30	55.47	-15.17 Average
5	0.1806	0.06	10.11	37.76	47.93	64.46	-16.53 QP
6	0.1806	0.06	10.11	18.99	29.16	54.46	-25.30 Average
7	0.3234	0.07	9.76	30.50	40.33	59.62	-19.29 QP
8	0.3234	0.07	9.76	19.40	29.23	49.62	-20.39 Average
9	3.2583	0.11	9.54	30.62	40.27	56.00	-15.73 QP
10	3.2583	0.11	9.54	18.65	28.30	46.00	-17.70 Average
11	6.4882	0.15	9.63	33.36	43.14	60.00	-16.86 QP
12	6.4882	0.15	9.63	24.09	33.87	50.00	-16.13 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 02123WM


Test mode: 21

Freq	Cable	LISN	Read	Limit		Over	Remark
	Loss	Factor	Level	Level	Line	Limit	
	MHz	dB	dB	dBuV	dBuV	dB	
1 *	0.1598	0.06	10.18	47.50	57.74	65.47	-7.73 QP
2 *	0.1598	0.06	10.18	37.54	47.78	55.47	-7.69 Average
3	0.1777	0.06	10.15	41.98	52.19	64.59	-12.40 QP
4	0.1777	0.06	10.15	24.79	35.00	54.59	-19.59 Average
5	0.2630	0.07	9.94	37.21	47.22	61.34	-14.12 QP
6	0.2630	0.07	9.94	20.97	30.98	51.34	-20.36 Average
7	0.3166	0.07	9.82	34.01	43.90	59.80	-15.90 QP
8	0.3166	0.07	9.82	21.61	31.50	49.80	-18.30 Average
9	4.0275	0.12	9.66	25.74	35.52	56.00	-20.48 QP
10	4.0275	0.12	9.66	12.65	22.43	46.00	-23.57 Average
11	6.5227	0.15	9.68	28.94	38.77	60.00	-21.23 QP
12	6.5227	0.15	9.68	21.60	31.43	50.00	-18.57 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 02123WM


Test mode: 21

Freq	Cable	LISN	Read	Limit	Over	Remark	
	Freq	Loss	Factor				
	MHz	dB	dB	dBuV	dBuV	dBuV	dB
1 *	0.1565	0.06	10.14	47.96	58.16	65.65	-7.49 QP
2 *	0.1565	0.06	10.14	36.64	46.84	55.65	-8.81 Average
3	0.1815	0.06	10.10	43.56	53.72	64.42	-10.70 QP
4	0.1815	0.06	10.10	29.13	39.29	54.42	-15.13 Average
5	0.2630	0.07	9.87	34.90	44.84	61.34	-16.50 QP
6	0.2630	0.07	9.87	22.05	31.99	51.34	-19.35 Average
7	0.3872	0.07	9.74	33.02	42.83	58.12	-15.29 QP
8	0.3872	0.07	9.74	25.12	34.93	48.12	-13.19 Average
9	3.9430	0.12	9.55	29.81	39.48	56.00	-16.52 QP
10	3.9430	0.12	9.55	18.26	27.93	46.00	-18.07 Average
11	13.5509	0.24	9.78	20.05	30.07	60.00	-29.93 QP
12	13.5509	0.24	9.78	12.91	22.93	50.00	-27.07 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 22; Line: Live line



Site : Shielding Room

Condition: Line

Job No. : 02123WM


Test mode: 22

Freq	Cable	LISN	Read	Limit		Over	Remark
	Loss	Factor	Level	Level	Line	Limit	
	MHz	dB	dB	dBuV	dBuV	dB	
1 *	0.1557	0.06	10.19	47.23	57.48	65.69	-8.21 QP
2 *	0.1557	0.06	10.19	34.87	45.12	55.69	-10.57 Average
3	0.1777	0.06	10.15	41.56	51.77	64.59	-12.82 QP
4	0.1777	0.06	10.15	29.12	39.33	54.59	-15.26 Average
5	0.2701	0.07	9.92	30.93	40.92	61.12	-20.20 QP
6	0.2701	0.07	9.92	22.90	32.89	51.12	-18.23 Average
7	0.4305	0.08	9.63	32.07	41.78	57.24	-15.46 QP
8	0.4305	0.08	9.63	21.31	31.02	47.24	-16.22 Average
9	3.9014	0.12	9.66	26.97	36.75	56.00	-19.25 QP
10	3.9014	0.12	9.66	15.19	24.97	46.00	-21.03 Average
11	6.3859	0.15	9.67	29.42	39.24	60.00	-20.76 QP
12	6.3859	0.15	9.67	21.33	31.15	50.00	-18.85 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 22; Line: Neutral Line



Site : Shielding Room

Condition: Neutral

Job No. : 02123WM

Test mode: 22

Freq	Cable	LISN	Read	Limit		Over	Remark
	Loss	Factor	Level	Level	Line	Limit	
	MHz	dB	dB	dBuV	dBuV	dB	
1 *	0.1598	0.06	10.13	48.11	58.30	65.47	-7.17 QP
2 *	0.1598	0.06	10.13	35.96	46.15	55.47	-9.32 Average
3	0.1997	0.06	10.08	39.28	49.42	63.62	-14.20 QP
4	0.1997	0.06	10.08	23.29	33.43	53.62	-20.19 Average
5	0.2575	0.07	9.89	26.64	36.60	61.51	-24.91 QP
6	0.2575	0.07	9.89	8.74	18.70	51.51	-32.81 Average
7	0.3934	0.07	9.74	32.26	42.07	57.99	-15.92 QP
8	0.3934	0.07	9.74	21.13	30.94	47.99	-17.05 Average
9	4.0062	0.12	9.55	29.49	39.16	56.00	-16.84 QP
10	4.0062	0.12	9.55	18.67	28.34	46.00	-17.66 Average
11	7.4071	0.17	9.64	23.35	33.16	60.00	-26.84 QP
12	7.4071	0.17	9.64	14.49	24.30	50.00	-25.70 Average

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

**6.2 Radiated Emissions (30MHz-1GHz)**

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4-2014 +C63.4a-2017

Measurement Distance: 3m

Limit:

FREQUENCY (MHz)	dB $\mu$ V/m (At 10m)	dB $\mu$ V/m (At 3m)
	Class B	Class B
30MHz -88MHz	29.5	40.0
88MHz-216MHz	33.1	43.5
216MHz-960MHz	35.6	46.0
960MHz-1000MHz	43.5	54.0

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to 1000MHz

**6.2.1 E.U.T. Operation**

Operating Environment:

Temperature: 23.4 °C

Humidity: 42.5 % RH

Atmospheric Pressure: 1020 mbar

**6.2.2 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	19	Transfer data between the EUT and the PC+USB Cable
Final test	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
Final test	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
Final test	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
Pre-scan	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
Pre-scan	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
Pre-scan	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
Pre-scan	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	34	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a member of SGS Group Laboratory.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

**6.2.3 Test Setup Diagram****6.2.4 Measurement Procedure and Data**


An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 19; Polarity: Horizontal



Site : chamber  
Condition: 3m HORIZONTAL  
Job No. : 02123WM  
Test Mode: 19


Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Line	Over Limit	Remark
					dB	dBuV			
1	30.424	21.00	0.68	27.79	23.27	17.16	40.00	-22.84	QP
2	54.261	12.09	0.90	27.72	30.35	15.62	40.00	-24.38	QP
3	217.544	14.98	1.85	27.10	40.39	30.12	46.00	-15.88	QP
4	294.114	17.36	2.18	26.77	38.98	31.75	46.00	-14.25	QP
5	432.546	20.99	2.70	27.29	29.32	25.72	46.00	-20.28	QP
6	763.376	26.52	3.75	27.57	28.94	31.64	46.00	-14.36	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 19; Polarity: Vertical




Site : chamber  
 Condition: 3m VERTICAL  
 Job No. : 02123WM  
 Test Mode: 19

	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	43.966	14.56	0.81	27.75	32.65	20.27	40.00	-19.73 QP
2	55.415	11.91	0.91	27.72	35.89	20.99	40.00	-19.01 QP
3 q	166.068	13.16	1.62	27.31	41.38	28.85	43.50	-14.65 QP
4	366.823	20.35	2.47	27.02	35.14	30.94	46.00	-15.06 QP
5	399.030	20.63	2.58	27.15	32.58	28.64	46.00	-17.36 QP
6	938.833	28.15	4.22	26.49	24.22	30.10	46.00	-15.90 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Polarity: Horizontal




Site : chamber  
Condition: 3m HORIZONTAL  
Job No. : 02123WM  
Test Mode: 20

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit Level	Line Limit	Over Limit	Remark	
								MHz	dB/m
1	34.037	19.41	0.72	27.78	25.20	17.55	40.00	-22.45	QP
2	50.057	12.75	0.86	27.73	25.42	11.30	40.00	-28.70	QP
3	142.324	12.07	1.49	27.41	32.90	19.05	43.50	-24.45	QP
4	311.087	18.41	2.25	26.80	32.42	26.28	46.00	-19.72	QP
5	699.305	25.93	3.54	27.73	23.75	25.49	46.00	-20.51	QP
6 q	774.158	26.84	3.78	27.54	28.72	31.80	46.00	-14.20	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Polarity: Vertical




Site : chamber  
Condition: 3m VERTICAL  
Job No. : 02123WM  
Test Mode: 20

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark
					dB	dBuV		
MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1 q	47.826	13.36	0.84	27.74	45.27	31.73	40.00	-8.27 QP
2	80.644	10.50	1.09	27.65	43.73	27.67	40.00	-12.33 QP
3	142.824	12.13	1.50	27.41	41.45	27.67	43.50	-15.83 QP
4	311.087	18.41	2.25	26.80	31.55	25.41	46.00	-20.59 QP
5	682.348	25.80	3.49	27.77	24.22	25.74	46.00	-20.26 QP
6	893.857	28.02	4.10	26.81	23.61	28.92	46.00	-17.08 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Polarity: Horizontal




Site : chamber  
Condition: 3m HORIZONTAL  
Job No. : 02123WM  
Test Mode: 21

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark		
					MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m
1	30.211	21.10	0.67	27.79	23.39	17.37	40.00	40.00	-22.63	QP
2	59.232	11.56	0.94	27.71	26.29	11.08	40.00	40.00	-28.92	QP
3	139.361	11.75	1.48	27.42	33.61	19.42	43.50	43.50	-24.08	QP
4	311.087	18.41	2.25	26.80	31.31	25.17	46.00	46.00	-20.83	QP
5	679.960	25.86	3.48	27.77	24.64	26.21	46.00	46.00	-19.79	QP
6	q 776.878	26.93	3.79	27.54	30.39	33.57	46.00	46.00	-12.43	QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Polarity: Vertical




Site : chamber  
Condition: 3m VERTICAL  
Job No. : 02123WM  
Test Mode: 21

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level		Limit Line	Over Limit	Over Limit Remark
				Level	Level			
MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1 q	40.988	15.91	0.79	27.76	40.14	29.08	40.00	-10.92 QP
2	77.593	10.39	1.07	27.65	41.49	25.30	40.00	-14.70 QP
3	139.851	11.80	1.48	27.42	39.48	25.34	43.50	-18.16 QP
4	311.087	18.41	2.25	26.80	29.59	23.45	46.00	-22.55 QP
5	691.987	25.74	3.52	27.74	24.20	25.72	46.00	-20.28 QP
6	948.761	28.23	4.25	26.42	23.61	29.67	46.00	-16.33 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 22; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No. : 02123WM


Test Mode: 22

	Ant Freq	Cable Factor	Preamp Loss	Read Level	Limit Level	Line Limit	Over Limit	Remark
	MHz	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	30.531	20.95	0.68	27.79	23.44	17.28	40.00	-22.72 QP
2	50.942	12.61	0.87	27.73	26.11	11.86	40.00	-28.14 QP
3	142.324	12.07	1.49	27.41	32.87	19.02	43.50	-24.48 QP
4	309.998	18.41	2.24	26.79	31.54	25.40	46.00	-20.60 QP
5	679.960	25.86	3.48	27.77	24.15	25.72	46.00	-20.28 QP
6 q	771.449	26.76	3.77	27.55	32.57	35.55	46.00	-10.45 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 22; Polarity: Vertical



Site : chamber  
Condition: 3m VERTICAL  
Job No. : 02123WM  
Test Mode: 22

Freq	Ant Factor	Cable Loss	Preamp Factor	Read Level	Limit		Over Limit	Remark
					dB	dBuV/m		
MHz	dB/m	dB	dB	dBuV	dBuV/m	dBuV/m	dB	
1 q	41.713	15.55	0.80	27.76	41.38	29.97	40.00	-10.03 QP
2	80.362	10.48	1.09	27.65	42.17	26.09	40.00	-13.91 QP
3	144.335	12.32	1.51	27.40	39.21	25.64	43.50	-17.86 QP
4	309.998	18.41	2.24	26.79	30.78	24.64	46.00	-21.36 QP
5	629.477	24.91	3.33	27.90	25.30	25.64	46.00	-20.36 QP
6	916.069	28.06	4.16	26.65	23.19	28.76	46.00	-17.24 QP

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

**6.3 Radiated Emissions (Above 1GHz)**

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4-2014 +C63.4a-2017

Measurement Distance: 3m

Limit:

Above 1GHz 74(dB $\mu$ V/m) peak, 54(dB $\mu$ V/m) average at 3m distance83.54(dB $\mu$ V/m) peak, 63.54(dB $\mu$ V/m) average at 1m distance

Detector: Peak for pre-scan (1MHz resolution bandwidth) 1GHz to 40GHz

**6.3.1 E.U.T. Operation**

Operating Environment:

Temperature: 20.4 °C      Humidity: 50.3 % RH      Atmospheric Pressure: 1020 mbar

**6.3.2 Test Mode Description**

Pre-scan / Final test	Mode Code	Description
Final test	19	Transfer data between the EUT and the PC+USB Cable
Final test	20	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter1/earphone
Final test	21	Telecom Idle+EUT+NFC+playing MP4+USB cable+Adapter2/earphone
Final test	22	Telecom Idle+EUT+NFC+BT+WLAN5G+USB cable+Adapter(worst)/earphone
Pre-scan	23	Telecom Idle+EUT+NFC+camera(Front)+USB cable+Adapter(worst)/earphone
Pre-scan	24	Telecom Idle+EUT+NFC+camera(Back)+USB cable+Adapter(worst)/earphone
Pre-scan	25	Telecom Idle+EUT+NFC+BT+WLAN2.4G+GNSS+OTG output
Pre-scan	26	GSM 850(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	27	WCDMA Band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	28	LTE band 5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone
Pre-scan	34	NR_SA_N5(RX)+EUT+NFC+BT+WLAN2.4G+USB cable+Adapter(worst)/earphone


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Laboratory

**6.3.3 Test Setup Diagram****6.3.4 Measurement Procedure and Data**


An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The red line show in graphic is the limit in standard used in this section.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Test Mode: 19; Polarity: Horizontal




Site : chamber  
Condition: 3m HORIZONTAL  
Job No : 02123WM  
Mode : 19

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark	
								MHz	dB
1	1014.437	5.91	25.84	54.61	56.60	33.74	74.00	-40.26	peak
2	1548.349	4.91	26.99	54.79	56.69	33.80	74.00	-40.20	peak
3	2080.961	5.13	28.88	54.91	56.89	35.99	74.00	-38.01	peak
4	3125.390	6.04	32.06	54.90	56.45	39.65	74.00	-34.35	peak
5	4424.514	7.09	34.51	54.25	55.56	42.91	74.00	-31.09	peak
6 p	5914.609	8.69	34.63	53.19	53.76	43.89	74.00	-30.11	peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 19; Polarity: Vertical




Site : chamber  
Condition: 3m VERTICAL  
Job No : 02123WM  
Mode : 19

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1	1008.999	5.93	26.01	54.60	56.09	33.43	74.00 -40.57 peak
2	1545.577	4.91	26.98	54.79	56.50	33.60	74.00 -40.40 peak
3	2044.007	5.10	28.98	54.91	56.54	35.71	74.00 -38.29 peak
4	3153.515	6.06	32.53	54.88	55.46	39.17	74.00 -34.83 peak
5	4392.917	7.06	34.74	54.26	55.52	43.06	74.00 -30.94 peak
6 p	5914.609	8.69	34.63	53.19	53.97	44.10	74.00 -29.90 peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Polarity: Horizontal




Site : chamber  
Condition: 3m HORIZONTAL  
Job No : 02123WM  
Mode : 20

Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit		Over Limit	Remark
					Level	Line		
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 1012.621	5.92	25.90	54.61	56.36	33.57	74.00	-40.43	peak
2 1483.178	4.92	26.33	54.77	57.06	33.54	74.00	-40.46	peak
3 1986.241	5.06	28.55	54.90	56.69	35.40	74.00	-38.60	peak
4 3204.781	6.09	32.82	54.84	56.13	40.20	74.00	-33.80	peak
5 4408.687	7.08	34.70	54.26	55.30	42.82	74.00	-31.18	peak
6 p 5882.902	8.66	34.53	53.22	53.83	43.80	74.00	-30.20	peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 20; Polarity: Vertical




Site : chamber  
Condition: 3m VERTICAL  
Job No : 02123WM  
Mode : 20

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1	1016.257	5.91	25.78	54.61	57.05	34.13	74.00 -39.87 peak
2	1551.126	4.91	27.00	54.79	57.51	34.63	74.00 -39.37 peak
3	2007.709	5.07	28.83	54.90	56.95	35.95	74.00 -38.05 peak
4	3193.317	6.08	32.85	54.85	56.41	40.49	74.00 -33.51 peak
5	4440.397	7.10	34.32	54.25	55.03	42.20	74.00 -31.80 peak
6 p	5904.021	8.68	34.61	53.20	54.01	44.10	74.00 -29.90 peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Polarity: Horizontal




Site : chamber  
Condition: 3m HORIZONTAL  
Job No : 02123WM  
Mode : 21

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark
	MHz	Loss	Factor	Factor	Level	Level	
1	1000.000	5.95	26.30	54.60	56.35	34.00	74.00 -40.00 peak
2	1467.318	4.95	25.88	54.77	58.20	34.26	74.00 -39.74 peak
3	2004.115	5.06	28.82	54.90	56.46	35.44	74.00 -38.56 peak
4	3176.198	6.07	32.71	54.86	55.92	39.84	74.00 -34.16 peak
5	4424.514	7.09	34.51	54.25	55.91	43.26	74.00 -30.74 peak
6 p	5904.021	8.68	34.61	53.20	53.76	43.85	74.00 -30.15 peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 21; Polarity: Vertical




Site : chamber  
Condition: 3m VERTICAL  
Job No : 02123WM  
Mode : 21

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark	
	MHz	Loss	Factor	Factor	Level	Level	Line	Limit
1	1014.437	5.91	25.84	54.61	57.15	34.29	74.00	-39.71 peak
2	1483.178	4.92	26.33	54.77	57.56	34.04	74.00	-39.96 peak
3	2029.410	5.09	28.92	54.90	57.01	36.12	74.00	-37.88 peak
4	3170.512	6.07	32.66	54.87	56.59	40.45	74.00	-33.55 peak
5	4385.052	7.06	34.68	54.26	55.92	43.40	74.00	-30.60 peak
6 p	5935.842	8.71	34.67	53.16	54.01	44.23	74.00	-29.77 peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

Test Mode: 22; Polarity: Horizontal



Site : chamber  
Condition: 3m HORIZONTAL  
Job No : 02123WM  
Mode : 22


Freq	Cable Loss	Ant Factor	Preamp Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark	
								MHz	dB
1	1012.621	5.92	25.90	54.61	56.97	34.18	74.00	-39.82	peak
2	1485.838	4.91	26.40	54.77	57.57	34.11	74.00	-39.89	peak
3	2088.431	5.14	28.85	54.91	57.22	36.30	74.00	-37.70	peak
4	3147.870	6.05	32.46	54.88	55.95	39.58	74.00	-34.42	peak
5	4416.593	7.08	34.60	54.26	55.30	42.72	74.00	-31.28	peak
6 p	5946.487	8.72	34.69	53.15	53.66	43.92	74.00	-30.08	peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)



Test Mode: 22; Polarity: Vertical



Site : chamber  
Condition: 3m VERTICAL  
Job No : 02123WM  
Mode : 22

Freq	Cable	Ant	Preamp	Read	Limit	Over	Remark		
	MHz	Loss	Factor	Factor	Level	Level	Line	Limit	
1	1010.809	5.92	25.95	54.60	56.08	33.35	74.00	-40.65	peak
2	1480.523	4.92	26.25	54.77	57.22	33.62	74.00	-40.38	peak
3	2022.150	5.08	28.89	54.90	56.42	35.49	74.00	-38.51	peak
4	3216.286	6.10	32.64	54.83	55.79	39.70	74.00	-34.30	peak
5	4369.367	7.05	34.55	54.26	56.16	43.50	74.00	-30.50	peak
6 p	5615.128	8.41	34.61	53.50	54.40	43.92	74.00	-30.08	peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

## 7 Test Setup Photo

Please refer to SZCR2505002123 Appendix\_Setup Photo

## 8 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for SZCR2505002123WM

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch is a SGS Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN\\_Doccheck@sgs.com](mailto:CN_Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编:518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)