














Mode	31																																																																																																						
	Band Edge																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz+LTE B13 Link+BLE_2M_CH1 CO_TX																																																																																																						
ANT	9																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.94</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>45.37</td><td>35.29</td><td>8.53</td><td>33.47</td><td>377</td><td>243</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5147.94	55.72	74.00	-18.28	45.37	35.29	8.53	33.47	377	243	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>100.77</td><td>-----</td><td>-----</td><td>90.33</td><td>35.31</td><td>8.59</td><td>33.46</td><td>377</td><td>243</td><td>Peak</td></tr><tr><td>2</td><td>5180.00</td><td>94.70</td><td>-----</td><td>-----</td><td>84.26</td><td>35.31</td><td>8.59</td><td>33.46</td><td>377</td><td>243</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	100.77	-----	-----	90.33	35.31	8.59	33.46	377	243	Peak	2	5180.00	94.70	-----	-----	84.26	35.31	8.59	33.46	377	243
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5147.94	55.72	74.00	-18.28	45.37	35.29	8.53	33.47	377	243	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5180.00	100.77	-----	-----	90.33	35.31	8.59	33.46	377	243	Peak																																																																																												
2	5180.00	94.70	-----	-----	84.26	35.31	8.59	33.46	377	243	Average																																																																																												
Avg							Blank																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.76</td><td>44.34</td><td>54.00</td><td>-9.66</td><td>33.98</td><td>35.29</td><td>8.54</td><td>33.47</td><td>377</td><td>243</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.76	44.34	54.00	-9.66	33.98	35.29	8.54	33.47	377	243	Average																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5149.76	44.34	54.00	-9.66	33.98	35.29	8.54	33.47	377	243	Average																																																																																												





Mode	31																																																																	
	Band Edge																																																																	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz+LTE B13 Link+BLE_2M_CH1 CO_TX																																																																	
ANT	6																																																																	
Pol.	Horizontal	Fundamental																																																																
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2365.02</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>42.33</td><td>32.38</td><td>5.34</td><td>34.15</td></tr></tbody></table> 100 264 Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2365.02	45.90	74.00	-28.10	42.33	32.38	5.34	34.15	 Level (dBuV/m) Frequency (MHz) PEAK_74 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2404.00</td><td>96.41</td><td>-----</td><td>-----</td><td>92.73</td><td>32.45</td><td>5.37</td><td>34.14</td></tr></tbody></table> 100 264 Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2404.00	96.41	-----	-----	92.73	32.45	5.37	34.14
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 2365.02	45.90	74.00	-28.10	42.33	32.38	5.34	34.15																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 2404.00	96.41	-----	-----	92.73	32.45	5.37	34.14																																																											
Avg	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2390.00</td><td>37.60</td><td>54.00</td><td>-16.40</td><td>33.96</td><td>32.42</td><td>5.36</td><td>34.14</td></tr></tbody></table> 100 264 Average	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2390.00	37.60	54.00	-16.40	33.96	32.42	5.36	34.14	 Level (dBuV/m) Frequency (MHz) AVG_54 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 2404.00</td><td>95.14</td><td>-----</td><td>-----</td><td>91.46</td><td>32.45</td><td>5.37</td><td>34.14</td></tr></tbody></table> 100 264 Average	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 2404.00	95.14	-----	-----	91.46	32.45	5.37	34.14
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 2390.00	37.60	54.00	-16.40	33.96	32.42	5.36	34.14																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																											
1 2404.00	95.14	-----	-----	91.46	32.45	5.37	34.14																																																											



Mode	31																																																																																								
	Band Edge																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz+LTE B13 Link+BLE_2M_CH1 CO_TX																																																																																								
ANT	6																																																																																								
Pol.	Vertical						Fundamental																																																																																		
Peak																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2372.79</td><td>44.61</td><td>74.00</td><td>-29.39</td><td>41.02</td><td>32.40</td><td>5.34</td><td>34.15</td><td>352</td><td>240</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.79	44.61	74.00	-29.39	41.02	32.40	5.34	34.15	352	240	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>95.13</td><td>-----</td><td>91.45</td><td>32.45</td><td>5.37</td><td>34.14</td><td>352</td><td>240</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	95.13	-----	91.45	32.45	5.37	34.14	352	240
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2372.79	44.61	74.00	-29.39	41.02	32.40	5.34	34.15	352	240	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2404.00	95.13	-----	91.45	32.45	5.37	34.14	352	240	Peak																																																																															
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>37.40</td><td>54.00</td><td>-16.60</td><td>33.77</td><td>32.42</td><td>5.36</td><td>34.15</td><td>352</td><td>240</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	37.40	54.00	-16.60	33.77	32.42	5.36	34.15	352	240	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2404.00</td><td>93.86</td><td>-----</td><td>90.18</td><td>32.45</td><td>5.37</td><td>34.14</td><td>352</td><td>240</td><td>Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	93.86	-----	90.18	32.45	5.37	34.14	352	240
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2386.44	37.40	54.00	-16.60	33.77	32.42	5.36	34.15	352	240	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2404.00	93.86	-----	90.18	32.45	5.37	34.14	352	240	Average																																																																															




Mode	31																																																																																																																																																																																																						
	Harmonic																																																																																																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz+LTE B13 Link+BLE_2M_CH1 CO_TX																																																																																																																																																																																																						
ANT	9																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
Peak Avg																																																																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>65.63</td><td>36.39</td><td>8.92</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8288.00</td><td>59.53</td><td>74.00</td><td>-14.47</td><td>75.82</td><td>37.57</td><td>10.71</td><td>64.57</td><td>100</td><td>297</td><td>Peak</td></tr><tr><td>3</td><td>8288.00</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>65.63</td><td>37.57</td><td>10.71</td><td>64.57</td><td>100</td><td>297</td><td>Average</td></tr><tr><td>4</td><td>10360.00</td><td>46.69</td><td>68.30</td><td>-21.61</td><td>59.92</td><td>38.47</td><td>12.06</td><td>63.76</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>15540.00</td><td>47.46</td><td>74.00</td><td>-26.54</td><td>55.94</td><td>41.32</td><td>14.58</td><td>64.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	46.10	74.00	-27.90	65.63	36.39	8.92	64.84	---	---	Peak	2	8288.00	59.53	74.00	-14.47	75.82	37.57	10.71	64.57	100	297	Peak	3	8288.00	49.34	54.00	-4.66	65.63	37.57	10.71	64.57	100	297	Average	4	10360.00	46.69	68.30	-21.61	59.92	38.47	12.06	63.76	---	---	Peak	5	15540.00	47.46	74.00	-26.54	55.94	41.32	14.58	64.38	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>46.32</td><td>74.00</td><td>-27.68</td><td>65.85</td><td>36.39</td><td>8.92</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>8288.00</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>69.63</td><td>37.57</td><td>10.71</td><td>64.57</td><td>100</td><td>297</td><td>Peak</td></tr><tr><td>3</td><td>8288.00</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>63.16</td><td>37.57</td><td>10.71</td><td>64.57</td><td>100</td><td>297</td><td>Average</td></tr><tr><td>4</td><td>10360.00</td><td>52.46</td><td>68.30</td><td>-15.84</td><td>65.69</td><td>38.47</td><td>12.06</td><td>63.76</td><td>100</td><td>285</td><td>Peak</td></tr><tr><td>5</td><td>15540.00</td><td>54.11</td><td>74.00</td><td>-19.89</td><td>62.59</td><td>41.32</td><td>14.58</td><td>64.38</td><td>100</td><td>165</td><td>Peak</td></tr><tr><td>6</td><td>15540.00</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>55.26</td><td>41.32</td><td>14.58</td><td>64.38</td><td>100</td><td>165</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4808.00	46.32	74.00	-27.68	65.85	36.39	8.92	64.84	---	---	Peak	2	8288.00	53.34	74.00	-20.66	69.63	37.57	10.71	64.57	100	297	Peak	3	8288.00	46.87	54.00	-7.13	63.16	37.57	10.71	64.57	100	297	Average	4	10360.00	52.46	68.30	-15.84	65.69	38.47	12.06	63.76	100	285	Peak	5	15540.00	54.11	74.00	-19.89	62.59	41.32	14.58	64.38	100	165	Peak	6	15540.00	46.78	54.00	-7.22	55.26	41.32	14.58	64.38	100	165	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																														
1	4808.00	46.10	74.00	-27.90	65.63	36.39	8.92	64.84	---	---	Peak																																																																																																																																																																																												
2	8288.00	59.53	74.00	-14.47	75.82	37.57	10.71	64.57	100	297	Peak																																																																																																																																																																																												
3	8288.00	49.34	54.00	-4.66	65.63	37.57	10.71	64.57	100	297	Average																																																																																																																																																																																												
4	10360.00	46.69	68.30	-21.61	59.92	38.47	12.06	63.76	---	---	Peak																																																																																																																																																																																												
5	15540.00	47.46	74.00	-26.54	55.94	41.32	14.58	64.38	---	---	Peak																																																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																														
1	4808.00	46.32	74.00	-27.68	65.85	36.39	8.92	64.84	---	---	Peak																																																																																																																																																																																												
2	8288.00	53.34	74.00	-20.66	69.63	37.57	10.71	64.57	100	297	Peak																																																																																																																																																																																												
3	8288.00	46.87	54.00	-7.13	63.16	37.57	10.71	64.57	100	297	Average																																																																																																																																																																																												
4	10360.00	52.46	68.30	-15.84	65.69	38.47	12.06	63.76	100	285	Peak																																																																																																																																																																																												
5	15540.00	54.11	74.00	-19.89	62.59	41.32	14.58	64.38	100	165	Peak																																																																																																																																																																																												
6	15540.00	46.78	54.00	-7.22	55.26	41.32	14.58	64.38	100	165	Average																																																																																																																																																																																												

Remark: All signals exceeding the limit are fundamental frequency signals and can be ignored.

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.50	1.38	0.725	1KHz
802.11ac VHT20	96.30	1.3	0.770	1KHz
802.11ac VHT40	91.30	0.63	1.587	3KHz
802.11ac VHT80	90.45	0.322	3.106	10KHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

