






B26 / 5MHz / Low CH / QPSK




B26 / 5MHz / Mid CH / QPSK



B26 / 5MHz / High CH / QPSK




B26 / 10MHz / Low CH / QPSK



B26 / 10MHz / Mid CH / QPSK




B26 / 10MHz / High CH / QPSK




B26 / 15MHz / Low CH / QPSK




B26 / 15MHz / Mid CH / QPSK



B26 / 15MHz / High CH / QPSK




B38-30M-20G / 5MHz / Low CH / QPSK



B38-20G-27G / 5MHz / Low CH / QPSK




B38-30M-20G / 5MHz / Mid CH / QPSK




B38-20G-27G / 5MHz / Mid CH / QPSK




B38-30M-20G / 5MHz / High CH / QPSK



B38-20G-27G / 5MHz / High CH / QPSK




B38-30M-20G / 10MHz / Low CH / QPSK



B38-20G-27G / 10MHz / Low CH / QPSK




B38-30M-20G / 10MHz / Mid CH / QPSK



B38-20G-27G / 10MHz / Mid CH / QPSK




B38-30M-20G / 10MHz / High CH / QPSK



B38-20G-27G / 10MHz / High CH / QPSK




B38-30M-20G / 15MHz / Low CH / QPSK



B38-20G-27G / 15MHz / Low CH / QPSK




B38-30M-20G / 15MHz / Mid CH / QPSK




B38-20G-27G / 15MHz / Mid CH / QPSK




B38-30M-20G / 15MHz / High CH / QPSK



B38-20G-27G / 15MHz / High CH / QPSK




B38-30M-20G / 20MHz / Low CH / QPSK




B38-20G-27G / 20MHz / Low CH / QPSK




B38-30M-20G / 20MHz / Mid CH / QPSK



B38-20G-27G / 20MHz / Mid CH / QPSK



B38-30M-20G / 20MHz / High CH / QPSK




B38-20G-27G / 20MHz / High CH / QPSK



B41-30M-20G / 5MHz / Low CH / QPSK




B41-20G-27G / 5MHz / Low CH / QPSK



B41-30M-20G / 5MHz / Mid CH / QPSK



B41-20G-27G / 5MHz / Mid CH / QPSK



B41-30M-20G / 5MHz / High CH / QPSK



B41-20G-27G / 5MHz / High CH / QPSK



B41-30M-20G / 10MHz / Low CH / QPSK



B41-20G-27G / 10MHz / Low CH / QPSK



B41-30M-20G / 10MHz / Mid CH / QPSK




B41-20G-27G / 10MHz / Mid CH / QPSK



B41-30M-20G / 10MHz / High CH / QPSK



B41-20G-27G / 10MHz / High CH / QPSK







B66 / 1.4MHz / Low CH / QPSK



B66 / 1.4MHz / Mid CH / QPSK



B66 / 1.4MHz / High CH / QPSK



B66 / 3MHz / Low CH / QPSK



B66 / 3MHz / Mid CH / QPSK




B66 / 3MHz / High CH / QPSK



B66 / 5MHz / Low CH / QPSK



B66 / 5MHz / Mid CH / QPSK



B66 / 5MHz / High CH / QPSK



B66 / 10MHz / Low CH / QPSK



B66 / 10MHz / Mid CH / QPSK




B66 / 10MHz / High CH / QPSK



B66 / 15MHz / Low CH / QPSK



B66 / 15MHz / Mid CH / QPSK



B66 / 15MHz / High CH / QPSK



B66 / 20MHz / Low CH / QPSK



B66 / 20MHz / Mid CH / QPSK



B66 / 20MHz / High CH / QPSK



2.6. Band Edge

2.6.1. Requirement

Band 2

According to FCC section 24.238(a), for operations in the 1850–1910MHz bands, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

Band 4, 66

According to FCC section 27.53(h), for operations in the 1710–1755MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

Band 5, 26

According to FCC section 22.917(a), for operations in the 824–849MHz bands, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB in a 100kHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

Band 7, 38, 41


According to FCC section 27.53(m) (4), for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS

or EBS licensees.

Band 13

According to FCC section 27.53(c)(2), any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB in a 100kHz bandwidth. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed.

2.6.2. Test Description




The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.


2.6.3. Test Procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.




2.6.4. Test Result






B2 / 3MHz / High CH / QPSK / 1 RB



B2 / 3MHz / High CH / QPSK / FULL RB



B2 / 5MHz / Low CH / QPSK / 1 RB



B2 / 5MHz / Low CH / QPSK / FULL RB



B2 / 5MHz / High CH / QPSK / 1 RB




B2 / 5MHz / High CH / QPSK / FULL RB



B2 / 10MHz / Low CH / QPSK / 1 RB



B2 / 10MHz / Low CH / QPSK / FULL RB



B2 / 10MHz / High CH / QPSK / 1 RB




B2 / 10MHz / High CH / QPSK / FULL RB



B2 / 15MHz / Low CH / QPSK / 1 RB



B2 / 15MHz / Low CH / QPSK / FULL RB



B2 / 15MHz / High CH / QPSK / 1 RB



B2 / 15MHz / High CH / QPSK / FULL RB



B2 / 20MHz / Low CH / QPSK / 1 RB



B2 / 20MHz / Low CH / QPSK / FULL RB



B2 / 20MHz / High CH / QPSK / 1 RB




B2 / 20MHz / High CH / QPSK / FULL RB



B4 / 1.4MHz / Low CH / QPSK / 1 RB



B4 / 1.4MHz / Low CH / QPSK / FULL RB




B4 / 1.4MHz / High CH / QPSK / 1 RB




B4 / 1.4MHz / High CH / QPSK / FULL RB




B4 / 3MHz / Low CH / QPSK / 1 RB




B4 / 3MHz / Low CH / QPSK / FULL RB



B4 / 3MHz / High CH / QPSK / 1 RB



B4 / 3MHz / High CH / QPSK / FULL RB



B4 / 5MHz / Low CH / QPSK / 1 RB



B4 / 5MHz / Low CH / QPSK / FULL RB



B4 / 5MHz / High CH / QPSK / 1 RB




B4 / 5MHz / High CH / QPSK / FULL RB



B4 / 10MHz / Low CH / QPSK / 1 RB



B4 / 10MHz / Low CH / QPSK / FULL RB



B4 / 10MHz / High CH / QPSK / 1 RB




B4 / 10MHz / High CH / QPSK / FULL RB



B4 / 15MHz / Low CH / QPSK / 1 RB




B4 / 15MHz / Low CH / QPSK / FULL RB



B4 / 15MHz / High CH / QPSK / 1 RB



B4 / 15MHz / High CH / QPSK / FULL RB



B4 / 20MHz / Low CH / QPSK / 1 RB



B4 / 20MHz / Low CH / QPSK / FULL RB



B4 / 20MHz / High CH / QPSK / 1 RB




B4 / 20MHz / High CH / QPSK / FULL RB



B5 / 1.4MHz / Low CH / QPSK / 1 RB



B5 / 1.4MHz / Low CH / QPSK / FULL RB



B5 / 1.4MHz / High CH / QPSK / 1 RB




B5 / 1.4MHz / High CH / QPSK / FULL RB




B5 / 3MHz / Low CH / QPSK / 1 RB




B5 / 3MHz / Low CH / QPSK / FULL RB



B5 / 3MHz / High CH / QPSK / 1 RB




B5 / 3MHz / High CH / QPSK / FULL RB



B5 / 5MHz / Low CH / QPSK / 1 RB



B5 / 5MHz / Low CH / QPSK / FULL RB



B5 / 5MHz / High CH / QPSK / 1 RB




B5 / 5MHz / High CH / QPSK / FULL RB



B5 / 10MHz / Low CH / QPSK / 1 RB




B5 / 10MHz / Low CH / QPSK / FULL RB




B5 / 10MHz / High CH / QPSK / 1 RB




B5 / 10MHz / High CH / QPSK / FULL RB



B7 / 5MHz / Low CH / QPSK / 1 RB




B7 / 5MHz / Low CH / QPSK / FULL RB



B7 / 5MHz / High CH / QPSK / 1 RB




B7 / 5MHz / High CH / QPSK / FULL RB



B7 / 10MHz / Low CH / QPSK / 1 RB



B7 / 10MHz / Low CH / QPSK / FULL RB



B7 / 10MHz / High CH / QPSK / 1 RB



B7 / 10MHz / High CH / QPSK / FULL RB



B7 / 15MHz / Low CH / QPSK / 1 RB




B7 / 15MHz / Low CH / QPSK / FULL RB



B7 / 15MHz / High CH / QPSK / 1 RB



B7 / 15MHz / High CH / QPSK / FULL RB



B7 / 20MHz / Low CH / QPSK / 1 RB



B7 / 20MHz / Low CH / QPSK / FULL RB



B7 / 20MHz / High CH / QPSK / 1 RB




B7 / 20MHz / High CH / QPSK / FULL RB




B13 / 5MHz / Low CH / QPSK / 1 RB




B13 / 5MHz / Low CH / QPSK / FULL RB




B13 / 5MHz / High CH / QPSK / 1 RB




B13 / 5MHz / High CH / QPSK / FULL RB



B13 / 10MHz / Low CH / QPSK / 1 RB



B13 / 10MHz / Low CH / QPSK / FULL RB




B13 / 10MHz / High CH / QPSK / 1 RB




B13 / 10MHz / High CH / QPSK / FULL RB



B26 / 1.4MHz / Low CH / QPSK / 1 RB



B26 / 1.4MHz / Low CH / QPSK / FULL RB




B26 / 1.4MHz / High CH / QPSK / 1 RB



B26 / 1.4MHz / High CH / QPSK / FULL RB



B26 / 3MHz / Low CH / QPSK / 1 RB




B26 / 3MHz / Low CH / QPSK / FULL RB




B26 / 3MHz / High CH / QPSK / 1 RB




B26 / 3MHz / High CH / QPSK / FULL RB



B26 / 5MHz / Low CH / QPSK / 1 RB




B26 / 5MHz / Low CH / QPSK / FULL RB



B26 / 5MHz / High CH / QPSK / 1 RB



B26 / 5MHz / High CH / QPSK / FULL RB



B26 / 10MHz / Low CH / QPSK / 1 RB



B26 / 10MHz / Low CH / QPSK / FULL RB




B26 / 10MHz / High CH / QPSK / 1 RB



B26 / 10MHz / High CH / QPSK / FULL RB




B26 / 15MHz / Low CH / QPSK / 1 RB




B26 / 15MHz / Low CH / QPSK / FULL RB





B38 / 5MHz / Low CH / QPSK / 1 RB



B38 / 5MHz / Low CH / QPSK / FULL RB



B38 / 5MHz / High CH / QPSK / 1 RB



B38 / 5MHz / High CH / QPSK / FULL RB



B38 / 10MHz / Low CH / QPSK / 1 RB




B38 / 10MHz / Low CH / QPSK / FULL RB



B38 / 10MHz / High CH / QPSK / 1 RB



B38 / 10MHz / High CH / QPSK / FULL RB



B38 / 15MHz / Low CH / QPSK / 1 RB




B38 / 15MHz / Low CH / QPSK / FULL RB



B38 / 15MHz / High CH / QPSK / 1 RB



B38 / 15MHz / High CH / QPSK / FULL RB



B38 / 20MHz / Low CH / QPSK / 1 RB




B38 / 20MHz / Low CH / QPSK / FULL RB




B38 / 20MHz / High CH / QPSK / 1 RB



B38 / 20MHz / High CH / QPSK / FULL RB









B66 / 1.4MHz / Low CH / QPSK / 1 RB




B66 / 1.4MHz / Low CH / QPSK / FULL RB




B66 / 1.4MHz / High CH / QPSK / 1 RB




B66 / 1.4MHz / High CH / QPSK / FULL RB



B66 / 3MHz / Low CH / QPSK / 1 RB



B66 / 3MHz / Low CH / QPSK / FULL RB



B66 / 3MHz / High CH / QPSK / 1 RB



B66 / 3MHz / High CH / QPSK / FULL RB



B66 / 5MHz / Low CH / QPSK / 1 RB



B66 / 5MHz / Low CH / QPSK / FULL RB



B66 / 5MHz / High CH / QPSK / 1 RB




B66 / 5MHz / High CH / QPSK / FULL RB



B66 / 10MHz / Low CH / QPSK / 1 RB



B66 / 10MHz / Low CH / QPSK / FULL RB



B66 / 10MHz / High CH / QPSK / 1 RB




B66 / 10MHz / High CH / QPSK / FULL RB



B66 / 15MHz / Low CH / QPSK / 1 RB



B66 / 15MHz / Low CH / QPSK / FULL RB



B66 / 15MHz / High CH / QPSK / 1 RB



B66 / 15MHz / High CH / QPSK / FULL RB



B66 / 20MHz / Low CH / QPSK / 1 RB



B66 / 20MHz / Low CH / QPSK / FULL RB



B66 / 20MHz / High CH / QPSK / 1 RB



B66 / 20MHz / High CH / QPSK / FULL RB

2.7. Radiated Spurious Emissions

2.7.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.


Additional requirement for LTE Band 7, 38, 41

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This calculated to be -25dBm.


Additional requirement for Band 13

For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (E.I.R.P.) for wideband signals, and -80 dBW E.I.R.P. for discrete emissions of less than 700 Hz bandwidth. This calculated to be -40dBm.

2.7.2. Test Description



(For the test frequency from 30MHz to 1GHz)



(For the test frequency above 1GHz)

The EUT is located in a 3m Full-Anechoic Chamber, the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading. A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.

In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Note: When doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.7.3. Test Procedure

KDB 971168 D01v03 Section 5.8 and ANSI/TIA-603-E-2016.

For measurements below 1 GHz the resolution bandwidth is set to 100 kHz for peak detection measurements.

For measurements above 1GHz the resolution bandwidth is set to 1MHz, the video band width is set to 3MHz for peak measurements.



2.7.4. Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested to verify the out of band emissions.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the test spectrum analyze, so spectrum analyze reading is the final values which contain the data of A_{TOT} .

Note1: The power of the EUT transmitting frequency should be ignored.

Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note3: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band, only the worst cases (Max Bandwidth and QPSK mode) were recorded in this test report.


Note4: N/A means the frequency is the basic frequency or the base station frequency, they are no need to verdict.

Note5: The amplitude of emissions(18GHz to 10th harmonics) which are attenuated more than 20 dB below the limit are not be reported.


ANT1

LTE Band 2

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
172.4516	-47.05	-69.56	-22.5	-13.0	56.6	Horizontal	PK	PASS
1850.9702	-39.81	-35.51	4.3	-	-	Horizontal	PK	NA
1938.1876	-54.09	-50.00	4.1	-	-	Horizontal	PK	NA
3643.3776	-57.34	-55.63	1.7	-13.0	42.6	Horizontal	PK	PASS
8458.6583	-63.89	-50.27	13.6	-13.0	37.3	Horizontal	PK	PASS
17327.973	-69.24	-45.01	24.2	-13.0	32.0	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-42.84	-65.12	-22.3	-13.0	52.1	Vertical	PK	PASS
1851.3703	-46.15	-41.85	4.3	-	-	Vertical	PK	NA
1936.9874	-43.37	-39.46	3.9	-	-	Vertical	PK	NA
3702.1003	-55.82	-54.08	1.7	-13.0	41.1	Vertical	PK	PASS
7542.7817	-61.91	-50.31	11.6	-13.0	37.3	Vertical	PK	PASS
16300.252	-71.54	-45.37	26.2	-13.0	32.4	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-51.13	-66.40	-15.3	-13.0	53.4	Horizontal	PK	PASS
171.7241	-48.38	-71.00	-22.6	-13.0	58.0	Horizontal	PK	PASS
1952.5905	-56.45	-52.05	4.4	-13.0	39.1	Horizontal	PK	PASS
3742.3918	-55.78	-54.42	1.4	-13.0	41.4	Horizontal	PK	PASS
6923.5569	-62.17	-50.62	11.6	-13.0	37.6	Horizontal	PK	PASS
17268.930	-68.81	-45.11	23.7	-13.0	32.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-42.85	-65.13	-22.3	-13.0	52.1	Vertical	PK	PASS
1839.768	-58.39	-53.81	4.6	-	-	Vertical	PK	NA
1963.7928	-44.87	-40.55	4.3	-	-	Vertical	PK	NA
3501.5002	-53.71	-52.41	1.3	-13.0	39.4	Vertical	PK	PASS
7495.2598	-62.95	-51.01	11.9	-13.0	38.0	Vertical	PK	PASS
17301.092	-69.54	-44.96	24.6	-13.0	32.0	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
172.1606	-47.36	-69.91	-22.6	-13.0	56.9	Horizontal	PK	PASS
1820.9642	-55.24	-51.28	4.0	-	-	Horizontal	PK	NA
1891.3783	-38.65	-33.81	4.8	-	-	Horizontal	PK	NA
3781.826	-55.56	-54.60	1.0	-13.0	41.6	Horizontal	PK	PASS
8033.3613	-64.26	-50.84	13.4	-13.0	37.8	Horizontal	PK	PASS
16388.095	-71.03	-45.45	25.6	-13.0	32.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-42.14	-64.42	-22.3	-13.0	51.4	Vertical	PK	PASS
1890.9782	-42.14	-37.04	5.1	-	-	Vertical	PK	NA
1977.3955	-44.50	-39.74	4.8	-	-	Vertical	PK	NA
3782.2546	-55.02	-54.18	0.8	-13.0	41.2	Vertical	PK	PASS
7020.5208	-62.84	-51.80	11.0	-13.0	38.8	Vertical	PK	PASS
16307.932	-70.67	-44.66	26.0	-13.0	31.7	Vertical	PK	PASS

LTE Band 4

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
172.5001	-47.61	-70.09	-22.5	-13.0	57.1	Horizontal	PK	PASS
1701.3403	-33.30	-29.94	3.4	-	-	Horizontal	PK	NA
2126.6253	-51.81	-45.84	6.0	-	-	Horizontal	PK	NA
3729.9614	-56.96	-55.48	1.5	-13.0	42.5	Horizontal	PK	PASS
6939.3976	-62.64	-51.10	11.5	-13.0	38.1	Horizontal	PK	PASS
17327.973	-69.56	-45.33	24.2	-13.0	32.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-44.21	-66.46	-22.3	-13.0	53.5	Vertical	PK	PASS
1700.5401	-42.45	-38.97	3.5	-	-	Vertical	PK	NA
2125.025	-45.31	-39.40	5.9	-	-	Vertical	PK	NA
3710.2443	-57.01	-55.36	1.7	-13.0	42.4	Vertical	PK	PASS
7261.0104	-63.55	-51.87	11.7	-13.0	38.9	Vertical	PK	PASS
14048.481	-70.82	-46.04	24.8	-13.0	33.0	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
169.6385	-47.50	-70.42	-22.9	-13.0	57.4	Horizontal	PK	PASS
1723.7447	-39.57	-36.42	3.2	-	-	Horizontal	PK	NA
2125.025	-52.94	-46.99	6.0	-	-	Horizontal	PK	NA
5006.4295	-59.90	-53.81	6.1	-13.0	40.8	Horizontal	PK	PASS
10947.077	-68.20	-47.34	20.9	-13.0	34.3	Horizontal	PK	PASS
16403.456	-71.72	-46.06	25.7	-13.0	33.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-42.43	-64.69	-22.3	-13.0	51.7	Vertical	PK	PASS
1723.7447	-45.83	-42.40	3.4	-13.0	29.4	Vertical	PK	PASS
2131.8264	-46.03	-40.02	6.0	-13.0	27.0	Vertical	PK	PASS
3684.5264	-56.69	-54.96	1.7	-13.0	42.0	Vertical	PK	PASS
7482.2993	-63.57	-51.69	11.9	-13.0	38.7	Vertical	PK	PASS
16284.411	-71.82	-45.62	26.2	-13.0	32.6	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
173.6157	-47.41	-69.71	-22.3	-13.0	56.7	Horizontal	PK	PASS
1736.1472	-43.85	-40.83	3.0	-	-	Horizontal	PK	NA
2146.6293	-53.17	-47.14	6.0	-	-	Horizontal	PK	NA
3679.3828	-56.54	-54.78	1.8	-13.0	41.8	Horizontal	PK	PASS
7266.2907	-62.97	-50.63	12.3	-13.0	37.6	Horizontal	PK	PASS
17383.655	-70.65	-45.98	24.7	-13.0	33.0	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-43.76	-66.01	-22.3	-13.0	53.0	Vertical	PK	PASS
1736.1472	-51.14	-47.71	3.4	-	-	Vertical	PK	NA
2144.2288	-46.17	-40.34	5.8	-	-	Vertical	PK	NA
3741.5345	-56.74	-55.45	1.3	-13.0	42.5	Vertical	PK	PASS
7476.5391	-63.39	-51.54	11.9	-13.0	38.5	Vertical	PK	PASS
13997.119	-69.82	-45.55	24.3	-13.0	32.6	Vertical	PK	PASS




LTE Band 5

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
830.678	-55.05	-60.74	-5.7	-	-	Horizontal	PK	NA
874.6212	-60.84	-65.64	-4.8	-	-	Horizontal	PK	NA
1888.5777	-59.19	-53.45	5.7	-13.0	40.5	Horizontal	PK	PASS
3601.1176	-57.19	-55.54	1.7	-13.0	42.5	Horizontal	PK	PASS
6778.8014	-62.88	-51.17	11.7	-13.0	38.2	Horizontal	PK	PASS
12505.750	-69.50	-46.08	23.4	-13.0	33.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
829.5625	-63.72	-69.69	-6.0	-	-	Vertical	PK	NA
875.1063	-48.45	-53.10	-4.7	-	-	Vertical	PK	NA
1890.5781	-59.22	-53.32	5.9	-13.0	40.3	Vertical	PK	PASS
3683.5092	-57.67	-55.94	1.7	-13.0	42.9	Vertical	PK	PASS
6950.41	-62.40	-51.49	10.9	-13.0	38.5	Vertical	PK	PASS
11135.806	-67.89	-45.99	21.9	-13.0	33.0	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
838.4869	-53.16	-58.64	-5.5	-	-	Horizontal	PK	NA
880.199	-59.20	-63.95	-4.8	-	-	Horizontal	PK	NA
1890.178	-59.35	-53.66	5.7	-13.0	40.7	Horizontal	PK	PASS
3704.9602	-57.17	-55.44	1.7	-13.0	42.4	Horizontal	PK	PASS
6769.5385	-62.85	-51.18	11.7	-13.0	38.2	Horizontal	PK	PASS
12547.677	-69.95	-46.62	23.3	-13.0	33.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
838.6324	-64.09	-69.86	-5.8	-	-	Vertical	PK	NA
884.9037	-46.64	-51.10	-4.5	-	-	Vertical	PK	NA
1898.9798	-59.51	-53.62	5.9	-13.0	40.6	Vertical	PK	PASS
3653.7702	-57.03	-55.39	1.6	-13.0	42.4	Vertical	PK	PASS
6221.0736	-62.51	-53.26	9.3	-13.0	40.3	Vertical	PK	PASS
12501.362	-69.72	-46.17	23.6	-13.0	33.2	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
848.3814	-53.80	-59.00	-5.2	-	-	Horizontal	PK	NA
885.1463	-59.03	-63.75	-4.7	-	-	Horizontal	PK	NA
1833.3667	-58.46	-53.65	4.8	-13.0	40.7	Horizontal	PK	PASS
3659.133	-56.81	-55.08	1.7	-13.0	42.1	Horizontal	PK	PASS
6216.1983	-61.79	-51.83	10.0	-13.0	38.8	Horizontal	PK	PASS
12502.825	-70.16	-46.73	23.4	-13.0	33.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
848.3814	-64.20	-69.74	-5.5	-	-	Vertical	PK	NA
892.5186	-45.11	-49.54	-4.4	-	-	Vertical	PK	NA
1896.1792	-59.31	-53.42	5.9	-13.0	40.4	Vertical	PK	PASS
3669.371	-57.05	-55.37	1.7	-13.0	42.4	Vertical	PK	PASS
7023.5387	-62.20	-51.02	11.2	-13.0	38.0	Vertical	PK	PASS
11089.979	-68.18	-45.81	22.4	-13.0	32.8	Vertical	PK	PASS

LTE Band 7

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-50.95	-66.14	-15.2	-25.0	41.1	Horizontal	PK	PASS
172.6456	-47.58	-70.03	-22.5	-25.0	45.0	Horizontal	PK	PASS
1890.5781	-58.82	-53.97	4.9	-25.0	29.0	Horizontal	PK	PASS
4996.5709	-59.12	-53.09	6.0	-25.0	28.1	Horizontal	PK	PASS
10254.890	-66.61	-47.76	18.9	-25.0	22.8	Horizontal	PK	PASS
16397.695	-71.57	-45.84	25.7	-25.0	20.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.3154	-53.82	-73.25	-19.4	-25.0	48.3	Vertical	PK	PASS
90.4825	-43.80	-66.02	-22.2	-25.0	41.0	Vertical	PK	PASS
2703.5407	-59.23	-45.96	13.3	-25.0	21.0	Vertical	PK	PASS
3667.3811	-56.09	-54.41	1.7	-25.0	29.4	Vertical	PK	PASS
7243.7297	-63.07	-51.51	11.6	-25.0	26.5	Vertical	PK	PASS
14037.921	-70.51	-45.83	24.7	-25.0	20.8	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3053	-50.00	-65.20	-15.2	-25.0	40.2	Horizontal	PK	PASS
172.5001	-47.21	-69.68	-22.5	-25.0	44.7	Horizontal	PK	PASS
2672.7345	-58.50	-44.91	13.6	-25.0	19.9	Horizontal	PK	PASS
3653.2362	-57.24	-55.52	1.7	-25.0	30.5	Horizontal	PK	PASS
7037.3215	-62.26	-50.60	11.7	-25.0	25.6	Horizontal	PK	PASS
17322.212	-68.92	-44.74	24.2	-25.0	19.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.4609	-54.58	-73.95	-19.4	-25.0	49.0	Vertical	PK	PASS
90.4825	-44.06	-66.28	-22.2	-25.0	41.3	Vertical	PK	PASS
2631.9264	-59.18	-45.89	13.3	-25.0	20.9	Vertical	PK	PASS
3676.3823	-56.81	-55.10	1.7	-25.0	30.1	Vertical	PK	PASS
7069.9628	-61.76	-50.86	10.9	-25.0	25.9	Vertical	PK	PASS
17252.130	-69.67	-45.30	24.4	-25.0	20.3	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3053	-50.24	-65.44	-15.2	-25.0	40.4	Horizontal	PK	PASS
172.6941	-47.11	-69.55	-22.4	-25.0	44.6	Horizontal	PK	PASS
2673.5347	-58.37	-44.78	13.6	-25.0	19.8	Horizontal	PK	PASS
3684.5264	-56.79	-55.03	1.8	-25.0	30.0	Horizontal	PK	PASS
7448.2179	-63.53	-51.22	12.3	-25.0	26.2	Horizontal	PK	PASS
17288.611	-69.18	-45.29	23.9	-25.0	20.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-49.96	-72.50	-22.5	-25.0	47.5	Vertical	PK	PASS
90.4825	-43.71	-65.93	-22.2	-25.0	40.9	Vertical	PK	PASS
2705.9412	-59.66	-46.39	13.3	-25.0	21.4	Vertical	PK	PASS
3658.8084	-57.08	-55.42	1.7	-25.0	30.4	Vertical	PK	PASS
6908.6763	-62.68	-51.82	10.9	-25.0	26.8	Vertical	PK	PASS
17309.252	-69.95	-45.34	24.6	-25.0	20.3	Vertical	PK	PASS

LTE Band 13

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
169.6385	-45.89	-68.42	-22.5	-13.0	55.4	Horizontal	PK	PASS
781.3026	-37.00	-44.25	-7.3	-	-	Horizontal	PK	NA
1878.1756	-59.54	-53.76	5.8	-13.0	40.8	Horizontal	PK	PASS
3660.5955	-57.46	-55.73	1.7	-13.0	42.7	Horizontal	PK	PASS
6866.5558	-62.68	-51.21	11.5	-13.0	38.2	Horizontal	PK	PASS
12505.750	-69.78	-46.36	23.4	-13.0	33.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-45.12	-67.19	-22.1	-13.0	54.2	Vertical	PK	PASS
780.187	-46.49	-53.61	-7.1	-	-	Vertical	PK	NA
1974.5949	-59.48	-53.61	5.9	-13.0	40.6	Vertical	PK	PASS
3671.3211	-57.41	-55.72	1.7	-13.0	42.7	Vertical	PK	PASS
6983.0742	-62.51	-51.39	11.1	-13.0	38.4	Vertical	PK	PASS
11084.129	-67.97	-45.63	22.3	-13.0	32.6	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
173.5187	-46.08	-67.95	-21.9	-13.0	55.0	Horizontal	PK	PASS
780.1385	-37.22	-44.49	-7.3	-	-	Horizontal	PK	NA
1861.3723	-58.78	-53.59	5.2	-13.0	40.6	Horizontal	PK	PASS
3704.4727	-55.96	-54.22	1.7	-13.0	41.2	Horizontal	PK	PASS
7027.9264	-62.76	-50.98	11.8	-13.0	38.0	Horizontal	PK	PASS
12555.965	-69.89	-46.57	23.3	-13.0	33.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-43.94	-66.01	-22.1	-13.0	53.0	Vertical	PK	PASS
781.8846	-46.24	-53.31	-7.1	-	-	Vertical	PK	NA
1907.3815	-59.13	-53.72	5.4	-13.0	40.7	Vertical	PK	PASS
3848.7799	-56.17	-55.36	0.8	-13.0	42.4	Vertical	PK	PASS
7042.5521	-62.46	-51.32	11.1	-13.0	38.3	Vertical	PK	PASS
12554.502	-69.04	-45.84	23.2	-13.0	32.8	Vertical	PK	PASS

Plot for High Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-50.30	-65.37	-15.1	-13.0	52.4	Horizontal	PK	PASS
784.6977	-37.51	-44.73	-7.2	-	-	Horizontal	PK	NA
1874.5749	-58.78	-53.13	5.7	-13.0	40.1	Horizontal	PK	PASS
3716.6608	-57.05	-55.43	1.6	-13.0	42.4	Horizontal	PK	PASS
6911.8956	-62.68	-51.33	11.4	-13.0	38.3	Horizontal	PK	PASS
12606.667	-69.32	-46.16	23.2	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-44.05	-66.12	-22.1	-13.0	53.1	Vertical	PK	PASS
784.7947	-46.22	-53.22	-7.0	-	-	Vertical	PK	NA
1835.7672	-58.95	-53.55	5.4	-13.0	40.6	Vertical	PK	PASS
3685.9468	-57.54	-55.81	1.7	-13.0	42.8	Vertical	PK	PASS
6784.6517	-62.87	-51.99	10.9	-13.0	39.0	Vertical	PK	PASS
11082.666	-68.63	-46.29	22.3	-13.0	33.3	Vertical	PK	PASS

Plot for 1559MHz-1610MHz




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1559.3827	-59.63	-57.14	2.5	-40.0	17.1	Horizontal	PK	PASS
1566.3477	-58.66	-56.16	2.5	-40.0	16.2	Horizontal	PK	PASS
1571.6288	-58.53	-56.02	2.5	-40.0	16.0	Horizontal	PK	PASS
1581.8594	-58.24	-55.71	2.5	-40.0	15.7	Horizontal	PK	PASS
1590.4317	-58.24	-55.72	2.5	-40.0	15.7	Horizontal	PK	PASS
1606.2751	-58.20	-55.66	2.5	-40.0	15.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1559.4337	-59.45	-56.77	2.7	-40.0	16.8	Vertical	PK	PASS
1573.1851	-58.68	-56.23	2.5	-40.0	16.2	Vertical	PK	PASS
1582.6758	-58.06	-55.69	2.4	-40.0	15.7	Vertical	PK	PASS
1589.947	-58.33	-55.87	2.5	-40.0	15.9	Vertical	PK	PASS
1602.933	-57.38	-54.75	2.6	-40.0	14.8	Vertical	PK	PASS
1609.4387	-59.24	-56.54	2.7	-40.0	16.5	Vertical	PK	PASS

**LTE Band 26**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
824.6152	-41.43	-47.22	-5.8	-	-	Horizontal	PK	NA
874.9122	-49.91	-54.71	-4.8	-	-	Horizontal	PK	NA
1888.5777	-58.75	-53.01	5.7	-13.0	40.0	Horizontal	PK	PASS
3750.7875	-56.36	-55.09	1.3	-13.0	42.1	Horizontal	PK	PASS
6771.9761	-62.15	-50.47	11.7	-13.0	37.5	Horizontal	PK	PASS
11040.252	-66.88	-46.30	20.6	-13.0	33.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
824.6152	-49.79	-55.68	-5.9	-	-	Vertical	PK	NA
872.0021	-33.57	-38.33	-4.8	-	-	Vertical	PK	NA
1872.9746	-59.39	-53.75	5.6	-13.0	40.8	Vertical	PK	PASS
3674.7337	-57.55	-55.85	1.7	-13.0	42.9	Vertical	PK	PASS
6360.018	-61.45	-52.62	8.8	-13.0	39.6	Vertical	PK	PASS
11093.879	-67.53	-45.15	22.4	-13.0	32.2	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
832.0846	-45.84	-51.49	-5.7	-	-	Horizontal	PK	NA
885.0008	-50.61	-55.33	-4.7	-	-	Horizontal	PK	NA
1884.977	-58.80	-52.92	5.9	-13.0	39.9	Horizontal	PK	PASS
3541.1521	-57.09	-55.79	1.3	-13.0	42.8	Horizontal	PK	PASS
7061.0781	-61.47	-49.53	11.9	-13.0	36.5	Horizontal	PK	PASS
12564.740	-69.14	-45.85	23.3	-13.0	32.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
832.0846	-55.01	-60.94	-5.9	-	-	Vertical	PK	NA
884.2732	-32.26	-36.72	-4.5	-	-	Vertical	PK	NA
1701.7403	-58.02	-54.88	3.1	-13.0	41.9	Vertical	PK	PASS
3710.323	-57.22	-55.57	1.7	-13.0	42.6	Vertical	PK	PASS
7015.2508	-62.14	-50.95	11.2	-13.0	38.0	Vertical	PK	PASS
11113.868	-67.48	-45.27	22.2	-13.0	32.3	Vertical	PK	PASS

Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.6025	-41.61	-47.05	-5.4	-	-	Horizontal	PK	NA
890.045	-48.54	-53.24	-4.7	-	-	Horizontal	PK	NA
1838.1676	-58.72	-53.86	4.9	-13.0	40.9	Horizontal	PK	PASS
3707.3979	-57.52	-55.81	1.7	-13.0	42.8	Horizontal	PK	PASS
5592.6546	-60.09	-53.28	6.8	-13.0	40.3	Horizontal	PK	PASS
10933.971	-66.59	-45.62	21.0	-13.0	32.6	Horizontal	PK	PASS



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.6025	-51.08	-56.83	-5.8	-	-	Vertical	PK	NA
891.5971	-31.88	-36.32	-4.4	-	-	Vertical	PK	NA
1907.7816	-58.86	-53.11	5.8	-13.0	40.1	Vertical	PK	PASS
3664.4957	-57.31	-55.64	1.7	-13.0	42.6	Vertical	PK	PASS
7402.3451	-62.87	-51.17	11.7	-13.0	38.2	Vertical	PK	PASS
11102.167	-67.03	-44.65	22.4	-13.0	31.7	Vertical	PK	PASS