





**LTE Band 38**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.4023	-50.09	-65.29	-15.2	-25.0	40.3	Horizontal	PK	PASS
170.657	-47.31	-70.06	-22.8	-25.0	45.1	Horizontal	PK	PASS
2672.7345	-59.43	-45.84	13.6	-25.0	20.8	Horizontal	PK	PASS
3777.5396	-56.52	-55.51	1.0	-25.0	30.5	Horizontal	PK	PASS
7513.0205	-63.00	-50.74	12.3	-25.0	25.7	Horizontal	PK	PASS
16396.255	-72.12	-46.41	25.7	-25.0	21.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
42.6591	-54.00	-74.97	-21.0	-25.0	50.0	Vertical	PK	PASS
90.434	-43.76	-65.98	-22.2	-25.0	41.0	Vertical	PK	PASS
2632.3265	-59.14	-45.86	13.3	-25.0	20.9	Vertical	PK	PASS
3728.2469	-56.67	-55.22	1.5	-25.0	30.2	Vertical	PK	PASS
7445.3378	-62.79	-51.09	11.7	-25.0	26.1	Vertical	PK	PASS
17278.051	-70.18	-45.70	24.5	-25.0	20.7	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
42.6106	-57.19	-72.47	-15.3	-25.0	47.5	Horizontal	PK	PASS
169.008	-47.26	-70.27	-23.0	-25.0	45.3	Horizontal	PK	PASS
2598.7197	-55.49	-42.95	12.5	-25.0	18.0	Horizontal	PK	PASS
3675.5251	-57.32	-55.57	1.8	-25.0	30.6	Horizontal	PK	PASS
7075.723	-62.94	-51.11	11.8	-25.0	26.1	Horizontal	PK	PASS
17251.650	-69.45	-45.93	23.5	-25.0	20.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.3154	-54.96	-74.39	-19.4	-25.0	49.4	Vertical	PK	PASS
90.4825	-44.44	-66.66	-22.2	-25.0	41.7	Vertical	PK	PASS
2634.7269	-59.23	-45.99	13.2	-25.0	21.0	Vertical	PK	PASS
3675.9537	-56.93	-55.22	1.7	-25.0	30.2	Vertical	PK	PASS
6956.6783	-62.76	-51.77	11.0	-25.0	26.8	Vertical	PK	PASS
17266.050	-69.87	-45.44	24.4	-25.0	20.4	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-50.75	-65.94	-15.2	-25.0	40.9	Horizontal	PK	PASS
174.0037	-47.40	-69.64	-22.2	-25.0	44.6	Horizontal	PK	PASS
2614.7229	-57.22	-44.67	12.6	-25.0	19.7	Horizontal	PK	PASS
3605.658	-56.62	-54.96	1.7	-25.0	30.0	Horizontal	PK	PASS
7523.1009	-62.70	-50.50	12.2	-25.0	25.5	Horizontal	PK	PASS
17332.293	-69.83	-45.56	24.3	-25.0	20.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.4124	-55.27	-74.66	-19.4	-25.0	49.7	Vertical	PK	PASS
90.434	-43.80	-66.02	-22.2	-25.0	41.0	Vertical	PK	PASS
2614.7229	-56.80	-44.52	12.3	-25.0	19.5	Vertical	PK	PASS
3651.9503	-57.24	-55.60	1.6	-25.0	30.6	Vertical	PK	PASS
7051.7221	-62.07	-51.12	11.0	-25.0	26.1	Vertical	PK	PASS
16277.691	-71.55	-45.33	26.2	-25.0	20.3	Vertical	PK	PASS




**LTE Band 41**

Plot for Low Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3053	-50.21	-65.41	-15.2	-25.0	40.4	Horizontal	PK	PASS
173.3247	-47.74	-70.08	-22.3	-25.0	45.1	Horizontal	PK	PASS
2685.137	-59.43	-45.83	13.6	-25.0	20.8	Horizontal	PK	PASS
3672.9533	-56.76	-55.02	1.7	-25.0	30.0	Horizontal	PK	PASS
7478.9392	-63.10	-50.77	12.3	-25.0	25.8	Horizontal	PK	PASS
13107.164	-70.10	-46.08	24.0	-25.0	21.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
47.4124	-53.87	-73.26	-19.4	-25.0	48.3	Vertical	PK	PASS
90.4825	-43.85	-66.07	-22.2	-25.0	41.1	Vertical	PK	PASS
2703.9408	-58.50	-45.23	13.3	-25.0	20.2	Vertical	PK	PASS
3744.1063	-56.31	-55.04	1.3	-25.0	30.0	Vertical	PK	PASS
7982.9593	-63.67	-50.80	12.9	-25.0	25.8	Vertical	PK	PASS
17363.974	-69.71	-44.96	24.8	-25.0	20.0	Vertical	PK	PASS






Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-51.08	-66.30	-15.2	-25.0	41.3	Horizontal	PK	PASS
172.0636	-47.30	-69.83	-22.5	-25.0	44.8	Horizontal	PK	PASS
2673.1346	-59.08	-45.49	13.6	-25.0	20.5	Horizontal	PK	PASS
3559.7943	-56.40	-54.99	1.4	-25.0	30.0	Horizontal	PK	PASS
7087.2435	-62.50	-50.63	11.9	-25.0	25.6	Horizontal	PK	PASS
17302.532	-69.68	-45.65	24.0	-25.0	20.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3053	-49.78	-72.85	-23.1	-25.0	47.9	Vertical	PK	PASS
90.434	-43.34	-65.56	-22.2	-25.0	40.6	Vertical	PK	PASS
2705.141	-59.04	-45.76	13.3	-25.0	20.8	Vertical	PK	PASS
3659.6657	-57.23	-55.57	1.7	-25.0	30.6	Vertical	PK	PASS
7013.8006	-62.88	-51.82	11.1	-25.0	26.8	Vertical	PK	PASS
17320.292	-69.40	-44.77	24.6	-25.0	19.8	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-50.15	-65.34	-15.2	-25.0	40.3	Horizontal	PK	PASS
174.1007	-47.72	-69.94	-22.2	-25.0	44.9	Horizontal	PK	PASS
2704.7409	-56.01	-42.53	13.5	-25.0	17.5	Horizontal	PK	PASS
3650.2357	-57.13	-55.41	1.7	-25.0	30.4	Horizontal	PK	PASS
7562.4625	-62.70	-50.74	12.0	-25.0	25.7	Horizontal	PK	PASS
17327.973	-69.66	-45.43	24.2	-25.0	20.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-50.72	-73.26	-22.5	-25.0	48.3	Vertical	PK	PASS
90.4825	-43.15	-65.37	-22.2	-25.0	40.4	Vertical	PK	PASS
2719.944	-58.73	-45.70	13.0	-25.0	20.7	Vertical	PK	PASS
4350.1929	-57.69	-55.21	2.5	-25.0	30.2	Vertical	PK	PASS
6910.5964	-62.10	-51.24	10.9	-25.0	26.2	Vertical	PK	PASS
16598.343	-71.46	-45.54	25.9	-25.0	20.5	Vertical	PK	PASS




**LTE Band 66**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
174.3432	-47.75	-69.94	-22.2	-13.0	56.9	Horizontal	PK	PASS
1698.1396	-40.53	-37.31	3.2	-	-	Horizontal	PK	NA
2125.025	-52.56	-46.61	6.0	-	-	Horizontal	PK	NA
3667.3811	-56.91	-55.18	1.7	-13.0	42.2	Horizontal	PK	PASS
6835.2334	-62.35	-50.85	11.5	-13.0	37.9	Horizontal	PK	PASS
17622.704	-70.87	-45.68	25.2	-13.0	32.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-41.87	-64.13	-22.3	-13.0	51.1	Vertical	PK	PASS
1700.5401	-46.99	-43.51	3.5	-	-	Vertical	PK	NA
2117.8236	-44.97	-39.24	5.7	-	-	Vertical	PK	NA
3738.1054	-56.55	-55.22	1.3	-13.0	42.2	Vertical	PK	PASS
7068.0427	-62.24	-51.33	10.9	-13.0	38.3	Vertical	PK	PASS
15388.695	-70.81	-45.36	25.5	-13.0	32.4	Vertical	PK	PASS



Plot for Mid Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
170.463	-47.32	-70.11	-22.8	-13.0	57.1	Horizontal	PK	PASS
1763.3527	-48.07	-44.80	3.3	-	-	Horizontal	PK	NA
2155.4311	-53.19	-47.14	6.1	-	-	Horizontal	PK	NA
3672.5246	-57.01	-55.27	1.7	-13.0	42.3	Horizontal	PK	PASS
7474.619	-63.46	-51.13	12.3	-13.0	38.1	Horizontal	PK	PASS
16402.496	-71.96	-46.27	25.7	-13.0	33.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-43.56	-65.82	-22.3	-13.0	52.8	Vertical	PK	PASS
1762.9526	-51.92	-48.47	3.5	-	-	Vertical	PK	NA
2147.8296	-46.36	-40.59	5.8	-	-	Vertical	PK	NA
3863.6948	-56.73	-55.86	0.9	-13.0	42.9	Vertical	PK	PASS
8025.681	-63.48	-50.49	13.0	-13.0	37.5	Vertical	PK	PASS
13708.148	-70.24	-45.43	24.8	-13.0	32.4	Vertical	PK	PASS






Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
174.1977	-47.40	-69.62	-22.2	-13.0	56.6	Horizontal	PK	PASS
1794.959	-48.11	-43.97	4.1	-	-	Horizontal	PK	NA
2163.4327	-54.52	-48.11	6.4	-	-	Horizontal	PK	NA
3655.3793	-56.36	-54.64	1.7	-13.0	41.6	Horizontal	PK	PASS
7032.0413	-62.36	-50.72	11.6	-13.0	37.7	Horizontal	PK	PASS
17348.613	-70.16	-45.76	24.4	-13.0	32.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-44.00	-66.25	-22.3	-13.0	53.3	Vertical	PK	PASS
1794.5589	-53.64	-49.94	3.7	-	-	Vertical	PK	NA
2169.0338	-47.29	-41.04	6.3	-	-	Vertical	PK	NA
3663.952	-56.90	-55.23	1.7	-13.0	42.2	Vertical	PK	PASS
7005.1602	-62.46	-51.37	11.1	-13.0	38.4	Vertical	PK	PASS
16306.972	-71.45	-45.42	26.0	-13.0	32.4	Vertical	PK	PASS




**ANT0**

**LTE Band 2**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.531	-48.49	-71.85	-23.4	-13.0	58.9	Horizontal	PK	PASS
1837.7676	-37.30	-33.09	4.2	-	-	Horizontal	PK	NA
1933.3867	-41.62	-37.64	4.0	-	-	Horizontal	PK	NA
3659.237	-57.01	-55.28	1.7	-13.0	42.3	Horizontal	PK	PASS
7920.0768	-63.82	-50.79	13.0	-13.0	37.8	Horizontal	PK	PASS
17346.213	-69.96	-45.58	24.4	-13.0	32.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-45.97	-68.25	-22.3	-13.0	55.3	Vertical	PK	PASS
1839.3679	-44.77	-40.18	4.6	-	-	Vertical	PK	NA
1943.3887	-34.02	-30.07	4.0	-	-	Vertical	PK	NA
3719.6742	-56.37	-54.82	1.6	-13.0	41.8	Vertical	PK	PASS
7043.0817	-62.22	-51.25	11.0	-13.0	38.3	Vertical	PK	PASS
17318.852	-69.43	-44.81	24.6	-13.0	31.8	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-53.10	-68.37	-15.3	-13.0	55.4	Horizontal	PK	PASS
1876.9754	-48.93	-43.76	5.2	-	-	Horizontal	PK	NA
1962.1924	-42.58	-38.07	4.5	-	-	Horizontal	PK	NA
4560.2229	-57.44	-54.36	3.1	-13.0	41.4	Horizontal	PK	PASS
8960.2784	-64.49	-49.41	15.1	-13.0	36.4	Horizontal	PK	PASS
16744.749	-70.79	-46.31	24.5	-13.0	33.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-45.30	-67.58	-22.3	-13.0	54.6	Vertical	PK	PASS
1888.5777	-52.36	-47.26	5.1	-	-	Vertical	PK	NA
1960.5921	-31.61	-27.39	4.2	-	-	Vertical	PK	NA
5098.5855	-59.11	-53.65	5.5	-13.0	40.7	Vertical	PK	PASS
11066.602	-67.83	-45.98	21.9	-13.0	33.0	Vertical	PK	PASS
16601.704	-71.28	-45.34	25.9	-13.0	32.3	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-52.79	-68.06	-15.3	-13.0	55.1	Horizontal	PK	PASS
1906.9814	-42.55	-38.27	4.3	-	-	Horizontal	PK	NA
1976.5953	-44.28	-39.66	4.6	-	-	Horizontal	PK	NA
3673.8105	-56.67	-54.93	1.7	-13.0	41.9	Horizontal	PK	PASS
6912.0365	-62.00	-50.45	11.6	-13.0	37.5	Horizontal	PK	PASS
17299.172	-69.54	-45.54	24.0	-13.0	32.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-46.08	-68.36	-22.3	-13.0	55.4	Vertical	PK	PASS
1906.9814	-49.02	-44.03	5.0	-	-	Vertical	PK	NA
1976.5953	-32.87	-28.14	4.7	-	-	Vertical	PK	NA
4198.8856	-57.21	-54.91	2.3	-13.0	41.9	Vertical	PK	PASS
7537.9815	-62.36	-50.72	11.6	-13.0	37.7	Vertical	PK	PASS
16615.624	-71.09	-45.22	25.9	-13.0	32.2	Vertical	PK	PASS






**LTE Band 4**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-52.10	-67.37	-15.3	-13.0	54.4	Horizontal	PK	PASS
1697.7395	-31.97	-28.78	3.2	-	-	Horizontal	PK	NA
2115.4231	-45.63	-39.80	5.8	-	-	Horizontal	PK	NA
4994.4278	-59.47	-53.49	6.0	-13.0	40.5	Horizontal	PK	PASS
10595.703	-66.51	-47.16	19.4	-13.0	34.2	Horizontal	PK	PASS
16408.256	-71.24	-45.74	25.5	-13.0	32.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-47.72	-69.97	-22.3	-13.0	57.0	Vertical	PK	PASS
1700.5401	-35.35	-31.87	3.5	-	-	Vertical	PK	NA
2123.0246	-38.06	-32.20	5.9	-	-	Vertical	PK	NA
4792.1132	-58.48	-54.09	4.4	-13.0	41.1	Vertical	PK	PASS
9166.2066	-65.27	-48.49	16.8	-13.0	35.5	Vertical	PK	PASS
17380.775	-69.44	-44.65	24.8	-13.0	31.7	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-52.25	-67.52	-15.3	-13.0	54.5	Horizontal	PK	PASS
1732.1464	-47.18	-44.14	3.0	-	-	Horizontal	PK	NA
2140.6281	-46.51	-40.49	6.0	-	-	Horizontal	PK	NA
4432.0617	-57.43	-54.33	3.1	-13.0	41.3	Horizontal	PK	PASS
7221.1688	-62.28	-50.21	12.1	-13.0	37.2	Horizontal	PK	PASS
17307.812	-69.22	-45.15	24.1	-13.0	32.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-46.94	-69.19	-22.3	-13.0	56.2	Vertical	PK	PASS
1730.9462	-49.01	-45.60	3.4	-	-	Vertical	PK	NA
2139.0278	-36.93	-31.03	5.9	-	-	Vertical	PK	NA
3778.3969	-56.18	-55.30	0.9	-13.0	42.3	Vertical	PK	PASS
7998.8	-63.50	-50.52	13.0	-13.0	37.5	Vertical	PK	PASS
16592.583	-70.96	-45.13	25.8	-13.0	32.1	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-52.14	-67.41	-15.3	-13.0	54.4	Horizontal	PK	PASS
1743.3487	-46.60	-43.63	3.0	-	-	Horizontal	PK	NA
2141.8284	-46.39	-40.37	6.0	-	-	Horizontal	PK	NA
3848.264	-56.78	-55.75	1.0	-13.0	42.8	Horizontal	PK	PASS
6928.8372	-60.70	-49.16	11.5	-13.0	36.2	Horizontal	PK	PASS
17358.214	-69.80	-45.33	24.5	-13.0	32.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-47.48	-69.73	-22.3	-13.0	56.7	Vertical	PK	PASS
1744.5489	-49.86	-46.41	3.5	-	-	Vertical	PK	NA
2139.0278	-37.10	-31.20	5.9	-	-	Vertical	PK	NA
4138.4484	-57.27	-55.09	2.2	-13.0	42.1	Vertical	PK	PASS
7396.3759	-62.30	-50.81	11.5	-13.0	37.8	Vertical	PK	PASS
16619.464	-70.32	-44.47	25.9	-13.0	31.5	Vertical	PK	PASS




**LTE Band 5**

Plot for Low Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
824.6152	-59.32	-65.11	-5.8	-	-	Horizontal	PK	NA
873.3602	-44.33	-49.15	-4.8	-	-	Horizontal	PK	NA
1864.1728	-57.82	-52.40	5.4	-13.0	39.4	Horizontal	PK	PASS
3683.5092	-57.12	-55.36	1.8	-13.0	42.4	Horizontal	PK	PASS
7038.1644	-62.37	-50.54	11.8	-13.0	37.5	Horizontal	PK	PASS
12542.314	-68.57	-45.23	23.3	-13.0	32.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
828.9319	-58.53	-64.50	-6.0	-	-	Vertical	PK	NA
877.8224	-34.13	-38.69	-4.6	-	-	Vertical	PK	NA
1904.5809	-58.18	-52.29	5.9	-13.0	39.3	Vertical	PK	PASS
3751.2751	-57.52	-56.33	1.2	-13.0	43.3	Vertical	PK	PASS
6906.0453	-62.22	-51.59	10.6	-13.0	38.6	Vertical	PK	PASS
11103.630	-67.98	-45.62	22.4	-13.0	32.6	Vertical	PK	PASS






Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.8935	-57.62	-63.06	-5.4	-	-	Horizontal	PK	NA
885.6313	-42.79	-47.50	-4.7	-	-	Horizontal	PK	NA
1890.178	-58.93	-53.24	5.7	-13.0	40.2	Horizontal	PK	PASS
3712.7606	-57.62	-55.96	1.7	-13.0	43.0	Horizontal	PK	PASS
7560.7905	-61.32	-49.30	12.0	-13.0	36.3	Horizontal	PK	PASS
12173.746	-68.13	-46.42	21.7	-13.0	33.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.069	-57.71	-63.47	-5.8	-	-	Vertical	PK	NA
879.326	-33.35	-37.85	-4.5	-	-	Vertical	PK	NA
1836.5673	-59.11	-53.82	5.3	-13.0	40.8	Vertical	PK	PASS
4628.8189	-58.07	-55.08	3.0	-13.0	42.1	Vertical	PK	PASS
7407.7079	-62.57	-50.84	11.7	-13.0	37.8	Vertical	PK	PASS
11100.217	-67.16	-44.75	22.4	-13.0	31.8	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
842.2216	-59.37	-64.74	-5.4	-	-	Horizontal	PK	NA
890.724	-41.28	-45.97	-4.7	-	-	Horizontal	PK	NA
1878.5757	-59.73	-53.71	6.0	-13.0	40.7	Horizontal	PK	PASS
3992.1121	-56.98	-55.55	1.4	-13.0	42.6	Horizontal	PK	PASS
7065.9533	-62.38	-50.42	12.0	-13.0	37.4	Horizontal	PK	PASS
11100.705	-66.57	-46.57	20.0	-13.0	33.6	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
848.3814	-59.52	-65.06	-5.5	-	-	Vertical	PK	NA
890.724	-32.54	-36.98	-4.4	-	-	Vertical	PK	NA
1895.3791	-59.12	-53.23	5.9	-13.0	40.2	Vertical	PK	PASS
3762.4881	-56.99	-55.93	1.1	-13.0	42.9	Vertical	PK	PASS
6987.9494	-62.18	-51.03	11.2	-13.0	38.0	Vertical	PK	PASS
11075.841	-67.15	-44.84	22.3	-13.0	31.8	Vertical	PK	PASS




**LTE Band 7**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
34.8502	-57.24	-72.42	-15.2	-25.0	47.4	Horizontal	PK	PASS
174.7797	-49.28	-71.39	-22.1	-25.0	46.4	Horizontal	PK	PASS
2672.7345	-57.35	-43.76	13.6	-25.0	18.8	Horizontal	PK	PASS
3658.8084	-56.98	-55.26	1.7	-25.0	30.3	Horizontal	PK	PASS
7002.2801	-62.66	-51.14	11.5	-25.0	26.1	Horizontal	PK	PASS
17365.414	-70.56	-46.03	24.5	-25.0	21.0	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-48.85	-71.39	-22.5	-25.0	46.4	Vertical	PK	PASS
90.434	-42.45	-64.67	-22.2	-25.0	39.7	Vertical	PK	PASS
2631.5263	-59.70	-46.41	13.3	-25.0	21.4	Vertical	PK	PASS
3670.8101	-56.82	-55.13	1.7	-25.0	30.1	Vertical	PK	PASS
7409.3364	-63.30	-51.77	11.5	-25.0	26.8	Vertical	PK	PASS
17327.493	-69.10	-44.45	24.7	-25.0	19.5	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-54.22	-69.41	-15.2	-25.0	44.4	Horizontal	PK	PASS
174.1977	-47.38	-69.59	-22.2	-25.0	44.6	Horizontal	PK	PASS
1877.3755	-59.54	-54.16	5.4	-25.0	29.2	Horizontal	PK	PASS
3656.6652	-57.22	-55.50	1.7	-25.0	30.5	Horizontal	PK	PASS
7422.2969	-62.90	-50.60	12.3	-25.0	25.6	Horizontal	PK	PASS
17317.412	-69.92	-45.78	24.1	-25.0	20.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-48.18	-70.72	-22.5	-25.0	45.7	Vertical	PK	PASS
90.4825	-43.28	-65.50	-22.2	-25.0	40.5	Vertical	PK	PASS
2612.3225	-58.66	-46.55	12.1	-25.0	21.6	Vertical	PK	PASS
3666.9524	-57.03	-55.35	1.7	-25.0	30.4	Vertical	PK	PASS
6967.7187	-63.01	-52.00	11.0	-25.0	27.0	Vertical	PK	PASS
15235.569	-70.44	-45.72	24.7	-25.0	20.7	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-57.41	-72.63	-15.2	-25.0	47.6	Horizontal	PK	PASS
174.4887	-49.27	-71.43	-22.2	-25.0	46.4	Horizontal	PK	PASS
2564.3129	-56.07	-44.61	11.5	-25.0	19.6	Horizontal	PK	PASS
3690.9559	-56.90	-55.13	1.8	-25.0	30.1	Horizontal	PK	PASS
7152.5261	-61.47	-49.53	11.9	-25.0	24.5	Horizontal	PK	PASS
17348.613	-70.27	-45.87	24.4	-25.0	20.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-49.39	-71.93	-22.5	-25.0	46.9	Vertical	PK	PASS
90.434	-41.93	-64.15	-22.2	-25.0	39.2	Vertical	PK	PASS
2632.7265	-58.09	-44.82	13.3	-25.0	19.8	Vertical	PK	PASS
3671.2387	-56.86	-55.17	1.7	-25.0	30.2	Vertical	PK	PASS
6957.6383	-61.66	-50.67	11.0	-25.0	25.7	Vertical	PK	PASS
17373.574	-69.49	-44.72	24.8	-25.0	19.7	Vertical	PK	PASS




**LTE Band 13**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
172.7426	-47.62	-69.62	-22.0	-13.0	56.6	Horizontal	PK	PASS
779.9445	-34.59	-41.86	-7.3	-	-	Horizontal	PK	NA
1866.1732	-59.16	-53.81	5.4	-13.0	40.8	Horizontal	PK	PASS
3643.0447	-57.85	-56.14	1.7	-13.0	43.1	Horizontal	PK	PASS
6215.7108	-62.24	-52.28	10.0	-13.0	39.3	Horizontal	PK	PASS
10959.810	-67.83	-46.86	21.0	-13.0	33.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-43.68	-65.75	-22.1	-13.0	52.8	Vertical	PK	PASS
779.6535	-38.46	-45.57	-7.1	-	-	Vertical	PK	NA
1849.3699	-58.55	-53.54	5.0	-13.0	40.5	Vertical	PK	PASS
3661.0831	-56.52	-54.86	1.7	-13.0	41.9	Vertical	PK	PASS
7089.3545	-61.78	-50.74	11.0	-13.0	37.7	Vertical	PK	PASS
11074.866	-68.22	-45.91	22.3	-13.0	32.9	Vertical	PK	PASS

Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
177.4474	-48.95	-70.16	-21.2	-13.0	57.2	Horizontal	PK	PASS
781.6906	-34.68	-41.93	-7.3	-	-	Horizontal	PK	NA
1744.949	-54.66	-51.54	3.1	-13.0	38.5	Horizontal	PK	PASS
3650.845	-56.99	-55.27	1.7	-13.0	42.3	Horizontal	PK	PASS
6624.7437	-62.48	-51.20	11.3	-13.0	38.2	Horizontal	PK	PASS
10958.835	-67.18	-46.21	21.0	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-43.99	-66.06	-22.1	-13.0	53.1	Vertical	PK	PASS
780.1385	-37.76	-44.88	-7.1	-	-	Vertical	PK	NA
2049.81	-57.88	-51.32	6.6	-13.0	38.3	Vertical	PK	PASS
3660.5955	-57.67	-56.01	1.7	-13.0	43.0	Vertical	PK	PASS
7075.2163	-62.21	-51.14	11.1	-13.0	38.1	Vertical	PK	PASS
11093.879	-68.07	-45.69	22.4	-13.0	32.7	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
34.3652	-55.94	-71.00	-15.1	-13.0	58.0	Horizontal	PK	PASS
784.3582	-34.09	-41.31	-7.2	-	-	Horizontal	PK	NA
1896.5793	-58.20	-53.08	5.1	-13.0	40.1	Horizontal	PK	PASS
3664.9832	-56.87	-55.14	1.7	-13.0	42.1	Horizontal	PK	PASS
6994.2872	-62.55	-50.92	11.6	-13.0	37.9	Horizontal	PK	PASS
10979.311	-67.77	-46.80	21.0	-13.0	33.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-43.66	-65.73	-22.1	-13.0	52.7	Vertical	PK	PASS
784.7947	-37.74	-44.74	-7.0	-	-	Vertical	PK	NA
1710.142	-58.17	-54.62	3.6	-13.0	41.6	Vertical	PK	PASS
3660.108	-56.71	-55.05	1.7	-13.0	42.1	Vertical	PK	PASS
7084.9667	-62.30	-51.26	11.0	-13.0	38.3	Vertical	PK	PASS
11009.538	-67.03	-45.00	22.0	-13.0	32.0	Vertical	PK	PASS






Plot for 1559MHz-1610MHz



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1567.5213	-58.28	-55.78	2.5	-40.0	15.8	Horizontal	PK	PASS
1572.8024	-58.31	-55.80	2.5	-40.0	15.8	Horizontal	PK	PASS
1585.2271	-58.47	-55.94	2.5	-40.0	15.9	Horizontal	PK	PASS
1590.1	-58.80	-56.28	2.5	-40.0	16.3	Horizontal	PK	PASS
1600.6113	-58.53	-56.02	2.5	-40.0	16.0	Horizontal	PK	PASS
1607.2446	-59.05	-56.49	2.6	-40.0	16.5	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
1561.8829	-58.85	-56.21	2.6	-40.0	16.2	Vertical	PK	PASS
1568.5163	-59.12	-56.60	2.5	-40.0	16.6	Vertical	PK	PASS
1579.3592	-58.70	-56.36	2.3	-40.0	16.4	Vertical	PK	PASS
1592.8044	-58.09	-55.59	2.5	-40.0	15.6	Vertical	PK	PASS
1601.938	-58.21	-55.58	2.6	-40.0	15.6	Vertical	PK	PASS
1608.0865	-58.28	-55.59	2.7	-40.0	15.6	Vertical	PK	PASS




**LTE Band 26**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
829.902	-56.37	-62.08	-5.7	-	-	Horizontal	PK	NA
873.6512	-42.03	-46.84	-4.8	-	-	Horizontal	PK	NA
1870.5741	-58.64	-52.95	5.7	-13.0	40.0	Horizontal	PK	PASS
3666.9333	-57.21	-55.48	1.7	-13.0	42.5	Horizontal	PK	PASS
7038.6519	-63.00	-51.17	11.8	-13.0	38.2	Horizontal	PK	PASS
11032.451	-68.05	-47.39	20.7	-13.0	34.4	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
824.6637	-59.25	-65.15	-5.9	-	-	Vertical	PK	NA
874.7667	-35.13	-39.79	-4.7	-	-	Vertical	PK	NA
1898.1796	-58.84	-52.95	5.9	-13.0	40.0	Vertical	PK	PASS
3666.9333	-56.95	-55.27	1.7	-13.0	42.3	Vertical	PK	PASS
6922.6211	-61.99	-51.26	10.7	-13.0	38.3	Vertical	PK	PASS
10616.105	-66.29	-46.20	20.1	-13.0	33.2	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.6995	-54.91	-60.35	-5.4	-	-	Horizontal	PK	NA
879.326	-41.57	-46.33	-4.8	-	-	Horizontal	PK	NA
1823.7648	-58.82	-54.18	4.6	-13.0	41.2	Horizontal	PK	PASS
3725.9238	-56.51	-54.99	1.5	-13.0	42.0	Horizontal	PK	PASS
7002.5751	-61.83	-50.17	11.7	-13.0	37.2	Horizontal	PK	PASS
12512.575	-69.61	-46.21	23.4	-13.0	33.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.7965	-60.65	-66.39	-5.7	-	-	Vertical	PK	NA
885.1948	-33.53	-37.99	-4.5	-	-	Vertical	PK	NA
1864.973	-58.79	-53.47	5.3	-13.0	40.5	Vertical	PK	PASS
3663.5207	-56.90	-55.23	1.7	-13.0	42.2	Vertical	PK	PASS
6241.0621	-62.49	-53.40	9.1	-13.0	40.4	Vertical	PK	PASS
11083.641	-68.35	-46.01	22.3	-13.0	33.0	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
839.845	-55.70	-61.14	-5.4	-	-	Horizontal	PK	NA
885.4373	-43.56	-48.28	-4.7	-	-	Horizontal	PK	NA
1880.5761	-58.86	-52.80	6.1	-13.0	39.8	Horizontal	PK	PASS
3745.9123	-56.93	-55.61	1.3	-13.0	42.6	Horizontal	PK	PASS
6564.7782	-62.80	-51.82	11.0	-13.0	38.8	Horizontal	PK	PASS
10558.577	-66.88	-47.24	19.6	-13.0	34.2	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
848.3329	-60.55	-66.09	-5.5	-	-	Vertical	PK	NA
885.3888	-32.92	-37.38	-4.5	-	-	Vertical	PK	NA
1890.9782	-58.27	-52.37	5.9	-13.0	39.4	Vertical	PK	PASS
3664.4957	-57.85	-56.18	1.7	-13.0	43.2	Vertical	PK	PASS
7475.4738	-62.14	-50.17	12.0	-13.0	37.2	Vertical	PK	PASS
11099.73	-67.11	-44.70	22.4	-13.0	31.7	Vertical	PK	PASS






**LTE Band 38**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
34.2682	-50.15	-65.32	-15.2	-25.0	40.3	Horizontal	PK	PASS
177.3504	-51.05	-72.74	-21.7	-25.0	47.7	Horizontal	PK	PASS
2676.3353	-58.89	-45.30	13.6	-25.0	20.3	Horizontal	PK	PASS
3660.0943	-56.55	-54.82	1.7	-25.0	29.8	Horizontal	PK	PASS
7023.4009	-61.93	-50.32	11.6	-25.0	25.3	Horizontal	PK	PASS
17318.372	-69.83	-45.68	24.2	-25.0	20.7	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-53.19	-75.73	-22.5	-25.0	50.7	Vertical	PK	PASS
90.434	-43.33	-65.55	-22.2	-25.0	40.6	Vertical	PK	PASS
2633.1266	-59.10	-45.83	13.3	-25.0	20.8	Vertical	PK	PASS
4092.5847	-57.73	-55.70	2.0	-25.0	30.7	Vertical	PK	PASS
7486.1394	-63.46	-51.57	11.9	-25.0	26.6	Vertical	PK	PASS
15943.117	-70.05	-45.34	24.7	-25.0	20.3	Vertical	PK	PASS



Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-52.68	-67.90	-15.2	-25.0	42.9	Horizontal	PK	PASS
176.9138	-50.62	-72.39	-21.8	-25.0	47.4	Horizontal	PK	PASS
2673.1346	-59.52	-45.93	13.6	-25.0	20.9	Horizontal	PK	PASS
3722.6747	-56.10	-54.55	1.6	-25.0	29.6	Horizontal	PK	PASS
6607.2243	-61.78	-50.47	11.3	-25.0	25.5	Horizontal	PK	PASS
13098.043	-70.24	-46.08	24.2	-25.0	21.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-51.65	-74.19	-22.5	-25.0	49.2	Vertical	PK	PASS
90.4825	-43.73	-65.95	-22.2	-25.0	41.0	Vertical	PK	PASS
2633.1266	-59.13	-45.86	13.3	-25.0	20.9	Vertical	PK	NA
3671.2387	-57.01	-55.32	1.7	-25.0	30.3	Vertical	PK	PASS
7479.4192	-62.97	-51.11	11.9	-25.0	26.1	Vertical	PK	PASS
13668.786	-69.14	-44.77	24.4	-25.0	19.8	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-51.40	-66.59	-15.2	-25.0	41.6	Horizontal	PK	PASS
175.6528	-49.60	-71.57	-22.0	-25.0	46.6	Horizontal	PK	PASS
2611.5223	-57.01	-44.39	12.6	-25.0	19.4	Horizontal	PK	PASS
3660.5229	-57.32	-55.59	1.7	-25.0	30.6	Horizontal	PK	PASS
6926.4371	-62.60	-51.06	11.5	-25.0	26.1	Horizontal	PK	PASS
17287.651	-69.79	-45.91	23.9	-25.0	20.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.4508	-51.64	-74.66	-23.0	-25.0	49.7	Vertical	PK	PASS
90.434	-42.84	-65.06	-22.2	-25.0	40.1	Vertical	PK	PASS
2722.3445	-58.22	-45.22	13.0	-25.0	20.2	Vertical	PK	PASS
5032.5761	-59.37	-53.86	5.5	-25.0	28.9	Vertical	PK	PASS
7514.4606	-62.55	-50.71	11.8	-25.0	25.7	Vertical	PK	PASS
17631.825	-71.07	-45.41	25.7	-25.0	20.4	Vertical	PK	PASS




**LTE Band 41**

Plot for Low Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3053	-49.51	-64.71	-15.2	-25.0	39.7	Horizontal	PK	PASS
173.0337	-49.90	-72.28	-22.4	-25.0	47.3	Horizontal	PK	PASS
2612.7225	-58.16	-45.56	12.6	-25.0	20.6	Horizontal	PK	PASS
5117.0167	-58.81	-52.91	5.9	-25.0	27.9	Horizontal	PK	PASS
10750.75	-66.56	-47.12	19.4	-25.0	22.1	Horizontal	PK	PASS
17293.891	-69.08	-45.13	24.0	-25.0	20.1	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-52.99	-75.53	-22.5	-25.0	50.5	Vertical	PK	PASS
90.434	-42.46	-64.68	-22.2	-25.0	39.7	Vertical	PK	PASS
2632.3265	-59.45	-46.17	13.3	-25.0	21.2	Vertical	PK	PASS
3642.5204	-57.14	-55.52	1.6	-25.0	30.5	Vertical	PK	PASS
7033.0013	-62.48	-51.47	11.0	-25.0	26.5	Vertical	PK	PASS
15839.913	-70.73	-45.74	25.0	-25.0	20.7	Vertical	PK	PASS






Plot for Mid Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3053	-51.96	-67.16	-15.2	-25.0	42.2	Horizontal	PK	PASS
177.2049	-51.09	-72.80	-21.7	-25.0	47.8	Horizontal	PK	PASS
2673.1346	-58.81	-45.22	13.6	-25.0	20.2	Horizontal	PK	PASS
3613.3733	-56.60	-54.94	1.7	-25.0	29.9	Horizontal	PK	PASS
7198.6079	-63.02	-51.08	11.9	-25.0	26.1	Horizontal	PK	PASS
17291.491	-69.74	-45.82	23.9	-25.0	20.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-53.00	-75.54	-22.5	-25.0	50.5	Vertical	PK	PASS
90.434	-42.74	-64.96	-22.2	-25.0	40.0	Vertical	PK	PASS
2724.3449	-59.35	-46.38	13.0	-25.0	21.4	Vertical	PK	PASS
3757.8225	-56.54	-55.43	1.1	-25.0	30.4	Vertical	PK	PASS
7477.4991	-63.75	-51.90	11.9	-25.0	26.9	Vertical	PK	PASS
16626.665	-71.65	-45.83	25.8	-25.0	20.8	Vertical	PK	PASS



Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
36.3538	-50.93	-66.12	-15.2	-25.0	41.1	Horizontal	PK	PASS
175.2163	-49.94	-71.99	-22.1	-25.0	47.0	Horizontal	PK	PASS
2700.7401	-56.81	-43.23	13.6	-25.0	18.2	Horizontal	PK	PASS
3677.6682	-56.80	-55.04	1.8	-25.0	30.0	Horizontal	PK	PASS
8065.0426	-63.21	-49.73	13.5	-25.0	24.7	Horizontal	PK	PASS
16425.537	-71.25	-46.33	24.9	-25.0	21.3	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-51.50	-74.04	-22.5	-25.0	49.0	Vertical	PK	PASS
90.4825	-42.22	-64.44	-22.2	-25.0	39.4	Vertical	PK	PASS
2633.5267	-59.00	-45.74	13.3	-25.0	20.7	Vertical	PK	PASS
3642.949	-56.88	-55.26	1.6	-25.0	30.3	Vertical	PK	PASS
6956.6783	-62.96	-51.97	11.0	-25.0	27.0	Vertical	PK	PASS
17338.053	-70.22	-45.54	24.7	-25.0	20.5	Vertical	PK	PASS




**LTE Band 66**

Plot for Low Channel




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-51.70	-66.97	-15.3	-13.0	54.0	Horizontal	PK	PASS
1699.3399	-36.14	-32.85	3.3	-	-	Horizontal	PK	NA
2125.4251	-39.79	-33.83	6.0	-	-	Horizontal	PK	NA
3854.6935	-56.00	-54.93	1.1	-13.0	41.9	Horizontal	PK	PASS
7560.0624	-62.79	-50.81	12.0	-13.0	37.8	Horizontal	PK	PASS
17347.653	-70.24	-45.84	24.4	-13.0	32.8	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-43.66	-65.91	-22.3	-13.0	52.9	Vertical	PK	PASS
1700.9402	-45.71	-42.23	3.5	-	-	Vertical	PK	NA
2113.0226	-32.11	-26.51	5.6	-	-	Vertical	PK	NA
3670.8101	-57.28	-55.59	1.7	-13.0	42.6	Vertical	PK	PASS
7072.3629	-62.51	-51.62	10.9	-13.0	38.6	Vertical	PK	PASS
17354.854	-69.57	-44.85	24.7	-13.0	31.9	Vertical	PK	PASS



Plot for Mid Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
178.9509	-50.97	-72.42	-21.5	-13.0	59.4	Horizontal	PK	PASS
1763.3527	-45.64	-42.37	3.3	-	-	Horizontal	PK	NA
2153.0306	-38.81	-32.78	6.0	-	-	Horizontal	PK	NA
3669.9528	-56.39	-54.65	1.7	-13.0	41.7	Horizontal	PK	PASS
7962.3185	-63.75	-50.55	13.2	-13.0	37.6	Horizontal	PK	PASS
17306.372	-69.94	-45.88	24.1	-13.0	32.9	Horizontal	PK	PASS




Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.434	-43.20	-65.46	-22.3	-13.0	52.5	Vertical	PK	PASS
1762.1524	-54.68	-51.23	3.5	-	-	Vertical	PK	NA
2152.6305	-32.82	-27.12	5.7	-	-	Vertical	PK	NA
3669.5242	-56.85	-55.17	1.7	-13.0	42.2	Vertical	PK	PASS
8020.8808	-64.40	-51.42	13.0	-13.0	38.4	Vertical	PK	PASS
16314.172	-71.36	-45.49	25.9	-13.0	32.5	Vertical	PK	PASS






Plot for High Channel



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
37.9059	-51.77	-67.04	-15.3	-13.0	54.0	Horizontal	PK	PASS
1795.3591	-43.41	-39.27	4.1	-	-	Horizontal	PK	NA
2161.8324	-40.31	-33.97	6.3	-	-	Horizontal	PK	NA
3746.6781	-56.41	-55.10	1.3	-13.0	42.1	Horizontal	PK	PASS
7068.0427	-62.81	-51.01	11.8	-13.0	38.0	Horizontal	PK	PASS
17325.093	-69.82	-45.61	24.2	-13.0	32.6	Horizontal	PK	PASS



Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Verdict
90.4825	-43.42	-65.67	-22.3	-13.0	52.7	Vertical	PK	PASS
1794.959	-50.66	-46.95	3.7	-	-	Vertical	PK	NA
2177.8356	-34.27	-27.66	6.6	-	-	Vertical	PK	NA
3660.0943	-57.25	-55.59	1.7	-13.0	42.6	Vertical	PK	PASS
7245.1698	-62.57	-51.00	11.6	-13.0	38.0	Vertical	PK	PASS
17331.813	-69.91	-45.25	24.7	-13.0	32.3	Vertical	PK	PASS



## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	$\pm 2.22$ dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77$ dB
Band Edge	$\pm 2.77$ dB
Equivalent Isotropic Radiated Power	$\pm 2.22$ dB
Radiated Spurious Emissions	$\pm 6$ dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$ .



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

<b>Laboratory Name:</b>	Shenzhen Morlab Communications Technology Co., Ltd.
<b>Laboratory Address:</b>	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
<b>Telephone:</b>	+86 755 36698555
<b>Facsimile:</b>	+86 755 36698525

### 2. Identification of the Responsible Testing Location

<b>Name:</b>	Shenzhen Morlab Communications Technology Co., Ltd.
<b>Address:</b>	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

### 3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



#### 4. Test Equipment Utilized

##### 4.1 Conducted Test Equipment

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
EXA Signal Analyzer	MY51511149	N9020A	Agilent	2025.05.15	2026.05.14
Communication Test Station	6200995016	MT8820C	Anritsu	2024.09.11	2025.09.10
Temperature Chamber	S022177101 00089002	KMT-36LF 1A0	KOMEG	2024.09.11	2025.09.10

##### 4.2 List of Software Used

Description	Manufacturer	Software Version
MOR-2023E Test System	MORLAB	V7.99
JS36-RSE	Tonscend	5.0.0



**4.3 Radiated Test Equipment**

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
System Simulator	152038	CMW500	R&S	2024.09.11	2025.09.10
Signal Analyzer	MY56060145	N9020A	Agilent	2025.05.13	2026.05.12
Test Antenna - Bi-Log	9163-519	VULB 9163	Schwarzbeck	2024.06.22	2025.06.21
				2025.06.20	2026.06.19
Test Antenna - Horn	9120D-963	BBHA 9120D	Schwarzbeck	2025.05.16	2026.05.15
RF Coaxial Cable (DC-18GHz)	MRE001	PE330	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-18GHz)	MRE002	CLU18	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-18GHz)	MRE003	CLU18	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-40GHz)	22290045	QA360-40-K K-0.5	Qualwave	2024.09.11	2025.09.10
RF Coaxial Cable (DC-40GHz)	22290046	QA360-40-K KF-2	Qualwave	2024.09.11	2025.09.10
RF Coaxial Cable (DC-18GHz)	22120181	QA500-18-N N-5	Qualwave	2024.09.11	2025.09.10
Preamplifier (10MHz-6GHz)	46732	S10M100L38 02	LUCIX CORP.	2025.05.13	2026.05.12
Preamplifier (2GHz-18GHz)	61171/61172	S020180L32 03	LUCIX CORP.	2025.05.13	2026.05.12
Preamplifier (18GHz-40GHz)	DS77209	DCLNA0118- 40C-S	Decentest	2025.05.13	2026.05.12
Notch Filter	N/A	WRCGV -LTE B2	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B4	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B5	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B7	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B13	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B26	Wainwright	N/A	N/A



Notch Filter	N/A	WRCGV -LTE B38	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B41	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B66	Wainwright	N/A	N/A
Anechoic Chamber	N/A	9m*6m*6m	CRT	2025.04.19	2028.04.18
Anechoic Chamber	N/A	9m*6m*6m	CRT	2022.11.30	2025.11.29

\_\_\_\_\_ END OF REPORT \_\_\_\_\_