

BLE Power

Note: The Conducted output power refer to FCC ID: 2AUZI-819628A, report No.: FR022201, which is issued by Shenzhen UnionTrust Quality and Technology Co., Ltd.

Test Result

Condition	Mode	Data Rate	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	1Mbps	2402	Ant1	8.30	30	Pass
NVNT	BLE	1Mbps	2442	Ant1	8.50	30	Pass
NVNT	BLE	1Mbps	2480	Ant1	8.70	30	Pass
NVNT	BLE	2Mbps	2402	Ant1	8.30	30	Pass
NVNT	BLE	2Mbps	2442	Ant1	8.50	30	Pass
NVNT	BLE	2Mbps	2480	Ant1	8.70	30	Pass

Spot Check Test Result

Condition	Mode	Data Rate	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	1Mbps	2402	Ant1	7.87	30	Pass
NVNT	BLE	1Mbps	2442	Ant1	8.19	30	Pass
NVNT	BLE	1Mbps	2480	Ant1	8.38	30	Pass
NVNT	BLE	2Mbps	2402	Ant1	8.98	30	Pass
NVNT	BLE	2Mbps	2442	Ant1	8.32	30	Pass
NVNT	BLE	2Mbps	2480	Ant1	8.39	30	Pass





