












2. Bandwidth

2.1 Test Result

ANT 1:

Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	19.410	Only for Report Use	PASS
	5200	SISO	1	19.530	Only for Report Use	PASS
	5240	SISO	1	19.568	Only for Report Use	PASS
	5260	SISO	1	19.385	Only for Report Use	PASS
	5300	SISO	1	19.449	Only for Report Use	PASS
	5320	SISO	1	19.487	Only for Report Use	PASS
	5500	SISO	1	19.353	Only for Report Use	PASS
	5580	SISO	1	19.398	Only for Report Use	PASS
	5600	SISO	1	19.428	Only for Report Use	PASS
	5700	SISO	1	19.557	Only for Report Use	PASS
802.11n(HT20)	5180	SISO	1	19.952	Only for Report Use	PASS
	5200	SISO	1	19.997	Only for Report Use	PASS
	5240	SISO	1	19.890	Only for Report Use	PASS
	5260	SISO	1	19.874	Only for Report Use	PASS
	5300	SISO	1	19.959	Only for Report Use	PASS
	5320	SISO	1	19.873	Only for Report Use	PASS
	5500	SISO	1	19.896	Only for Report Use	PASS
	5580	SISO	1	19.812	Only for Report Use	PASS
	5600	SISO	1	20.190	Only for Report Use	PASS
	5700	SISO	1	20.034	Only for Report Use	PASS
802.11n(HT40)	5190	SISO	1	40.020	Only for Report Use	PASS
	5230	SISO	1	39.635	Only for Report Use	PASS
	5270	SISO	1	39.483	Only for Report Use	PASS
	5310	SISO	1	39.946	Only for Report Use	PASS
	5510	SISO	1	39.646	Only for Report Use	PASS
	5550	SISO	1	39.558	Only for Report Use	PASS
	5590	SISO	1	39.885	Only for Report Use	PASS
	5670	SISO	1	39.533	Only for Report Use	PASS
802.11ac(VHT20)	5180	SISO	1	19.975	Only for Report Use	PASS
	5200	SISO	1	20.030	Only for Report Use	PASS
	5240	SISO	1	19.878	Only for Report Use	PASS
	5260	SISO	1	19.897	Only for Report Use	PASS
	5300	SISO	1	19.799	Only for Report Use	PASS
	5320	SISO	1	19.986	Only for Report Use	PASS
	5500	SISO	1	19.855	Only for Report Use	PASS
	5580	SISO	1	19.899	Only for Report Use	PASS
	5600	SISO	1	19.790	Only for Report Use	PASS
	5700	SISO	1	19.951	Only for Report Use	PASS
802.11ac(VHT40)	5190	SISO	1	40.163	Only for Report Use	PASS
	5230	SISO	1	39.822	Only for Report Use	PASS
	5270	SISO	1	40.078	Only for Report Use	PASS
	5310	SISO	1	39.855	Only for Report Use	PASS
	5510	SISO	1	40.227	Only for Report Use	PASS
	5550	SISO	1	40.121	Only for Report Use	PASS
	5590	SISO	1	40.157	Only for Report Use	PASS
	5670	SISO	1	39.913	Only for Report Use	PASS
802.11ac(VHT80)	5210	SISO	1	80.537	Only for Report Use	PASS

	5290	SISO	1	80.412	Only for Report Use	PASS
	5530	SISO	1	80.386	Only for Report Use	PASS
	5610	SISO	1	80.122	Only for Report Use	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	16.415	Only for Report Use
	5200	SISO	1	16.457	Only for Report Use
	5240	SISO	1	16.456	Only for Report Use
	5260	SISO	1	16.448	Only for Report Use
	5300	SISO	1	16.434	Only for Report Use
	5320	SISO	1	16.462	Only for Report Use
	5500	SISO	1	16.438	Only for Report Use
	5580	SISO	1	16.462	Only for Report Use
	5600	SISO	1	16.503	Only for Report Use
	5700	SISO	1	16.483	Only for Report Use
802.11n(HT20)	5180	SISO	1	17.558	Only for Report Use
	5200	SISO	1	17.526	Only for Report Use
	5240	SISO	1	17.553	Only for Report Use
	5260	SISO	1	17.546	Only for Report Use
	5300	SISO	1	17.550	Only for Report Use
	5320	SISO	1	17.532	Only for Report Use
	5500	SISO	1	17.542	Only for Report Use
	5580	SISO	1	17.549	Only for Report Use
	5600	SISO	1	17.586	Only for Report Use
	5700	SISO	1	17.573	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.700	Only for Report Use
	5230	SISO	1	36.639	Only for Report Use
	5270	SISO	1	36.566	Only for Report Use
	5310	SISO	1	36.694	Only for Report Use
	5510	SISO	1	36.712	Only for Report Use
	5550	SISO	1	36.751	Only for Report Use
	5590	SISO	1	36.558	Only for Report Use
	5670	SISO	1	36.628	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.644	Only for Report Use
	5200	SISO	1	17.627	Only for Report Use
	5240	SISO	1	17.615	Only for Report Use
	5260	SISO	1	17.628	Only for Report Use
	5300	SISO	1	17.634	Only for Report Use
	5320	SISO	1	17.646	Only for Report Use
	5500	SISO	1	17.642	Only for Report Use
	5580	SISO	1	17.600	Only for Report Use
	5600	SISO	1	17.631	Only for Report Use
	5700	SISO	1	17.629	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.444	Only for Report Use
	5230	SISO	1	36.438	Only for Report Use
	5270	SISO	1	36.405	Only for Report Use
	5310	SISO	1	36.437	Only for Report Use
	5510	SISO	1	36.489	Only for Report Use
	5550	SISO	1	36.454	Only for Report Use
	5590	SISO	1	36.420	Only for Report Use
	5670	SISO	1	36.381	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.796	Only for Report Use
	5290	SISO	1	75.837	Only for Report Use
	5530	SISO	1	75.829	Only for Report Use
	5610	SISO	1	75.756	Only for Report Use



ANT 2:



Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	19.668	Only for Report Use	PASS
	5200	SISO	1	19.852	Only for Report Use	PASS
	5240	SISO	1	19.791	Only for Report Use	PASS
	5260	SISO	1	19.763	Only for Report Use	PASS
	5300	SISO	1	19.789	Only for Report Use	PASS
	5320	SISO	1	19.887	Only for Report Use	PASS
	5500	SISO	1	19.832	Only for Report Use	PASS
	5580	SISO	1	19.748	Only for Report Use	PASS
	5600	SISO	1	19.829	Only for Report Use	PASS
	5700	SISO	1	19.689	Only for Report Use	PASS
802.11n(HT20)	5180	SISO	1	20.037	Only for Report Use	PASS
	5200	SISO	1	20.135	Only for Report Use	PASS
	5240	SISO	1	20.095	Only for Report Use	PASS
	5260	SISO	1	20.095	Only for Report Use	PASS
	5300	SISO	1	20.106	Only for Report Use	PASS
	5320	SISO	1	20.095	Only for Report Use	PASS
	5500	SISO	1	20.058	Only for Report Use	PASS
	5580	SISO	1	19.987	Only for Report Use	PASS
	5600	SISO	1	20.189	Only for Report Use	PASS
	5700	SISO	1	19.930	Only for Report Use	PASS
802.11n(HT40)	5190	SISO	1	39.921	Only for Report Use	PASS
	5230	SISO	1	40.781	Only for Report Use	PASS
	5270	SISO	1	40.278	Only for Report Use	PASS
	5310	SISO	1	40.282	Only for Report Use	PASS
	5510	SISO	1	40.322	Only for Report Use	PASS
	5550	SISO	1	40.324	Only for Report Use	PASS
	5590	SISO	1	40.494	Only for Report Use	PASS
	5670	SISO	1	40.490	Only for Report Use	PASS
802.11ac(VHT20)	5180	SISO	1	19.920	Only for Report Use	PASS
	5200	SISO	1	19.888	Only for Report Use	PASS
	5240	SISO	1	20.074	Only for Report Use	PASS
	5260	SISO	1	20.000	Only for Report Use	PASS
	5300	SISO	1	20.036	Only for Report Use	PASS
	5320	SISO	1	19.927	Only for Report Use	PASS
	5500	SISO	1	19.858	Only for Report Use	PASS
	5580	SISO	1	19.977	Only for Report Use	PASS
	5600	SISO	1	19.953	Only for Report Use	PASS
802.11ac(VHT40)	5190	SISO	1	40.546	Only for Report Use	PASS
	5230	SISO	1	40.591	Only for Report Use	PASS
	5270	SISO	1	40.614	Only for Report Use	PASS
	5310	SISO	1	40.335	Only for Report Use	PASS
	5510	SISO	1	40.482	Only for Report Use	PASS
	5550	SISO	1	40.641	Only for Report Use	PASS
	5590	SISO	1	40.781	Only for Report Use	PASS
	5670	SISO	1	40.645	Only for Report Use	PASS
802.11ac(VHT80)	5210	SISO	1	80.696	Only for Report Use	PASS
	5290	SISO	1	80.818	Only for Report Use	PASS
	5530	SISO	1	80.714	Only for Report Use	PASS
	5610	SISO	1	80.522	Only for Report Use	PASS



Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	16.654	Only for Report Use
	5200	SISO	1	16.666	Only for Report Use
	5240	SISO	1	16.672	Only for Report Use
	5260	SISO	1	16.662	Only for Report Use
	5300	SISO	1	16.679	Only for Report Use
	5320	SISO	1	16.674	Only for Report Use
	5500	SISO	1	16.673	Only for Report Use
	5580	SISO	1	16.631	Only for Report Use
	5600	SISO	1	16.696	Only for Report Use
	5700	SISO	1	16.631	Only for Report Use
802.11n(HT20)	5180	SISO	1	17.687	Only for Report Use
	5200	SISO	1	17.713	Only for Report Use
	5240	SISO	1	17.673	Only for Report Use
	5260	SISO	1	17.650	Only for Report Use
	5300	SISO	1	17.673	Only for Report Use
	5320	SISO	1	17.657	Only for Report Use
	5500	SISO	1	17.677	Only for Report Use
	5580	SISO	1	17.662	Only for Report Use
	5600	SISO	1	17.680	Only for Report Use
	5700	SISO	1	17.683	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.451	Only for Report Use
	5230	SISO	1	36.599	Only for Report Use
	5270	SISO	1	36.358	Only for Report Use
	5310	SISO	1	36.338	Only for Report Use
	5510	SISO	1	36.437	Only for Report Use
	5550	SISO	1	36.456	Only for Report Use
	5590	SISO	1	36.389	Only for Report Use
	5670	SISO	1	36.346	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.611	Only for Report Use
	5200	SISO	1	17.602	Only for Report Use
	5240	SISO	1	17.619	Only for Report Use
	5260	SISO	1	17.647	Only for Report Use
	5300	SISO	1	17.624	Only for Report Use
	5320	SISO	1	17.671	Only for Report Use
	5500	SISO	1	17.647	Only for Report Use
	5580	SISO	1	17.608	Only for Report Use
	5600	SISO	1	17.681	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.426	Only for Report Use
	5230	SISO	1	36.481	Only for Report Use
	5270	SISO	1	36.457	Only for Report Use
	5310	SISO	1	36.215	Only for Report Use
	5510	SISO	1	36.467	Only for Report Use
	5550	SISO	1	36.451	Only for Report Use
	5590	SISO	1	36.465	Only for Report Use
	5670	SISO	1	36.483	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.801	Only for Report Use
	5290	SISO	1	75.878	Only for Report Use
	5530	SISO	1	75.777	Only for Report Use
	5610	SISO	1	75.765	Only for Report Use



2.2 Test Graph - Emission Bandwidth



ANT 1:



























































































ANT 2:

