













2. Bandwidth

2.1 Test Result

ANT 1:

Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	19.627	Only for Report Use	PASS
	5200	SISO	1	19.615	Only for Report Use	PASS
	5240	SISO	1	19.496	Only for Report Use	PASS
	5260	SISO	1	19.634	Only for Report Use	PASS
	5300	SISO	1	19.562	Only for Report Use	PASS
	5320	SISO	1	19.582	Only for Report Use	PASS
	5500	SISO	1	19.634	Only for Report Use	PASS
	5580	SISO	1	19.578	Only for Report Use	PASS
	5600	SISO	1	19.609	Only for Report Use	PASS
	5700	SISO	1	19.636	Only for Report Use	PASS
802.11n(HT20)	5180	SISO	1	19.877	Only for Report Use	PASS
	5200	SISO	1	20.018	Only for Report Use	PASS
	5240	SISO	1	20.050	Only for Report Use	PASS
	5260	SISO	1	20.049	Only for Report Use	PASS
	5300	SISO	1	20.058	Only for Report Use	PASS
	5320	SISO	1	19.959	Only for Report Use	PASS
	5500	SISO	1	19.987	Only for Report Use	PASS
	5580	SISO	1	20.067	Only for Report Use	PASS
	5600	SISO	1	20.027	Only for Report Use	PASS
	5700	SISO	1	20.050	Only for Report Use	PASS
802.11n(HT40)	5190	SISO	1	40.474	Only for Report Use	PASS
	5230	SISO	1	40.602	Only for Report Use	PASS
	5270	SISO	1	40.151	Only for Report Use	PASS
	5310	SISO	1	40.395	Only for Report Use	PASS
	5510	SISO	1	41.052	Only for Report Use	PASS
	5550	SISO	1	41.078	Only for Report Use	PASS
	5590	SISO	1	40.165	Only for Report Use	PASS
	5670	SISO	1	40.237	Only for Report Use	PASS
802.11ac(VHT20)	5180	SISO	1	20.118	Only for Report Use	PASS
	5200	SISO	1	20.038	Only for Report Use	PASS
	5240	SISO	1	19.837	Only for Report Use	PASS
	5260	SISO	1	20.044	Only for Report Use	PASS
	5300	SISO	1	20.151	Only for Report Use	PASS
	5320	SISO	1	20.080	Only for Report Use	PASS
	5500	SISO	1	19.951	Only for Report Use	PASS
	5580	SISO	1	19.817	Only for Report Use	PASS
	5600	SISO	1	19.868	Only for Report Use	PASS
	5700	SISO	1	19.926	Only for Report Use	PASS
802.11ac(VHT40)	5190	SISO	1	40.412	Only for Report Use	PASS
	5230	SISO	1	40.533	Only for Report Use	PASS
	5270	SISO	1	40.653	Only for Report Use	PASS
	5310	SISO	1	40.812	Only for Report Use	PASS
	5510	SISO	1	40.693	Only for Report Use	PASS
	5550	SISO	1	40.727	Only for Report Use	PASS
	5590	SISO	1	40.571	Only for Report Use	PASS
	5670	SISO	1	40.624	Only for Report Use	PASS
802.11ac(VHT80)	5210	SISO	1	80.591	Only for Report Use	PASS

	5290	SISO	1	80.879	Only for Report Use	PASS
	5530	SISO	1	80.575	Only for Report Use	PASS
	5610	SISO	1	80.791	Only for Report Use	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	16.705	Only for Report Use
	5200	SISO	1	16.580	Only for Report Use
	5240	SISO	1	16.647	Only for Report Use
	5260	SISO	1	16.645	Only for Report Use
	5300	SISO	1	16.708	Only for Report Use
	5320	SISO	1	16.639	Only for Report Use
	5500	SISO	1	16.748	Only for Report Use
	5580	SISO	1	16.639	Only for Report Use
	5600	SISO	1	16.646	Only for Report Use
	5700	SISO	1	16.662	Only for Report Use
802.11n(HT20)	5180	SISO	1	17.726	Only for Report Use
	5200	SISO	1	17.720	Only for Report Use
	5240	SISO	1	17.752	Only for Report Use
	5260	SISO	1	17.686	Only for Report Use
	5300	SISO	1	17.675	Only for Report Use
	5320	SISO	1	17.695	Only for Report Use
	5500	SISO	1	17.728	Only for Report Use
	5580	SISO	1	17.673	Only for Report Use
	5600	SISO	1	17.688	Only for Report Use
	5700	SISO	1	17.682	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.632	Only for Report Use
	5230	SISO	1	36.501	Only for Report Use
	5270	SISO	1	36.439	Only for Report Use
	5310	SISO	1	36.450	Only for Report Use
	5510	SISO	1	36.580	Only for Report Use
	5550	SISO	1	36.526	Only for Report Use
	5590	SISO	1	36.454	Only for Report Use
	5670	SISO	1	36.373	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.665	Only for Report Use
	5200	SISO	1	17.638	Only for Report Use
	5240	SISO	1	17.633	Only for Report Use
	5260	SISO	1	17.646	Only for Report Use
	5300	SISO	1	17.658	Only for Report Use
	5320	SISO	1	17.638	Only for Report Use
	5500	SISO	1	17.676	Only for Report Use
	5580	SISO	1	17.655	Only for Report Use
	5600	SISO	1	17.682	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.478	Only for Report Use
	5230	SISO	1	36.599	Only for Report Use
	5270	SISO	1	36.538	Only for Report Use
	5310	SISO	1	36.410	Only for Report Use
	5510	SISO	1	36.736	Only for Report Use
	5550	SISO	1	36.626	Only for Report Use
	5590	SISO	1	36.490	Only for Report Use
	5670	SISO	1	36.480	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.794	Only for Report Use
	5290	SISO	1	75.929	Only for Report Use
	5530	SISO	1	75.919	Only for Report Use
	5610	SISO	1	75.878	Only for Report Use

ANT 2:

Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	20.094	Only for Report Use	PASS
	5200	SISO	1	20.029	Only for Report Use	PASS
	5240	SISO	1	20.082	Only for Report Use	PASS
	5260	SISO	1	20.150	Only for Report Use	PASS
	5300	SISO	1	19.982	Only for Report Use	PASS
	5320	SISO	1	19.490	Only for Report Use	PASS
	5500	SISO	1	20.022	Only for Report Use	PASS
	5580	SISO	1	19.546	Only for Report Use	PASS
	5600	SISO	1	19.515	Only for Report Use	PASS
	5700	SISO	1	20.060	Only for Report Use	PASS
802.11n(HT20)	5180	SISO	1	19.992	Only for Report Use	PASS
	5200	SISO	1	20.042	Only for Report Use	PASS
	5240	SISO	1	19.968	Only for Report Use	PASS
	5260	SISO	1	19.966	Only for Report Use	PASS
	5300	SISO	1	20.081	Only for Report Use	PASS
	5320	SISO	1	20.041	Only for Report Use	PASS
	5500	SISO	1	19.961	Only for Report Use	PASS
	5580	SISO	1	20.132	Only for Report Use	PASS
	5600	SISO	1	20.000	Only for Report Use	PASS
	5700	SISO	1	19.994	Only for Report Use	PASS
802.11n(HT40)	5190	SISO	1	40.451	Only for Report Use	PASS
	5230	SISO	1	40.403	Only for Report Use	PASS
	5270	SISO	1	40.431	Only for Report Use	PASS
	5310	SISO	1	40.367	Only for Report Use	PASS
	5510	SISO	1	40.992	Only for Report Use	PASS
	5550	SISO	1	40.920	Only for Report Use	PASS
	5590	SISO	1	40.191	Only for Report Use	PASS
	5670	SISO	1	40.346	Only for Report Use	PASS
802.11ac(VHT20)	5180	SISO	1	20.028	Only for Report Use	PASS
	5200	SISO	1	20.012	Only for Report Use	PASS
	5240	SISO	1	20.032	Only for Report Use	PASS
	5260	SISO	1	19.966	Only for Report Use	PASS
	5300	SISO	1	19.872	Only for Report Use	PASS
	5320	SISO	1	19.878	Only for Report Use	PASS
	5500	SISO	1	20.105	Only for Report Use	PASS
	5580	SISO	1	19.886	Only for Report Use	PASS
	5600	SISO	1	20.015	Only for Report Use	PASS
	5700	SISO	1	19.992	Only for Report Use	PASS
802.11ac(VHT40)	5190	SISO	1	40.720	Only for Report Use	PASS
	5230	SISO	1	41.173	Only for Report Use	PASS
	5270	SISO	1	40.162	Only for Report Use	PASS
	5310	SISO	1	40.564	Only for Report Use	PASS
	5510	SISO	1	41.067	Only for Report Use	PASS
	5550	SISO	1	40.825	Only for Report Use	PASS
	5590	SISO	1	40.332	Only for Report Use	PASS
	5670	SISO	1	40.444	Only for Report Use	PASS
802.11ac(VHT80)	5210	SISO	1	80.709	Only for Report Use	PASS


	5290	SISO	1	80.592	Only for Report Use	PASS
	5530	SISO	1	84.386	Only for Report Use	PASS
	5610	SISO	1	81.001	Only for Report Use	PASS



Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	17.694	Only for Report Use
	5200	SISO	1	17.711	Only for Report Use
	5240	SISO	1	17.713	Only for Report Use
	5260	SISO	1	17.697	Only for Report Use
	5300	SISO	1	17.677	Only for Report Use
	5320	SISO	1	16.690	Only for Report Use
	5500	SISO	1	16.646	Only for Report Use
	5580	SISO	1	16.692	Only for Report Use
	5600	SISO	1	16.751	Only for Report Use
	5700	SISO	1	16.630	Only for Report Use
802.11n(HT20)	5180	SISO	1	17.670	Only for Report Use
	5200	SISO	1	17.664	Only for Report Use
	5240	SISO	1	17.665	Only for Report Use
	5260	SISO	1	17.712	Only for Report Use
	5300	SISO	1	17.694	Only for Report Use
	5320	SISO	1	17.694	Only for Report Use
	5500	SISO	1	17.709	Only for Report Use
	5580	SISO	1	17.684	Only for Report Use
	5600	SISO	1	17.708	Only for Report Use
	5700	SISO	1	17.717	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.470	Only for Report Use
	5230	SISO	1	36.403	Only for Report Use
	5270	SISO	1	36.359	Only for Report Use
	5310	SISO	1	36.354	Only for Report Use
	5510	SISO	1	36.435	Only for Report Use
	5550	SISO	1	36.543	Only for Report Use
	5590	SISO	1	36.432	Only for Report Use
	5670	SISO	1	36.344	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.636	Only for Report Use
	5200	SISO	1	17.651	Only for Report Use
	5240	SISO	1	17.659	Only for Report Use
	5260	SISO	1	17.613	Only for Report Use
	5300	SISO	1	17.646	Only for Report Use
	5320	SISO	1	17.668	Only for Report Use
	5500	SISO	1	17.677	Only for Report Use
	5580	SISO	1	17.644	Only for Report Use
	5600	SISO	1	17.649	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.535	Only for Report Use
	5230	SISO	1	36.543	Only for Report Use
	5270	SISO	1	36.398	Only for Report Use
	5310	SISO	1	36.480	Only for Report Use
	5510	SISO	1	36.709	Only for Report Use
	5550	SISO	1	36.668	Only for Report Use
	5590	SISO	1	36.519	Only for Report Use
	5670	SISO	1	36.446	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.908	Only for Report Use
	5290	SISO	1	75.845	Only for Report Use



	5530	SISO	1	76.017	Only for Report Use
	5610	SISO	1	75.873	Only for Report Use



2.2 Test Graph - Emission Bandwidth



ANT 1:






























































































ANT 2:

