












































5. Frequency Stability

5.1 Test Result

Test Condition	Test Mode	Test Frequency [MHz]	Ant	Result [ppm]	Limit [ppm]	Verdict
NTNV	Carrier	5180	1	-6.95	<=20	PASS
		5190	1	-7.13	<=20	PASS
		5200	1	-6.92	<=20	PASS
		5210	1	-6.91	<=20	PASS
		5230	1	-7.07	<=20	PASS
		5240	1	-7.06	<=20	PASS
		5260	1	-7.03	<=20	PASS
		5270	1	-7.02	<=20	PASS
		5290	1	-6.99	<=20	PASS
		5300	1	-6.98	<=20	PASS
		5310	1	-7.16	<=20	PASS
		5320	1	-6.95	<=20	PASS
		5500	1	-6.91	<=20	PASS
		5510	1	-7.08	<=20	PASS
		5530	1	-7.05	<=20	PASS
		5550	1	-7.03	<=20	PASS
		5580	1	-6.81	<=20	PASS
		5590	1	-6.98	<=20	PASS
		5600	1	-6.79	<=20	PASS
		5610	1	-7.13	<=20	PASS
		5670	1	-7.05	<=20	PASS
		5700	1	-6.84	<=20	PASS

-----End-----