

Appendix for 15.407

1. Duty Cycle

1.1 Test Result

ANT 1:



Test Mode	Channel Frequency (MHz)	TX Type	ANT No.	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)
802.11a	5180	SISO	1	1.360	1.396	97.42	0.11
	5200	SISO	1	1.360	1.396	97.42	0.11
	5240	SISO	1	1.361	1.397	97.42	0.11
	5260	SISO	1	1.361	1.397	97.42	0.11
	5300	SISO	1	1.360	1.396	97.42	0.11
	5320	SISO	1	1.360	1.396	97.42	0.11
	5500	SISO	1	1.361	1.397	97.42	0.11
	5580	SISO	1	1.392	1.428	97.48	0.11
	5600	SISO	1	1.360	1.397	97.35	0.12
802.11n(HT20)	5700	SISO	1	1.361	1.397	97.42	0.11
	5180	SISO	1	100.000	100.000	100.00	0.00
	5200	SISO	1	1.361	1.397	97.42	0.11
	5240	SISO	1	1.361	1.397	97.42	0.11
	5260	SISO	1	1.361	1.397	97.42	0.11
	5300	SISO	1	1.390	1.426	97.48	0.11
	5320	SISO	1	1.361	1.397	97.42	0.11
	5500	SISO	1	1.360	1.396	97.42	0.11
	5580	SISO	1	1.360	1.396	97.42	0.11
802.11n(HT40)	5600	SISO	1	1.360	1.396	97.42	0.11
	5700	SISO	1	1.360	1.394	97.56	0.11
	5190	SISO	1	0.618	0.651	94.93	0.23
	5230	SISO	1	0.618	0.652	94.79	0.23
	5270	SISO	1	0.618	0.651	94.93	0.23
	5310	SISO	1	0.618	0.652	94.79	0.23
	5510	SISO	1	0.618	0.651	94.93	0.23
	5550	SISO	1	0.618	0.652	94.79	0.23
802.11ac(VHT20)	5590	SISO	1	0.618	0.652	94.79	0.23
	5670	SISO	1	0.618	0.652	94.79	0.23
	5180	SISO	1	0.649	0.683	95.02	0.22
	5200	SISO	1	0.649	0.684	94.88	0.23
	5240	SISO	1	0.649	0.683	95.02	0.22
	5260	SISO	1	0.649	0.683	95.02	0.22
	5300	SISO	1	0.649	0.684	94.88	0.23
	5320	SISO	1	0.650	0.683	95.17	0.21
	5500	SISO	1	0.648	0.683	94.88	0.23
802.11ac(VHT40)	5580	SISO	1	0.648	0.683	94.88	0.23
	5600	SISO	1	0.648	0.682	95.01	0.22
	5700	SISO	1	0.648	0.682	95.01	0.22
	5190	SISO	1	0.352	0.387	90.96	0.41
	5230	SISO	1	0.352	0.387	90.96	0.41
	5270	SISO	1	0.352	0.387	90.96	0.41
	5310	SISO	1	0.352	0.405	86.91	0.61
	5510	SISO	1	0.352	0.387	90.96	0.41
802.11ac(VHT80)	5550	SISO	1	0.352	0.387	90.96	0.41
	5590	SISO	1	0.352	0.414	85.02	0.70
	5670	SISO	1	0.352	0.387	90.96	0.41
	5210	SISO	1	0.187	0.655	28.55	5.44
	5290	SISO	1	0.187	0.673	27.79	5.56
	5530	SISO	1	0.187	0.682	27.42	5.62
	5610	SISO	1	0.188	0.664	28.31	5.48



ANT 2:



Test Mode	Channel Frequency (MHz)	TX Type	ANT No.	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)
802.11a	5180	SISO	1	1.360	1.396	97.42	0.11
	5200	SISO	1	1.361	1.397	97.42	0.11
	5240	SISO	1	1.360	1.396	97.42	0.11
	5260	SISO	1	1.360	1.396	97.42	0.11
	5300	SISO	1	1.360	1.396	97.42	0.11
	5320	SISO	1	1.361	1.397	97.42	0.11
	5500	SISO	1	1.361	1.397	97.42	0.11
	5580	SISO	1	1.360	1.396	97.42	0.11
	5600	SISO	1	1.360	1.396	97.42	0.11
	5700	SISO	1	1.361	1.397	97.42	0.11
802.11n(HT20)	5180	SISO	1	1.299	1.336	97.23	0.12
	5200	SISO	1	1.299	1.336	97.23	0.12
	5240	SISO	1	1.299	1.335	97.30	0.12
	5260	SISO	1	1.299	1.336	97.23	0.12
	5300	SISO	1	1.299	1.335	97.30	0.12
	5320	SISO	1	1.299	1.335	97.30	0.12
	5500	SISO	1	1.299	1.336	97.23	0.12
	5580	SISO	1	1.300	1.336	97.31	0.12
	5600	SISO	1	1.300	1.336	97.31	0.12
	5700	SISO	1	1.299	1.336	97.23	0.12
802.11n(HT40)	5190	SISO	1	0.618	0.652	94.79	0.23
	5230	SISO	1	0.618	0.651	94.93	0.23
	5270	SISO	1	0.618	0.652	94.79	0.23
	5310	SISO	1	0.618	0.651	94.93	0.23
	5510	SISO	1	0.618	0.651	94.93	0.23
	5550	SISO	1	0.619	0.652	94.94	0.23
	5590	SISO	1	0.618	0.651	94.93	0.23
	5670	SISO	1	0.618	0.651	94.93	0.23
802.11ac(VHT20)	5180	SISO	1	0.649	0.683	95.02	0.22
	5200	SISO	1	0.649	0.683	95.02	0.22
	5240	SISO	1	0.649	0.683	95.02	0.22
	5260	SISO	1	0.649	0.683	95.02	0.22
	5300	SISO	1	0.648	0.682	95.01	0.22
	5320	SISO	1	0.649	0.683	95.02	0.22
	5500	SISO	1	0.649	0.683	95.02	0.22
	5580	SISO	1	0.649	0.683	95.02	0.22
	5600	SISO	1	0.649	0.683	95.02	0.22
	5700	SISO	1	0.649	0.684	94.88	0.23
802.11ac(VHT40)	5190	SISO	1	0.352	0.387	90.96	0.41
	5230	SISO	1	0.352	0.387	90.96	0.41
	5270	SISO	1	0.352	0.396	88.89	0.51
	5310	SISO	1	0.352	0.387	90.96	0.41
	5510	SISO	1	0.352	0.387	90.96	0.41
	5550	SISO	1	0.352	0.414	85.02	0.70
	5590	SISO	1	0.352	0.387	90.96	0.41
	5670	SISO	1	0.352	0.405	86.91	0.61
802.11ac(VHT80)	5210	SISO	1	0.188	0.664	28.31	5.48
	5290	SISO	1	0.188	0.656	28.66	5.43
	5530	SISO	1	0.188	0.692	27.17	5.66
	5610	SISO	1	0.188	0.665	28.27	5.49



1.2 Test Graph



ANT 1:





































































































ANT 2:



























































































2. Bandwidth

2.1 Test Result

ANT 1:

Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	19.389	Only for Report Use	PASS
	5200	SISO	1	19.425	Only for Report Use	PASS
	5240	SISO	1	19.401	Only for Report Use	PASS
	5260	SISO	1	19.229	Only for Report Use	PASS
	5300	SISO	1	19.448	Only for Report Use	PASS
	5320	SISO	1	19.598	Only for Report Use	PASS
	5500	SISO	1	19.340	Only for Report Use	PASS
	5580	SISO	1	19.307	Only for Report Use	PASS
	5600	SISO	1	19.394	Only for Report Use	PASS
802.11n(HT20)	5700	SISO	1	19.495	Only for Report Use	PASS
	5180	SISO	1	19.511	Only for Report Use	PASS
	5200	SISO	1	19.610	Only for Report Use	PASS
	5240	SISO	1	19.528	Only for Report Use	PASS
	5260	SISO	1	19.368	Only for Report Use	PASS
	5300	SISO	1	19.496	Only for Report Use	PASS
	5320	SISO	1	19.630	Only for Report Use	PASS
	5500	SISO	1	19.406	Only for Report Use	PASS
	5580	SISO	1	19.455	Only for Report Use	PASS
802.11n(HT40)	5600	SISO	1	19.373	Only for Report Use	PASS
	5700	SISO	1	19.669	Only for Report Use	PASS
	5190	SISO	1	39.771	Only for Report Use	PASS
	5230	SISO	1	39.973	Only for Report Use	PASS
	5270	SISO	1	39.678	Only for Report Use	PASS
	5310	SISO	1	39.884	Only for Report Use	PASS
	5510	SISO	1	39.915	Only for Report Use	PASS
	5550	SISO	1	39.790	Only for Report Use	PASS
802.11ac(VHT20)	5590	SISO	1	39.803	Only for Report Use	PASS
	5670	SISO	1	40.091	Only for Report Use	PASS
	5180	SISO	1	19.879	Only for Report Use	PASS
	5200	SISO	1	19.917	Only for Report Use	PASS
	5240	SISO	1	19.937	Only for Report Use	PASS
	5260	SISO	1	19.832	Only for Report Use	PASS
	5300	SISO	1	19.901	Only for Report Use	PASS
	5320	SISO	1	19.972	Only for Report Use	PASS
	5500	SISO	1	19.929	Only for Report Use	PASS
802.11ac(VHT40)	5580	SISO	1	19.796	Only for Report Use	PASS
	5600	SISO	1	19.984	Only for Report Use	PASS
	5700	SISO	1	19.844	Only for Report Use	PASS
	5190	SISO	1	39.990	Only for Report Use	PASS
	5230	SISO	1	40.152	Only for Report Use	PASS
	5270	SISO	1	39.995	Only for Report Use	PASS
	5310	SISO	1	39.693	Only for Report Use	PASS
	5510	SISO	1	40.108	Only for Report Use	PASS
802.11ac(VHT80)	5550	SISO	1	39.986	Only for Report Use	PASS
	5590	SISO	1	40.203	Only for Report Use	PASS
	5670	SISO	1	39.945	Only for Report Use	PASS
	5210	SISO	1	80.210	Only for Report Use	PASS
802.11ac(VHT80)	5290	SISO	1	80.081	Only for Report Use	PASS
	5530	SISO	1	79.837	Only for Report Use	PASS
	5610	SISO	1	80.442	Only for Report Use	PASS

Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	16.441	Only for Report Use
	5200	SISO	1	16.441	Only for Report Use
	5240	SISO	1	16.482	Only for Report Use
	5260	SISO	1	16.444	Only for Report Use
	5300	SISO	1	16.469	Only for Report Use
	5320	SISO	1	16.453	Only for Report Use
	5500	SISO	1	16.463	Only for Report Use
	5580	SISO	1	16.437	Only for Report Use
	5600	SISO	1	16.450	Only for Report Use
	5700	SISO	1	16.484	Only for Report Use
802.11n(HT20)	5180	SISO	1	16.465	Only for Report Use
	5200	SISO	1	16.473	Only for Report Use
	5240	SISO	1	16.494	Only for Report Use
	5260	SISO	1	16.443	Only for Report Use
	5300	SISO	1	16.457	Only for Report Use
	5320	SISO	1	16.433	Only for Report Use
	5500	SISO	1	16.430	Only for Report Use
	5580	SISO	1	16.487	Only for Report Use
	5600	SISO	1	16.476	Only for Report Use
	5700	SISO	1	16.488	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.648	Only for Report Use
	5230	SISO	1	36.731	Only for Report Use
	5270	SISO	1	36.617	Only for Report Use
	5310	SISO	1	36.517	Only for Report Use
	5510	SISO	1	36.585	Only for Report Use
	5550	SISO	1	36.616	Only for Report Use
	5590	SISO	1	36.675	Only for Report Use
	5670	SISO	1	36.719	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.629	Only for Report Use
	5200	SISO	1	17.657	Only for Report Use
	5240	SISO	1	17.657	Only for Report Use
	5260	SISO	1	17.627	Only for Report Use
	5300	SISO	1	17.652	Only for Report Use
	5320	SISO	1	17.648	Only for Report Use
	5500	SISO	1	17.643	Only for Report Use
	5580	SISO	1	17.611	Only for Report Use
	5600	SISO	1	17.626	Only for Report Use
	5700	SISO	1	17.607	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.430	Only for Report Use
	5230	SISO	1	36.422	Only for Report Use
	5270	SISO	1	36.367	Only for Report Use
	5310	SISO	1	36.231	Only for Report Use
	5510	SISO	1	36.375	Only for Report Use
	5550	SISO	1	36.426	Only for Report Use
	5590	SISO	1	36.402	Only for Report Use
	5670	SISO	1	36.500	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.708	Only for Report Use
	5290	SISO	1	75.764	Only for Report Use
	5530	SISO	1	75.796	Only for Report Use
	5610	SISO	1	75.868	Only for Report Use



ANT 2:



Test Mode	Frequency (MHz)	TX Type	ANT No.	Emission Bandwidth		Verdict
				Test Result (MHz)	Limits (MHz)	
802.11a	5180	SISO	1	19.529	Only for Report Use	PASS
	5200	SISO	1	19.462	Only for Report Use	PASS
	5240	SISO	1	19.530	Only for Report Use	PASS
	5260	SISO	1	19.459	Only for Report Use	PASS
	5300	SISO	1	20.107	Only for Report Use	PASS
	5320	SISO	1	19.576	Only for Report Use	PASS
	5500	SISO	1	19.740	Only for Report Use	PASS
	5580	SISO	1	19.904	Only for Report Use	PASS
	5600	SISO	1	19.626	Only for Report Use	PASS
802.11n(HT20)	5700	SISO	1	19.610	Only for Report Use	PASS
	5180	SISO	1	20.129	Only for Report Use	PASS
	5200	SISO	1	19.984	Only for Report Use	PASS
	5240	SISO	1	20.197	Only for Report Use	PASS
	5260	SISO	1	20.043	Only for Report Use	PASS
	5300	SISO	1	20.037	Only for Report Use	PASS
	5320	SISO	1	20.012	Only for Report Use	PASS
	5500	SISO	1	20.054	Only for Report Use	PASS
	5580	SISO	1	19.983	Only for Report Use	PASS
802.11n(HT40)	5600	SISO	1	20.095	Only for Report Use	PASS
	5700	SISO	1	19.956	Only for Report Use	PASS
	5190	SISO	1	40.330	Only for Report Use	PASS
	5230	SISO	1	40.909	Only for Report Use	PASS
	5270	SISO	1	41.039	Only for Report Use	PASS
	5310	SISO	1	40.304	Only for Report Use	PASS
	5510	SISO	1	40.555	Only for Report Use	PASS
	5550	SISO	1	40.416	Only for Report Use	PASS
802.11ac(VHT20)	5590	SISO	1	40.961	Only for Report Use	PASS
	5670	SISO	1	40.771	Only for Report Use	PASS
	5180	SISO	1	19.867	Only for Report Use	PASS
	5200	SISO	1	19.996	Only for Report Use	PASS
	5240	SISO	1	20.103	Only for Report Use	PASS
	5260	SISO	1	19.950	Only for Report Use	PASS
	5300	SISO	1	20.119	Only for Report Use	PASS
	5320	SISO	1	19.916	Only for Report Use	PASS
	5500	SISO	1	20.067	Only for Report Use	PASS
802.11ac(VHT40)	5580	SISO	1	19.851	Only for Report Use	PASS
	5600	SISO	1	19.901	Only for Report Use	PASS
	5700	SISO	1	19.862	Only for Report Use	PASS
	5190	SISO	1	40.699	Only for Report Use	PASS
	5230	SISO	1	40.355	Only for Report Use	PASS
	5270	SISO	1	40.448	Only for Report Use	PASS
	5310	SISO	1	40.334	Only for Report Use	PASS
	5510	SISO	1	40.806	Only for Report Use	PASS
802.11ac(VHT80)	5550	SISO	1	40.367	Only for Report Use	PASS
	5590	SISO	1	40.525	Only for Report Use	PASS
	5670	SISO	1	40.903	Only for Report Use	PASS
	5210	SISO	1	80.573	Only for Report Use	PASS
802.11ac(VHT80)	5290	SISO	1	80.734	Only for Report Use	PASS
	5530	SISO	1	80.708	Only for Report Use	PASS
	5610	SISO	1	80.747	Only for Report Use	PASS



Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
802.11a	5180	SISO	1	16.651	Only for Report Use
	5200	SISO	1	16.723	Only for Report Use
	5240	SISO	1	16.658	Only for Report Use
	5260	SISO	1	16.701	Only for Report Use
	5300	SISO	1	16.688	Only for Report Use
	5320	SISO	1	16.628	Only for Report Use
	5500	SISO	1	16.642	Only for Report Use
	5580	SISO	1	16.712	Only for Report Use
	5600	SISO	1	16.684	Only for Report Use
	5700	SISO	1	16.654	Only for Report Use
802.11n(HT20)	5180	SISO	1	17.675	Only for Report Use
	5200	SISO	1	17.709	Only for Report Use
	5240	SISO	1	17.734	Only for Report Use
	5260	SISO	1	17.732	Only for Report Use
	5300	SISO	1	17.729	Only for Report Use
	5320	SISO	1	17.740	Only for Report Use
	5500	SISO	1	17.704	Only for Report Use
	5580	SISO	1	17.679	Only for Report Use
	5600	SISO	1	17.747	Only for Report Use
	5700	SISO	1	17.721	Only for Report Use
802.11n(HT40)	5190	SISO	1	36.506	Only for Report Use
	5230	SISO	1	36.587	Only for Report Use
	5270	SISO	1	36.496	Only for Report Use
	5310	SISO	1	36.664	Only for Report Use
	5510	SISO	1	36.467	Only for Report Use
	5550	SISO	1	36.398	Only for Report Use
	5590	SISO	1	36.398	Only for Report Use
	5670	SISO	1	36.497	Only for Report Use
802.11ac(VHT20)	5180	SISO	1	17.642	Only for Report Use
	5200	SISO	1	17.614	Only for Report Use
	5240	SISO	1	17.640	Only for Report Use
	5260	SISO	1	17.650	Only for Report Use
	5300	SISO	1	17.673	Only for Report Use
	5320	SISO	1	17.639	Only for Report Use
	5500	SISO	1	17.661	Only for Report Use
	5580	SISO	1	17.649	Only for Report Use
	5600	SISO	1	17.658	Only for Report Use
	5700	SISO	1	17.619	Only for Report Use
802.11ac(VHT40)	5190	SISO	1	36.466	Only for Report Use
	5230	SISO	1	36.542	Only for Report Use
	5270	SISO	1	36.488	Only for Report Use
	5310	SISO	1	36.530	Only for Report Use
	5510	SISO	1	36.454	Only for Report Use
	5550	SISO	1	36.523	Only for Report Use
	5590	SISO	1	36.464	Only for Report Use
	5670	SISO	1	36.655	Only for Report Use
802.11ac(VHT80)	5210	SISO	1	75.665	Only for Report Use
	5290	SISO	1	75.916	Only for Report Use
	5530	SISO	1	75.747	Only for Report Use
	5610	SISO	1	75.838	Only for Report Use



2.2 Test Graph - Emission Bandwidth



ANT 1:





































































































ANT 2:



























































































2.3 Test Graph - 99% Occupied Bandwidth

ANT 1:

