






N71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH



N71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH




N71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH







N71(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N71(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH



N71(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH




N71(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CH

[illegible]

Ver 1.7(2024/2025)

2025-06-13 12:12:00

N71(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH

[illegible]

Notes: DCC = Duty Cycle Correction / dPS = Jetstream Data Summary
Ver 1.7(20241208)


2025-06-13 12:52:12

**Conducted Band Edge**


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
71	15	5	133100	665.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	133100	665.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
71	15	5	139100	695.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
71	15	10	133600	668.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
71	15	10	138600	693.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	134600	673.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
71	15	20	137600	688.0	DFT-s-OFDM QPSK	100@0	see graph	PASS




N71(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N71(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS



N71(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH







N71(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N71(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N71(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N71(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH







N71(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH



N71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH



N71(10M)_DFT-s-OFDM_QPSK
Edge_1RB_Left_Low_CH_chp_PASS







N71(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N71(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH



N71(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



N71(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH






N71(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N71(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



N71(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N71(20M)_DFT-s-OFDM_BPSK
_Edge_1RB_Left_Low_CH_chp_PASS







N71(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N71(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_chp_PASS



N71(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N71(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH







N71(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




N71(20M)_DFT-s-OFDM_BPSK
_Edge_1RB_Right_High_CH_CHP_PASS



N71(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N71(20M)_DFT-s-OFDM_QPSK
_Edge_1RB_Right_High_CH_CHP_PASS





N71(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



N71(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH





Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

Test Engineer :	LiangPingZhou	Temperature :	22~25°C
		Relative Humidity :	48~52%

Note: Pre-scanned harmonic for the different antenna combinations, we choose the worst antenna mode to perform final test.

n12 SA / NR 15MHz / QPSK(ANT0)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1399.2	-58.03	-13	-45.03	-67.98	-61.26	3.98	9.36	H
	2098.8	-56.06	-13	-43.06	-68.89	-59.61	4.85	10.55	H
	2798.4	-61.34	-13	-48.34	-76.61	-66.27	5.50	12.58	H
	1399.2	-63.05	-13	-50.05	-72.57	-66.28	3.98	9.36	V
	2098.8	-58.61	-13	-45.61	-71.39	-62.16	4.85	10.55	V
	2798.4	-61.05	-13	-48.05	-76.51	-65.98	5.50	12.58	V
Middle	1401	-50.88	-13	-37.88	-60.96	-54.13	4.00	9.40	H
	2101	-51.70	-13	-38.70	-64.53	-55.27	4.88	10.60	H
	2802	-54.79	-13	-41.79	-70.06	-59.72	5.52	12.60	H
	1401	-61.65	-13	-48.65	-71.29	-64.90	4.00	9.40	V
	2101	-60.50	-13	-47.50	-73.28	-64.07	4.88	10.60	V
	2802	-58.47	-13	-45.47	-73.93	-63.40	5.52	12.60	V
Highest	1403.2	-61.69	-13	-48.69	-71.77	-64.86	4.10	9.42	H
	2104.8	-58.09	-13	-45.09	-70.92	-61.67	4.90	10.63	H
	2806.4	-61.44	-13	-48.44	-76.71	-66.36	5.55	12.62	H
	1403.2	-64.61	-13	-51.61	-74.25	-67.78	4.10	9.42	V
	2104.8	-59.63	-13	-46.63	-72.41	-63.21	4.90	10.63	V
	2806.4	-61.05	-13	-48.05	-76.51	-65.97	5.55	12.62	V



n13 SA / NR 5MHz / QPSK(ANT0)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554.4	-42.08	-13	-29.08	-51.63	-45.31	3.98	9.36	H
	2331.6	-51.50	-13	-38.50	-65.87	-55.05	4.85	10.55	H
	3108.8	-60.15	-13	-47.15	-76.53	-65.08	5.50	12.58	H
	1554.4	-54.09	-13	-41.09	-63.72	-57.32	3.98	9.36	V
	2331.6	-54.55	-13	-41.55	-68.92	-58.10	4.85	10.55	V
	3108.8	-60.66	-13	-47.66	-77.10	-65.59	5.50	12.58	V
Middle	1559.4	-45.70	-42.15	-3.55	-55.25	-48.95	4.00	9.40	H
	2339.1	-54.02	-13	-41.02	-68.34	-57.59	4.88	10.60	H
	3118.8	-60.61	-13	-47.61	-77.09	-65.54	5.52	12.60	H
	1559.4	-58.25	-42.15	-16.10	-67.88	-61.50	4.00	9.40	V
	2339.1	-57.99	-13	-44.99	-72.31	-61.56	4.88	10.60	V
	3118.8	-60.88	-13	-47.88	-77.40	-65.81	5.52	12.60	V
Highest	1564.4	-45.89	-42.15	-3.74	-55.44	-49.06	4.10	9.42	H
	2346.6	-56.07	-13	-43.07	-70.39	-59.65	4.90	10.63	H
	3128.8	-59.96	-13	-46.96	-76.44	-64.88	5.55	12.62	H
	1564.4	-57.05	-42.15	-14.90	-66.68	-60.22	4.10	9.42	V
	2346.6	-58.46	-13	-45.46	-72.78	-62.04	4.90	10.63	V
	3128.8	-60.18	-13	-47.18	-76.70	-65.10	5.55	12.62	V

n13 SA / NR 10MHz / QPSK(ANT0)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1554.8	-42.00	-13	-29.00	-51.55	-45.25	4.00	9.40	H
	2332.2	-55.54	-13	-42.54	-69.91	-59.11	4.88	10.60	H
	3109.6	-60.75	-13	-47.75	-77.13	-65.68	5.52	12.60	H
	1554.8	-53.13	-13	-40.13	-62.76	-56.38	4.00	9.40	V
	2332.2	-58.37	-13	-45.37	-72.74	-61.94	4.88	10.60	V
	3109.6	-60.75	-13	-47.75	-77.19	-65.68	5.52	12.60	V



n38 SA / NR 40MHz / QPSK(ANT3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5142.50	-58.67	-25	-33.67	-80.28	-64.23	7.12	12.68	H
	7714.00	-54.26	-25	-29.26	-80.18	-57.59	8.26	11.59	H
	10285.00	-50.74	-25	-25.74	-80.80	-52.27	10.45	11.98	H
	5142.50	-58.05	-25	-33.05	-79.91	-63.61	7.12	12.68	V
	7714.00	-53.83	-25	-28.83	-79.63	-57.16	8.26	11.59	V
	10285.00	-51.90	-25	-26.90	-80.94	-53.43	10.45	11.98	V
Middle	5153.00	-58.81	-25	-33.81	-80.43	-64.37	7.14	12.70	H
	7729.50	-54.22	-25	-29.22	-80.18	-57.52	8.30	11.60	H
	10306.00	-50.77	-25	-25.77	-80.82	-52.29	10.48	12.00	H
	5153.00	-58.64	-25	-33.64	-80.51	-64.20	7.14	12.70	V
	7729.50	-54.28	-25	-29.28	-80.1	-57.58	8.30	11.60	V
	10306.00	-51.74	-25	-26.74	-80.8	-53.26	10.48	12.00	V
Highest	5162.50	-58.25	-25	-33.25	-79.83	-63.81	7.16	12.72	H
	7744.00	-54.13	-25	-29.13	-80.13	-57.43	8.33	11.63	H
	10325.00	-50.22	-25	-25.22	-80.25	-51.82	10.50	12.10	H
	5162.50	-58.60	-25	-33.60	-80.45	-64.16	7.16	12.72	V
	7744.00	-54.13	-25	-29.13	-79.98	-57.43	8.33	11.63	V
	10325.00	-51.63	-25	-26.63	-80.75	-53.23	10.50	12.10	V

n41 SA / NR 100MHz / QPSK(ANT3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	4996.00	-58.42	-25	-33.42	-80.31	-63.98	7.12	12.68	H
	7494.00	-54.64	-25	-29.64	-80.54	-57.97	8.26	11.59	H
	9992.00	-51.19	-25	-26.19	-81.42	-52.72	10.45	11.98	H
	4996.00	-58.65	-25	-33.65	-80.59	-64.21	7.12	12.68	V
	7494.00	-54.48	-25	-29.48	-80.37	-57.81	8.26	11.59	V
	9992.00	-52.76	-25	-27.76	-81.32	-54.29	10.45	11.98	V
Middle	5090.00	-57.97	-25	-32.97	-79.67	-63.53	7.14	12.70	H
	7635.00	-54.16	-25	-29.16	-79.91	-57.46	8.30	11.60	H
	10180.00	-49.58	-25	-24.58	-79.70	-51.10	10.48	12.00	H
	5090.00	-58.20	-25	-33.20	-80.08	-63.76	7.14	12.70	V
	7635.00	-54.11	-25	-29.11	-79.78	-57.41	8.30	11.60	V
	10180.00	-50.37	-25	-25.37	-79.24	-51.89	10.48	12.00	V
Highest	5184.00	-58.72	-25	-33.72	-80.28	-64.28	7.16	12.72	H
	7776.00	-54.31	-25	-29.31	-80.36	-57.61	8.33	11.63	H
	10368.00	-51.22	-25	-26.22	-81.24	-52.82	10.50	12.10	H
	5184.00	-58.58	-25	-33.58	-80.43	-64.14	7.16	12.72	V
	7776.00	-54.15	-25	-29.15	-80.03	-57.45	8.33	11.63	V
	10368.00	-51.49	-25	-26.49	-80.68	-53.09	10.50	12.10	V



EN-DC 26A_n41A / LTE 10MHz + NR 100MHz / QPSK (ANT0+3)									
Channel	Frequency (MHz)	EIRP/ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n41 Lowest	4996.00	-57.84	-25	-32.84	-80.49	-63.40	7.12	12.68	H
	7494.00	-53.99	-25	-28.99	-80.59	-57.32	8.26	11.59	H
	9992.00	-52.87	-25	-27.87	-83.05	-54.40	10.45	11.98	H
	4996.00	-56.41	-25	-31.41	-80.74	-61.97	7.12	12.68	V
	7494.00	-54.02	-25	-29.02	-80.61	-57.35	8.26	11.59	V
	9992.00	-52.03	-25	-27.03	-82.79	-53.56	10.45	11.98	V
LTE Band26 Lowest	1629	-53.87	-13	-40.87	-65.32	-57.12	4.00	9.40	H
	2443.5	-48.44	-13	-35.44	-66.89	-52.01	4.88	10.60	H
	3255	-55.00	-13	-42.00	-75.52	-59.93	5.52	12.60	H
	1629	-50.89	-13	-37.89	-62.94	-54.14	4.00	9.40	V
	2443.5	-49.36	-13	-36.36	-68.25	-52.93	4.88	10.60	V
	3255	-53.78	-13	-40.78	-75.57	-58.71	5.52	12.60	V
NR n41 Middle	5090.00	-57.16	-25	-32.16	-80.51	-62.72	7.14	12.70	H
	7635.00	-54.54	-25	-29.54	-80.71	-57.84	8.30	11.60	H
	10180.00	-51.82	-25	-26.82	-82.27	-53.34	10.48	12.00	H
	5090.00	-56.53	-25	-31.53	-80.86	-62.09	7.14	12.70	V
	7635.00	-54.07	-25	-29.07	-80.92	-57.37	8.30	11.60	V
	10180.00	-50.87	-25	-25.87	-82.54	-52.39	10.48	12.00	V
LTE Band26 Middle	1654	-52.42	-13	-39.42	-63.95	-55.67	4.00	9.40	H
	2481	-47.83	-13	-34.83	-66.56	-51.40	4.88	10.60	H
	3308	-56.23	-13	-43.23	-77.02	-61.16	5.52	12.60	H
	1654	-51.96	-13	-38.96	-64.13	-55.21	4.00	9.40	V
	2481	-48.78	-13	-35.78	-67.83	-52.35	4.88	10.60	V
	3308	-54.92	-13	-41.92	-76.41	-59.85	5.52	12.60	V
NR n41 Highest	5184.00	-56.57	-25	-31.57	-80.51	-62.13	7.16	12.72	H
	7776.00	-54.71	-25	-29.71	-80.51	-58.01	8.33	11.63	H
	10368.00	-51.81	-25	-26.81	-82.52	-53.41	10.50	12.10	H
	5184.00	-56.12	-25	-31.12	-80.45	-61.68	7.16	12.72	V
	7776.00	-51.33	-25	-26.33	-80.9	-54.63	8.33	11.63	V
	10368.00	-50.65	-25	-25.65	-80.85	-52.25	10.50	12.10	V
LTE Band26 Highest	1679	-54.12	-13	-41.12	-65.80	-57.37	4.00	9.40	H
	2518.5	-49.70	-13	-36.70	-68.70	-53.27	4.88	10.60	H
	3360	-56.06	-13	-43.06	-76.61	-60.99	5.52	12.60	H
	1679	-54.04	-13	-41.04	-66.43	-57.29	4.00	9.40	V
	2518.5	-48.24	-13	-35.24	-67.45	-51.81	4.88	10.60	V
	3360	-55.24	-13	-42.24	-76.44	-60.17	5.52	12.60	V



EN-DC_25A_n41A / LTE 10MHz + NR 100MHz / QPSK (ANT0+3)									
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
NR n41 Lowest	4996.00	-58.51	-25	-33.51	-80.40	-64.07	7.12	12.68	H
	7494.00	-54.05	-25	-29.05	-79.95	-57.38	8.26	11.59	H
	9992.00	-50.90	-25	-25.90	-81.13	-52.43	10.45	11.98	H
	4996.00	-58.97	-25	-33.97	-80.91	-64.53	7.12	12.68	V
	7494.00	-53.19	-25	-28.19	-79.08	-56.52	8.26	11.59	V
	9992.00	-52.37	-25	-27.37	-80.93	-53.90	10.45	11.98	V
LTE Band25 Lowest	3756	-44.46	-13	-31.46	-62.58	-51.22	5.82	12.58	H
	5634	-33.65	-13	-20.65	-56.51	-39.37	7.28	13.00	H
	7512	-49.77	-13	-36.77	-75.63	-52.93	8.32	11.48	H
	9390	-47.52	-13	-34.52	-79.09	-49.67	9.83	11.98	H
	3756	-47.42	-13	-34.42	-65.47	-54.18	5.82	12.58	V
	5634	-28.29	-13	-15.29	-50.4	-34.01	7.28	13.00	V
	7512	-48.38	-13	-35.38	-74.23	-51.54	8.32	11.48	V
	9390	-48.45	-13	-35.45	-79.1	-50.60	9.83	11.98	V
NR n41 Middle	5088.00	-59.89	-25	-34.89	-81.63	-65.45	7.14	12.70	H
	7632.00	-55.11	-25	-30.11	-80.86	-58.41	8.30	11.60	H
	10176.00	-50.85	-25	-25.85	-80.97	-52.37	10.48	12.00	H
	5088.00	-59.99	-25	-34.99	-81.89	-65.55	7.14	12.70	V
	7632.00	-54.64	-25	-29.64	-80.31	-57.94	8.30	11.60	V
	10176.00	-52.83	-25	-27.83	-81.7	-54.35	10.48	12.00	V
LTE Band25 Middle	3756	-42.55	-13	-29.55	-60.67	-49.30	5.85	12.60	H
	5634	-32.21	-13	-19.21	-55.07	-38.01	7.30	13.10	H
	7512	-51.18	-13	-38.18	-77.04	-54.33	8.35	11.50	H
	9390	-47.74	-13	-34.74	-79.31	-49.89	9.85	12.00	H
	3756	-46.83	-13	-33.83	-64.88	-53.58	5.85	12.60	V
	5634	-25.51	-13	-12.51	-47.62	-31.31	7.30	13.10	V
	7512	-49.21	-13	-36.21	-75.06	-52.36	8.35	11.50	V
	9390	-46.20	-13	-33.20	-76.85	-48.35	9.85	12.00	V
NR n41 Highest	5184.00	-59.81	-25	-34.81	-81.37	-65.37	7.16	12.72	H
	7776.00	-55.31	-25	-30.31	-81.36	-58.61	8.33	11.63	H
	10368.00	-51.55	-25	-26.55	-81.57	-53.15	10.50	12.10	H
	5184.00	-60.06	-25	-35.06	-81.91	-65.62	7.16	12.72	V
	7776.00	-54.65	-25	-29.65	-80.53	-57.95	8.33	11.63	V
	10368.00	-52.94	-25	-27.94	-82.13	-54.54	10.50	12.10	V
LTE Band25 Highest	3756	-47.60	-13	-34.60	-65.72	-54.34	5.88	12.62	H
	5634	-37.18	-13	-24.18	-60.04	-42.99	7.32	13.13	H
	7512	-46.71	-13	-33.71	-72.57	-49.87	8.38	11.54	H
	9390	-45.72	-13	-32.72	-77.29	-47.86	9.88	12.02	H
	3756	-46.42	-13	-33.42	-64.47	-53.16	5.88	12.62	V
	5634	-28.37	-13	-15.37	-50.48	-34.18	7.32	13.13	V
	7512	-48.16	-13	-35.16	-74.01	-51.32	8.38	11.54	V
	9390	-47.37	-13	-34.37	-78.02	-49.51	9.88	12.02	V



n71 SA / NR 20MHz / QPSK(ANT0)									
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	SPA Reading (dBm)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1328	-61.00	-13	-48.00	-70.15	-64.23	3.98	9.36	H
	1992	-53.39	-13	-40.39	-64.28	-56.94	4.85	10.55	H
	2656	-52.18	-13	-39.18	-66.56	-57.11	5.50	12.58	H
	3320	-57.07	-13	-44.07	-72.99	-61.54	5.98	12.60	H
	1328	-57.91	-13	-44.91	-66.70	-61.14	3.98	9.36	V
	1992	-57.51	-13	-44.51	-68.25	-61.06	4.85	10.55	V
	2656	-50.75	-13	-37.75	-65.10	-55.68	5.50	12.58	V
	3320	-54.81	-13	-41.81	-70.51	-59.28	5.98	12.60	V
Middle	1343	-57.17	-13	-44.17	-66.45	-60.42	4.00	9.40	H
	2014.5	-50.50	-13	-37.50	-61.75	-54.07	4.88	10.60	H
	2686	-49.77	-13	-36.77	-64.34	-54.70	5.52	12.60	H
	3357.5	-55.83	-13	-42.83	-71.56	-60.30	6.00	12.62	H
	1343	-56.01	-13	-43.01	-64.92	-59.26	4.00	9.40	V
	2014.5	-55.87	-13	-42.87	-67.01	-59.44	4.88	10.60	V
	2686	-48.87	-13	-35.87	-63.46	-53.80	5.52	12.60	V
	3357.5	-55.75	-13	-42.75	-71.34	-60.22	6.00	12.62	V
Highest	1358	-59.64	-13	-46.64	-69.14	-62.81	4.10	9.42	H
	2037	-51.49	-13	-38.49	-63.06	-55.07	4.90	10.63	H
	2716	-48.91	-13	-35.91	-63.68	-53.83	5.55	12.62	H
	3392	-57.58	-13	-44.58	-73.61	-62.06	6.02	12.65	H
	1358	-54.04	-13	-41.04	-63.15	-57.21	4.10	9.42	V
	2037	-56.66	-13	-43.66	-68.13	-60.24	4.90	10.63	V
	2716	-47.82	-13	-34.82	-62.65	-52.74	5.55	12.62	V
	3392	-58.01	-13	-45.01	-74.16	-62.49	6.02	12.65	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.