



Mode	2																																													
	Band Edge - R																																													
	2400-2483.5_802.11b_CH06_2437MHz																																													
ANT	6+7																																													
Pol.	Horizontal					Fundamental																																								
Peak	Date: 2025-07-10 PEAK_BE_74					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.06</td><td>47.16</td><td>74.00</td><td>-26.84</td><td>42.16</td><td>30.63</td><td>6.98</td><td>32.61</td><td>121</td><td>69</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.06	47.16	74.00	-26.84	42.16
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2484.06	47.16	74.00	-26.84	42.16	30.63	6.98	32.61	121	69	PEAK																																			
Avg	Date: 2025-07-10 AVG_BE_54					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.76</td><td>36.34</td><td>54.00</td><td>-17.66</td><td>31.34</td><td>30.63</td><td>6.98</td><td>32.61</td><td>121</td><td>69</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2485.76	36.34	54.00	-17.66	31.34
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2485.76	36.34	54.00	-17.66	31.34	30.63	6.98	32.61	121	69	AVERAGE																																			



Mode	2	
	Band Edge - L	
	2400-2483.5_802.11b_CH06_2437MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) <	



Mode	2																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																																																									
ANT	6+7																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																			
Peak Avg	Date: 2025-07-09						Date: 2025-07-09																																																																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>57.46</td><td>35.35</td><td>10.27</td><td>52.62</td><td>150</td><td>11</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>55.44</td><td>35.35</td><td>10.27</td><td>52.62</td><td>150</td><td>11</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>45.14</td><td>74.00</td><td>-28.86</td><td>48.77</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	50.46	74.00	-23.54	57.46	35.35	10.27	52.62	150	11	Peak	2	4874.00	48.44	54.00	-5.56	55.44	35.35	10.27	52.62	150	11	Average	3	7311.00	45.14	74.00	-28.86	48.77	36.58	12.01	52.22	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>59.76</td><td>35.35</td><td>10.27</td><td>52.62</td><td>145</td><td>335</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>50.46</td><td>54.00</td><td>-3.54</td><td>57.46</td><td>35.35</td><td>10.27</td><td>52.62</td><td>145</td><td>335</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>49.37</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	52.76	74.00	-21.24	59.76	35.35	10.27	52.62	145	335	Peak	2	4874.00	50.46	54.00	-3.54	57.46	35.35	10.27	52.62	145	335	Average	3	7311.00	45.74	74.00	-28.26	49.37	36.58	12.01	52.22	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4874.00	50.46	74.00	-23.54	57.46	35.35	10.27	52.62	150	11	Peak																																																																																																																																															
2	4874.00	48.44	54.00	-5.56	55.44	35.35	10.27	52.62	150	11	Average																																																																																																																																															
3	7311.00	45.14	74.00	-28.86	48.77	36.58	12.01	52.22	---	---	Peak																																																																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																
1	4874.00	52.76	74.00	-21.24	59.76	35.35	10.27	52.62	145	335	Peak																																																																																																																																															
2	4874.00	50.46	54.00	-3.54	57.46	35.35	10.27	52.62	145	335	Average																																																																																																																																															
3	7311.00	45.74	74.00	-28.26	49.37	36.58	12.01	52.22	---	---	Peak																																																																																																																																															





Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-10 PEAK_BE_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.19</td><td>47.99</td><td>74.00</td><td>-26.01</td><td>42.99</td><td>30.63</td><td>6.98</td><td>32.61</td><td>122</td><td>100</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.19	47.99	74.00	-26.01	42.99	30.63	6.98	32.61	122	100	PEAK	Level (dBuV/m) Date: 2025-07-10 PEAK_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>105.01</td><td>-----</td><td>-----</td><td>100.00</td><td>30.68</td><td>6.95</td><td>32.62</td><td>122</td><td>100</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	105.01	-----	-----	100.00	30.68	6.95	32.62	122	100	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.19	47.99	74.00	-26.01	42.99	30.63	6.98	32.61	122	100	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	105.01	-----	-----	100.00	30.68	6.95	32.62	122	100	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-07-10 AVG_BE_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.89</td><td>36.04</td><td>54.00</td><td>-17.96</td><td>31.04</td><td>30.63</td><td>6.98</td><td>32.61</td><td>122</td><td>100</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.89	36.04	54.00	-17.96	31.04	30.63	6.98	32.61	122	100	AVERAGE	Level (dBuV/m) Date: 2025-07-10 AVG_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.60</td><td>-----</td><td>-----</td><td>97.59</td><td>30.68</td><td>6.95</td><td>32.62</td><td>122</td><td>100</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.60	-----	-----	97.59	30.68	6.95	32.62	122	100	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2483.89	36.04	54.00	-17.96	31.04	30.63	6.98	32.61	122	100	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	102.60	-----	-----	97.59	30.68	6.95	32.62	122	100	AVERAGE																																																																							



Mode	3	
	Band Edge	
	2400-2483.5_802.11b_CH11_2462MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	</	







Mode	3																																																																											
	Harmonic																																																																											
	2400-2483.5_802.11b_CH11_2462MHz																																																																											
ANT	6+7																																																																											
Pol.	Horizontal																																																																											
Peak Avg	Date: 2025-07-09  <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>53.11</td><td>74.00</td><td>-20.89</td><td>59.90</td><td>35.54</td><td>10.32</td><td>52.65</td><td>362</td><td>26</td><td>Peak</td><td></td></tr><tr><td>2</td><td>4924.00</td><td>50.45</td><td>54.00</td><td>-3.55</td><td>57.24</td><td>35.54</td><td>10.32</td><td>52.65</td><td>362</td><td>26</td><td>Average</td><td></td></tr><tr><td>3</td><td>7386.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>49.62</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	53.11	74.00	-20.89	59.90	35.54	10.32	52.65	362	26	Peak		2	4924.00	50.45	54.00	-3.55	57.24	35.54	10.32	52.65	362	26	Average		3	7386.00	45.92	74.00	-28.08	49.62	36.57	11.98	52.25	---	---	Peak	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
	1	4924.00	53.11	74.00	-20.89	59.90	35.54	10.32	52.65	362	26	Peak																																																																
2	4924.00	50.45	54.00	-3.55	57.24	35.54	10.32	52.65	362	26	Average																																																																	
3	7386.00	45.92	74.00	-28.08	49.62	36.57	11.98	52.25	---	---	Peak																																																																	
Peak Avg	Date: 2025-07-09  <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>57.57</td><td>35.54</td><td>10.32</td><td>52.65</td><td>105</td><td>266</td><td>Peak</td><td></td></tr><tr><td>2</td><td>4924.00</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>55.47</td><td>35.54</td><td>10.32</td><td>52.65</td><td>105</td><td>266</td><td>Average</td><td></td></tr><tr><td>3</td><td>7386.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>48.85</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4924.00	50.78	74.00	-23.22	57.57	35.54	10.32	52.65	105	266	Peak		2	4924.00	48.68	54.00	-5.32	55.47	35.54	10.32	52.65	105	266	Average		3	7386.00	45.15	74.00	-28.85	48.85	36.57	11.98	52.25	---	---	Peak	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																
	1	4924.00	50.78	74.00	-23.22	57.57	35.54	10.32	52.65	105	266	Peak																																																																
2	4924.00	48.68	54.00	-5.32	55.47	35.54	10.32	52.65	105	266	Average																																																																	
3	7386.00	45.15	74.00	-28.85	48.85	36.57	11.98	52.25	---	---	Peak																																																																	





Mode	4																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Date: 2025-07-09 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red limit line is at 74.00 dB. The spectrum shows a peak around 2412 MHz. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>62.50</td><td>74.00</td><td>-11.50</td><td>57.67</td><td>30.60</td><td>6.87</td><td>32.64</td><td>123 95 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	62.50	74.00	-11.50	57.67	30.60	6.87	32.64	123 95 PEAK	Date: 2025-07-09 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red limit line is at 74.00 dB. The spectrum shows a sharp peak at 2412 MHz. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.48</td><td>-----</td><td>102.61</td><td>30.62</td><td>6.89</td><td>32.64</td><td>123</td><td>95 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.48	-----	102.61	30.62	6.89	32.64	123	95 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	62.50	74.00	-11.50	57.67	30.60	6.87	32.64	123 95 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	107.48	-----	102.61	30.62	6.89	32.64	123	95 PEAK																																																																									
Avg	Date: 2025-07-09 Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 2310 to 2440 MHz. A red limit line is at 54.00 dB. The spectrum shows a peak around 2412 MHz. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>49.53</td><td>54.00</td><td>-4.47</td><td>44.70</td><td>30.60</td><td>6.87</td><td>32.64</td><td>123 95 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.53	54.00	-4.47	44.70	30.60	6.87	32.64	123 95 AVERAGE	Date: 2025-07-09 Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The y-axis ranges from 0 to 140 dBuV/m, and the x-axis ranges from 1000 to 3000 MHz. A red limit line is at 54.00 dB. The spectrum shows a sharp peak at 2412 MHz. <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>100.73</td><td>-----</td><td>95.86</td><td>30.62</td><td>6.89</td><td>32.64</td><td>123</td><td>95 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.73	-----	95.86	30.62	6.89	32.64	123	95 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	49.53	54.00	-4.47	44.70	30.60	6.87	32.64	123 95 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	100.73	-----	95.86	30.62	6.89	32.64	123	95 AVERAGE																																																																									



Mode	4																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH01_2412MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-09  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>60.11</td><td>74.00</td><td>-13.89</td><td>55.29</td><td>30.60</td><td>6.86</td><td>32.64</td><td>362 235 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	60.11	74.00	-13.89	55.29	30.60	6.86	32.64	362 235 PEAK	Level (dBuV/m) Date: 2025-07-09  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>103.48</td><td>-----</td><td>98.59</td><td>30.63</td><td>6.89</td><td>32.63</td><td>362</td><td>235 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.48	-----	98.59	30.63	6.89	32.63	362	235 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.52	60.11	74.00	-13.89	55.29	30.60	6.86	32.64	362 235 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	103.48	-----	98.59	30.63	6.89	32.63	362	235 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-09  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.78</td><td>47.09</td><td>54.00</td><td>-6.91</td><td>42.27</td><td>30.60</td><td>6.86</td><td>32.64</td><td>362 235 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	47.09	54.00	-6.91	42.27	30.60	6.86	32.64	362 235 AVERAGE	Level (dBuV/m) Date: 2025-07-09  <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>95.92</td><td>-----</td><td>91.03</td><td>30.63</td><td>6.89</td><td>32.63</td><td>362</td><td>235 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	95.92	-----	91.03	30.63	6.89	32.63	362	235 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.78	47.09	54.00	-6.91	42.27	30.60	6.86	32.64	362 235 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	95.92	-----	91.03	30.63	6.89	32.63	362	235 AVERAGE																																																																									



Mode	4																																																																																																																						
	Harmonic																																																																																																																						
	2400-2483.5_802.11g_CH01_2412MHz																																																																																																																						
ANT	6+7																																																																																																																						
Pol.	Horizontal										Vertical																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-07-09  PEAK_74 AVG_54 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>52.52</td><td>74.00</td><td>-21.48</td><td>59.65</td><td>35.30</td><td>10.16</td><td>52.59</td><td>100</td><td>290 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>50.01</td><td>35.30</td><td>10.16</td><td>52.59</td><td>100</td><td>290 Average</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	52.52	74.00	-21.48	59.65	35.30	10.16	52.59	100	290 Peak	2	4824.00	42.88	54.00	-11.12	50.01	35.30	10.16	52.59	100	290 Average	Level (dBuV/m) Date: 2025-07-09  PEAK_74 AVG_54 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>53.09</td><td>74.00</td><td>-20.91</td><td>60.22</td><td>35.30</td><td>10.16</td><td>52.59</td><td>102</td><td>264 Peak</td></tr><tr><td>2</td><td>4824.00</td><td>43.21</td><td>54.00</td><td>-10.79</td><td>50.34</td><td>35.30</td><td>10.16</td><td>52.59</td><td>102</td><td>264 Average</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	53.09	74.00	-20.91	60.22	35.30	10.16	52.59	102	264 Peak	2	4824.00	43.21	54.00	-10.79	50.34	35.30	10.16	52.59	102	264 Average
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	4824.00	52.52	74.00	-21.48	59.65	35.30	10.16	52.59	100	290 Peak																																																																																																													
2	4824.00	42.88	54.00	-11.12	50.01	35.30	10.16	52.59	100	290 Average																																																																																																													
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	4824.00	53.09	74.00	-20.91	60.22	35.30	10.16	52.59	102	264 Peak																																																																																																													
2	4824.00	43.21	54.00	-10.79	50.34	35.30	10.16	52.59	102	264 Average																																																																																																													







Mode	5																																																																															
	Band Edge - L																																																																															
	2400-2483.5_802.11g_CH06_2437MHz																																																																															
ANT	6+7																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.63</td><td>56.69</td><td>74.00</td><td>-17.31</td><td>51.86</td><td>30.60</td><td>6.87</td><td>32.64</td><td>100</td><td>89 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.63	56.69	74.00	-17.31	51.86	30.60	6.87	32.64	100	89 PEAK	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) PEAK_74 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>110.65</td><td>-----</td><td>-----</td><td>105.69</td><td>30.67</td><td>6.92</td><td>32.63</td><td>100</td><td>89 PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	110.65	-----	-----	105.69	30.67	6.92	32.63	100	89 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2389.63	56.69	74.00	-17.31	51.86	30.60	6.87	32.64	100	89 PEAK																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2437.00	110.65	-----	-----	105.69	30.67	6.92	32.63	100	89 PEAK																																																																						
Avg	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.87</td><td>42.18</td><td>54.00</td><td>-11.82</td><td>37.36</td><td>30.60</td><td>6.86</td><td>32.64</td><td>100</td><td>89 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2388.87	42.18	54.00	-11.82	37.36	30.60	6.86	32.64	100	89 AVERAGE	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) AVG_54 <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>103.87</td><td>-----</td><td>-----</td><td>98.91</td><td>30.67</td><td>6.92</td><td>32.63</td><td>100</td><td>89 AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	103.87	-----	-----	98.91	30.67	6.92	32.63	100	89 AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2388.87	42.18	54.00	-11.82	37.36	30.60	6.86	32.64	100	89 AVERAGE																																																																						
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2437.00	103.87	-----	-----	98.91	30.67	6.92	32.63	100	89 AVERAGE																																																																						



Mode	5									
	Band Edge - R									
	2400-2483.5_802.11g_CH06_2437MHz									
ANT	6+7									
Pol.	Horizontal					Fundamental				
Peak										



Mode	5																																																																																																																																																																		
	Band Edge - L																																																																																																																																																																		
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																																																		
ANT	6+7																																																																																																																																																																		
Pol.	Vertical	Fundamental																																																																																																																																																																	
Peak	Level (dBuV/m) Date: 2025-07-09  23102335.42360.82386.22411.62437 017.535.052.570.087.5105.0122.5140 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2385.69</td><td>50.15</td><td>74.00</td><td>-23.85</td><td>45.34</td><td>30.60</td><td>6.86</td><td>32.65</td><td>330</td><td>270 PEAK</td></tr></table> Level (dBuV/m) Date: 2025-07-09  10001400.1800.2200.2600.3000 017.535.052.570.087.5105.0122.5140 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2437.00</td><td>105.11</td><td>-----</td><td>-----</td><td>100.13</td><td>30.68</td><td>6.92</td><td>32.62</td><td>330</td><td>270 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2385.69	50.15	74.00	-23.85	45.34	30.60	6.86	32.65	330	270 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2437.00	105.11	-----	-----	100.13	30.68	6.92	32.62	330	270 PEAK	Avg	Level (dBuV/m) Date: 2025-07-09  23102335.42360.82386.22411.62437 017.535.052.570.087.5105.0122.5140 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.88</td><td>38.31</td><td>54.00</td><td>-15.69</td><td>33.48</td><td>30.60</td><td>6.87</td><td>32.64</td><td>330</td><td>270 AVERAGE</td></tr></table> Level (dBuV/m) Date: 2025-07-09  10001400.1800.2200.2600.3000 017.535.052.570.087.5105.0122.5140 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2437.00</td><td>98.69</td><td>-----</td><td>-----</td><td>93.71</td><td>30.68</td><td>6.92</td><td>32.62</td><td>330</td><td>270 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.88	38.31	54.00	-15.69	33.48	30.60	6.87	32.64	330	270 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2437.00	98.69	-----	-----	93.71	30.68	6.92	32.62	330	270 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1 2385.69	50.15	74.00	-23.85	45.34	30.60	6.86	32.65	330	270 PEAK																																																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1 2437.00	105.11	-----	-----	100.13	30.68	6.92	32.62	330	270 PEAK																																																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1 2389.88	38.31	54.00	-15.69	33.48	30.60	6.87	32.64	330	270 AVERAGE																																																																																																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1 2437.00	98.69	-----	-----	93.71	30.68	6.92	32.62	330	270 AVERAGE																																																																																																																																																										



Mode	5																																																	
	Band Edge - R																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																	
ANT	6+7																																																	
Pol.	Vertical					Fundamental																																												
Peak	Date: 2025-07-09 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.06</td><td>52.01</td><td>74.00</td><td>-21.99</td><td>47.01</td><td>30.63</td><td>6.98</td><td>32.61</td><td>330</td><td>270</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.06	52.01	74.00	-21.99	47.01	30.63	6.98	32.61	330	270	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2484.06	52.01	74.00	-21.99	47.01	30.63	6.98	32.61	330	270	PEAK																																							
Avg	Date: 2025-07-09 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.19</td><td>39.51</td><td>54.00</td><td>-14.49</td><td>34.51</td><td>30.63</td><td>6.98</td><td>32.61</td><td>330</td><td>270</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.19	39.51	54.00	-14.49	34.51	30.63	6.98	32.61	330	270	AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																									
1	2484.19	39.51	54.00	-14.49	34.51	30.63	6.98	32.61	330	270	AVERAGE																																							



Mode	5																																																																																																																																															
	Harmonic																																																																																																																																															
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																																																															
ANT	6+7																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>59.99</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>290</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>50.85</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>290</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>50.46</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>59.99</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>290</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>50.85</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>290</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>50.46</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table> </td>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	52.99	74.00	-21.01	59.99	35.35	10.27	52.62	100	290	Peak	2	4874.00	43.85	54.00	-10.15	50.85	35.35	10.27	52.62	100	290	Average	3	7311.00	46.83	74.00	-27.17	50.46	36.58	12.01	52.22	---	---	Peak	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>59.99</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>290</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>43.85</td><td>54.00</td><td>-10.15</td><td>50.85</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>290</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>50.46</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	52.99	74.00	-21.01	59.99	35.35	10.27	52.62	100	290	Peak	2	4874.00	43.85	54.00	-10.15	50.85	35.35	10.27	52.62	100	290	Average	3	7311.00	46.83	74.00	-27.17	50.46	36.58	12.01	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	4874.00	52.99	74.00	-21.01	59.99	35.35	10.27	52.62	100	290	Peak																																																																																																																																					
2	4874.00	43.85	54.00	-10.15	50.85	35.35	10.27	52.62	100	290	Average																																																																																																																																					
3	7311.00	46.83	74.00	-27.17	50.46	36.58	12.01	52.22	---	---	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4874.00	52.99	74.00	-21.01	59.99	35.35	10.27	52.62	100	290	Peak																																																																																																																																					
2	4874.00	43.85	54.00	-10.15	50.85	35.35	10.27	52.62	100	290	Average																																																																																																																																					
3	7311.00	46.83	74.00	-27.17	50.46	36.58	12.01	52.22	---	---	Peak																																																																																																																																					
	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>61.68</td><td>35.35</td><td>10.27</td><td>52.62</td><td>104</td><td>255</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>51.55</td><td>35.35</td><td>10.27</td><td>52.62</td><td>104</td><td>255</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>48.53</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>61.68</td><td>35.35</td><td>10.27</td><td>52.62</td><td>104</td><td>255</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>51.55</td><td>35.35</td><td>10.27</td><td>52.62</td><td>104</td><td>255</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>48.53</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table> </td>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	54.68	74.00	-19.32	61.68	35.35	10.27	52.62	104	255	Peak	2	4874.00	44.55	54.00	-9.45	51.55	35.35	10.27	52.62	104	255	Average	3	7311.00	44.90	74.00	-29.10	48.53	36.58	12.01	52.22	---	---	Peak	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>54.68</td><td>74.00</td><td>-19.32</td><td>61.68</td><td>35.35</td><td>10.27</td><td>52.62</td><td>104</td><td>255</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>44.55</td><td>54.00</td><td>-9.45</td><td>51.55</td><td>35.35</td><td>10.27</td><td>52.62</td><td>104</td><td>255</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>48.53</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	54.68	74.00	-19.32	61.68	35.35	10.27	52.62	104	255	Peak	2	4874.00	44.55	54.00	-9.45	51.55	35.35	10.27	52.62	104	255	Average	3	7311.00	44.90	74.00	-29.10	48.53	36.58	12.01	52.22	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4874.00	54.68	74.00	-19.32	61.68	35.35	10.27	52.62	104	255	Peak																																																																																																																																					
2	4874.00	44.55	54.00	-9.45	51.55	35.35	10.27	52.62	104	255	Average																																																																																																																																					
3	7311.00	44.90	74.00	-29.10	48.53	36.58	12.01	52.22	---	---	Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																						
1	4874.00	54.68	74.00	-19.32	61.68	35.35	10.27	52.62	104	255	Peak																																																																																																																																					
2	4874.00	44.55	54.00	-9.45	51.55	35.35	10.27	52.62	104	255	Average																																																																																																																																					
3	7311.00	44.90	74.00	-29.10	48.53	36.58	12.01	52.22	---	---	Peak																																																																																																																																					





Mode	6																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11g_CH11_2462MHz																																																																																			
ANT	6+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-07-08 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.66</td><td>66.27</td><td>74.00</td><td>-7.73</td><td>61.27</td><td>30.63</td><td>6.98</td><td>32.61</td><td>116</td><td>84 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.66	66.27	74.00	-7.73	61.27	30.63	6.98	32.61	116	84 PEAK	Level (dBuV/m) Date: 2025-07-08 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.01</td><td>-----</td><td>102.00</td><td>30.68</td><td>6.95</td><td>32.62</td><td>116</td><td>84</td><td>PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.01	-----	102.00	30.68	6.95	32.62	116	84	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.66	66.27	74.00	-7.73	61.27	30.63	6.98	32.61	116	84 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	107.01	-----	102.00	30.68	6.95	32.62	116	84	PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-07-08 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.58</td><td>50.36</td><td>54.00</td><td>-3.64</td><td>45.36</td><td>30.63</td><td>6.98</td><td>32.61</td><td>116</td><td>84 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.58	50.36	54.00	-3.64	45.36	30.63	6.98	32.61	116	84 AVERAGE	Level (dBuV/m) Date: 2025-07-08 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>100.19</td><td>-----</td><td>95.18</td><td>30.67</td><td>6.95</td><td>32.61</td><td>116</td><td>84</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.19	-----	95.18	30.67	6.95	32.61	116	84	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2483.58	50.36	54.00	-3.64	45.36	30.63	6.98	32.61	116	84 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2462.00	100.19	-----	95.18	30.67	6.95	32.61	116	84	AVERAGE																																																																										



Mode	6																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11g_CH11_2462MHz																																																																																									
ANT	6+7																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-07-08 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.66</td><td>66.57</td><td>74.00</td><td>-7.43</td><td>61.57</td><td>30.63</td><td>6.98</td><td>32.61</td><td>327</td><td>268</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.66	66.57	74.00	-7.43	61.57	30.63	6.98	32.61	327	268	PEAK	Level (dBuV/m) Date: 2025-07-08 PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.35</td><td>-----</td><td>-----</td><td>101.34</td><td>30.67</td><td>6.95</td><td>32.61</td><td>327</td><td>268</td><td>PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.35	-----	-----	101.34	30.67	6.95	32.61	327	268	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.66	66.57	74.00	-7.43	61.57	30.63	6.98	32.61	327	268	PEAK																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2462.00	106.35	-----	-----	101.34	30.67	6.95	32.61	327	268	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-07-08 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.51</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>44.65</td><td>30.63</td><td>6.98</td><td>32.61</td><td>327</td><td>268</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.51	49.65	54.00	-4.35	44.65	30.63	6.98	32.61	327	268	AVERAGE	Level (dBuV/m) Date: 2025-07-08 AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.00</td><td>-----</td><td>-----</td><td>94.99</td><td>30.67</td><td>6.95</td><td>32.61</td><td>327</td><td>268</td><td>AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.00	-----	-----	94.99	30.67	6.95	32.61	327	268	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2483.51	49.65	54.00	-4.35	44.65	30.63	6.98	32.61	327	268	AVERAGE																																																																															
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	2462.00	100.00	-----	-----	94.99	30.67	6.95	32.61	327	268	AVERAGE																																																																															



Mode	6																																																																																																																																																
	Harmonic																																																																																																																																																
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																
ANT	6+7																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																										
Peak Avg																																																																																																																																																	
	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th></th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>60.35</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>50.35</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>49.07</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos				Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	53.56	74.00	-20.44	60.35	35.54	10.32	52.65	100	360	Peak	2	4924.00	43.56	54.00	-10.44	50.35	35.54	10.32	52.65	100	360	Average	3	7386.00	45.37	74.00	-28.63	49.07	36.57	11.98	52.25	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th></th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4924.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>57.99</td><td>35.54</td><td>10.32</td><td>52.65</td><td>110</td><td>262</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>49.42</td><td>35.54</td><td>10.32</td><td>52.65</td><td>110</td><td>262</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.92</td><td>74.00</td><td>-28.08</td><td>49.62</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos				Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	51.20	74.00	-22.80	57.99	35.54	10.32	52.65	110	262	Peak	2	4924.00	42.63	54.00	-11.37	49.42	35.54	10.32	52.65	110	262	Average	3	7386.00	45.92	74.00	-28.08	49.62	36.57	11.98	52.25	---	---	Peak
		Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
			Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4924.00	53.56	74.00	-20.44	60.35	35.54	10.32	52.65	100	360	Peak																																																																																																																																						
2	4924.00	43.56	54.00	-10.44	50.35	35.54	10.32	52.65	100	360	Average																																																																																																																																						
3	7386.00	45.37	74.00	-28.63	49.07	36.57	11.98	52.25	---	---	Peak																																																																																																																																						
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																									
		Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																							
1	4924.00	51.20	74.00	-22.80	57.99	35.54	10.32	52.65	110	262	Peak																																																																																																																																						
2	4924.00	42.63	54.00	-11.37	49.42	35.54	10.32	52.65	110	262	Average																																																																																																																																						
3	7386.00	45.92	74.00	-28.08	49.62	36.57	11.98	52.25	---	---	Peak																																																																																																																																						



Mode	7																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>62.23</td><td>74.00</td><td>-11.77</td><td>57.40</td><td>30.60</td><td>6.87</td><td>32.64</td><td>130</td><td>97</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	62.23	74.00	-11.77	57.40	30.60	6.87	32.64	130	97	PEAK	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>106.66</td><td>-----</td><td>-----</td><td>101.79</td><td>30.62</td><td>6.89</td><td>32.64</td><td>130</td><td>97</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.66	-----	-----	101.79	30.62	6.89	32.64	130	97	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	62.23	74.00	-11.77	57.40	30.60	6.87	32.64	130	97	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	106.66	-----	-----	101.79	30.62	6.89	32.64	130	97	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>44.84</td><td>30.60</td><td>6.87</td><td>32.64</td><td>130</td><td>97</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.67	54.00	-4.33	44.84	30.60	6.87	32.64	130	97	AVERAGE	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.51</td><td>-----</td><td>-----</td><td>94.64</td><td>30.62</td><td>6.89</td><td>32.64</td><td>130</td><td>97</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	99.51	-----	-----	94.64	30.62	6.89	32.64	130	97	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	49.67	54.00	-4.33	44.84	30.60	6.87	32.64	130	97	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	99.51	-----	-----	94.64	30.62	6.89	32.64	130	97	AVERAGE																																																																							



Mode	7																																																																																											
	Band Edge																																																																																											
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																											
ANT	6+7																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>54.65</td><td>30.60</td><td>6.87</td><td>32.64</td><td>311</td><td>228</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	59.48	74.00	-14.52	54.65	30.60	6.87	32.64	311	228	PEAK	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>103.70</td><td>-----</td><td>-----</td><td>98.81</td><td>30.63</td><td>6.89</td><td>32.63</td><td>311</td><td>228</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	103.70	-----	-----	98.81	30.63	6.89	32.63	311	228	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2389.95	59.48	74.00	-14.52	54.65	30.60	6.87	32.64	311	228	PEAK																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2412.00	103.70	-----	-----	98.81	30.63	6.89	32.63	311	228	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.78</td><td>46.14</td><td>54.00</td><td>-7.86</td><td>41.32</td><td>30.60</td><td>6.86</td><td>32.64</td><td>311</td><td>228</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.78	46.14	54.00	-7.86	41.32	30.60	6.86	32.64	311	228	AVERAGE	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.07</td><td>-----</td><td>-----</td><td>91.20</td><td>30.62</td><td>6.89</td><td>32.64</td><td>311</td><td>228</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.07	-----	-----	91.20	30.62	6.89	32.64	311	228	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2388.78	46.14	54.00	-7.86	41.32	30.60	6.86	32.64	311	228	AVERAGE																																																																																	
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	2412.00	96.07	-----	-----	91.20	30.62	6.89	32.64	311	228	AVERAGE																																																																																	



Mode	7																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																									
ANT	6+7																																																																									
Pol.	Horizontal											Vertical																																																														
Peak Avg	Level (dBuV/m) Date: 2025-07-09 PEAK_74 AVG_54 Frequency (MHz)											Level (dBuV/m) Date: 2025-07-09 PEAK_74 AVG_54 Frequency (MHz)																																																														
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></table>												Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos			MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>MHz</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></table>				Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos			MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm
		Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																	
		MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
	MHz	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
<table><tr><td>1</td><td>4824.00</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>58.44</td><td>35.30</td><td>10.16</td><td>52.59</td><td>100</td><td>294</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>40.45</td><td>54.00</td><td>-13.55</td><td>47.58</td><td>35.30</td><td>10.16</td><td>52.59</td><td>100</td><td>294</td><td>Average</td></tr></table>											1	4824.00	51.31	74.00	-22.69	58.44	35.30	10.16	52.59	100	294	Peak	2	4824.00	40.45	54.00	-13.55	47.58	35.30	10.16	52.59	100	294	Average	<table><tr><td>1</td><td>4824.00</td><td>51.75</td><td>74.00</td><td>-22.25</td><td>58.88</td><td>35.30</td><td>10.16</td><td>52.59</td><td>104</td><td>262</td><td>Peak</td></tr><tr><td>2</td><td>4824.00</td><td>40.71</td><td>54.00</td><td>-13.29</td><td>47.84</td><td>35.30</td><td>10.16</td><td>52.59</td><td>104</td><td>262</td><td>Average</td></tr></table>			1	4824.00	51.75	74.00	-22.25	58.88	35.30	10.16	52.59	104	262	Peak	2	4824.00	40.71	54.00	-13.29	47.84	35.30	10.16	52.59	104	262	Average													
1	4824.00	51.31	74.00	-22.69	58.44	35.30	10.16	52.59	100	294	Peak																																																															
2	4824.00	40.45	54.00	-13.55	47.58	35.30	10.16	52.59	100	294	Average																																																															
1	4824.00	51.75	74.00	-22.25	58.88	35.30	10.16	52.59	104	262	Peak																																																															
2	4824.00	40.71	54.00	-13.29	47.84	35.30	10.16	52.59	104	262	Average																																																															



Mode	8																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2388.49</td><td>52.40</td><td>74.00</td><td>-21.60</td><td>47.58</td><td>30.60</td><td>6.86</td><td>32.64</td><td>132</td><td>89 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2388.49	52.40	74.00	-21.60	47.58	30.60	6.86	32.64	132	89 PEAK	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>107.51</td><td>-----</td><td>-----</td><td>102.55</td><td>30.67</td><td>6.92</td><td>32.63</td><td>132</td><td>89 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2437.00	107.51	-----	-----	102.55	30.67	6.92	32.63	132	89 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2388.49	52.40	74.00	-21.60	47.58	30.60	6.86	32.64	132	89 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2437.00	107.51	-----	-----	102.55	30.67	6.92	32.63	132	89 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.25</td><td>40.31</td><td>54.00</td><td>-13.69</td><td>35.49</td><td>30.60</td><td>6.86</td><td>32.64</td><td>132</td><td>89 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2389.25	40.31	54.00	-13.69	35.49	30.60	6.86	32.64	132	89 AVERAGE	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2437.00</td><td>102.20</td><td>-----</td><td>-----</td><td>97.24</td><td>30.67</td><td>6.92</td><td>32.63</td><td>132</td><td>89 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2437.00	102.20	-----	-----	97.24	30.67	6.92	32.63	132	89 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2389.25	40.31	54.00	-13.69	35.49	30.60	6.86	32.64	132	89 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1 2437.00	102.20	-----	-----	97.24	30.67	6.92	32.63	132	89 AVERAGE																																																																									



Mode	8																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT20_CH06_2437MHz																																													
ANT	6+7																																													
Pol.	Horizontal					Fundamental																																								
Peak	Date: 2025-07-09 PEAK_BE_74					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>46.50</td><td>30.63</td><td>6.98</td><td>32.61</td><td>132</td><td>89</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.62	51.50	74.00	-22.50	46.50
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2483.62	51.50	74.00	-22.50	46.50	30.63	6.98	32.61	132	89	PEAK																																			
Avg	Date: 2025-07-09 AVG_BE_54					Blank																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>34.16</td><td>30.63</td><td>6.98</td><td>32.61</td><td>132</td><td>89</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.00	39.16	54.00	-14.84	34.16
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																					
1	2484.00	39.16	54.00	-14.84	34.16	30.63	6.98	32.61	132	89	AVERAGE																																			



Mode	8	
	Band Edge - L	
	2400-2483.5_802.11n HT20_CH06_2437MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) <	



Mode	8																																																			
	Band Edge - R																																																			
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																			
ANT	6+7																																																			
Pol.	Vertical					Fundamental																																														
Peak	Date: 2025-07-09 PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.00</td><td>50.57</td><td>74.00</td><td>-23.43</td><td>45.57</td><td>30.63</td><td>6.98</td><td>32.61</td><td>331</td><td>270</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.00	50.57	74.00	-23.43	45.57	30.63	6.98	32.61	331	270	PEAK	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.00	50.57	74.00	-23.43	45.57	30.63	6.98	32.61	331	270	PEAK																																									
Avg	Date: 2025-07-09 AVG_BE_54 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.69</td><td>39.29</td><td>54.00</td><td>-14.71</td><td>34.29</td><td>30.63</td><td>6.98</td><td>32.61</td><td>331</td><td>270</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.69	39.29	54.00	-14.71	34.29	30.63	6.98	32.61	331	270	AVERAGE	Blank				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																											
1	2484.69	39.29	54.00	-14.71	34.29	30.63	6.98	32.61	331	270	AVERAGE																																									



Mode	8																																																																												
	Harmonic																																																																												
	2400-2483.5_802.11n HT20_CH06_2437MHz																																																																												
ANT	6+7																																																																												
Pol.	Horizontal																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>59.63</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>44</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>48.63</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>44</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>49.48</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	52.63	74.00	-21.37	59.63	35.35	10.27	52.62	100	44	Peak	2	4874.00	41.63	54.00	-12.37	48.63	35.35	10.27	52.62	100	44	Average	3	7311.00	45.85	74.00	-28.15	49.48	36.58	12.01	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
	1	4874.00	52.63	74.00	-21.37	59.63	35.35	10.27	52.62	100	44	Peak																																																																	
2	4874.00	41.63	54.00	-12.37	48.63	35.35	10.27	52.62	100	44	Average																																																																		
3	7311.00	45.85	74.00	-28.15	49.48	36.58	12.01	52.22	---	---	Peak																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>59.97</td><td>35.35</td><td>10.27</td><td>52.62</td><td>120</td><td>266</td><td>Peak</td></tr><tr><td>2</td><td>4874.00</td><td>41.92</td><td>54.00</td><td>-12.08</td><td>48.92</td><td>35.35</td><td>10.27</td><td>52.62</td><td>120</td><td>266</td><td>Average</td></tr><tr><td>3</td><td>7311.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>48.90</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	52.97	74.00	-21.03	59.97	35.35	10.27	52.62	120	266	Peak	2	4874.00	41.92	54.00	-12.08	48.92	35.35	10.27	52.62	120	266	Average	3	7311.00	45.27	74.00	-28.73	48.90	36.58	12.01	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
	1	4874.00	52.97	74.00	-21.03	59.97	35.35	10.27	52.62	120	266	Peak																																																																	
2	4874.00	41.92	54.00	-12.08	48.92	35.35	10.27	52.62	120	266	Average																																																																		
3	7311.00	45.27	74.00	-28.73	48.90	36.58	12.01	52.22	---	---	Peak																																																																		



Mode	9																																																																															
	Band Edge																																																																															
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																															
ANT	6+7																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	Level (dBuV/m) Date: 2025-07-08 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.96</td><td>65.23</td><td>74.00</td><td>-8.77</td><td>60.23</td><td>30.63</td><td>6.98</td><td>32.61</td><td>101</td><td>64 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.96	65.23	74.00	-8.77	60.23	30.63	6.98	32.61	101	64 PEAK	Level (dBuV/m) Date: 2025-07-08 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>107.85</td><td>-----</td><td>-----</td><td>102.84</td><td>30.68</td><td>6.95</td><td>32.62</td><td>101</td><td>64 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.85	-----	-----	102.84	30.68	6.95	32.62	101	64 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.96	65.23	74.00	-8.77	60.23	30.63	6.98	32.61	101	64 PEAK																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	107.85	-----	-----	102.84	30.68	6.95	32.62	101	64 PEAK																																																																						
Avg	Level (dBuV/m) Date: 2025-07-08 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.51</td><td>48.53</td><td>54.00</td><td>-5.47</td><td>43.53</td><td>30.63</td><td>6.98</td><td>32.61</td><td>101</td><td>64 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.51	48.53	54.00	-5.47	43.53	30.63	6.98	32.61	101	64 AVERAGE	Level (dBuV/m) Date: 2025-07-08 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>101.18</td><td>-----</td><td>-----</td><td>96.17</td><td>30.68</td><td>6.95</td><td>32.62</td><td>101</td><td>64 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	101.18	-----	-----	96.17	30.68	6.95	32.62	101	64 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.51	48.53	54.00	-5.47	43.53	30.63	6.98	32.61	101	64 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2462.00	101.18	-----	-----	96.17	30.68	6.95	32.62	101	64 AVERAGE																																																																						



		9																																																																																			
Mode		Band Edge																																																																																			
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																			
ANT		6+7																																																																																			
Pol.		Vertical					Fundamental																																																																														
Peak		Level (dBuV/m) Date: 2025-07-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 24622469.62477.22484.82492.42500 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2483.55</td><td>65.46</td><td>74.00</td><td>-8.54</td><td>60.46</td><td>30.63</td><td>6.98 32.61 331 272 PEAK</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.55	65.46	74.00	-8.54	60.46	30.63	6.98 32.61 331 272 PEAK	Level (dBuV/m) Date: 2025-07-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100014001800220026003000 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2462.00</td><td>105.20</td><td>-----</td><td>-----</td><td>100.19</td><td>30.67</td><td>6.95 32.61 331 272 PEAK</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	105.20	-----	-----	100.19	30.67	6.95 32.61 331 272 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	2483.55	65.46	74.00	-8.54	60.46	30.63	6.98 32.61 331 272 PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	2462.00	105.20	-----	-----	100.19	30.67	6.95 32.61 331 272 PEAK																																																																														
Avg		Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 24622469.62477.22484.82492.42500 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2483.58</td><td>50.59</td><td>54.00</td><td>-3.41</td><td>45.59</td><td>30.63</td><td>6.98 32.61 331 272 AVERAGE</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.58	50.59	54.00	-3.41	45.59	30.63	6.98 32.61 331 272 AVERAGE	Level (dBuV/m) Date: 2025-07-08 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 100014001800220026003000 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2462.00</td><td>99.33</td><td>-----</td><td>-----</td><td>94.32</td><td>30.67</td><td>6.95 32.61 331 272 AVERAGE</td></tr></table>										Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	99.33	-----	-----	94.32	30.67	6.95 32.61 331 272 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	2483.58	50.59	54.00	-3.41	45.59	30.63	6.98 32.61 331 272 AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																														
1	2462.00	99.33	-----	-----	94.32	30.67	6.95 32.61 331 272 AVERAGE																																																																														



Mode	9																																																																																																																																														
	Harmonic																																																																																																																																														
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																														
ANT	6+7																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-07-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>53.06</td><td>74.00</td><td>-20.94</td><td>59.85</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>40.76</td><td>54.00</td><td>-13.24</td><td>47.55</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100</td><td>360</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.58</td><td>74.00</td><td>-28.42</td><td>49.28</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	53.06	74.00	-20.94	59.85	35.54	10.32	52.65	100	360	Peak	2	4924.00	40.76	54.00	-13.24	47.55	35.54	10.32	52.65	100	360	Average	3	7386.00	45.58	74.00	-28.42	49.28	36.57	11.98	52.25	---	---	Peak	Level (dBuV/m) Date: 2025-07-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>51.84</td><td>74.00</td><td>-22.16</td><td>58.63</td><td>35.54</td><td>10.32</td><td>52.65</td><td>104</td><td>265</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>39.66</td><td>54.00</td><td>-14.34</td><td>46.45</td><td>35.54</td><td>10.32</td><td>52.65</td><td>104</td><td>265</td><td>Average</td></tr><tr><td>3</td><td>7386.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>48.87</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	51.84	74.00	-22.16	58.63	35.54	10.32	52.65	104	265	Peak	2	4924.00	39.66	54.00	-14.34	46.45	35.54	10.32	52.65	104	265	Average	3	7386.00	45.17	74.00	-28.83	48.87	36.57	11.98	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																						
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4924.00	53.06	74.00	-20.94	59.85	35.54	10.32	52.65	100	360	Peak																																																																																																																																				
2	4924.00	40.76	54.00	-13.24	47.55	35.54	10.32	52.65	100	360	Average																																																																																																																																				
3	7386.00	45.58	74.00	-28.42	49.28	36.57	11.98	52.25	---	---	Peak																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	4924.00	51.84	74.00	-22.16	58.63	35.54	10.32	52.65	104	265	Peak																																																																																																																																				
2	4924.00	39.66	54.00	-14.34	46.45	35.54	10.32	52.65	104	265	Average																																																																																																																																				
3	7386.00	45.17	74.00	-28.83	48.87	36.57	11.98	52.25	---	---	Peak																																																																																																																																				



Mode	10																																																																																		
	Band Edge																																																																																		
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																		
ANT	6+7																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.69</td><td>64.32</td><td>74.00</td><td>-9.68</td><td>59.49</td><td>30.60</td><td>6.87</td><td>32.64</td><td>100</td><td>61 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	64.32	74.00	-9.68	59.49	30.60	6.87	32.64	100	61 PEAK	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>107.03</td><td>-----</td><td>102.14</td><td>30.63</td><td>6.89</td><td>32.63</td><td>100</td><td>61 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	107.03	-----	102.14	30.63	6.89	32.63	100	61 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.69	64.32	74.00	-9.68	59.49	30.60	6.87	32.64	100	61 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2412.00	107.03	-----	102.14	30.63	6.89	32.63	100	61 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>48.72</td><td>54.00</td><td>-5.28</td><td>43.89</td><td>30.60</td><td>6.87</td><td>32.64</td><td>100</td><td>61 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	48.72	54.00	-5.28	43.89	30.60	6.87	32.64	100	61 AVERAGE	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>98.82</td><td>-----</td><td>93.95</td><td>30.62</td><td>6.89</td><td>32.64</td><td>100</td><td>61 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	98.82	-----	93.95	30.62	6.89	32.64	100	61 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2389.82	48.72	54.00	-5.28	43.89	30.60	6.87	32.64	100	61 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																										
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	2412.00	98.82	-----	93.95	30.62	6.89	32.64	100	61 AVERAGE																																																																										







Mode	10																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>62.42</td><td>74.00</td><td>-11.58</td><td>57.59</td><td>30.60</td><td>6.87</td><td>32.64</td><td>400 221 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	62.42	74.00	-11.58	57.59	30.60	6.87	32.64	400 221 PEAK	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>106.25</td><td>-----</td><td>101.38</td><td>30.62</td><td>6.89</td><td>32.64</td><td>400</td><td>221 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	106.25	-----	101.38	30.62	6.89	32.64	400	221 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.56	62.42	74.00	-11.58	57.59	30.60	6.87	32.64	400 221 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	106.25	-----	101.38	30.62	6.89	32.64	400	221 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.95</td><td>47.48</td><td>54.00</td><td>-6.52</td><td>42.65</td><td>30.60</td><td>6.87</td><td>32.64</td><td>400 221 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	47.48	54.00	-6.52	42.65	30.60	6.87	32.64	400 221 AVERAGE	Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2412.00</td><td>96.22</td><td>-----</td><td>91.35</td><td>30.62</td><td>6.89</td><td>32.64</td><td>400</td><td>221 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	96.22	-----	91.35	30.62	6.89	32.64	400	221 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	47.48	54.00	-6.52	42.65	30.60	6.87	32.64	400 221 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	96.22	-----	91.35	30.62	6.89	32.64	400	221 AVERAGE																																																																									







Mode	10																																																																																															
	Harmonic																																																																																															
	2400-2483.5_802.11ax HE20_CH01_Full RU_2412MHz																																																																																															
ANT	6+7																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	Level (dBuV/m) Date: 2025-07-09 PEAK_74 AVG_54 Frequency (MHz)						Level (dBuV/m) Date: 2025-07-09 PEAK_74 AVG_54 Frequency (MHz)																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>49.61</td><td>74.00</td><td>-24.39</td><td>56.74</td><td>35.30</td><td>10.16</td><td>52.59</td><td>100</td><td>290</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	49.61	74.00	-24.39	56.74	35.30	10.16	52.59	100	290	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>56.97</td><td>35.30</td><td>10.16</td><td>52.59</td><td>100</td><td>260</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4824.00	49.84	74.00	-24.16	56.97	35.30	10.16	52.59	100	260	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4824.00	49.61	74.00	-24.39	56.74	35.30	10.16	52.59	100	290	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4824.00	49.84	74.00	-24.16	56.97	35.30	10.16	52.59	100	260	Peak																																																																																					



Mode	11																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.61</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>43.63</td><td>30.60</td><td>6.86</td><td>32.64</td><td>100 90 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2388.61	48.45	74.00	-25.55	43.63	30.60	6.86	32.64	100 90 PEAK	Level (dBuV/m) Date: 2025-07-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>108.10</td><td>-----</td><td>-----</td><td>103.14</td><td>30.67</td><td>6.92</td><td>32.63</td><td>100 90 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	108.10	-----	-----	103.14	30.67	6.92	32.63	100 90 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.61	48.45	74.00	-25.55	43.63	30.60	6.86	32.64	100 90 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	108.10	-----	-----	103.14	30.67	6.92	32.63	100 90 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.76</td><td>38.61</td><td>54.00</td><td>-15.39</td><td>33.78</td><td>30.60</td><td>6.87</td><td>32.64</td><td>100 90 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.76	38.61	54.00	-15.39	33.78	30.60	6.87	32.64	100 90 AVERAGE	Level (dBuV/m) Date: 2025-07-09  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>98.78</td><td>-----</td><td>-----</td><td>93.82</td><td>30.67</td><td>6.92</td><td>32.63</td><td>100 90 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	98.78	-----	-----	93.82	30.67	6.92	32.63	100 90 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.76	38.61	54.00	-15.39	33.78	30.60	6.87	32.64	100 90 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	98.78	-----	-----	93.82	30.67	6.92	32.63	100 90 AVERAGE																																																																									



Mode	11																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Date: 2025-07-09  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2384.68</td><td>46.29</td><td>74.00</td><td>-27.71</td><td>41.48</td><td>30.60</td><td>6.86</td><td>32.65</td><td>340</td><td>267</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2384.68	46.29	74.00	-27.71	41.48	30.60	6.86	32.65	340	267	PEAK	Date: 2025-07-09  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>106.21</td><td>-----</td><td>-----</td><td>101.23</td><td>30.68</td><td>6.92</td><td>32.62</td><td>340</td><td>267</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	106.21	-----	-----	101.23	30.68	6.92	32.62	340	267	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2384.68	46.29	74.00	-27.71	41.48	30.60	6.86	32.65	340	267	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	106.21	-----	-----	101.23	30.68	6.92	32.62	340	267	PEAK																																																																							
Avg	Date: 2025-07-09  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2387.34</td><td>36.00</td><td>54.00</td><td>-18.00</td><td>31.19</td><td>30.60</td><td>6.86</td><td>32.65</td><td>340</td><td>267</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2387.34	36.00	54.00	-18.00	31.19	30.60	6.86	32.65	340	267	AVERAGE	Date: 2025-07-09  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2437.00</td><td>96.83</td><td>-----</td><td>-----</td><td>91.85</td><td>30.68</td><td>6.92</td><td>32.62</td><td>340</td><td>267</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2437.00	96.83	-----	-----	91.85	30.68	6.92	32.62	340	267	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2387.34	36.00	54.00	-18.00	31.19	30.60	6.86	32.65	340	267	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2437.00	96.83	-----	-----	91.85	30.68	6.92	32.62	340	267	AVERAGE																																																																							



Mode	11																																																															
	Harmonic																																																															
	2400-2483.5_802.11ax HE20_CH06_Full RU_2437MHz																																																															
ANT	6+7																																																															
Pol.	Horizontal																																																															
Peak Avg	Date: 2025-07-09 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>52.99</td><td>35.35</td><td>10.27</td><td>52.62</td><td>100</td><td>43</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>48.46</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	45.99	74.00	-28.01	52.99	35.35	10.27	52.62	100	43	Peak	2	7311.00	44.83	74.00	-29.17	48.46	36.58	12.01	52.22	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	4874.00	45.99	74.00	-28.01	52.99	35.35	10.27	52.62	100	43	Peak																																																					
2	7311.00	44.83	74.00	-29.17	48.46	36.58	12.01	52.22	---	---	Peak																																																					
Date: 2025-07-09 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4874.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>52.68</td><td>35.35</td><td>10.27</td><td>52.62</td><td>105</td><td>263</td><td>Peak</td></tr><tr><td>2</td><td>7311.00</td><td>45.54</td><td>74.00</td><td>-28.46</td><td>49.17</td><td>36.58</td><td>12.01</td><td>52.22</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	4874.00	45.68	74.00	-28.32	52.68	35.35	10.27	52.62	105	263	Peak	2	7311.00	45.54	74.00	-28.46	49.17	36.58	12.01	52.22	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																							
1	4874.00	45.68	74.00	-28.32	52.68	35.35	10.27	52.62	105	263	Peak																																																					
2	7311.00	45.54	74.00	-28.46	49.17	36.58	12.01	52.22	---	---	Peak																																																					





Mode	12																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.23</td><td>62.77</td><td>74.00</td><td>-11.23</td><td>57.77</td><td>30.63</td><td>6.98</td><td>32.61</td><td>104</td><td>62</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.23	62.77	74.00	-11.23	57.77	30.63	6.98	32.61	104	62	PEAK	Level (dBuV/m) Date: 2025-07-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.92</td><td>-----</td><td>-----</td><td>102.91</td><td>30.67</td><td>6.95</td><td>32.61</td><td>104</td><td>62</td><td>PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.92	-----	-----	102.91	30.67	6.95	32.61	104	62	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.23	62.77	74.00	-11.23	57.77	30.63	6.98	32.61	104	62	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	107.92	-----	-----	102.91	30.67	6.95	32.61	104	62	PEAK																																																																							
Avg	Level (dBuV/m) Date: 2025-07-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>45.74</td><td>54.00</td><td>-8.26</td><td>40.74</td><td>30.63</td><td>6.98</td><td>32.61</td><td>104</td><td>62</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.04	45.74	54.00	-8.26	40.74	30.63	6.98	32.61	104	62	AVERAGE	Level (dBuV/m) Date: 2025-07-08 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.83</td><td>-----</td><td>-----</td><td>93.82</td><td>30.68</td><td>6.95</td><td>32.62</td><td>104</td><td>62</td><td>AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.83	-----	-----	93.82	30.68	6.95	32.62	104	62	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2484.04	45.74	54.00	-8.26	40.74	30.63	6.98	32.61	104	62	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2462.00	98.83	-----	-----	93.82	30.68	6.95	32.62	104	62	AVERAGE																																																																							







		12									
Mode		Band Edge									
		2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz									
ANT		6+7									
Pol.		Vertical					Fundamental				
Peak		Level (dBuV/m) Date: 2025-07-08									



Mode	12																																																																																																																			
	Harmonic																																																																																																																			
	2400-2483.5_802.11ax HE20_CH11_Full RU_2462MHz																																																																																																																			
ANT	6+7																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>48.57</td><td>74.00</td><td>-25.43</td><td>55.36</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>48.85</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	48.57	74.00	-25.43	55.36	35.54	10.32	52.65	100	360	Peak	2	7386.00	45.15	74.00	-28.85	48.85	36.57	11.98	52.25	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>46.26</td><td>74.00</td><td>-27.74</td><td>53.05</td><td>35.54</td><td>10.32</td><td>52.65</td><td>109</td><td>262</td><td>Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>49.45</td><td>36.57</td><td>11.98</td><td>52.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	46.26	74.00	-27.74	53.05	35.54	10.32	52.65	109	262	Peak	2	7386.00	45.75	74.00	-28.25	49.45	36.57	11.98	52.25	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4924.00	48.57	74.00	-25.43	55.36	35.54	10.32	52.65	100	360	Peak																																																																																																									
2	7386.00	45.15	74.00	-28.85	48.85	36.57	11.98	52.25	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	4924.00	46.26	74.00	-27.74	53.05	35.54	10.32	52.65	109	262	Peak																																																																																																									
2	7386.00	45.75	74.00	-28.25	49.45	36.57	11.98	52.25	---	---	Peak																																																																																																									



		13																																																																																				
Mode		Band Edge																																																																																				
		2400-2483.5_802.11ax HE20_CH01_Partail RU 52/37_2412MHz																																																																																				
ANT		6+7																																																																																				
Pol.		Horizontal					Fundamental																																																																															
Peak	 Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.82</td><td>51.62</td><td>74.00</td><td>-22.38</td><td>46.79</td><td>30.60</td><td>6.87</td><td>32.64</td><td>346</td><td>285 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.82	51.62	74.00	-22.38	46.79	30.60	6.87	32.64	346	285 PEAK	 Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>109.99</td><td>-----</td><td>-----</td><td>105.14</td><td>30.61</td><td>6.88</td><td>32.64</td><td>346</td><td>285 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	109.99	-----	-----	105.14	30.61	6.88	32.64	346	285 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2389.82	51.62	74.00	-22.38	46.79	30.60	6.87	32.64	346	285 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2412.00	109.99	-----	-----	105.14	30.61	6.88	32.64	346	285 PEAK																																																																													
Avg	 Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.82</td><td>36.98</td><td>54.00</td><td>-17.02</td><td>32.15</td><td>30.60</td><td>6.87</td><td>32.64</td><td>346</td><td>285 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2389.82	36.98	54.00	-17.02	32.15	30.60	6.87	32.64	346	285 AVERAGE	 Level (dBuV/m) Date: 2025-07-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2412.00</td><td>103.33</td><td>-----</td><td>-----</td><td>98.48</td><td>30.61</td><td>6.88</td><td>32.64</td><td>346</td><td>285 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 2412.00	103.33	-----	-----	98.48	30.61	6.88	32.64	346	285 AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2389.82	36.98	54.00	-17.02	32.15	30.60	6.87	32.64	346	285 AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 2412.00	103.33	-----	-----	98.48	30.61	6.88	32.64	346	285 AVERAGE																																																																													







Mode	13																																																																													
	Band Edge																																																																													
	2400-2483.5_802.11ax HE20_CH01_Partail RU 52/37_2412MHz																																																																													
ANT	6+7																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	Level (dBuV/m) Date: 2025-07-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>43.02</td><td>30.60</td><td>6.86</td><td>32.64</td><td>359 89 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.13	47.84	74.00	-26.16	43.02	30.60	6.86	32.64	359 89 PEAK	Level (dBuV/m) Date: 2025-07-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>107.89</td><td>-----</td><td>-----</td><td>103.04</td><td>30.61</td><td>6.88</td><td>32.64</td><td>359 89 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	107.89	-----	-----	103.04	30.61	6.88	32.64	359 89 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2388.13	47.84	74.00	-26.16	43.02	30.60	6.86	32.64	359 89 PEAK																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2412.00	107.89	-----	-----	103.04	30.61	6.88	32.64	359 89 PEAK																																																																					
Avg	Level (dBuV/m) Date: 2025-07-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>36.53</td><td>54.00</td><td>-17.47</td><td>31.71</td><td>30.60</td><td>6.86</td><td>32.64</td><td>359 89 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2388.65	36.53	54.00	-17.47	31.71	30.60	6.86	32.64	359 89 AVERAGE	Level (dBuV/m) Date: 2025-07-09 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>99.50</td><td>-----</td><td>-----</td><td>94.65</td><td>30.61</td><td>6.88</td><td>32.64</td><td>359 89 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	99.50	-----	-----	94.65	30.61	6.88	32.64	359 89 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2388.65	36.53	54.00	-17.47	31.71	30.60	6.86	32.64	359 89 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																					
1	2412.00	99.50	-----	-----	94.65	30.61	6.88	32.64	359 89 AVERAGE																																																																					



Mode	13																																																																													
	Harmonic																																																																													
	2400-2483.5_802.11ax HE20_CH01_Partail RU 52/37_2412MHz																																																																													
ANT	6+7																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>46.04</td><td>74.00</td><td>-27.96</td><td>53.17</td><td>35.30</td><td>10.16</td><td>52.59</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4824.00	46.04	74.00	-27.96	53.17	35.30	10.16	52.59	---	---	Peak	Level (dBuV/m) Date: 2025-07-09 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 3000 6000 9000 12000 15000 18000 Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>4824.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>54.25</td><td>35.30</td><td>10.16</td><td>52.59</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	4824.00	47.12	74.00	-26.88	54.25	35.30	10.16	52.59	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																								
1	4824.00	46.04	74.00	-27.96	53.17	35.30	10.16	52.59	---	---	Peak																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																								
1	4824.00	47.12	74.00	-26.88	54.25	35.30	10.16	52.59	---	---	Peak																																																																			





Mode	14																																																																																								
	Band Edge																																																																																								
	2400-2483.5_802.11ax HE20_CH11_Partail RU 52/40_2462MHz																																																																																								
ANT	6+7																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2490.80</td><td>55.30</td><td>74.00</td><td>-18.70</td><td>50.30</td><td>30.62</td><td>6.98</td><td>32.60</td><td>100</td><td>291</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2490.80	55.30	74.00	-18.70	50.30	30.62	6.98	32.60	100	291	PEAK	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2462.00</td><td>111.11</td><td>-----</td><td>-----</td><td>106.10</td><td>30.66</td><td>6.96</td><td>32.61</td><td>100</td><td>291</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2462.00	111.11	-----	-----	106.10	30.66	6.96	32.61	100	291
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																	
1	2490.80	55.30	74.00	-18.70	50.30	30.62	6.98	32.60	100	291	PEAK																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																	
1	2462.00	111.11	-----	-----	106.10	30.66	6.96	32.61	100	291	PEAK																																																																														
Avg																																																																																									
	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2483.77</td><td>39.61</td><td>54.00</td><td>-14.39</td><td>34.61</td><td>30.63</td><td>6.98</td><td>32.61</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2483.77	39.61	54.00	-14.39	34.61	30.63	6.98	32.61	100	291	AVERAGE	<table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>2462.00</td><td>99.66</td><td>-----</td><td>-----</td><td>94.65</td><td>30.66</td><td>6.96</td><td>32.61</td><td>100</td><td>291</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	1	2462.00	99.66	-----	-----	94.65	30.66	6.96	32.61	100	291
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																	
1	2483.77	39.61	54.00	-14.39	34.61	30.63	6.98	32.61	100	291	AVERAGE																																																																														
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm																																																																																	
1	2462.00	99.66	-----	-----	94.65	30.66	6.96	32.61	100	291	AVERAGE																																																																														





		14																																																																																																			
Mode		Band Edge																																																																																																			
		2400-2483.5_802.11ax HE20_CH11_Partail RU 52/40_2462MHz																																																																																																			
ANT		6+7																																																																																																			
Pol.		Vertical					Fundamental																																																																																														
Peak		Level (dBuV/m) Date: 2025-07-09 PEAK_BE_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.90</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>47.78</td><td>30.63</td><td>6.98</td><td>32.61</td><td>333</td><td>269</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2485.90	52.78	74.00	-21.22	47.78	30.63	6.98	32.61	333	269	PEAK	Level (dBuV/m) Date: 2025-07-09 PEAK_74 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>108.52</td><td>-----</td><td>-----</td><td>103.51</td><td>30.66</td><td>6.96</td><td>32.61</td><td>333</td><td>269</td><td>PEAK</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	108.52	-----	-----	103.51	30.66	6.96	32.61	333	269	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2485.90	52.78	74.00	-21.22	47.78	30.63	6.98	32.61	333	269	PEAK																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2462.00	108.52	-----	-----	103.51	30.66	6.96	32.61	333	269	PEAK																																																																																										
Avg		Level (dBuV/m) Date: 2025-07-09 AVG_BE_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.55</td><td>40.37</td><td>54.00</td><td>-13.63</td><td>35.37</td><td>30.63</td><td>6.98</td><td>32.61</td><td>333</td><td>269</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.55	40.37	54.00	-13.63	35.37	30.63	6.98	32.61	333	269	AVERAGE	Level (dBuV/m) Date: 2025-07-09 AVG_54 <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.59</td><td>-----</td><td>-----</td><td>93.58</td><td>30.66</td><td>6.96</td><td>32.61</td><td>333</td><td>269</td><td>AVERAGE</td></tr></table>										Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.59	-----	-----	93.58	30.66	6.96	32.61	333	269	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2483.55	40.37	54.00	-13.63	35.37	30.63	6.98	32.61	333	269	AVERAGE																																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																														
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																												
1	2462.00	98.59	-----	-----	93.58	30.66	6.96	32.61	333	269	AVERAGE																																																																																										







Mode	14																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_802.11ax HE20_CH11_Partail RU 52/40_2462MHz																																																																																																					
ANT	6+7																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>4924.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>53.19</td><td>35.54</td><td>10.32</td><td>52.65</td></tr><tr><td>2</td><td>7386.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>48.68</td><td>36.57</td><td>11.98</td><td>52.25</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	46.40	74.00	-27.60	53.19	35.54	10.32	52.65	2	7386.00	44.98	74.00	-29.02	48.68	36.57	11.98	52.25	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>4924.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>52.58</td><td>35.54</td><td>10.32</td><td>52.65</td></tr><tr><td>2</td><td>7386.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>49.47</td><td>36.57</td><td>11.98</td><td>52.25</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	45.79	74.00	-28.21	52.58	35.54	10.32	52.65	2	7386.00	45.77	74.00	-28.23	49.47	36.57	11.98	52.25
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4924.00	46.40	74.00	-27.60	53.19	35.54	10.32	52.65																																																																																														
2	7386.00	44.98	74.00	-29.02	48.68	36.57	11.98	52.25																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4924.00	45.79	74.00	-28.21	52.58	35.54	10.32	52.65																																																																																														
2	7386.00	45.77	74.00	-28.23	49.47	36.57	11.98	52.25																																																																																														
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>4924.00</td><td>46.40</td><td>74.00</td><td>-27.60</td><td>53.19</td><td>35.54</td><td>10.32</td><td>52.65</td></tr><tr><td>2</td><td>7386.00</td><td>44.98</td><td>74.00</td><td>-29.02</td><td>48.68</td><td>36.57</td><td>11.98</td><td>52.25</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	46.40	74.00	-27.60	53.19	35.54	10.32	52.65	2	7386.00	44.98	74.00	-29.02	48.68	36.57	11.98	52.25	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td></tr><tr><td>1</td><td>4924.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>52.58</td><td>35.54</td><td>10.32</td><td>52.65</td></tr><tr><td>2</td><td>7386.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>49.47</td><td>36.57</td><td>11.98</td><td>52.25</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	45.79	74.00	-28.21	52.58	35.54	10.32	52.65	2	7386.00	45.77	74.00	-28.23	49.47	36.57	11.98	52.25	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4924.00	46.40	74.00	-27.60	53.19	35.54	10.32	52.65																																																																																														
2	7386.00	44.98	74.00	-29.02	48.68	36.57	11.98	52.25																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																														
1	4924.00	45.79	74.00	-28.21	52.58	35.54	10.32	52.65																																																																																														
2	7386.00	45.77	74.00	-28.23	49.47	36.57	11.98	52.25																																																																																														







Mode	15																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																																																																																																	
ANT	6+7																																																																																																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																																																																																																											
Peak																																																																																																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>52.31</td><td>25.64</td><td>40.00</td><td>-14.36</td><td>41.60</td><td>13.94</td><td>1.32</td><td>31.22</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>201.69</td><td>25.24</td><td>43.50</td><td>-18.26</td><td>38.06</td><td>15.50</td><td>2.58</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>313.24</td><td>21.37</td><td>46.00</td><td>-24.63</td><td>29.35</td><td>19.70</td><td>3.19</td><td>30.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>530.52</td><td>24.28</td><td>46.00</td><td>-21.72</td><td>26.52</td><td>24.49</td><td>4.15</td><td>30.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>647.89</td><td>26.97</td><td>46.00</td><td>-19.03</td><td>28.10</td><td>25.19</td><td>4.58</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>892.33</td><td>30.72</td><td>46.00</td><td>-15.28</td><td>29.62</td><td>26.75</td><td>5.36</td><td>31.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	52.31	25.64	40.00	-14.36	41.60	13.94	1.32	31.22	---	---	Peak	2	201.69	25.24	43.50	-18.26	38.06	15.50	2.58	30.90	---	---	Peak	3	313.24	21.37	46.00	-24.63	29.35	19.70	3.19	30.87	---	---	Peak	4	530.52	24.28	46.00	-21.72	26.52	24.49	4.15	30.88	---	---	Peak	5	647.89	26.97	46.00	-19.03	28.10	25.19	4.58	30.90	---	---	Peak	6	892.33	30.72	46.00	-15.28	29.62	26.75	5.36	31.01	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>51.34</td><td>36.16</td><td>40.00</td><td>-3.84</td><td>51.94</td><td>14.12</td><td>1.31</td><td>31.21</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>201.69</td><td>24.79</td><td>43.50</td><td>-18.71</td><td>37.61</td><td>15.50</td><td>2.58</td><td>30.90</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>311.30</td><td>20.95</td><td>46.00</td><td>-25.05</td><td>29.00</td><td>19.65</td><td>3.18</td><td>30.88</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>473.29</td><td>23.69</td><td>46.00</td><td>-22.31</td><td>27.15</td><td>23.32</td><td>3.92</td><td>30.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>663.41</td><td>27.34</td><td>46.00</td><td>-18.66</td><td>28.38</td><td>25.20</td><td>4.63</td><td>30.87</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>920.46</td><td>30.80</td><td>46.00</td><td>-15.20</td><td>29.42</td><td>26.92</td><td>5.46</td><td>31.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	51.34	36.16	40.00	-3.84	51.94	14.12	1.31	31.21	---	---	Peak	2	201.69	24.79	43.50	-18.71	37.61	15.50	2.58	30.90	---	---	Peak	3	311.30	20.95	46.00	-25.05	29.00	19.65	3.18	30.88	---	---	Peak	4	473.29	23.69	46.00	-22.31	27.15	23.32	3.92	30.70	---	---	Peak	5	663.41	27.34	46.00	-18.66	28.38	25.20	4.63	30.87	---	---	Peak	6	920.46	30.80	46.00	-15.20	29.42	26.92	5.46	31.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																									
1	52.31	25.64	40.00	-14.36	41.60	13.94	1.32	31.22	---	---	Peak																																																																																																																																																																																																							
2	201.69	25.24	43.50	-18.26	38.06	15.50	2.58	30.90	---	---	Peak																																																																																																																																																																																																							
3	313.24	21.37	46.00	-24.63	29.35	19.70	3.19	30.87	---	---	Peak																																																																																																																																																																																																							
4	530.52	24.28	46.00	-21.72	26.52	24.49	4.15	30.88	---	---	Peak																																																																																																																																																																																																							
5	647.89	26.97	46.00	-19.03	28.10	25.19	4.58	30.90	---	---	Peak																																																																																																																																																																																																							
6	892.33	30.72	46.00	-15.28	29.62	26.75	5.36	31.01	---	---	Peak																																																																																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																									
1	51.34	36.16	40.00	-3.84	51.94	14.12	1.31	31.21	---	---	Peak																																																																																																																																																																																																							
2	201.69	24.79	43.50	-18.71	37.61	15.50	2.58	30.90	---	---	Peak																																																																																																																																																																																																							
3	311.30	20.95	46.00	-25.05	29.00	19.65	3.18	30.88	---	---	Peak																																																																																																																																																																																																							
4	473.29	23.69	46.00	-22.31	27.15	23.32	3.92	30.70	---	---	Peak																																																																																																																																																																																																							
5	663.41	27.34	46.00	-18.66	28.38	25.20	4.63	30.87	---	---	Peak																																																																																																																																																																																																							
6	920.46	30.80	46.00	-15.20	29.42	26.92	5.46	31.00	---	---	Peak																																																																																																																																																																																																							



Mode	16																																																																																			
	Band Edge																																																																																			
	2400-2483.5_802.11g_CH02_2417MHz																																																																																			
ANT	6+7																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	Date: 2025-07-11  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>63.02</td><td>74.00</td><td>-10.98</td><td>58.19</td><td>30.60</td><td>6.87</td><td>32.64</td><td>128</td><td>67 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.43	63.02	74.00	-10.98	58.19	30.60	6.87	32.64	128	67 PEAK	Date: 2025-07-11  Level (dBuV/m) Frequency (MHz) PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>112.20</td><td>-----</td><td>-----</td><td>107.29</td><td>30.64</td><td>6.90</td><td>32.63</td><td>128</td><td>67 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2417.00	112.20	-----	-----	107.29	30.64	6.90	32.63	128	67 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.43	63.02	74.00	-10.98	58.19	30.60	6.87	32.64	128	67 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2417.00	112.20	-----	-----	107.29	30.64	6.90	32.63	128	67 PEAK																																																																										
Avg	Date: 2025-07-11  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.56</td><td>48.74</td><td>54.00</td><td>-5.26</td><td>43.91</td><td>30.60</td><td>6.87</td><td>32.64</td><td>128</td><td>67 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2389.56	48.74	54.00	-5.26	43.91	30.60	6.87	32.64	128	67 AVERAGE	Date: 2025-07-11  Level (dBuV/m) Frequency (MHz) AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>105.37</td><td>-----</td><td>-----</td><td>100.46</td><td>30.64</td><td>6.90</td><td>32.63</td><td>128</td><td>67 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2417.00	105.37	-----	-----	100.46	30.64	6.90	32.63	128	67 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2389.56	48.74	54.00	-5.26	43.91	30.60	6.87	32.64	128	67 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																											
1	2417.00	105.37	-----	-----	100.46	30.64	6.90	32.63	128	67 AVERAGE																																																																										



Mode	16																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11g_CH02_2417MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Date: 2025-07-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>55.42</td><td>30.60</td><td>6.87</td><td>32.64</td><td>293 100 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	60.25	74.00	-13.75	55.42	30.60	6.87	32.64	293 100 PEAK	Date: 2025-07-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>107.26</td><td>-----</td><td>102.35</td><td>30.64</td><td>6.90</td><td>32.63</td><td>293</td><td>100 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	107.26	-----	102.35	30.64	6.90	32.63	293	100 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.82	60.25	74.00	-13.75	55.42	30.60	6.87	32.64	293 100 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	107.26	-----	102.35	30.64	6.90	32.63	293	100 PEAK																																																																									
Avg	Date: 2025-07-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.43</td><td>45.09</td><td>54.00</td><td>-8.91</td><td>40.26</td><td>30.60</td><td>6.87</td><td>32.64</td><td>293 100 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	45.09	54.00	-8.91	40.26	30.60	6.87	32.64	293 100 AVERAGE	Date: 2025-07-11 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>100.31</td><td>-----</td><td>95.40</td><td>30.64</td><td>6.90</td><td>32.63</td><td>293</td><td>100 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	100.31	-----	95.40	30.64	6.90	32.63	293	100 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.43	45.09	54.00	-8.91	40.26	30.60	6.87	32.64	293 100 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	100.31	-----	95.40	30.64	6.90	32.63	293	100 AVERAGE																																																																									







Mode	17																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11n HT20_CH02_2417MHz																																																																																	
ANT	6+7																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.82</td><td>69.42</td><td>74.00</td><td>-4.58</td><td>64.59</td><td>30.60</td><td>6.87</td><td>32.64</td><td>126 61 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	69.42	74.00	-4.58	64.59	30.60	6.87	32.64	126 61 PEAK	Level (dBuV/m) Date: 2025-07-11 Frequency (MHz) PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>110.77</td><td>-----</td><td>105.87</td><td>30.63</td><td>6.90</td><td>32.63</td><td>126</td><td>61 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	110.77	-----	105.87	30.63	6.90	32.63	126	61 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.82	69.42	74.00	-4.58	64.59	30.60	6.87	32.64	126 61 PEAK																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	110.77	-----	105.87	30.63	6.90	32.63	126	61 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-11 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.52</td><td>48.70</td><td>54.00</td><td>-5.30</td><td>43.88</td><td>30.60</td><td>6.86</td><td>32.64</td><td>126 61 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	48.70	54.00	-5.30	43.88	30.60	6.86	32.64	126 61 AVERAGE	Level (dBuV/m) Date: 2025-07-11 Frequency (MHz) AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2417.00</td><td>103.81</td><td>-----</td><td>98.90</td><td>30.64</td><td>6.90</td><td>32.63</td><td>126</td><td>61 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2417.00	103.81	-----	98.90	30.64	6.90	32.63	126	61 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2388.52	48.70	54.00	-5.30	43.88	30.60	6.86	32.64	126 61 AVERAGE																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																									
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2417.00	103.81	-----	98.90	30.64	6.90	32.63	126	61 AVERAGE																																																																									



Mode	17	
	Band Edge	
	2400-2483.5_802.11n HT20_CH02_2417MHz	
ANT	6+7	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m)	



Co-location

		18																																																																																							
Mode		Band Edge																																																																																							
		2400-2483.5_802.11n HT20_CH11_2462MHz+LTE B14																																																																																							
ANT		6+7+0																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.99</td><td>62.15</td><td>74.00</td><td>-11.85</td><td>57.15</td><td>30.63</td><td>6.98</td><td>32.61</td><td>148 330 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.99	62.15	74.00	-11.85	57.15	30.63	6.98	32.61	148 330 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.75</td><td>-----</td><td>-----</td><td>101.74</td><td>30.67</td><td>6.95</td><td>32.61</td><td>148 330 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.75	-----	-----	101.74	30.67	6.95	32.61
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2484.99	62.15	74.00	-11.85	57.15	30.63	6.98	32.61	148 330 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	106.75	-----	-----	101.74	30.67	6.95	32.61	148 330 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.58</td><td>48.18</td><td>54.00</td><td>-5.82</td><td>43.18</td><td>30.63</td><td>6.98</td><td>32.61</td><td>148 330 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.58	48.18	54.00	-5.82	43.18	30.63	6.98	32.61	148 330 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.11</td><td>-----</td><td>-----</td><td>95.10</td><td>30.68</td><td>6.95</td><td>32.62</td><td>148 330 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.11	-----	-----	95.10	30.68	6.95	32.62
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2483.58	48.18	54.00	-5.82	43.18	30.63	6.98	32.61	148 330 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2462.00	100.11	-----	-----	95.10	30.68	6.95	32.62	148 330 AVERAGE																																																																																



		18																																																																																									
Mode		Band Edge																																																																																									
		2400-2483.5_802.11n HT20_CH11_2462MHz+LTE B14																																																																																									
ANT		6+7+0																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak		Level (dBuV/m) Date: 2025-07-31 PEAK_BE_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.61</td><td>58.80</td><td>74.00</td><td>-15.20</td><td>53.80</td><td>30.63</td><td>6.98</td><td>32.61</td><td>308 103 PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-07-31 PEAK_74 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>102.92</td><td>-----</td><td>-----</td><td>97.91</td><td>30.68</td><td>6.95</td><td>32.62</td><td>308 103 PEAK</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.61	58.80	74.00	-15.20	53.80	30.63	6.98	32.61	308 103 PEAK		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.92	-----	-----	97.91	30.68	6.95	32.62	308 103 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2484.61	58.80	74.00	-15.20	53.80	30.63	6.98	32.61	308 103 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	102.92	-----	-----	97.91	30.68	6.95	32.62	308 103 PEAK																																																																																		
Avg		Level (dBuV/m) Date: 2025-07-31 AVG_BE_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2484.46</td><td>44.48</td><td>54.00</td><td>-9.52</td><td>39.48</td><td>30.63</td><td>6.98</td><td>32.61</td><td>308 103 AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-07-31 AVG_54 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2462.00</td><td>96.19</td><td>-----</td><td>-----</td><td>91.18</td><td>30.68</td><td>6.95</td><td>32.62</td><td>308 103 AVERAGE</td></tr></tbody></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2484.46	44.48	54.00	-9.52	39.48	30.63	6.98	32.61	308 103 AVERAGE		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2462.00	96.19	-----	-----	91.18	30.68	6.95	32.62	308 103 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2484.46	44.48	54.00	-9.52	39.48	30.63	6.98	32.61	308 103 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	2462.00	96.19	-----	-----	91.18	30.68	6.95	32.62	308 103 AVERAGE																																																																																		



Mode	18																																																																																																																																																									
	Harmonic																																																																																																																																																									
	2400-2483.5_802.11n HT20_CH11_2462MHz+LTE B14																																																																																																																																																									
ANT	6+7+0																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1577.00</td><td>47.17</td><td>-----</td><td>64.28</td><td>29.61</td><td>5.68</td><td>52.40</td><td>--- Peak</td></tr><tr><td>2</td><td>2365.50</td><td>44.04</td><td>-----</td><td>59.07</td><td>30.60</td><td>6.84</td><td>52.47</td><td>--- Peak</td></tr><tr><td>3</td><td>4924.00</td><td>53.19</td><td>74.00 -20.81</td><td>59.98</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100 360 Peak</td></tr><tr><td>4</td><td>4924.00</td><td>42.16</td><td>54.00 -11.84</td><td>48.95</td><td>35.54</td><td>10.32</td><td>52.65</td><td>100 360 Average</td></tr><tr><td>5</td><td>7386.00</td><td>45.75</td><td>74.00 -28.25</td><td>49.45</td><td>36.57</td><td>11.98</td><td>52.25</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1577.00	47.17	-----	64.28	29.61	5.68	52.40	--- Peak	2	2365.50	44.04	-----	59.07	30.60	6.84	52.47	--- Peak	3	4924.00	53.19	74.00 -20.81	59.98	35.54	10.32	52.65	100 360 Peak	4	4924.00	42.16	54.00 -11.84	48.95	35.54	10.32	52.65	100 360 Average	5	7386.00	45.75	74.00 -28.25	49.45	36.57	11.98	52.25	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>1577.00</td><td>48.86</td><td>-----</td><td>65.97</td><td>29.61</td><td>5.68</td><td>52.40</td><td>--- Peak</td></tr><tr><td>2</td><td>2365.50</td><td>45.23</td><td>-----</td><td>60.26</td><td>30.60</td><td>6.84</td><td>52.47</td><td>--- Peak</td></tr><tr><td>3</td><td>4924.00</td><td>50.84</td><td>74.00 -23.16</td><td>57.63</td><td>35.54</td><td>10.32</td><td>52.65</td><td>106 266 Peak</td></tr><tr><td>4</td><td>4924.00</td><td>39.31</td><td>54.00 -14.69</td><td>46.10</td><td>35.54</td><td>10.32</td><td>52.65</td><td>106 266 Average</td></tr><tr><td>5</td><td>7386.00</td><td>46.22</td><td>74.00 -27.78</td><td>49.92</td><td>36.57</td><td>11.98</td><td>52.25</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	1577.00	48.86	-----	65.97	29.61	5.68	52.40	--- Peak	2	2365.50	45.23	-----	60.26	30.60	6.84	52.47	--- Peak	3	4924.00	50.84	74.00 -23.16	57.63	35.54	10.32	52.65	106 266 Peak	4	4924.00	39.31	54.00 -14.69	46.10	35.54	10.32	52.65	106 266 Average	5	7386.00	46.22	74.00 -27.78	49.92	36.57	11.98	52.25	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																		
1	1577.00	47.17	-----	64.28	29.61	5.68	52.40	--- Peak																																																																																																																																																		
2	2365.50	44.04	-----	59.07	30.60	6.84	52.47	--- Peak																																																																																																																																																		
3	4924.00	53.19	74.00 -20.81	59.98	35.54	10.32	52.65	100 360 Peak																																																																																																																																																		
4	4924.00	42.16	54.00 -11.84	48.95	35.54	10.32	52.65	100 360 Average																																																																																																																																																		
5	7386.00	45.75	74.00 -28.25	49.45	36.57	11.98	52.25	--- Peak																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																		
1	1577.00	48.86	-----	65.97	29.61	5.68	52.40	--- Peak																																																																																																																																																		
2	2365.50	45.23	-----	60.26	30.60	6.84	52.47	--- Peak																																																																																																																																																		
3	4924.00	50.84	74.00 -23.16	57.63	35.54	10.32	52.65	106 266 Peak																																																																																																																																																		
4	4924.00	39.31	54.00 -14.69	46.10	35.54	10.32	52.65	106 266 Average																																																																																																																																																		
5	7386.00	46.22	74.00 -27.78	49.92	36.57	11.98	52.25	--- Peak																																																																																																																																																		

Remark:


- Frequency points #1 & #2 are LTE Band 14 harmonics, the converted ERP results are shown in the WWAN RSE Table.
- The frequency point over limit line is WLAN 2.4G fundamental signal and can be ignored.

Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Ant 6	802.11b	98.82	-	-	10Hz
Ant 6	802.11g	93.29	1.39	0.719	1kHz
Ant 6	802.11n HT20	92.86	1.3	0.769	1kHz
Ant 6	802.11ax HE20-Full RU/Partial RU	90.09	1	1	1kHz
Ant 7	802.11b	98.47	-	-	10Hz
Ant 7	802.11g	93.29	1.39	0.719	1kHz
Ant 7	802.11n HT20	92.86	1.3	0.769	1kHz
Ant 7	802.11ax HE20-Full RU/Partial RU	90.99	1.01	0.990	1kHz

<Ant 6>


802.11b



802.11g




802.11n HT20






802.11ax HE20 - Full RU/Partial RU




<Ant 7>

802.11b






802.11g



802.11n HT20





802.11ax HE20 - Full RU/Partial RU

