



PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12154.58	45.30	51.85	6.55	74.00	22.15	PK	Horizontal	PASS
2	13347.67	43.41	51.53	8.12	74.00	22.47	PK	Horizontal	PASS
3	14278.14	42.89	51.49	8.60	74.00	22.51	PK	Horizontal	PASS
4	14915.96	43.18	51.08	7.90	74.00	22.92	PK	Horizontal	PASS
5	16004.00	43.19	52.87	9.68	74.00	21.13	PK	Horizontal	PASS
6	17107.05	40.46	51.96	11.50	74.00	22.04	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12222.11	45.31	51.89	6.58	74.00	22.11	PK	Vertical	PASS
2	13235.12	43.28	51.61	8.33	74.00	22.39	PK	Vertical	PASS
3	14188.09	42.87	51.72	8.85	74.00	22.28	PK	Vertical	PASS
4	15996.50	41.71	51.38	9.67	74.00	22.62	PK	Vertical	PASS
5	16649.32	41.30	51.95	10.65	74.00	22.05	PK	Vertical	PASS
6	17572.29	39.69	51.93	12.24	74.00	22.07	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12214.61	45.09	51.70	6.61	74.00	22.30	PK	Horizontal	PASS
2	13295.15	43.79	52.01	8.22	74.00	21.99	PK	Horizontal	PASS
3	14210.61	43.72	52.58	8.86	74.00	21.42	PK	Horizontal	PASS
4	15996.50	41.83	51.50	9.67	74.00	22.50	PK	Horizontal	PASS
5	16499.25	42.44	52.79	10.35	74.00	21.21	PK	Horizontal	PASS
6	17737.37	39.11	51.40	12.29	74.00	22.60	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12162.08	44.69	51.26	6.57	74.00	22.74	PK	Vertical	PASS
2	13250.13	43.17	51.48	8.31	74.00	22.52	PK	Vertical	PASS
3	14113.06	43.73	52.20	8.47	74.00	21.80	PK	Vertical	PASS
4	15403.70	43.90	52.29	8.39	74.00	21.71	PK	Vertical	PASS
5	15958.98	43.15	52.47	9.32	74.00	21.53	PK	Vertical	PASS
6	17602.30	39.12	51.61	12.49	74.00	22.39	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12229.61	44.73	51.29	6.56	74.00	22.71	PK	Horizontal	PASS
2	13302.65	43.77	51.98	8.21	74.00	22.02	PK	Horizontal	PASS
3	14210.61	43.44	52.30	8.86	74.00	21.70	PK	Horizontal	PASS
4	15441.22	44.17	52.49	8.32	74.00	21.51	PK	Horizontal	PASS
5	16769.38	41.70	52.26	10.56	74.00	21.74	PK	Horizontal	PASS
6	17602.30	39.52	52.01	12.49	74.00	21.99	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12177.09	45.78	52.39	6.61	74.00	21.61	PK	Vertical	PASS
2	13377.69	43.99	52.06	8.07	74.00	21.94	PK	Vertical	PASS
3	14225.61	43.10	51.91	8.81	74.00	22.09	PK	Vertical	PASS
4	15448.72	42.83	51.15	8.32	74.00	22.85	PK	Vertical	PASS
5	16319.16	42.31	52.02	9.71	74.00	21.98	PK	Vertical	PASS
6	17234.62	40.10	51.64	11.54	74.00	22.36	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12222.11	46.20	52.78	6.58	74.00	21.22	PK	Horizontal	PASS
2	13280.14	43.27	51.52	8.25	74.00	22.48	PK	Horizontal	PASS
3	14233.12	43.10	51.87	8.77	74.00	22.13	PK	Horizontal	PASS
4	16004.00	41.87	51.55	9.68	74.00	22.45	PK	Horizontal	PASS
5	16446.72	42.47	52.63	10.16	74.00	21.37	PK	Horizontal	PASS
6	17182.09	40.23	51.91	11.68	74.00	22.09	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12214.61	45.16	51.77	6.61	74.00	22.23	PK	Vertical	PASS
2	13167.58	44.36	52.62	8.26	74.00	21.38	PK	Vertical	PASS
3	14083.04	43.89	52.22	8.33	74.00	21.78	PK	Vertical	PASS
4	15343.67	43.47	51.52	8.05	74.00	22.48	PK	Vertical	PASS
5	16506.75	41.63	52.01	10.38	74.00	21.99	PK	Vertical	PASS
6	17122.06	39.94	51.48	11.54	74.00	22.52	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	11584.29	45.52	51.28	5.76	74.00	22.72	PK	Horizontal	PASS
2	12177.09	44.88	51.49	6.61	74.00	22.51	PK	Horizontal	PASS
3	13295.15	44.09	52.31	8.22	74.00	21.69	PK	Horizontal	PASS
4	14225.61	43.01	51.82	8.81	74.00	22.18	PK	Horizontal	PASS
5	15981.49	42.25	51.78	9.53	74.00	22.22	PK	Horizontal	PASS
6	16791.90	41.31	51.84	10.53	74.00	22.16	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	8485.24	45.48	48.75	3.27	74.00	25.25	PK	Vertical	PASS
2	13227.61	43.31	51.66	8.35	74.00	22.34	PK	Vertical	PASS
3	14180.59	44.27	53.08	8.81	74.00	20.92	PK	Vertical	PASS
4	14998.50	42.94	51.10	8.16	74.00	22.90	PK	Vertical	PASS
5	16656.83	41.10	51.75	10.65	74.00	22.25	PK	Vertical	PASS
6	17212.11	40.01	51.67	11.66	74.00	22.33	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9985.99	46.18	50.64	4.46	74.00	23.36	PK	Horizontal	PASS
2	12274.64	44.93	51.34	6.41	74.00	22.66	PK	Horizontal	PASS
3	13287.64	43.26	51.50	8.24	74.00	22.50	PK	Horizontal	PASS
4	14090.55	43.63	52.00	8.37	74.00	22.00	PK	Horizontal	PASS
5	15996.50	42.57	52.24	9.67	74.00	21.76	PK	Horizontal	PASS
6	17189.59	39.83	51.51	11.68	74.00	22.49	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	9925.96	46.31	50.35	4.04	74.00	23.65	PK	Vertical	PASS
2	12289.64	46.07	52.43	6.36	74.00	21.57	PK	Vertical	PASS
3	13167.58	43.48	51.74	8.26	74.00	22.26	PK	Vertical	PASS
4	14173.09	42.99	51.75	8.76	74.00	22.25	PK	Vertical	PASS
5	16034.02	42.40	52.03	9.63	74.00	21.97	PK	Vertical	PASS
6	17204.60	40.69	52.38	11.69	74.00	21.62	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Project Information


Test Mode	802.11n HT	Frequency	2462
Bandwidth	40M	Voltage	DC 3.65V
Environment	Temp: 23.4°C; Humi:57%	Test Date	2025-08-30
Note	\	Engineer	Leslie Xie



PEAK Data List

NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12169.58	45.01	51.60	6.59	74.00	22.40	PK	Horizontal	PASS
2	13295.15	44.52	52.74	8.22	74.00	21.26	PK	Horizontal	PASS
3	14173.09	43.50	52.26	8.76	74.00	21.74	PK	Horizontal	PASS
4	15396.20	42.80	51.18	8.38	74.00	22.82	PK	Horizontal	PASS
5	16439.22	42.72	52.86	10.14	74.00	21.14	PK	Horizontal	PASS
6	17662.33	39.27	51.66	12.39	74.00	22.34	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




PEAK Data List									
NO	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Detector	Polarity	Verdict
1	12259.63	45.05	51.51	6.46	74.00	22.49	PK	Vertical	PASS
2	14203.10	43.53	52.41	8.88	74.00	21.59	PK	Vertical	PASS
3	14991.00	43.49	51.62	8.13	74.00	22.38	PK	Vertical	PASS
4	16049.02	41.94	51.54	9.60	74.00	22.46	PK	Vertical	PASS
5	16589.29	41.48	52.13	10.65	74.00	21.87	PK	Vertical	PASS
6	17159.58	40.09	51.71	11.62	74.00	22.29	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


SPURIOUS EMISSIONS(9 kHz~30 MHz)

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.65V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0106	75.88	-101.39	-25.51	47.09	-77.01	-4.41	-72.60	peak
2	0.0177	69.84	-101.35	-31.51	42.64	-83.01	-8.86	-74.15	peak
3	0.0316	66.24	-101.40	-35.16	37.61	-86.66	-13.89	-72.77	peak
4	0.0466	63.17	-101.46	-38.29	34.23	-89.79	-17.27	-72.52	peak
5	0.0675	62.64	-101.56	-38.92	31.02	-90.42	-20.48	-69.94	peak
6	0.0985	61.05	-101.78	-40.73	27.73	-92.23	-23.77	-68.46	peak

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.65V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1595	76.36	-101.65	-25.29	23.55	-76.79	-27.95	-48.84	peak
2	0.1794	74.27	-101.68	-27.41	22.53	-78.91	-28.97	-49.94	peak
3	0.2190	70.27	-101.75	-31.48	20.79	-82.98	-30.71	-52.27	peak
4	0.2530	68.14	-101.80	-33.66	19.54	-85.16	-31.96	-53.20	peak
5	0.3251	62.21	-101.88	-39.67	17.36	-91.17	-34.14	-57.03	peak
6	0.4062	59.64	-101.96	-42.32	15.43	-93.82	-36.07	-57.75	peak


Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.65V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.8296	62.94	-62.17	0.77	29.23	-50.73	-22.27	-28.46	peak
2	1.8205	56.45	-61.90	-5.45	29.54	-56.95	-21.96	-34.99	peak
3	3.8246	54.70	-61.38	-6.68	29.54	-58.18	-21.96	-36.22	peak
4	7.5724	53.45	-61.14	-7.69	29.54	-59.19	-21.96	-37.23	peak
5	16.6021	55.02	-60.96	-5.94	29.54	-57.44	-21.96	-35.48	peak
6	25.8978	53.76	-60.36	-6.60	29.54	-58.10	-21.96	-36.14	peak


SPURIOUS EMISSIONS(18 GHz~26 GHz)

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.65V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18144.000	49.77	-5.48	44.29	74.00	-29.71	peak
2	19392.000	50.62	-5.57	45.05	74.00	-28.95	peak
3	21032.000	50.15	-4.87	45.28	74.00	-28.72	peak
4	22160.000	49.58	-4.31	45.27	74.00	-28.73	peak
5	24208.000	48.21	-2.81	45.40	74.00	-28.60	peak
6	25512.000	47.30	-1.73	45.57	74.00	-28.43	peak


Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Vertical	Test Voltage:	DC 3.65V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18504.000	50.27	-5.25	45.02	74.00	-28.98	peak
2	19984.000	50.21	-5.44	44.77	74.00	-29.23	peak
3	21264.000	49.35	-4.76	44.59	74.00	-29.41	peak
4	22616.000	48.59	-3.80	44.79	74.00	-29.21	peak
5	24448.000	46.42	-2.42	44.00	74.00	-30.00	peak
6	25632.000	45.56	-1.16	44.40	74.00	-29.60	peak


SPURIOUS EMISSIONS(30 MHz~1 GHz)

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Horizontal	Test Voltage:	DC 3.65V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	45.5200	33.45	-14.94	18.51	40.00	-21.49	QP
2	250.1900	33.21	-14.56	18.65	46.00	-27.35	QP
3	431.5800	35.24	-8.68	26.56	46.00	-19.44	QP
4	576.1100	33.84	-6.35	27.49	46.00	-18.51	QP
5	864.2000	30.29	-1.06	29.23	46.00	-16.77	QP
6	971.8700	28.31	-0.53	27.78	54.00	-26.22	QP

Test Mode:	802.11b	Frequency(MHz):	2412
Polarity:	Vertical	Test Voltage:	DC 3.65V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	53.2800	34.26	-15.03	19.23	40.00	-20.77	QP
2	182.2899	23.34	-11.86	11.48	43.50	-32.02	QP
3	250.1900	31.43	-14.56	16.87	46.00	-29.13	QP
4	431.5800	38.81	-8.68	30.13	46.00	-15.87	QP
5	485.9000	35.05	-7.81	27.24	46.00	-18.76	QP
6	971.8700	33.25	-0.53	32.72	54.00	-21.28	QP

END OF REPORT