

Material Safety Data Sheet



Section 1. Product and Company Identification

Spec Code: 40443
Product Name: 2M WH PET TC/S730/50#SCK
Product Use: Pressure Sensitive Label Stock
Manufacturer: Avery Dennison Corporation
Fasson Roll North America
7670 Auburn Road
Painesville, OH 44077
Phone: 440/358-6000
Fax #: 440/358-6596

HMIS Ratings:

Health 0
Flammability 0
Reactivity 0

Emergency Number: 800/535-5053 InfoTrac

Information Contacts:

For technical information contact your technical sales representative. For additional health/safety/regulatory information please contact:
Fasson's Environmental Health & Safety Department at 440/358-6518.

Section 2. Composition/Information on Components

Name	CAS Number	OSHA Hazard (Yes/ No)	Percent (by wt.)	Exposure Limits	
				OSHA TWA/STEL	ACGIH TWA/STEL
Face	N/A	No	30-40	Not established	Not established
Liner	N/A	No	50-60	Not established	Not established
Adhesive	N/A	No	10-20	Not established	Not established

Section 3. Hazardous Identification

This product contains no hazardous ingredients as defined under OSHA 1900.1200.

Section 4. First Aid Measures

This product is an article, exposure is not expected. Cuts are possible when handling this material. Provide first aid as with any other cut or abrasion.

Eye: N/A
Skin: N/A
Inhalation: N/A
Ingestion: N/A

Material Safety Data Sheet



Section 5. Fire Fighting Measures

Flash Point: N/A **LEL:** N/A **UEL:** N/A
Extinguishing Media: Use foam, carbon dioxide, or water spray when fighting fires involving this material.
Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus and full protective gear.
Unusual Hazards: Combustion of this material may evolve smoke, fumes and noxious odors.

Section 6. Accidental Release Measures

Spill or Release Procedures: Article, no spill or release expected.

Section 7. Handling and Storage

Handling: Lift with proper handling techniques.
Storage: Store in cool, dry area. 72°F with 50% RH recommended.

Section 8. Exposure Control/Personal Protection

Engineering Controls: Provide mechanical ventilation when processing this material in enclosed areas.

Personal Protective Equipment:

General:	Gloves
Eye/Face Protection:	N/A
Skin Protection:	Cotton or Leather Gloves
Respiratory Protection:	N/A

Section 9. Physical and Chemical Properties

Adhesive Properties: Clear, solvent acrylic adhesive.
Face Stock Properties: Homogenously pigmented, white polyester film.
Liner Properties: Bleached, super calendered kraft stock.

Section 10. Stability and Reactivity

Chemical Stability: Stable
Incompatibility with Other Materials: Elevated temperature, heat and sparks
Hazardous Decomposition Products: Carbon monoxide
Hazardous Polymerization: Not known to occur

Section 11. Toxicological Information

No toxicological tests have been performed on this product.

Section 12. Ecological Information

No toxicological tests have been performed on this product.

Material Safety Data Sheet



Section 13. Disposal Considerations

Dispose of in accordance with Local, State and Federal Regulations

Section 14. Transport Information

Not regulated under DOT.

Section 15. Regulatory Information

U.S. Federal Regulations:

SARA 302:	N/A
SARA 304:	N/A
SARA 311-312:	N/A
SARA 313:	N/A
TSCA 8(b):	Exempt from listing on inventory, article.

International Regulations: N/A

State Regulations: N/A

Section 16. Other Information

Revised: April 6, 2004

Created: January 29, 2003

Disclaimer:

The information and recommendations contained herein upon data believed to be correct. However, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein. This document is furnished for product information, this product is considered an article which is exempt under the OSHA HCS 1900.1200.