

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	48.19	-15.19	74.0	-25.81	Peak	114.00	150	Horizontal	Pass
1**	1499.800	38.37	-15.19	54.0	-15.63	AV	114.00	150	Horizontal	Pass
2	2097.900	45.92	-11.45	68.2	-22.28	Peak	270.00	150	Horizontal	Pass
2**	2097.900	38.63	-11.45	--	--	AV	270.00	150	Horizontal	N/A
3	4180.200	47.76	-3.97	74.0	-26.24	Peak	288.00	150	Horizontal	Pass
3**	4180.200	36.22	-3.97	54.0	-17.78	AV	288.00	150	Horizontal	Pass
4	5263.800	106.14	-0.86	--	--	Peak	300.00	150	Horizontal	N/A
4**	5263.800	99.43	-0.86	--	--	AV	300.00	150	Horizontal	N/A
5	12218.412	49.73	20.45	74.0	-24.27	Peak	207.00	150	Horizontal	Pass
5**	12218.412	39.19	20.45	54.0	-14.81	AV	207.00	150	Horizontal	Pass
6	15627.000	54.98	23.49	74.0	-19.02	Peak	296.00	150	Horizontal	Pass
6**	15627.000	43.11	23.49	54.0	-10.89	AV	296.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.100	48.53	-15.06	74.0	-25.47	Peak	363.00	150	Vertical	Pass
1**	1497.100	40.27	-15.06	54.0	-13.73	AV	363.00	150	Vertical	Pass
2	2102.700	48.37	-11.51	68.2	-19.83	Peak	201.00	150	Vertical	Pass
2**	2102.700	35.92	-11.51	--	--	AV	201.00	150	Vertical	N/A
3	4252.800	48.26	-3.16	74.0	-25.74	Peak	221.00	150	Vertical	Pass
3**	4252.800	37.60	-3.16	54.0	-16.40	AV	221.00	150	Vertical	Pass
4	5265.600	102.09	-0.73	--	--	Peak	298.00	150	Vertical	N/A
4**	5265.600	93.96	-0.73	--	--	AV	298.00	150	Vertical	N/A
5	12148.838	50.39	19.91	74.0	-23.61	Peak	177.00	150	Vertical	Pass
5**	12148.838	38.37	19.91	54.0	-15.63	AV	177.00	150	Vertical	Pass
6	16016.812	55.35	23.97	74.0	-18.65	Peak	340.00	150	Vertical	Pass
6**	16016.812	42.80	23.97	54.0	-11.20	AV	340.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.800	49.48	-15.00	74.0	-24.52	Peak	361.00	150	Horizontal	Pass
1**	1502.800	36.40	-15.00	54.0	-17.60	AV	361.00	150	Horizontal	Pass
2	2100.400	45.61	-11.53	68.2	-22.59	Peak	340.00	150	Horizontal	Pass
2**	2100.400	34.73	-11.53	--	--	AV	340.00	150	Horizontal	N/A
3	4226.400	47.16	-3.62	74.0	-26.84	Peak	320.00	150	Horizontal	Pass
3**	4226.400	35.43	-3.62	54.0	-18.57	AV	320.00	150	Horizontal	Pass
4	5298.600	108.06	0.26	--	--	Peak	272.00	150	Horizontal	N/A
4**	5298.600	101.24	0.26	--	--	AV	272.00	150	Horizontal	N/A
5	11569.812	51.13	19.83	74.0	-22.87	Peak	288.00	150	Horizontal	Pass
5**	11569.812	39.05	19.83	54.0	-14.95	AV	288.00	150	Horizontal	Pass
6	15706.800	55.40	23.53	74.0	-18.60	Peak	51.00	150	Horizontal	Pass
6**	15706.800	43.47	23.53	54.0	-10.53	AV	51.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	47.26	-15.20	74.0	-26.74	Peak	104.00	150	Vertical	Pass
1**	1500.200	38.19	-15.20	54.0	-15.81	AV	104.00	150	Vertical	Pass
2	2097.900	48.78	-11.45	68.2	-19.42	Peak	361.00	150	Vertical	Pass
2**	2097.900	40.31	-11.45	--	--	AV	361.00	150	Vertical	N/A
3	4044.600	46.89	-3.91	74.0	-27.11	Peak	253.00	150	Vertical	Pass
3**	4044.600	35.89	-3.91	54.0	-18.11	AV	253.00	150	Vertical	Pass
4	5300.800	103.55	0.28	--	--	Peak	284.00	150	Vertical	N/A
4**	5300.800	96.32	0.28	--	--	AV	284.00	150	Vertical	N/A
5	12132.163	50.14	19.77	74.0	-23.86	Peak	117.00	150	Vertical	Pass
5**	12132.163	38.83	19.77	54.0	-15.17	AV	117.00	150	Vertical	Pass
6	15543.788	54.95	23.67	74.0	-19.05	Peak	18.00	150	Vertical	Pass
6**	15543.788	42.93	23.67	54.0	-11.07	AV	18.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	49.51	-15.18	74.0	-24.49	Peak	361.00	150	Horizontal	Pass
1**	1499.400	34.83	-15.18	54.0	-19.17	AV	361.00	150	Horizontal	Pass
2	2109.700	49.98	-11.68	68.2	-18.22	Peak	58.00	150	Horizontal	Pass
2**	2109.700	30.59	-11.68	--	--	AV	58.00	150	Horizontal	N/A
3	3992.000	46.37	-4.49	74.0	-27.63	Peak	317.00	150	Horizontal	Pass
3**	3992.000	34.77	-4.49	54.0	-19.23	AV	317.00	150	Horizontal	Pass
4	5324.600	109.58	-0.14	--	--	Peak	288.00	150	Horizontal	N/A
4**	5324.600	101.44	-0.14	--	--	AV	288.00	150	Horizontal	N/A
5	12147.974	51.49	19.90	74.0	-22.51	Peak	251.00	150	Horizontal	Pass
5**	12147.974	37.92	19.90	54.0	-16.08	AV	251.00	150	Horizontal	Pass
6	15648.000	54.60	23.53	74.0	-19.40	Peak	187.00	150	Horizontal	Pass
6**	15648.000	43.97	23.53	54.0	-10.03	AV	187.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.800	47.92	-15.00	74.0	-26.08	Peak	361.00	150	Vertical	Pass
1**	1502.800	32.47	-15.00	54.0	-21.53	AV	361.00	150	Vertical	Pass
2	2099.900	50.41	-11.60	68.2	-17.79	Peak	361.00	150	Vertical	Pass
2**	2099.900	38.00	-11.60	--	--	AV	361.00	150	Vertical	N/A
3	4257.800	46.95	-3.30	74.0	-27.05	Peak	214.00	150	Vertical	Pass
3**	4257.800	36.11	-3.30	54.0	-17.89	AV	214.00	150	Vertical	Pass
4	5324.200	103.37	-0.10	--	--	Peak	289.00	150	Vertical	N/A
4**	5324.200	96.46	-0.10	--	--	AV	289.00	150	Vertical	N/A
5	12157.750	50.08	20.02	74.0	-23.92	Peak	355.00	150	Vertical	Pass
5**	12157.750	38.77	20.02	54.0	-15.23	AV	355.00	150	Vertical	Pass
6	15513.862	54.79	23.83	74.0	-19.21	Peak	1.00	150	Vertical	Pass
6**	15513.862	43.40	23.83	54.0	-10.60	AV	1.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.800	48.93	-15.02	74.0	-25.07	Peak	122.00	150	Horizontal	Pass
1**	1509.800	41.81	-15.02	54.0	-12.19	AV	122.00	150	Horizontal	Pass
2	2103.400	47.63	-11.63	--	--	Peak	182.00	150	Horizontal	Pass
2**	2103.400	37.28	-11.63	--	37.28	AV	182.00	150	Horizontal	N/A
3	4168.600	47.56	-3.77	74.0	-26.44	Peak	160.00	150	Horizontal	Pass
3**	4168.600	35.50	-3.77	54.0	-18.50	AV	160.00	150	Horizontal	Pass
4	5285.200	105.51	-0.38	--	--	Peak	289.00	150	Horizontal	N/A
4**	5285.200	97.99	-0.38	--	--	AV	289.00	150	Horizontal	N/A
5	11740.875	50.36	19.08	74.0	-23.64	Peak	360.00	150	Horizontal	Pass
5**	11740.875	37.97	19.08	54.0	-16.03	AV	360.00	150	Horizontal	Pass
6	15727.537	54.75	23.47	74.0	-19.25	Peak	1.00	150	Horizontal	Pass
6**	15727.537	43.53	23.47	54.0	-10.47	AV	1.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.000	51.94	-15.14	74.0	-22.06	Peak	16.00	150	Vertical	Pass
1**	1498.000	33.12	-15.14	54.0	-20.88	AV	16.00	150	Vertical	Pass
2	2100.100	52.23	-11.57	68.2	-15.97	Peak	361.00	150	Vertical	Pass
2**	2100.100	42.45	-11.57	--	--	AV	361.00	150	Vertical	N/A
3	4113.800	47.68	-4.19	74.0	-26.32	Peak	292.00	150	Vertical	Pass
3**	4113.800	35.21	-4.19	54.0	-18.79	AV	292.00	150	Vertical	Pass
4	5276.600	100.73	-0.51	--	--	Peak	292.00	150	Vertical	N/A
4**	5276.600	93.01	-0.51	--	--	AV	292.00	150	Vertical	N/A
5	11000.849	50.66	19.02	74.0	-23.34	Peak	317.00	150	Vertical	Pass
5**	11000.849	38.64	19.02	54.0	-15.36	AV	317.00	150	Vertical	Pass
6	15606.525	54.92	23.52	74.0	-19.08	Peak	3.00	150	Vertical	Pass
6**	15606.525	42.95	23.52	54.0	-11.05	AV	3.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.500	48.69	-14.99	74.0	-25.31	Peak	42.00	150	Horizontal	Pass
1**	1502.500	32.33	-14.99	54.0	-21.67	AV	42.00	150	Horizontal	Pass
2	2811.400	42.05	-8.58	74.0	-31.95	Peak	363.00	150	Horizontal	Pass
2**	2811.400	32.36	-8.58	54.0	-21.64	AV	363.00	150	Horizontal	Pass
3	4057.400	46.62	-3.93	74.0	-27.38	Peak	3.00	150	Horizontal	Pass
3**	4057.400	34.92	-3.93	54.0	-19.08	AV	3.00	150	Horizontal	Pass
4	5305.400	107.51	0.27	--	--	Peak	278.00	150	Horizontal	N/A
4**	5305.400	99.50	0.27	--	--	AV	278.00	150	Horizontal	N/A
5	11680.787	49.86	20.06	74.0	-24.14	Peak	132.00	150	Horizontal	Pass
5**	11680.787	38.51	20.06	54.0	-15.49	AV	132.00	150	Horizontal	Pass
6	15879.000	55.44	23.35	74.0	-18.56	Peak	6.00	150	Horizontal	Pass
6**	15879.000	42.89	23.35	54.0	-11.11	AV	6.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	50.49	-15.18	74.0	-23.51	Peak	363.00	150	Vertical	Pass
1**	1499.300	39.71	-15.18	54.0	-14.29	AV	363.00	150	Vertical	Pass
2	2099.500	52.75	-11.64	68.2	-15.45	Peak	362.00	150	Vertical	Pass
2**	2099.500	41.69	-11.64	--	--	AV	362.00	150	Vertical	N/A
3	4029.600	46.70	-3.99	74.0	-27.30	Peak	229.00	150	Vertical	Pass
3**	4029.600	34.94	-3.99	54.0	-19.06	AV	229.00	150	Vertical	Pass
4	5304.600	101.47	0.32	--	--	Peak	289.00	150	Vertical	N/A
4**	5304.600	94.97	0.32	--	--	AV	289.00	150	Vertical	N/A
5	11610.637	50.04	20.19	74.0	-23.96	Peak	77.00	150	Vertical	Pass
5**	11610.637	38.99	20.19	54.0	-15.01	AV	77.00	150	Vertical	Pass
6	15942.787	55.61	23.92	74.0	-18.39	Peak	138.00	150	Vertical	Pass
6**	15942.787	44.47	23.92	54.0	-9.53	AV	138.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.000	50.35	-15.04	74.0	-23.65	Peak	45.00	150	Horizontal	Pass
1**	1502.000	38.34	-15.04	54.0	-15.66	AV	45.00	150	Horizontal	Pass
2	2092.000	45.76	-11.79	68.2	-22.44	Peak	100.00	150	Horizontal	Pass
2**	2092.000	31.24	-11.79	--	--	AV	100.00	150	Horizontal	N/A
3	4049.000	46.97	-3.78	74.0	-27.03	Peak	333.00	150	Horizontal	Pass
3**	4049.000	34.88	-3.78	54.0	-19.12	AV	333.00	150	Horizontal	Pass
4	5252.800	106.03	-1.08	--	--	Peak	301.00	150	Horizontal	N/A
4**	5252.800	98.74	-1.08	--	--	AV	301.00	150	Horizontal	N/A
5	11693.150	50.08	19.91	74.0	-23.92	Peak	263.00	150	Horizontal	Pass
5**	11693.150	38.02	19.91	54.0	-15.98	AV	263.00	150	Horizontal	Pass
6	15455.849	55.57	23.47	74.0	-18.43	Peak	1.00	150	Horizontal	Pass
6**	15455.849	43.14	23.47	54.0	-10.86	AV	1.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.100	48.39	-15.17	74.0	-25.61	Peak	41.00	150	Vertical	Pass
1**	1499.100	35.48	-15.17	54.0	-18.52	AV	41.00	150	Vertical	Pass
2	2763.800	41.77	-8.94	74.0	-32.23	Peak	362.00	150	Vertical	Pass
2**	2763.800	31.09	-8.94	54.0	-22.91	AV	362.00	150	Vertical	Pass
3	4254.200	47.21	-3.07	74.0	-26.79	Peak	238.00	150	Vertical	Pass
3**	4254.200	35.69	-3.07	54.0	-18.31	AV	238.00	150	Vertical	Pass
4	5265.200	101.35	-0.76	--	--	Peak	287.00	150	Vertical	N/A
4**	5265.200	94.32	-0.76	--	--	AV	287.00	150	Vertical	N/A
5	11636.225	50.22	20.34	74.0	-23.78	Peak	343.00	150	Vertical	Pass
5**	11636.225	38.02	20.34	54.0	-15.98	AV	343.00	150	Vertical	Pass
6	15629.100	55.71	23.50	74.0	-18.29	Peak	3.00	150	Vertical	Pass
6**	15629.100	43.16	23.50	54.0	-10.84	AV	3.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	47.23	-15.19	74.0	-26.77	Peak	154.00	150	Horizontal	Pass
1**	1499.900	33.68	-15.19	54.0	-20.32	AV	154.00	150	Horizontal	Pass
2	2120.100	49.85	-11.83	68.2	-18.35	Peak	358.00	150	Horizontal	Pass
2**	2120.100	41.83	-11.83	--	--	AV	358.00	150	Horizontal	N/A
3	3970.200	47.13	-4.18	74.0	-26.87	Peak	314.00	150	Horizontal	Pass
3**	3970.200	35.33	-4.18	54.0	-18.67	AV	314.00	150	Horizontal	Pass
4	5295.000	108.46	0.11	--	--	Peak	280.00	150	Horizontal	N/A
4**	5295.000	100.86	0.11	--	--	AV	280.00	150	Horizontal	N/A
5	11606.901	49.88	20.17	74.0	-24.12	Peak	60.00	150	Horizontal	Pass
5**	11606.901	39.05	20.17	54.0	-14.95	AV	60.00	150	Horizontal	Pass
6	15646.162	55.39	23.54	74.0	-18.61	Peak	343.00	150	Horizontal	Pass
6**	15646.162	43.21	23.54	54.0	-10.79	AV	343.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.700	46.03	-15.18	74.0	-27.97	Peak	93.00	150	Vertical	Pass
1**	1486.700	39.78	-15.18	54.0	-14.22	AV	93.00	150	Vertical	Pass
2	2110.300	52.84	-11.70	68.2	-15.36	Peak	192.00	150	Vertical	Pass
2**	2110.300	42.64	-11.70	--	--	AV	192.00	150	Vertical	N/A
3	4297.400	47.94	-3.59	74.0	-26.06	Peak	100.00	150	Vertical	Pass
3**	4297.400	36.05	-3.59	54.0	-17.95	AV	100.00	150	Vertical	Pass
4	5294.800	103.23	0.08	--	--	Peak	288.00	150	Vertical	N/A
4**	5294.800	96.06	0.08	--	--	AV	288.00	150	Vertical	N/A
5	12119.513	50.03	19.63	74.0	-23.97	Peak	216.00	150	Vertical	Pass
5**	12119.513	40.30	19.63	54.0	-13.70	AV	216.00	150	Vertical	Pass
6	15563.737	54.89	23.58	74.0	-19.11	Peak	116.00	150	Vertical	Pass
6**	15563.737	43.79	23.58	54.0	-10.21	AV	116.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	52.64	-15.19	74.0	-21.36	Peak	160.00	150	Horizontal	Pass
1**	1500.000	44.57	-15.19	54.0	-9.43	AV	160.00	150	Horizontal	Pass
2	2099.700	45.54	-11.63	68.2	-22.66	Peak	286.00	150	Horizontal	Pass
2**	2099.700	31.83	-11.63	--	--	AV	286.00	150	Horizontal	N/A
3	3974.200	46.73	-4.15	74.0	-27.27	Peak	295.00	150	Horizontal	Pass
3**	3974.200	35.01	-4.15	54.0	-18.99	AV	295.00	150	Horizontal	Pass
4	5324.600	108.49	-0.14	--	--	Peak	295.00	150	Horizontal	N/A
4**	5324.600	101.08	-0.14	--	--	AV	295.00	150	Horizontal	N/A
5	12154.299	50.43	19.97	74.0	-23.57	Peak	181.00	150	Horizontal	Pass
5**	12154.299	37.59	19.97	54.0	-16.41	AV	181.00	150	Horizontal	Pass
6	15610.724	55.11	23.50	74.0	-18.89	Peak	285.00	150	Horizontal	Pass
6**	15610.724	44.09	23.50	54.0	-9.91	AV	285.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.200	46.12	-15.13	74.0	-27.88	Peak	361.00	150	Vertical	Pass
1**	1490.200	31.46	-15.13	54.0	-22.54	AV	361.00	150	Vertical	Pass
2	2843.600	41.83	-8.11	74.0	-32.17	Peak	300.00	150	Vertical	Pass
2**	2843.600	31.90	-8.11	54.0	-22.10	AV	300.00	150	Vertical	Pass
3	3985.200	47.49	-4.31	74.0	-26.51	Peak	270.00	150	Vertical	Pass
3**	3985.200	35.70	-4.31	54.0	-18.30	AV	270.00	150	Vertical	Pass
4	5314.200	104.03	0.10	--	--	Peak	289.00	150	Vertical	N/A
4**	5314.200	96.92	0.10	--	--	AV	289.00	150	Vertical	N/A
5	11499.375	50.04	19.16	74.0	-23.96	Peak	287.00	150	Vertical	Pass
5**	11499.375	38.79	19.16	54.0	-15.21	AV	287.00	150	Vertical	Pass
6	15646.425	55.25	23.54	74.0	-18.75	Peak	274.00	150	Vertical	Pass
6**	15646.425	44.29	23.54	54.0	-9.71	AV	274.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	50.31	-15.19	74.0	-23.69	Peak	99.00	150	Horizontal	Pass
1**	1499.900	41.64	-15.19	54.0	-12.36	AV	99.00	150	Horizontal	Pass
2	2100.000	48.80	-11.58	68.2	-19.40	Peak	73.00	150	Horizontal	Pass
2**	2100.000	36.97	-11.58	--	--	AV	73.00	150	Horizontal	N/A
3	4029.400	47.72	-4.00	74.0	-26.28	Peak	347.00	150	Horizontal	Pass
3**	4029.400	37.44	-4.00	54.0	-16.56	AV	347.00	150	Horizontal	Pass
4	5275.800	105.32	-0.53	--	--	Peak	293.00	150	Horizontal	N/A
4**	5275.800	98.20	-0.53	--	--	AV	293.00	150	Horizontal	N/A
5	11760.137	50.30	18.85	74.0	-23.70	Peak	63.00	150	Horizontal	Pass
5**	11760.137	38.30	18.85	54.0	-15.70	AV	63.00	150	Horizontal	Pass
6	15917.850	54.61	23.60	74.0	-19.39	Peak	210.00	150	Horizontal	Pass
6**	15917.850	43.17	23.60	54.0	-10.83	AV	210.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	45.31	-15.17	74.0	-28.69	Peak	99.00	150	Vertical	Pass
1**	1500.600	35.80	-15.17	54.0	-18.20	AV	99.00	150	Vertical	Pass
2	2089.700	48.11	-11.88	68.2	-20.09	Peak	20.00	150	Vertical	Pass
2**	2089.700	42.02	-11.88	--	--	AV	20.00	150	Vertical	N/A
3	4038.000	46.52	-4.02	74.0	-27.48	Peak	0.00	150	Vertical	Pass
3**	4038.000	35.34	-4.02	54.0	-18.66	AV	0.00	150	Vertical	Pass
4	5281.000	100.33	-0.36	--	--	Peak	278.00	150	Vertical	N/A
4**	5281.000	92.99	-0.36	--	--	AV	278.00	150	Vertical	N/A
5	11615.237	50.44	20.21	74.0	-23.56	Peak	242.00	150	Vertical	Pass
5**	11615.237	38.25	20.21	54.0	-15.75	AV	242.00	150	Vertical	Pass
6	15536.700	56.17	23.71	74.0	-17.83	Peak	3.00	150	Vertical	Pass
6**	15536.700	43.74	23.71	54.0	-10.26	AV	3.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.700	49.86	-15.12	74.0	-24.14	Peak	43.00	150	Horizontal	Pass
1**	1506.700	44.19	-15.12	54.0	-9.81	AV	43.00	150	Horizontal	Pass
2	2099.400	47.48	-11.62	68.2	-20.72	Peak	332.00	150	Horizontal	Pass
2**	2099.400	31.13	-11.62	--	--	AV	332.00	150	Horizontal	N/A
3	4021.000	46.84	-4.03	74.0	-27.16	Peak	27.00	150	Horizontal	Pass
3**	4021.000	36.04	-4.03	54.0	-17.96	AV	27.00	150	Horizontal	Pass
4	5293.800	106.47	-0.04	--	--	Peak	280.00	150	Horizontal	N/A
4**	5293.800	99.74	-0.04	--	--	AV	280.00	150	Horizontal	N/A
5	11626.162	51.11	20.28	74.0	-22.89	Peak	258.00	150	Horizontal	Pass
5**	11626.162	38.86	20.28	54.0	-15.14	AV	258.00	150	Horizontal	Pass
6	15527.775	55.36	23.75	74.0	-18.64	Peak	176.00	150	Horizontal	Pass
6**	15527.775	43.43	23.75	54.0	-10.57	AV	176.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	48.06	-15.17	74.0	-25.94	Peak	0.00	150	Vertical	Pass
1**	1498.800	34.48	-15.17	54.0	-19.52	AV	0.00	150	Vertical	Pass
2	2100.400	47.28	-11.53	68.2	-20.92	Peak	363.00	150	Vertical	Pass
2**	2100.400	39.00	-11.53	--	--	AV	363.00	150	Vertical	N/A
3	3909.800	46.28	-4.86	74.0	-27.72	Peak	185.00	150	Vertical	Pass
3**	3909.800	34.53	-4.86	54.0	-19.47	AV	185.00	150	Vertical	Pass
4	5307.600	101.51	0.05	--	--	Peak	282.00	150	Vertical	N/A
4**	5307.600	94.44	0.05	--	--	AV	282.00	150	Vertical	N/A
5	12279.650	50.47	20.23	74.0	-23.53	Peak	318.00	150	Vertical	Pass
5**	12279.650	38.56	20.23	54.0	-15.44	AV	318.00	150	Vertical	Pass
6	15622.799	56.01	23.46	74.0	-17.99	Peak	1.00	150	Vertical	Pass
6**	15622.799	45.93	23.46	54.0	-8.07	AV	1.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.000	48.71	-15.17	74.0	-25.29	Peak	44.00	150	Horizontal	Pass
1**	1499.000	34.71	-15.17	54.0	-19.29	AV	44.00	150	Horizontal	Pass
2	2098.500	46.89	-11.52	68.2	-21.31	Peak	298.00	150	Horizontal	Pass
2**	2098.500	33.12	-11.52	--	--	AV	298.00	150	Horizontal	N/A
3	3965.200	46.63	-4.39	74.0	-27.37	Peak	156.00	150	Horizontal	Pass
3**	3965.200	34.66	-4.39	54.0	-19.34	AV	156.00	150	Horizontal	Pass
4	5300.600	102.18	0.28	--	--	Peak	293.00	150	Horizontal	N/A
4**	5300.600	94.87	0.28	--	--	AV	293.00	150	Horizontal	N/A
5	11628.174	49.77	20.29	74.0	-24.23	Peak	156.00	150	Horizontal	Pass
5**	11628.174	38.00	20.29	54.0	-16.00	AV	156.00	150	Horizontal	Pass
6	15624.637	55.03	23.47	74.0	-18.97	Peak	228.00	150	Horizontal	Pass
6**	15624.637	44.29	23.47	54.0	-9.71	AV	228.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	53.82	-15.19	74.0	-20.18	Peak	185.00	150	Vertical	Pass
1**	1499.700	45.48	-15.19	54.0	-8.52	AV	185.00	150	Vertical	Pass
2	2101.700	50.09	-11.34	68.2	-18.11	Peak	35.00	150	Vertical	Pass
2**	2101.700	34.94	-11.34	--	--	AV	35.00	150	Vertical	N/A
3	3967.800	46.84	-4.12	74.0	-27.16	Peak	361.00	150	Vertical	Pass
3**	3967.800	37.00	-4.12	54.0	-17.00	AV	361.00	150	Vertical	Pass
4	5280.400	97.69	-0.39	--	--	Peak	298.00	150	Vertical	N/A
4**	5280.400	90.26	-0.39	--	--	AV	298.00	150	Vertical	N/A
5	11519.500	50.13	19.44	74.0	-23.87	Peak	205.00	150	Vertical	Pass
5**	11519.500	37.66	19.44	54.0	-16.34	AV	205.00	150	Vertical	Pass
6	15465.562	55.47	23.57	74.0	-18.53	Peak	3.00	150	Vertical	Pass
6**	15465.562	43.88	23.57	54.0	-10.12	AV	3.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1479.500	51.99	-15.03	74.0	-22.01	Peak	48.00	150	Horizontal	Pass
1**	1479.500	33.16	-15.03	54.0	-20.84	AV	48.00	150	Horizontal	Pass
2	2100.400	53.96	-11.53	68.2	-14.24	Peak	303.00	150	Horizontal	Pass
2**	2100.400	34.21	-11.53	--	--	AV	303.00	150	Horizontal	N/A
3	4048.000	47.04	-3.79	74.0	-26.96	Peak	261.00	150	Horizontal	Pass
3**	4048.000	35.42	-3.79	54.0	-18.58	AV	261.00	150	Horizontal	Pass
4	5497.000	105.89	0.61	--	--	Peak	302.00	150	Horizontal	N/A
4**	5497.000	98.33	0.61	--	--	AV	302.00	150	Horizontal	N/A
5	11151.500	50.91	18.63	74.0	-23.09	Peak	98.00	150	Horizontal	Pass
5**	11151.500	41.10	18.63	54.0	-12.90	AV	98.00	150	Horizontal	Pass
6	15923.888	55.59	23.70	74.0	-18.41	Peak	360.00	150	Horizontal	Pass
6**	15923.888	44.17	23.70	54.0	-9.83	AV	360.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.600	45.24	-15.17	74.0	-28.76	Peak	361.00	150	Vertical	Pass
1**	1488.600	41.30	-15.17	54.0	-12.70	AV	361.00	150	Vertical	Pass
2	2099.700	52.96	-11.63	68.2	-15.24	Peak	361.00	150	Vertical	Pass
2**	2099.700	37.41	-11.63	--	--	AV	361.00	150	Vertical	N/A
3	4025.600	47.27	-3.87	74.0	-26.73	Peak	119.00	150	Vertical	Pass
3**	4025.600	36.01	-3.87	54.0	-17.99	AV	119.00	150	Vertical	Pass
4	5495.600	100.60	0.67	--	--	Peak	248.00	150	Vertical	N/A
4**	5495.600	94.21	0.67	--	--	AV	248.00	150	Vertical	N/A
5	12212.375	50.31	20.44	74.0	-23.69	Peak	352.00	150	Vertical	Pass
5**	12212.375	38.26	20.44	54.0	-15.74	AV	352.00	150	Vertical	Pass
6	15598.387	55.03	23.55	74.0	-18.97	Peak	251.00	150	Vertical	Pass
6**	15598.387	43.35	23.55	54.0	-10.65	AV	251.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	51.04	-15.17	74.0	-22.96	Peak	363.00	150	Horizontal	Pass
1**	1500.600	40.47	-15.17	54.0	-13.53	AV	363.00	150	Horizontal	Pass
2	2097.000	46.53	-11.43	68.2	-21.67	Peak	299.00	150	Horizontal	Pass
2**	2097.000	32.17	-11.43	--	--	AV	299.00	150	Horizontal	N/A
3	4265.000	46.98	-3.20	74.0	-27.02	Peak	273.00	150	Horizontal	Pass
3**	4265.000	36.48	-3.20	54.0	-17.52	AV	273.00	150	Horizontal	Pass
4	5587.400	106.57	0.78	--	--	Peak	310.00	150	Horizontal	N/A
4**	5587.400	99.78	0.78	--	--	AV	310.00	150	Horizontal	N/A
5	11768.475	49.68	18.79	74.0	-24.32	Peak	342.00	150	Horizontal	Pass
5**	11768.475	38.66	18.79	54.0	-15.34	AV	342.00	150	Horizontal	Pass
6	15644.325	55.45	23.55	74.0	-18.55	Peak	84.00	150	Horizontal	Pass
6**	15644.325	43.87	23.55	54.0	-10.13	AV	84.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.200	49.27	-15.12	74.0	-24.73	Peak	49.00	150	Vertical	Pass
1**	1501.200	41.12	-15.12	54.0	-12.88	AV	49.00	150	Vertical	Pass
2	2100.000	46.86	-11.58	68.2	-21.34	Peak	363.00	150	Vertical	Pass
2**	2100.000	37.89	-11.58	--	--	AV	363.00	150	Vertical	N/A
3	4017.400	46.47	-4.08	74.0	-27.53	Peak	273.00	150	Vertical	Pass
3**	4017.400	34.91	-4.08	54.0	-19.09	AV	273.00	150	Vertical	Pass
4	5582.600	100.68	0.80	--	--	Peak	346.00	150	Vertical	N/A
4**	5582.600	94.16	0.80	--	--	AV	346.00	150	Vertical	N/A
5	11653.188	49.44	20.35	74.0	-24.56	Peak	359.00	150	Vertical	Pass
5**	11653.188	38.77	20.35	54.0	-15.23	AV	359.00	150	Vertical	Pass
6	15957.224	55.15	23.98	74.0	-18.85	Peak	335.00	150	Vertical	Pass
6**	15957.224	42.89	23.98	54.0	-11.11	AV	335.00	150	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	52.47	-15.19	74.0	-21.53	Peak	78.00	150	Horizontal	Pass
1**	1499.800	33.70	-15.19	54.0	-20.30	AV	78.00	150	Horizontal	Pass
2	2103.100	49.15	-11.58	68.2	-19.05	Peak	309.00	150	Horizontal	Pass
2**	2103.100	37.03	-11.58	--	--	AV	309.00	150	Horizontal	N/A
3	4004.600	46.52	-4.68	74.0	-27.48	Peak	268.00	150	Horizontal	Pass
3**	4004.600	34.65	-4.68	54.0	-19.35	AV	268.00	150	Horizontal	Pass
4	5695.200	107.14	-0.60	--	--	Peak	305.00	150	Horizontal	N/A
4**	5695.200	100.54	-0.60	--	--	AV	305.00	150	Horizontal	N/A
5	11686.537	50.36	19.99	74.0	-23.64	Peak	36.00	150	Horizontal	Pass
5**	11686.537	38.24	19.99	54.0	-15.76	AV	36.00	150	Horizontal	Pass
6	16061.438	56.14	24.13	74.0	-17.86	Peak	51.00	150	Horizontal	Pass
6**	16061.438	43.76	24.13	54.0	-10.24	AV	51.00	150	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.100	45.81	-15.15	74.0	-28.19	Peak	361.00	150	Vertical	Pass
1**	1489.100	33.74	-15.15	54.0	-20.26	AV	361.00	150	Vertical	Pass
2	2082.200	46.10	-11.93	68.2	-22.10	Peak	363.00	150	Vertical	Pass
2**	2082.200	31.17	-11.93	--	--	AV	363.00	150	Vertical	N/A
3	3978.400	48.00	-4.07	74.0	-26.00	Peak	263.00	150	Vertical	Pass
3**	3978.400	35.22	-4.07	54.0	-18.78	AV	263.00	150	Vertical	Pass
4	5704.000	100.26	-0.66	--	--	Peak	111.00	150	Vertical	N/A
4**	5704.000	92.69	-0.66	--	--	AV	111.00	150	Vertical	N/A
5	12367.050	50.66	19.55	74.0	-23.34	Peak	97.00	150	Vertical	Pass
5**	12367.050	39.11	19.55	54.0	-14.89	AV	97.00	150	Vertical	Pass
6	15726.488	55.91	23.47	74.0	-18.09	Peak	305.00	150	Vertical	Pass
6**	15726.488	43.24	23.47	54.0	-10.76	AV	305.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.200	48.82	-15.15	74.0	-25.18	Peak	163.00	150	Horizontal	Pass
1**	1498.200	33.70	-15.15	54.0	-20.30	AV	163.00	150	Horizontal	Pass
2	2100.000	54.38	-11.58	68.2	-13.82	Peak	283.00	150	Horizontal	Pass
2**	2100.000	49.45	-11.58	--	--	AV	283.00	150	Horizontal	N/A
3	4153.200	46.95	-3.55	74.0	-27.05	Peak	306.00	150	Horizontal	Pass
3**	4153.200	35.69	-3.55	54.0	-18.31	AV	306.00	150	Horizontal	Pass
4	5502.400	105.67	0.47	--	--	Peak	283.00	150	Horizontal	N/A
4**	5502.400	99.15	0.47	--	--	AV	283.00	150	Horizontal	N/A
5	11715.863	50.21	19.53	74.0	-23.79	Peak	153.00	150	Horizontal	Pass
5**	11715.863	38.29	19.53	54.0	-15.71	AV	153.00	150	Horizontal	Pass
6	15669.262	56.29	23.52	74.0	-17.71	Peak	3.00	150	Horizontal	Pass
6**	15669.262	44.57	23.52	54.0	-9.43	AV	3.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.400	50.24	-15.02	74.0	-23.76	Peak	182.00	150	Vertical	Pass
1**	1510.400	46.80	-15.02	54.0	-7.20	AV	182.00	150	Vertical	Pass
2	2100.000	49.31	-11.58	68.2	-18.89	Peak	210.00	150	Vertical	Pass
2**	2100.000	41.37	-11.58	--	--	AV	210.00	150	Vertical	N/A
3	3994.600	47.21	-4.49	74.0	-26.79	Peak	224.00	150	Vertical	Pass
3**	3994.600	35.50	-4.49	54.0	-18.50	AV	224.00	150	Vertical	Pass
4	5498.000	100.50	0.56	--	--	Peak	243.00	150	Vertical	N/A
4**	5498.000	93.56	0.56	--	--	AV	243.00	150	Vertical	N/A
5	11698.326	50.61	19.84	74.0	-23.39	Peak	70.00	150	Vertical	Pass
5**	11698.326	39.07	19.84	54.0	-14.93	AV	70.00	150	Vertical	Pass
6	15552.451	54.85	23.60	74.0	-19.15	Peak	1.00	150	Vertical	Pass
6**	15552.451	43.58	23.60	54.0	-10.42	AV	1.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.100	49.49	-15.01	74.0	-24.51	Peak	55.00	150	Horizontal	Pass
1**	1503.100	37.23	-15.01	54.0	-16.77	AV	55.00	150	Horizontal	Pass
2	2097.400	47.90	-11.40	68.2	-20.30	Peak	280.00	150	Horizontal	Pass
2**	2097.400	30.69	-11.40	--	--	AV	280.00	150	Horizontal	N/A
3	4091.600	47.24	-4.46	74.0	-26.76	Peak	346.00	150	Horizontal	Pass
3**	4091.600	35.07	-4.46	54.0	-18.93	AV	346.00	150	Horizontal	Pass
4	5574.600	106.15	0.70	--	--	Peak	306.00	150	Horizontal	N/A
4**	5574.600	99.32	0.70	--	--	AV	306.00	150	Horizontal	N/A
5	11555.438	50.11	19.74	74.0	-23.89	Peak	261.00	150	Horizontal	Pass
5**	11555.438	38.96	19.74	54.0	-15.04	AV	261.00	150	Horizontal	Pass
6	15533.550	54.52	23.73	74.0	-19.48	Peak	123.00	150	Horizontal	Pass
6**	15533.550	43.66	23.73	54.0	-10.34	AV	123.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	46.90	-15.19	74.0	-27.10	Peak	84.00	150	Vertical	Pass
1**	1499.800	40.76	-15.19	54.0	-13.24	AV	84.00	150	Vertical	Pass
2	2100.500	47.41	-11.51	68.2	-20.79	Peak	363.00	150	Vertical	Pass
2**	2100.500	37.35	-11.51	--	--	AV	363.00	150	Vertical	N/A
3	4074.400	46.87	-4.07	74.0	-27.13	Peak	344.00	150	Vertical	Pass
3**	4074.400	34.74	-4.07	54.0	-19.26	AV	344.00	150	Vertical	Pass
4	5578.800	101.38	0.80	--	--	Peak	344.00	150	Vertical	N/A
4**	5578.800	93.31	0.80	--	--	AV	344.00	150	Vertical	N/A
5	11556.013	50.17	19.75	74.0	-23.83	Peak	222.00	150	Vertical	Pass
5**	11556.013	38.01	19.75	54.0	-15.99	AV	222.00	150	Vertical	Pass
6	15948.562	55.77	23.94	74.0	-18.23	Peak	240.00	150	Vertical	Pass
6**	15948.562	43.86	23.94	54.0	-10.14	AV	240.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	48.88	-15.18	74.0	-25.12	Peak	363.00	150	Horizontal	Pass
1**	1499.500	38.96	-15.18	54.0	-15.04	AV	363.00	150	Horizontal	Pass
2	2103.100	43.93	-11.58	68.2	-24.27	Peak	347.00	150	Horizontal	Pass
2**	2103.100	31.53	-11.58	--	--	AV	347.00	150	Horizontal	N/A
3	4291.000	47.59	-3.71	74.0	-26.41	Peak	343.00	150	Horizontal	Pass
3**	4291.000	36.60	-3.71	54.0	-17.40	AV	343.00	150	Horizontal	Pass
4	5697.800	106.44	-0.74	--	--	Peak	302.00	150	Horizontal	N/A
4**	5697.800	100.08	-0.74	--	--	AV	302.00	150	Horizontal	N/A
5	11590.225	50.07	20.01	74.0	-23.93	Peak	263.00	150	Horizontal	Pass
5**	11590.225	38.85	20.01	54.0	-15.15	AV	263.00	150	Horizontal	Pass
6	15987.151	55.69	24.01	74.0	-18.31	Peak	3.00	150	Horizontal	Pass
6**	15987.151	43.64	24.01	54.0	-10.36	AV	3.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	52.98	-15.18	74.0	-21.02	Peak	85.00	150	Vertical	Pass
1**	1499.500	41.59	-15.18	54.0	-12.41	AV	85.00	150	Vertical	Pass
2	2102.500	48.54	-11.48	68.2	-19.66	Peak	351.00	150	Vertical	Pass
2**	2102.500	39.23	-11.48	--	--	AV	351.00	150	Vertical	N/A
3	4036.400	46.85	-3.94	74.0	-27.15	Peak	305.00	150	Vertical	Pass
3**	4036.400	35.62	-3.94	54.0	-18.38	AV	305.00	150	Vertical	Pass
4	5703.800	100.12	-0.67	--	--	Peak	323.00	150	Vertical	N/A
4**	5703.800	93.84	-0.67	--	--	AV	323.00	150	Vertical	N/A
5	11683.375	50.45	20.03	74.0	-23.55	Peak	41.00	150	Vertical	Pass
5**	11683.375	37.76	20.03	54.0	-16.24	AV	41.00	150	Vertical	Pass
6	15550.349	55.03	23.61	74.0	-18.97	Peak	297.00	150	Vertical	Pass
6**	15550.349	43.55	23.61	54.0	-10.45	AV	297.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.200	48.61	-15.15	74.0	-25.39	Peak	72.00	150	Horizontal	Pass
1**	1489.200	41.97	-15.15	54.0	-12.03	AV	72.00	150	Horizontal	Pass
2	2105.500	45.68	-11.61	68.2	-22.52	Peak	178.00	150	Horizontal	Pass
2**	2105.500	36.49	-11.61	--	--	AV	178.00	150	Horizontal	N/A
3	4281.000	47.68	-3.66	74.0	-26.32	Peak	34.00	150	Horizontal	Pass
3**	4281.000	36.82	-3.66	54.0	-17.18	AV	34.00	150	Horizontal	Pass
4	5515.600	104.14	0.36	--	--	Peak	305.00	150	Horizontal	N/A
4**	5515.600	96.60	0.36	--	--	AV	305.00	150	Horizontal	N/A
5	12346.063	50.06	19.74	74.0	-23.94	Peak	195.00	150	Horizontal	Pass
5**	12346.063	39.87	19.74	54.0	-14.13	AV	195.00	150	Horizontal	Pass
6	15715.463	54.85	23.49	74.0	-19.15	Peak	1.00	150	Horizontal	Pass
6**	15715.463	42.95	23.49	54.0	-11.05	AV	1.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.400	47.20	-15.10	74.0	-26.80	Peak	99.00	150	Vertical	Pass
1**	1501.400	34.60	-15.10	54.0	-19.40	AV	99.00	150	Vertical	Pass
2	2100.300	48.42	-11.54	68.2	-19.78	Peak	203.00	150	Vertical	Pass
2**	2100.300	40.13	-11.54	--	--	AV	203.00	150	Vertical	N/A
3	4158.400	46.84	-3.53	74.0	-27.16	Peak	320.00	150	Vertical	Pass
3**	4158.400	34.86	-3.53	54.0	-19.14	AV	320.00	150	Vertical	Pass
4	5514.600	98.68	0.39	--	--	Peak	253.00	150	Vertical	N/A
4**	5514.600	92.03	0.39	--	--	AV	253.00	150	Vertical	N/A
5	12088.463	49.69	19.30	74.0	-24.31	Peak	172.00	150	Vertical	Pass
5**	12088.463	39.14	19.30	54.0	-14.86	AV	172.00	150	Vertical	Pass
6	15629.362	55.04	23.50	74.0	-18.96	Peak	360.00	150	Vertical	Pass
6**	15629.362	43.63	23.50	54.0	-10.37	AV	360.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	49.59	-15.19	74.0	-24.41	Peak	210.00	150	Horizontal	Pass
1**	1499.600	37.81	-15.19	54.0	-16.19	AV	210.00	150	Horizontal	Pass
2	2101.100	47.83	-11.43	68.2	-20.37	Peak	345.00	150	Horizontal	Pass
2**	2101.100	34.10	-11.43	--	--	AV	345.00	150	Horizontal	N/A
3	4127.600	47.41	-3.99	74.0	-26.59	Peak	171.00	150	Horizontal	Pass
3**	4127.600	35.97	-3.99	54.0	-18.03	AV	171.00	150	Horizontal	Pass
4	5581.400	104.70	0.87	--	--	Peak	306.00	150	Horizontal	N/A
4**	5581.400	98.88	0.87	--	--	AV	306.00	150	Horizontal	N/A
5	12217.838	49.99	20.45	74.0	-24.01	Peak	18.00	150	Horizontal	Pass
5**	12217.838	38.14	20.45	54.0	-15.86	AV	18.00	150	Horizontal	Pass
6	16001.588	54.94	24.01	74.0	-19.06	Peak	1.00	150	Horizontal	Pass
6**	16001.588	43.66	24.01	54.0	-10.34	AV	1.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	52.48	-15.16	74.0	-21.52	Peak	363.00	150	Vertical	Pass
1**	1500.700	34.07	-15.16	54.0	-19.93	AV	363.00	150	Vertical	Pass
2	2100.900	50.53	-11.46	68.2	-17.67	Peak	1.00	150	Vertical	Pass
2**	2100.900	41.26	-11.46	--	--	AV	1.00	150	Vertical	N/A
3	4226.600	48.41	-3.63	74.0	-25.59	Peak	0.00	150	Vertical	Pass
3**	4226.600	34.67	-3.63	54.0	-19.33	AV	0.00	150	Vertical	Pass
4	5576.200	99.15	0.68	--	--	Peak	343.00	150	Vertical	N/A
4**	5576.200	91.92	0.68	--	--	AV	343.00	150	Vertical	N/A
5	12158.037	50.46	20.02	74.0	-23.54	Peak	212.00	150	Vertical	Pass
5**	12158.037	37.98	20.02	54.0	-16.02	AV	212.00	150	Vertical	Pass
6	15598.913	54.98	23.55	74.0	-19.02	Peak	258.00	150	Vertical	Pass
6**	15598.913	43.33	23.55	54.0	-10.67	AV	258.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	48.15	-15.19	74.0	-25.85	Peak	320.00	150	Horizontal	Pass
1**	1499.900	38.21	-15.19	54.0	-15.79	AV	320.00	150	Horizontal	Pass
2	2091.600	46.60	-11.81	68.2	-21.60	Peak	350.00	150	Horizontal	Pass
2**	2091.600	31.33	-11.81	--	--	AV	350.00	150	Horizontal	N/A
3	4060.400	47.45	-4.01	74.0	-26.55	Peak	0.00	150	Horizontal	Pass
3**	4060.400	35.21	-4.01	54.0	-18.79	AV	0.00	150	Horizontal	Pass
4	5676.800	105.57	-0.17	--	--	Peak	297.00	150	Horizontal	N/A
4**	5676.800	97.51	-0.17	--	--	AV	297.00	150	Horizontal	N/A
5	11803.837	50.41	18.52	74.0	-23.59	Peak	248.00	150	Horizontal	Pass
5**	11803.837	39.47	18.52	54.0	-14.53	AV	248.00	150	Horizontal	Pass
6	15608.887	55.84	23.50	74.0	-18.16	Peak	219.00	150	Horizontal	Pass
6**	15608.887	44.32	23.50	54.0	-9.68	AV	219.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.300	45.67	-15.02	74.0	-28.33	Peak	361.00	150	Vertical	Pass
1**	1509.300	30.06	-15.02	54.0	-23.94	AV	361.00	150	Vertical	Pass
2	2762.000	42.00	-9.00	74.0	-32.00	Peak	132.00	150	Vertical	Pass
2**	2762.000	31.80	-9.00	54.0	-22.20	AV	132.00	150	Vertical	Pass
3	4238.200	47.27	-3.35	74.0	-26.73	Peak	101.00	150	Vertical	Pass
3**	4238.200	35.88	-3.35	54.0	-18.12	AV	101.00	150	Vertical	Pass
4	5661.800	98.72	-0.03	--	--	Peak	101.00	150	Vertical	N/A
4**	5661.800	90.65	-0.03	--	--	AV	101.00	150	Vertical	N/A
5	11758.125	50.29	18.86	74.0	-23.71	Peak	192.00	150	Vertical	Pass
5**	11758.125	38.93	18.86	54.0	-15.07	AV	192.00	150	Vertical	Pass
6	15598.913	54.99	23.55	74.0	-19.01	Peak	20.00	150	Vertical	Pass
6**	15598.913	42.90	23.55	54.0	-11.10	AV	20.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.400	48.57	-15.08	74.0	-25.43	Peak	131.00	150	Horizontal	Pass
1**	1497.400	40.10	-15.08	54.0	-13.90	AV	131.00	150	Horizontal	Pass
2	2101.900	47.68	-11.38	68.2	-20.52	Peak	98.00	150	Horizontal	Pass
2**	2101.900	36.21	-11.38	--	--	AV	98.00	150	Horizontal	N/A
3	4017.200	47.04	-4.08	74.0	-26.96	Peak	290.00	150	Horizontal	Pass
3**	4017.200	36.46	-4.08	54.0	-17.54	AV	290.00	150	Horizontal	Pass
4	5497.200	105.68	0.60	--	--	Peak	290.00	150	Horizontal	N/A
4**	5497.200	98.64	0.60	--	--	AV	290.00	150	Horizontal	N/A
5	12127.563	50.32	19.72	74.0	-23.68	Peak	163.00	150	Horizontal	Pass
5**	12127.563	38.96	19.72	54.0	-15.04	AV	163.00	150	Horizontal	Pass
6	15928.612	55.32	23.76	74.0	-18.68	Peak	158.00	150	Horizontal	Pass
6**	15928.612	44.26	23.76	54.0	-9.74	AV	158.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.500	51.88	-15.18	74.0	-22.12	Peak	361.00	150	Vertical	Pass
1**	1499.500	29.26	-15.18	54.0	-24.74	AV	361.00	150	Vertical	Pass
2	2099.800	54.32	-11.61	68.2	-13.88	Peak	363.00	150	Vertical	Pass
2**	2099.800	39.36	-11.61	--	--	AV	363.00	150	Vertical	N/A
3	4179.800	46.82	-3.98	74.0	-27.18	Peak	88.00	150	Vertical	Pass
3**	4179.800	35.46	-3.98	54.0	-18.54	AV	88.00	150	Vertical	Pass
4	5493.600	101.05	0.74	--	--	Peak	246.00	150	Vertical	N/A
4**	5493.600	94.13	0.74	--	--	AV	246.00	150	Vertical	N/A
5	12394.075	50.43	19.26	74.0	-23.57	Peak	42.00	150	Vertical	Pass
5**	12394.075	38.19	19.26	54.0	-15.81	AV	42.00	150	Vertical	Pass
6	15678.188	55.10	23.58	74.0	-18.90	Peak	75.00	150	Vertical	Pass
6**	15678.188	43.41	23.58	54.0	-10.59	AV	75.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1488.700	52.36	-15.17	74.0	-21.64	Peak	31.00	150	Horizontal	Pass
1**	1488.700	47.73	-15.17	54.0	-6.27	AV	31.00	150	Horizontal	Pass
2	2102.000	50.54	-11.39	68.2	-17.66	Peak	317.00	150	Horizontal	Pass
2**	2102.000	31.00	-11.39	--	--	AV	317.00	150	Horizontal	N/A
3	4065.200	46.47	-3.89	74.0	-27.53	Peak	31.00	150	Horizontal	Pass
3**	4065.200	35.77	-3.89	54.0	-18.23	AV	31.00	150	Horizontal	Pass
4	5584.000	107.09	0.62	--	--	Peak	297.00	150	Horizontal	N/A
4**	5584.000	100.43	0.62	--	--	AV	297.00	150	Horizontal	N/A
5	11606.901	50.38	20.17	74.0	-23.62	Peak	63.00	150	Horizontal	Pass
5**	11606.901	39.41	20.17	54.0	-14.59	AV	63.00	150	Horizontal	Pass
6	15628.049	54.82	23.49	74.0	-19.18	Peak	124.00	150	Horizontal	Pass
6**	15628.049	44.23	23.49	54.0	-9.77	AV	124.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	51.05	-15.19	74.0	-22.95	Peak	35.00	150	Vertical	Pass
1**	1499.600	31.40	-15.19	54.0	-22.60	AV	35.00	150	Vertical	Pass
2	2099.700	53.56	-11.63	68.2	-14.64	Peak	268.00	150	Vertical	Pass
2**	2099.700	35.00	-11.63	--	--	AV	268.00	150	Vertical	N/A
3	4085.800	46.43	-4.22	74.0	-27.57	Peak	61.00	150	Vertical	Pass
3**	4085.800	35.18	-4.22	54.0	-18.82	AV	61.00	150	Vertical	Pass
4	5583.800	98.64	0.64	--	--	Peak	247.00	150	Vertical	N/A
4**	5583.800	91.63	0.64	--	--	AV	247.00	150	Vertical	N/A
5	11601.724	49.55	20.14	74.0	-24.45	Peak	152.00	150	Vertical	Pass
5**	11601.724	38.74	20.14	54.0	-15.26	AV	152.00	150	Vertical	Pass
6	15677.924	54.62	23.58	74.0	-19.38	Peak	327.00	150	Vertical	Pass
6**	15677.924	43.03	23.58	54.0	-10.97	AV	327.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.600	53.39	-15.16	74.0	-20.61	Peak	119.00	150	Horizontal	Pass
1**	1498.600	42.53	-15.16	54.0	-11.47	AV	119.00	150	Horizontal	Pass
2	2800.000	42.01	-8.80	74.0	-31.99	Peak	232.00	150	Horizontal	Pass
2**	2800.000	31.74	-8.80	54.0	-22.26	AV	232.00	150	Horizontal	Pass
3	4324.600	48.13	-3.17	74.0	-25.87	Peak	57.00	150	Horizontal	Pass
3**	4324.600	35.55	-3.17	54.0	-18.45	AV	57.00	150	Horizontal	Pass
4	5703.400	106.39	-0.68	--	--	Peak	316.00	150	Horizontal	N/A
4**	5703.400	99.09	-0.68	--	--	AV	316.00	150	Horizontal	N/A
5	12218.125	50.04	20.45	74.0	-23.96	Peak	24.00	150	Horizontal	Pass
5**	12218.125	38.34	20.45	54.0	-15.66	AV	24.00	150	Horizontal	Pass
6	15928.088	55.92	23.75	74.0	-18.08	Peak	1.00	150	Horizontal	Pass
6**	15928.088	43.73	23.75	54.0	-10.27	AV	1.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	52.27	-15.19	74.0	-21.73	Peak	212.00	150	Vertical	Pass
1**	1499.700	49.62	-15.19	54.0	-4.38	AV	212.00	150	Vertical	Pass
2	2099.400	50.42	-11.62	68.2	-17.78	Peak	361.00	150	Vertical	Pass
2**	2099.400	32.10	-11.62	--	--	AV	361.00	150	Vertical	N/A
3	4119.400	46.35	-4.22	74.0	-27.65	Peak	208.00	150	Vertical	Pass
3**	4119.400	35.10	-4.22	54.0	-18.90	AV	208.00	150	Vertical	Pass
4	5697.200	99.04	-0.70	--	--	Peak	295.00	150	Vertical	N/A
4**	5697.200	91.23	-0.70	--	--	AV	295.00	150	Vertical	N/A
5	11644.562	49.85	20.38	74.0	-24.15	Peak	98.00	150	Vertical	Pass
5**	11644.562	38.23	20.38	54.0	-15.77	AV	98.00	150	Vertical	Pass
6	15717.300	54.94	23.47	74.0	-19.06	Peak	64.00	150	Vertical	Pass
6**	15717.300	43.46	23.47	54.0	-10.54	AV	64.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.100	51.12	-15.03	74.0	-22.88	Peak	166.00	150	Horizontal	Pass
1**	1502.100	43.98	-15.03	54.0	-10.02	AV	166.00	150	Horizontal	Pass
2	2098.100	45.88	-11.47	68.2	-22.32	Peak	321.00	150	Horizontal	Pass
2**	2098.100	32.07	-11.47	--	--	AV	321.00	150	Horizontal	N/A
3	3966.800	46.87	-4.20	74.0	-27.13	Peak	338.00	150	Horizontal	Pass
3**	3966.800	35.60	-4.20	54.0	-18.40	AV	338.00	150	Horizontal	Pass
4	5501.800	104.21	0.47	--	--	Peak	289.00	150	Horizontal	N/A
4**	5501.800	96.23	0.47	--	--	AV	289.00	150	Horizontal	N/A
5	12177.013	50.46	20.23	74.0	-23.54	Peak	320.00	150	Horizontal	Pass
5**	12177.013	38.78	20.23	54.0	-15.22	AV	320.00	150	Horizontal	Pass
6	15949.088	55.70	23.94	74.0	-18.30	Peak	1.00	150	Horizontal	Pass
6**	15949.088	43.46	23.94	54.0	-10.54	AV	1.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.700	47.22	-15.13	74.0	-26.78	Peak	113.00	150	Vertical	Pass
1**	1491.700	35.51	-15.13	54.0	-18.49	AV	113.00	150	Vertical	Pass
2	2100.400	52.18	-11.53	68.2	-16.02	Peak	5.00	150	Vertical	Pass
2**	2100.400	37.12	-11.53	--	--	AV	5.00	150	Vertical	N/A
3	4087.600	46.51	-4.31	74.0	-27.49	Peak	0.00	150	Vertical	Pass
3**	4087.600	36.74	-4.31	54.0	-17.26	AV	0.00	150	Vertical	Pass
4	5495.800	98.94	0.66	--	--	Peak	245.00	150	Vertical	N/A
4**	5495.800	91.62	0.66	--	--	AV	245.00	150	Vertical	N/A
5	11589.363	50.03	20.00	74.0	-23.97	Peak	154.00	150	Vertical	Pass
5**	11589.363	38.36	20.00	54.0	-15.64	AV	154.00	150	Vertical	Pass
6	15628.838	55.49	23.50	74.0	-18.51	Peak	360.00	150	Vertical	Pass
6**	15628.838	44.44	23.50	54.0	-9.56	AV	360.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	41.88	-15.20	74.0	-32.12	Peak	163.00	150	Horizontal	Pass
1**	1500.200	35.01	-15.20	54.0	-18.99	AV	163.00	150	Horizontal	Pass
2	2779.600	41.72	-8.68	74.0	-32.28	Peak	219.00	150	Horizontal	Pass
2**	2779.600	32.55	-8.68	54.0	-21.45	AV	219.00	150	Horizontal	Pass
3	4064.200	47.41	-3.87	74.0	-26.59	Peak	282.00	150	Horizontal	Pass
3**	4064.200	35.72	-3.87	54.0	-18.28	AV	282.00	150	Horizontal	Pass
4	5592.600	97.66	0.44	--	--	Peak	48.00	150	Horizontal	N/A
4**	5592.600	90.35	0.44	--	--	AV	48.00	150	Horizontal	N/A
5	10957.438	49.35	18.70	74.0	-24.65	Peak	259.00	150	Horizontal	Pass
5**	10957.438	37.00	18.70	54.0	-17.00	AV	259.00	150	Horizontal	Pass
6	15937.800	55.69	23.88	74.0	-18.31	Peak	351.00	150	Horizontal	Pass
6**	15937.800	43.79	23.88	54.0	-10.21	AV	351.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.600	42.29	-15.16	74.0	-31.71	Peak	360.00	150	Vertical	Pass
1**	1498.600	36.93	-15.16	54.0	-17.07	AV	360.00	150	Vertical	Pass
2	2804.300	41.13	-8.76	74.0	-32.87	Peak	240.00	150	Vertical	Pass
2**	2804.300	32.84	-8.76	54.0	-21.16	AV	240.00	150	Vertical	Pass
3	4171.000	46.36	-3.79	74.0	-27.64	Peak	311.00	150	Vertical	Pass
3**	4171.000	35.69	-3.79	54.0	-18.31	AV	311.00	150	Vertical	Pass
4	5587.000	99.81	0.81	--	--	Peak	173.00	150	Vertical	Pass
4**	5587.000	92.74	0.81	--	--	AV	173.00	150	Vertical	N/A
5	11650.312	49.62	20.39	74.0	-24.38	Peak	41.00	150	Vertical	Pass
5**	11650.312	39.09	20.39	54.0	-14.91	AV	41.00	150	Vertical	Pass
6	15936.224	55.54	23.86	74.0	-18.46	Peak	0.00	150	Vertical	Pass
6**	15936.224	43.84	23.86	54.0	-10.16	AV	0.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	48.95	-15.16	74.0	-25.05	Peak	21.00	150	Horizontal	Pass
1**	1498.500	35.48	-15.16	54.0	-18.52	AV	21.00	150	Horizontal	Pass
2	2096.500	47.23	-11.48	68.2	-20.97	Peak	338.00	150	Horizontal	Pass
2**	2096.500	30.20	-11.48	--	--	AV	338.00	150	Horizontal	N/A
3	4023.400	47.02	-4.01	74.0	-26.98	Peak	35.00	150	Horizontal	Pass
3**	4023.400	34.85	-4.01	54.0	-19.15	AV	35.00	150	Horizontal	Pass
4	5679.200	105.89	-0.23	--	--	Peak	306.00	150	Horizontal	N/A
4**	5679.200	98.39	-0.23	--	--	AV	306.00	150	Horizontal	N/A
5	11610.063	50.60	20.18	74.0	-23.40	Peak	360.00	150	Horizontal	Pass
5**	11610.063	38.83	20.18	54.0	-15.17	AV	360.00	150	Horizontal	Pass
6	15527.513	55.07	23.75	74.0	-18.93	Peak	75.00	150	Horizontal	Pass
6**	15527.513	44.36	23.75	54.0	-9.64	AV	75.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.400	48.23	-15.00	74.0	-25.77	Peak	273.00	150	Vertical	Pass
1**	1502.400	38.08	-15.00	54.0	-15.92	AV	273.00	150	Vertical	Pass
2	2102.300	49.46	-11.44	68.2	-18.74	Peak	361.00	150	Vertical	Pass
2**	2102.300	35.68	-11.44	--	--	AV	361.00	150	Vertical	N/A
3	4185.600	46.97	-4.03	74.0	-27.03	Peak	139.00	150	Vertical	Pass
3**	4185.600	34.81	-4.03	54.0	-19.19	AV	139.00	150	Vertical	Pass
4	5665.200	98.57	0.03	--	--	Peak	257.00	150	Vertical	N/A
4**	5665.200	91.16	0.03	--	--	AV	257.00	150	Vertical	N/A
5	11606.325	50.56	20.16	74.0	-23.44	Peak	73.00	150	Vertical	Pass
5**	11606.325	39.02	20.16	54.0	-14.98	AV	73.00	150	Vertical	Pass
6	15735.675	54.61	23.48	74.0	-19.39	Peak	119.00	150	Vertical	Pass
6**	15735.675	43.06	23.48	54.0	-10.94	AV	119.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	49.41	-17.56	74.0	-24.59	Peak	0.00	150	Horizontal	Pass
1**	1500.100	39.75	-17.56	54.0	-14.25	AV	0.00	150	Horizontal	Pass
2	2838.000	42.78	-10.33	74.0	-31.22	Peak	37.00	150	Horizontal	Pass
2**	2838.000	32.92	-10.33	54.0	-21.08	AV	37.00	150	Horizontal	Pass
3	4324.400	47.86	-4.27	74.0	-26.14	Peak	194.00	150	Horizontal	Pass
3**	4324.400	39.22	-4.27	54.0	-14.78	AV	194.00	150	Horizontal	Pass
4	5517.400	101.77	-2.53	--	--	Peak	264.00	150	Horizontal	N/A
4**	5517.400	95.12	-2.53	--	--	AV	264.00	150	Horizontal	N/A
5	12621.200	51.55	1.74	74.0	-22.45	Peak	1.00	150	Horizontal	Pass
5**	12621.200	41.84	1.74	54.0	-12.16	AV	1.00	150	Horizontal	Pass
6	15801.562	53.41	2.31	74.0	-20.59	Peak	197.00	150	Horizontal	Pass
6**	15801.562	45.51	2.31	54.0	-8.49	AV	197.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	47.32	-17.56	74.0	-26.68	Peak	165.00	150	Vertical	Pass
1**	1499.800	35.87	-17.56	54.0	-18.13	AV	165.00	150	Vertical	Pass
2	2700.400	44.14	-11.36	74.0	-29.86	Peak	251.00	150	Vertical	Pass
2**	2700.400	35.70	-11.36	54.0	-18.30	AV	251.00	150	Vertical	Pass
3	4037.600	47.06	-4.75	74.0	-26.94	Peak	170.00	150	Vertical	Pass
3**	4037.600	37.96	-4.75	54.0	-16.04	AV	170.00	150	Vertical	Pass
4	5507.400	97.98	-2.44	--	--	Peak	187.00	150	Vertical	N/A
4**	5507.400	90.85	-2.44	--	--	AV	187.00	150	Vertical	N/A
5	12065.750	49.99	0.87	74.0	-24.01	Peak	1.00	150	Vertical	Pass
5**	12065.750	40.73	0.87	54.0	-13.27	AV	1.00	150	Vertical	Pass
6	15849.862	53.90	1.33	74.0	-20.10	Peak	152.00	150	Vertical	Pass
6**	15849.862	45.73	1.33	54.0	-8.27	AV	152.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	49.20	-17.56	74.0	-24.80	Peak	75.00	150	Horizontal	Pass
1**	1499.900	36.41	-17.56	54.0	-17.59	AV	75.00	150	Horizontal	Pass
2	2699.400	43.44	-11.40	74.0	-30.56	Peak	217.00	150	Horizontal	Pass
2**	2699.400	32.84	-11.40	54.0	-21.16	AV	217.00	150	Horizontal	Pass
3	4359.000	46.88	-3.78	74.0	-27.12	Peak	352.00	150	Horizontal	Pass
3**	4359.000	39.39	-3.78	54.0	-14.61	AV	352.00	150	Horizontal	Pass
4	5575.800	101.24	-2.24	--	--	Peak	269.00	150	Horizontal	N/A
4**	5575.800	92.87	-2.24	--	--	AV	269.00	150	Horizontal	N/A
5	12104.275	50.08	0.60	74.0	-23.92	Peak	101.00	150	Horizontal	Pass
5**	12104.275	41.61	0.60	54.0	-12.39	AV	101.00	150	Horizontal	Pass
6	15809.963	54.06	2.17	74.0	-19.94	Peak	228.00	150	Horizontal	Pass
6**	15809.963	45.67	2.17	54.0	-8.33	AV	228.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.900	51.18	-17.48	74.0	-22.82	Peak	172.00	150	Vertical	Pass
1**	1489.900	47.25	-17.48	54.0	-6.75	AV	172.00	150	Vertical	Pass
2	2699.900	45.47	-11.38	74.0	-28.53	Peak	270.00	150	Vertical	Pass
2**	2699.900	35.09	-11.38	54.0	-18.91	AV	270.00	150	Vertical	Pass
3	4298.600	47.35	-5.02	74.0	-26.65	Peak	111.00	150	Vertical	Pass
3**	4298.600	37.31	-5.02	54.0	-16.69	AV	111.00	150	Vertical	Pass
4	5599.200	97.76	-2.63	--	--	Peak	206.00	150	Vertical	N/A
4**	5599.200	89.85	-2.63	--	--	AV	206.00	150	Vertical	N/A
5	12443.525	51.29	1.80	74.0	-22.71	Peak	137.00	150	Vertical	Pass
5**	12443.525	41.53	1.80	54.0	-12.47	AV	137.00	150	Vertical	Pass
6	15801.300	53.93	2.32	74.0	-20.07	Peak	361.00	150	Vertical	Pass
6**	15801.300	46.00	2.32	54.0	-8.00	AV	361.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	47.15	-17.56	74.0	-26.85	Peak	362.00	150	Horizontal	Pass
1**	1499.900	37.70	-17.56	54.0	-16.30	AV	362.00	150	Horizontal	Pass
2	2700.300	44.84	-11.36	74.0	-29.16	Peak	254.00	150	Horizontal	Pass
2**	2700.300	35.36	-11.36	54.0	-18.64	AV	254.00	150	Horizontal	Pass
3	4814.400	49.30	-3.08	74.0	-24.70	Peak	51.00	150	Horizontal	Pass
3**	4814.400	39.70	-3.08	54.0	-14.30	AV	51.00	150	Horizontal	Pass
4	5738.000	104.29	-2.29	--	--	Peak	216.00	150	Horizontal	N/A
4**	5738.000	98.19	-2.29	--	--	AV	216.00	150	Horizontal	N/A
5	12237.963	50.54	1.10	74.0	-23.46	Peak	177.00	150	Horizontal	Pass
5**	12237.963	40.69	1.10	54.0	-13.31	AV	177.00	150	Horizontal	Pass
6	15804.188	54.99	2.28	74.0	-19.01	Peak	309.00	150	Horizontal	Pass
6**	15804.188	45.99	2.28	54.0	-8.01	AV	309.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.000	47.96	-17.61	74.0	-26.04	Peak	0.00	150	Vertical	Pass
1**	1486.000	31.78	-17.61	54.0	-22.22	AV	0.00	150	Vertical	Pass
2	2701.200	44.84	-11.33	74.0	-29.16	Peak	301.00	150	Vertical	Pass
2**	2701.200	35.66	-11.33	54.0	-18.34	AV	301.00	150	Vertical	Pass
3	4054.400	47.74	-4.89	74.0	-26.26	Peak	256.00	150	Vertical	Pass
3**	4054.400	38.91	-4.89	54.0	-15.09	AV	256.00	150	Vertical	Pass
4	5742.400	103.36	-2.26	--	--	Peak	163.00	150	Vertical	N/A
4**	5742.400	95.56	-2.26	--	--	AV	163.00	150	Vertical	N/A
5	12571.750	51.14	1.72	74.0	-22.86	Peak	206.00	150	Vertical	Pass
5**	12571.750	41.85	1.72	54.0	-12.15	AV	206.00	150	Vertical	Pass
6	15848.813	53.54	1.34	74.0	-20.46	Peak	245.00	150	Vertical	Pass
6**	15848.813	45.82	1.34	54.0	-8.18	AV	245.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.100	48.57	-17.59	74.0	-25.43	Peak	345.00	150	Horizontal	Pass
1**	1506.100	38.76	-17.59	54.0	-15.24	AV	345.00	150	Horizontal	Pass
2	2770.100	42.35	-10.56	74.0	-31.65	Peak	89.00	150	Horizontal	Pass
2**	2770.100	32.62	-10.56	54.0	-21.38	AV	89.00	150	Horizontal	Pass
3	4146.000	46.99	-4.86	74.0	-27.01	Peak	66.00	150	Horizontal	Pass
3**	4146.000	37.17	-4.86	54.0	-16.83	AV	66.00	150	Horizontal	Pass
4	5787.000	103.14	-2.47	--	--	Peak	235.00	150	Horizontal	N/A
4**	5787.000	96.11	-2.47	--	--	AV	235.00	150	Horizontal	N/A
5	11903.887	49.61	1.63	74.0	-24.39	Peak	156.00	150	Horizontal	Pass
5**	11903.887	40.49	1.63	54.0	-13.51	AV	156.00	150	Horizontal	Pass
6	15786.338	53.31	1.86	74.0	-20.69	Peak	55.00	150	Horizontal	Pass
6**	15786.338	44.80	1.86	54.0	-9.20	AV	55.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	52.52	-17.55	74.0	-21.48	Peak	351.00	150	Vertical	Pass
1**	1499.300	38.47	-17.55	54.0	-15.53	AV	351.00	150	Vertical	Pass
2	2699.800	44.80	-11.38	74.0	-29.20	Peak	53.00	150	Vertical	Pass
2**	2699.800	34.13	-11.38	54.0	-19.87	AV	53.00	150	Vertical	Pass
3	4939.600	49.14	-2.98	74.0	-24.86	Peak	361.00	150	Vertical	Pass
3**	4939.600	39.76	-2.98	54.0	-14.24	AV	361.00	150	Vertical	Pass
4	5782.400	101.99	-2.17	--	--	Peak	182.00	150	Vertical	N/A
4**	5782.400	95.96	-2.17	--	--	AV	182.00	150	Vertical	N/A
5	11448.487	49.81	-0.04	74.0	-24.19	Peak	48.00	150	Vertical	Pass
5**	11448.487	41.04	-0.04	54.0	-12.96	AV	48.00	150	Vertical	Pass
6	15815.999	53.82	2.02	74.0	-20.18	Peak	337.00	150	Vertical	Pass
6**	15815.999	44.44	2.02	54.0	-9.56	AV	337.00	150	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	47.13	-17.56	74.0	-26.87	Peak	362.00	150	Horizontal	Pass
1**	1499.900	40.55	-17.56	54.0	-13.45	AV	362.00	150	Horizontal	Pass
2	2812.200	43.02	-10.11	74.0	-30.98	Peak	124.00	150	Horizontal	Pass
2**	2812.200	33.24	-10.11	54.0	-20.76	AV	124.00	150	Horizontal	Pass
3	4154.200	46.65	-4.99	74.0	-27.35	Peak	112.00	150	Horizontal	Pass
3**	4154.200	37.37	-4.99	54.0	-16.63	AV	112.00	150	Horizontal	Pass
4	5831.400	102.99	-2.10	--	--	Peak	221.00	150	Horizontal	N/A
4**	5831.400	96.03	-2.10	--	--	AV	221.00	150	Horizontal	N/A
5	12220.137	50.79	1.23	74.0	-23.21	Peak	1.00	150	Horizontal	Pass
5**	12220.137	41.39	1.23	54.0	-12.61	AV	1.00	150	Horizontal	Pass
6	15811.276	53.64	2.14	74.0	-20.36	Peak	159.00	150	Horizontal	Pass
6**	15811.276	44.81	2.14	54.0	-9.19	AV	159.00	150	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	49.21	-17.57	74.0	-24.79	Peak	173.00	150	Vertical	Pass
1**	1500.500	42.23	-17.57	54.0	-11.77	AV	173.00	150	Vertical	Pass
2	2700.100	44.24	-11.37	74.0	-29.76	Peak	311.00	150	Vertical	Pass
2**	2700.100	35.40	-11.37	54.0	-18.60	AV	311.00	150	Vertical	Pass
3	4355.200	47.35	-3.73	74.0	-26.65	Peak	149.00	150	Vertical	Pass
3**	4355.200	37.33	-3.73	54.0	-16.67	AV	149.00	150	Vertical	Pass
4	5822.200	102.17	-2.45	--	--	Peak	185.00	150	Vertical	N/A
4**	5822.200	94.59	-2.45	--	--	AV	185.00	150	Vertical	N/A
5	11780.550	49.94	1.22	74.0	-24.06	Peak	284.00	150	Vertical	Pass
5**	11780.550	40.34	1.22	54.0	-13.66	AV	284.00	150	Vertical	Pass
6	15517.275	52.93	1.39	74.0	-21.07	Peak	91.00	150	Vertical	Pass
6**	15517.275	45.71	1.39	54.0	-8.29	AV	91.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	49.02	-17.56	74.0	-24.98	Peak	352.00	150	Horizontal	Pass
1**	1500.300	41.01	-17.56	54.0	-12.99	AV	352.00	150	Horizontal	Pass
2	2784.600	42.21	-10.54	74.0	-31.79	Peak	30.00	150	Horizontal	Pass
2**	2784.600	33.46	-10.54	54.0	-20.54	AV	30.00	150	Horizontal	Pass
3	4196.400	47.17	-4.86	74.0	-26.83	Peak	331.00	150	Horizontal	Pass
3**	4196.400	37.54	-4.86	54.0	-16.46	AV	331.00	150	Horizontal	Pass
4	5739.000	106.18	-2.33	--	--	Peak	275.00	150	Horizontal	N/A
4**	5739.000	99.43	-2.33	--	--	AV	275.00	150	Horizontal	N/A
5	11936.375	50.23	1.69	74.0	-23.77	Peak	339.00	150	Horizontal	Pass
5**	11936.375	40.86	1.69	54.0	-13.14	AV	339.00	150	Horizontal	Pass
6	15804.713	54.05	2.27	74.0	-19.95	Peak	96.00	150	Horizontal	Pass
6**	15804.713	45.77	2.27	54.0	-8.23	AV	96.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.200	49.18	-17.52	74.0	-24.82	Peak	176.00	150	Vertical	Pass
1**	1503.200	36.80	-17.52	54.0	-17.20	AV	176.00	150	Vertical	Pass
2	2700.700	45.94	-11.35	74.0	-28.06	Peak	313.00	150	Vertical	Pass
2**	2700.700	35.29	-11.35	54.0	-18.71	AV	313.00	150	Vertical	Pass
3	4816.600	49.46	-3.18	74.0	-24.54	Peak	240.00	150	Vertical	Pass
3**	4816.600	40.16	-3.18	54.0	-13.84	AV	240.00	150	Vertical	Pass
4	5751.200	104.50	-2.17	--	--	Peak	147.00	150	Vertical	N/A
4**	5751.200	97.59	-2.17	--	--	AV	147.00	150	Vertical	N/A
5	11923.151	50.21	1.51	74.0	-23.79	Peak	286.00	150	Vertical	Pass
5**	11923.151	40.80	1.51	54.0	-13.20	AV	286.00	150	Vertical	Pass
6	15791.588	54.00	2.06	74.0	-20.00	Peak	214.00	150	Vertical	Pass
6**	15791.588	44.74	2.06	54.0	-9.26	AV	214.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.100	47.28	-17.55	74.0	-26.72	Peak	0.00	150	Horizontal	Pass
1**	1499.100	32.79	-17.55	54.0	-21.21	AV	0.00	150	Horizontal	Pass
2	2816.700	42.76	-10.18	74.0	-31.24	Peak	295.00	150	Horizontal	Pass
2**	2816.700	32.93	-10.18	54.0	-21.07	AV	295.00	150	Horizontal	Pass
3	4227.400	46.90	-4.67	74.0	-27.10	Peak	319.00	150	Horizontal	Pass
3**	4227.400	37.75	-4.67	54.0	-16.25	AV	319.00	150	Horizontal	Pass
4	5781.400	107.39	-2.14	--	--	Peak	285.00	150	Horizontal	N/A
4**	5781.400	99.38	-2.14	--	--	AV	285.00	150	Horizontal	N/A
5	11497.650	50.90	0.05	74.0	-23.10	Peak	40.00	150	Horizontal	Pass
5**	11497.650	40.76	0.05	54.0	-13.24	AV	40.00	150	Horizontal	Pass
6	15512.287	54.08	1.42	74.0	-19.92	Peak	361.00	150	Horizontal	Pass
6**	15512.287	44.79	1.42	54.0	-9.21	AV	361.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.900	47.21	-17.60	74.0	-26.79	Peak	37.00	150	Vertical	Pass
1**	1507.900	38.92	-17.60	54.0	-15.08	AV	37.00	150	Vertical	Pass
2	2700.300	46.11	-11.36	74.0	-27.89	Peak	311.00	150	Vertical	Pass
2**	2700.300	34.71	-11.36	54.0	-19.29	AV	311.00	150	Vertical	Pass
3	4807.600	49.35	-2.99	74.0	-24.65	Peak	318.00	150	Vertical	Pass
3**	4807.600	39.41	-2.99	54.0	-14.59	AV	318.00	150	Vertical	Pass
4	5789.400	104.55	-2.51	--	--	Peak	150.00	150	Vertical	N/A
4**	5789.400	97.24	-2.51	--	--	AV	150.00	150	Vertical	N/A
5	12485.787	50.94	1.64	74.0	-23.06	Peak	65.00	150	Vertical	Pass
5**	12485.787	40.85	1.64	54.0	-13.15	AV	65.00	150	Vertical	Pass
6	15975.599	53.79	0.41	74.0	-20.21	Peak	231.00	150	Vertical	Pass
6**	15975.599	44.60	0.41	54.0	-9.40	AV	231.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.400	46.72	-17.54	74.0	-27.28	Peak	340.00	150	Horizontal	Pass
1**	1498.400	36.51	-17.54	54.0	-17.49	AV	340.00	150	Horizontal	Pass
2	2702.700	43.93	-11.30	74.0	-30.07	Peak	243.00	150	Horizontal	Pass
2**	2702.700	32.94	-11.30	54.0	-21.06	AV	243.00	150	Horizontal	Pass
3	4359.400	48.22	-3.77	74.0	-25.78	Peak	361.00	150	Horizontal	Pass
3**	4359.400	39.11	-3.77	54.0	-14.89	AV	361.00	150	Horizontal	Pass
4	5830.000	106.98	-2.17	--	--	Peak	285.00	150	Horizontal	N/A
4**	5830.000	100.08	-2.17	--	--	AV	285.00	150	Horizontal	N/A
5	12103.125	50.00	0.59	74.0	-24.00	Peak	355.00	150	Horizontal	Pass
5**	12103.125	40.64	0.59	54.0	-13.36	AV	355.00	150	Horizontal	Pass
6	15801.825	53.73	2.31	74.0	-20.27	Peak	231.00	150	Horizontal	Pass
6**	15801.825	44.90	2.31	54.0	-9.10	AV	231.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.600	47.84	-17.49	74.0	-26.16	Peak	353.00	150	Vertical	Pass
1**	1502.600	40.09	-17.49	54.0	-13.91	AV	353.00	150	Vertical	Pass
2	2700.000	44.08	-11.38	74.0	-29.92	Peak	250.00	150	Vertical	Pass
2**	2700.000	34.03	-11.38	54.0	-19.97	AV	250.00	150	Vertical	Pass
3	4774.000	48.40	-2.98	74.0	-25.60	Peak	174.00	150	Vertical	Pass
3**	4774.000	41.07	-2.98	54.0	-12.93	AV	174.00	150	Vertical	Pass
4	5822.200	105.25	-2.45	--	--	Peak	156.00	150	Vertical	N/A
4**	5822.200	99.43	-2.45	--	--	AV	156.00	150	Vertical	N/A
5	12227.037	50.04	1.31	74.0	-23.96	Peak	39.00	150	Vertical	Pass
5**	12227.037	40.96	1.31	54.0	-13.04	AV	39.00	150	Vertical	Pass
6	16083.488	54.45	1.56	74.0	-19.55	Peak	175.00	150	Vertical	Pass
6**	16083.488	44.08	1.56	54.0	-9.92	AV	175.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	47.86	-17.56	74.0	-26.14	Peak	351.00	150	Horizontal	Pass
1**	1500.300	36.93	-17.56	54.0	-17.07	AV	351.00	150	Horizontal	Pass
2	2779.600	43.51	-10.43	74.0	-30.49	Peak	98.00	150	Horizontal	Pass
2**	2779.600	32.95	-10.43	54.0	-21.05	AV	98.00	150	Horizontal	Pass
3	4761.400	49.89	-3.33	74.0	-24.11	Peak	10.00	150	Horizontal	Pass
3**	4761.400	39.58	-3.33	54.0	-14.42	AV	10.00	150	Horizontal	Pass
4	5768.000	105.18	-1.82	--	--	Peak	264.00	150	Horizontal	N/A
4**	5768.000	97.95	-1.82	--	--	AV	264.00	150	Horizontal	N/A
5	12441.800	50.72	1.79	74.0	-23.28	Peak	105.00	150	Horizontal	Pass
5**	12441.800	41.65	1.79	54.0	-12.35	AV	105.00	150	Horizontal	Pass
6	15739.350	53.56	0.85	74.0	-20.44	Peak	2.00	150	Horizontal	Pass
6**	15739.350	44.03	0.85	54.0	-9.97	AV	2.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.100	48.25	-17.48	74.0	-25.75	Peak	360.00	150	Vertical	Pass
1**	1490.100	39.29	-17.48	54.0	-14.71	AV	360.00	150	Vertical	Pass
2	2699.900	46.22	-11.38	74.0	-27.78	Peak	0.00	150	Vertical	Pass
2**	2699.900	36.43	-11.38	54.0	-17.57	AV	0.00	150	Vertical	Pass
3	4226.400	47.22	-4.74	74.0	-26.78	Peak	156.00	150	Vertical	Pass
3**	4226.400	37.33	-4.74	54.0	-16.67	AV	156.00	150	Vertical	Pass
4	5760.800	104.30	-1.91	--	--	Peak	156.00	150	Vertical	N/A
4**	5760.800	96.54	-1.91	--	--	AV	156.00	150	Vertical	N/A
5	11901.587	50.43	1.69	74.0	-23.57	Peak	1.00	150	Vertical	Pass
5**	11901.587	41.65	1.69	54.0	-12.35	AV	1.00	150	Vertical	Pass
6	15828.338	53.53	1.54	74.0	-20.47	Peak	339.00	150	Vertical	Pass
6**	15828.338	44.27	1.54	54.0	-9.73	AV	339.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.300	50.69	-17.56	74.0	-23.31	Peak	87.00	150	Horizontal	Pass
1**	1497.300	34.33	-17.56	54.0	-19.67	AV	87.00	150	Horizontal	Pass
2	2779.800	42.75	-10.43	74.0	-31.25	Peak	0.00	150	Horizontal	Pass
2**	2779.800	33.45	-10.43	54.0	-20.55	AV	0.00	150	Horizontal	Pass
3	4158.600	47.17	-4.88	74.0	-26.83	Peak	66.00	150	Horizontal	Pass
3**	4158.600	38.38	-4.88	54.0	-15.62	AV	66.00	150	Horizontal	Pass
4	5790.400	105.43	-2.56	--	--	Peak	278.00	150	Horizontal	N/A
4**	5790.400	98.09	-2.56	--	--	AV	278.00	150	Horizontal	N/A
5	11648.012	50.04	-0.18	74.0	-23.96	Peak	0.00	150	Horizontal	Pass
5**	11648.012	41.02	-0.18	54.0	-12.98	AV	0.00	150	Horizontal	Pass
6	15739.875	53.76	0.85	74.0	-20.24	Peak	2.00	150	Horizontal	Pass
6**	15739.875	44.20	0.85	54.0	-9.80	AV	2.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	53.29	-17.56	74.0	-20.71	Peak	162.00	150	Vertical	Pass
1**	1500.700	40.54	-17.56	54.0	-13.46	AV	162.00	150	Vertical	Pass
2	2701.900	46.57	-11.32	74.0	-27.43	Peak	41.00	150	Vertical	Pass
2**	2701.900	36.57	-11.32	54.0	-17.43	AV	41.00	150	Vertical	Pass
3	3996.800	48.24	-5.26	74.0	-25.76	Peak	41.00	150	Vertical	Pass
3**	3996.800	37.04	-5.26	54.0	-16.96	AV	41.00	150	Vertical	Pass
4	5796.600	103.62	-2.67	--	--	Peak	154.00	150	Vertical	N/A
4**	5796.600	95.93	-2.67	--	--	AV	154.00	150	Vertical	N/A
5	12255.787	51.06	1.00	74.0	-22.94	Peak	362.00	150	Vertical	Pass
5**	12255.787	41.48	1.00	54.0	-12.52	AV	362.00	150	Vertical	Pass
6	16100.813	53.62	1.16	74.0	-20.38	Peak	117.00	150	Vertical	Pass
6**	16100.813	44.57	1.16	54.0	-9.43	AV	117.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	50.08	-17.56	74.0	-23.92	Peak	349.00	150	Horizontal	Pass
1**	1500.300	37.21	-17.56	54.0	-16.79	AV	349.00	150	Horizontal	Pass
2	2698.800	43.60	-11.41	74.0	-30.40	Peak	349.00	150	Horizontal	Pass
2**	2698.800	33.01	-11.41	54.0	-20.99	AV	349.00	150	Horizontal	Pass
3	4323.400	47.66	-4.38	74.0	-26.34	Peak	301.00	150	Horizontal	Pass
3**	4323.400	37.61	-4.38	54.0	-16.39	AV	301.00	150	Horizontal	Pass
4	5737.200	106.06	-2.31	--	--	Peak	283.00	150	Horizontal	N/A
4**	5737.200	99.60	-2.31	--	--	AV	283.00	150	Horizontal	N/A
5	12218.412	50.18	1.21	74.0	-23.82	Peak	236.00	150	Horizontal	Pass
5**	12218.412	40.96	1.21	54.0	-13.04	AV	236.00	150	Horizontal	Pass
6	15788.963	53.12	1.97	74.0	-20.88	Peak	121.00	150	Horizontal	Pass
6**	15788.963	45.11	1.97	54.0	-8.89	AV	121.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	51.44	-17.56	74.0	-22.56	Peak	164.00	150	Vertical	Pass
1**	1500.200	39.70	-17.56	54.0	-14.30	AV	164.00	150	Vertical	Pass
2	2699.200	46.32	-11.41	74.0	-27.68	Peak	272.00	150	Vertical	Pass
2**	2699.200	35.24	-11.41	54.0	-18.76	AV	272.00	150	Vertical	Pass
3	4897.800	50.05	-2.94	74.0	-23.95	Peak	30.00	150	Vertical	Pass
3**	4897.800	40.08	-2.94	54.0	-13.92	AV	30.00	150	Vertical	Pass
4	5748.800	104.13	-2.16	--	--	Peak	215.00	150	Vertical	N/A
4**	5748.800	97.27	-2.16	--	--	AV	215.00	150	Vertical	N/A
5	12110.312	50.18	0.57	74.0	-23.82	Peak	188.00	150	Vertical	Pass
5**	12110.312	42.21	0.57	54.0	-11.79	AV	188.00	150	Vertical	Pass
6	15810.750	54.15	2.15	74.0	-19.85	Peak	11.00	150	Vertical	Pass
6**	15810.750	44.74	2.15	54.0	-9.26	AV	11.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.100	48.46	-17.58	74.0	-25.54	Peak	256.00	150	Horizontal	Pass
1**	1496.100	38.83	-17.58	54.0	-15.17	AV	256.00	150	Horizontal	Pass
2	2847.700	42.94	-10.27	74.0	-31.06	Peak	203.00	150	Horizontal	Pass
2**	2847.700	33.48	-10.27	54.0	-20.52	AV	203.00	150	Horizontal	Pass
3	4289.200	47.01	-4.97	74.0	-26.99	Peak	297.00	150	Horizontal	Pass
3**	4289.200	37.59	-4.97	54.0	-16.41	AV	297.00	150	Horizontal	Pass
4	5792.800	106.98	-2.55	--	--	Peak	280.00	150	Horizontal	N/A
4**	5792.800	100.11	-2.55	--	--	AV	280.00	150	Horizontal	N/A
5	12472.849	50.43	1.64	74.0	-23.57	Peak	285.00	150	Horizontal	Pass
5**	12472.849	40.75	1.64	54.0	-13.25	AV	285.00	150	Horizontal	Pass
6	15799.463	53.42	2.32	74.0	-20.58	Peak	361.00	150	Horizontal	Pass
6**	15799.463	45.26	2.32	54.0	-8.74	AV	361.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.700	47.96	-17.61	74.0	-26.04	Peak	170.00	150	Vertical	Pass
1**	1504.700	34.33	-17.61	54.0	-19.67	AV	170.00	150	Vertical	Pass
2	2699.600	45.80	-11.39	74.0	-28.20	Peak	277.00	150	Vertical	Pass
2**	2699.600	36.80	-11.39	54.0	-17.20	AV	277.00	150	Vertical	Pass
3	4801.200	48.88	-2.58	74.0	-25.12	Peak	313.00	150	Vertical	Pass
3**	4801.200	40.30	-2.58	54.0	-13.70	AV	313.00	150	Vertical	Pass
4	5791.800	105.14	-2.57	--	--	Peak	154.00	150	Vertical	N/A
4**	5791.800	98.00	-2.57	--	--	AV	154.00	150	Vertical	N/A
5	12455.599	49.98	1.87	74.0	-24.02	Peak	168.00	150	Vertical	Pass
5**	12455.599	41.71	1.87	54.0	-12.29	AV	168.00	150	Vertical	Pass
6	15812.325	53.82	2.12	74.0	-20.18	Peak	361.00	150	Vertical	Pass
6**	15812.325	44.66	2.12	54.0	-9.34	AV	361.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	50.18	-17.56	74.0	-23.82	Peak	220.00	150	Horizontal	Pass
1**	1500.100	41.38	-17.56	54.0	-12.62	AV	220.00	150	Horizontal	Pass
2	2695.100	43.48	-11.32	74.0	-30.52	Peak	263.00	150	Horizontal	Pass
2**	2695.100	32.83	-11.32	54.0	-21.17	AV	263.00	150	Horizontal	Pass
3	4933.600	49.51	-2.86	74.0	-24.49	Peak	145.00	150	Horizontal	Pass
3**	4933.600	39.42	-2.86	54.0	-14.58	AV	145.00	150	Horizontal	Pass
4	5817.600	106.44	-2.52	--	--	Peak	280.00	150	Horizontal	N/A
4**	5817.600	99.83	-2.52	--	--	AV	280.00	150	Horizontal	N/A
5	12562.838	50.63	1.70	74.0	-23.37	Peak	65.00	150	Horizontal	Pass
5**	12562.838	42.68	1.70	54.0	-11.32	AV	65.00	150	Horizontal	Pass
6	15792.900	53.73	2.10	74.0	-20.27	Peak	2.00	150	Horizontal	Pass
6**	15792.900	44.73	2.10	54.0	-9.27	AV	2.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.800	53.46	-17.52	74.0	-20.54	Peak	174.00	150	Vertical	Pass
1**	1501.800	34.14	-17.52	54.0	-19.86	AV	174.00	150	Vertical	Pass
2	2701.200	46.69	-11.33	74.0	-27.31	Peak	279.00	150	Vertical	Pass
2**	2701.200	32.66	-11.33	54.0	-21.34	AV	279.00	150	Vertical	Pass
3	4663.200	49.43	-3.42	74.0	-24.57	Peak	329.00	150	Vertical	Pass
3**	4663.200	40.75	-3.42	54.0	-13.25	AV	329.00	150	Vertical	Pass
4	5818.200	105.65	-2.52	--	--	Peak	154.00	150	Vertical	N/A
4**	5818.200	98.76	-2.52	--	--	AV	154.00	150	Vertical	N/A
5	12391.487	50.47	1.58	74.0	-23.53	Peak	324.00	150	Vertical	Pass
5**	12391.487	41.62	1.58	54.0	-12.38	AV	324.00	150	Vertical	Pass
6	15788.963	53.51	1.97	74.0	-20.49	Peak	181.00	150	Vertical	Pass
6**	15788.963	45.36	1.97	54.0	-8.64	AV	181.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	51.59	-17.56	74.0	-22.41	Peak	72.00	150	Horizontal	Pass
1**	1500.100	48.02	-17.56	54.0	-5.98	AV	72.00	150	Horizontal	Pass
2	2700.000	43.78	-11.38	74.0	-30.22	Peak	255.00	150	Horizontal	Pass
2**	2700.000	37.20	-11.38	54.0	-16.80	AV	255.00	150	Horizontal	Pass
3	4760.600	49.03	-3.34	74.0	-24.97	Peak	361.00	150	Horizontal	Pass
3**	4760.600	38.85	-3.34	54.0	-15.15	AV	361.00	150	Horizontal	Pass
4	5751.800	105.21	-2.18	--	--	Peak	267.00	150	Horizontal	N/A
4**	5751.800	97.51	-2.18	--	--	AV	267.00	150	Horizontal	N/A
5	12271.887	50.60	1.51	74.0	-23.40	Peak	162.00	150	Horizontal	Pass
5**	12271.887	41.28	1.51	54.0	-12.72	AV	162.00	150	Horizontal	Pass
6	15797.625	53.36	2.26	74.0	-20.64	Peak	182.00	150	Horizontal	Pass
6**	15797.625	45.10	2.26	54.0	-8.90	AV	182.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.300	48.83	-17.54	74.0	-25.17	Peak	164.00	150	Vertical	Pass
1**	1498.300	32.62	-17.54	54.0	-21.38	AV	164.00	150	Vertical	Pass
2	2697.300	44.76	-11.38	74.0	-29.24	Peak	30.00	150	Vertical	Pass
2**	2697.300	33.42	-11.38	54.0	-20.58	AV	30.00	150	Vertical	Pass
3	4861.200	49.16	-3.34	74.0	-24.84	Peak	177.00	150	Vertical	Pass
3**	4861.200	42.21	-3.34	54.0	-11.79	AV	177.00	150	Vertical	Pass
4	5760.400	103.89	-1.92	--	--	Peak	217.00	150	Vertical	N/A
4**	5760.400	96.58	-1.92	--	--	AV	217.00	150	Vertical	N/A
5	12433.463	50.54	1.65	74.0	-23.46	Peak	295.00	150	Vertical	Pass
5**	12433.463	42.62	1.65	54.0	-11.38	AV	295.00	150	Vertical	Pass
6	15822.037	53.87	1.78	74.0	-20.13	Peak	361.00	150	Vertical	Pass
6**	15822.037	44.55	1.78	54.0	-9.45	AV	361.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.500	51.56	-17.53	74.0	-22.44	Peak	19.00	150	Horizontal	Pass
1**	1501.500	34.14	-17.53	54.0	-19.86	AV	19.00	150	Horizontal	Pass
2	2774.000	43.60	-10.48	74.0	-30.40	Peak	194.00	150	Horizontal	Pass
2**	2774.000	33.61	-10.48	54.0	-20.39	AV	194.00	150	Horizontal	Pass
3	4823.200	49.02	-3.39	74.0	-24.98	Peak	344.00	150	Horizontal	Pass
3**	4823.200	39.18	-3.39	54.0	-14.82	AV	344.00	150	Horizontal	Pass
4	5786.400	104.80	-2.46	--	--	Peak	267.00	150	Horizontal	N/A
4**	5786.400	98.16	-2.46	--	--	AV	267.00	150	Horizontal	N/A
5	12276.487	50.27	1.67	74.0	-23.73	Peak	1.00	150	Horizontal	Pass
5**	12276.487	41.63	1.67	54.0	-12.37	AV	1.00	150	Horizontal	Pass
6	15818.888	53.50	1.92	74.0	-20.50	Peak	240.00	150	Horizontal	Pass
6**	15818.888	44.84	1.92	54.0	-9.16	AV	240.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.800	46.29	-17.50	74.0	-27.71	Peak	156.00	150	Vertical	Pass
1**	1502.800	33.29	-17.50	54.0	-20.71	AV	156.00	150	Vertical	Pass
2	2701.600	46.44	-11.33	74.0	-27.56	Peak	255.00	150	Vertical	Pass
2**	2701.600	36.89	-11.33	54.0	-17.11	AV	255.00	150	Vertical	Pass
3	4804.200	49.36	-2.76	74.0	-24.64	Peak	281.00	150	Vertical	Pass
3**	4804.200	40.10	-2.76	54.0	-13.90	AV	281.00	150	Vertical	Pass
4	5789.400	102.93	-2.51	--	--	Peak	200.00	150	Vertical	N/A
4**	5789.400	96.57	-2.51	--	--	AV	200.00	150	Vertical	N/A
5	11906.187	50.53	1.58	74.0	-23.47	Peak	133.00	150	Vertical	Pass
5**	11906.187	41.18	1.58	54.0	-12.82	AV	133.00	150	Vertical	Pass
6	15839.625	53.58	1.45	74.0	-20.42	Peak	208.00	150	Vertical	Pass
6**	15839.625	44.35	1.45	54.0	-9.65	AV	208.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.300	45.98	-17.50	74.0	-28.02	Peak	0.00	150	Horizontal	Pass
1**	1502.300	37.23	-17.50	54.0	-16.77	AV	0.00	150	Horizontal	Pass
2	2860.700	43.15	-10.20	74.0	-30.85	Peak	0.00	150	Horizontal	Pass
2**	2860.700	32.95	-10.20	54.0	-21.05	AV	0.00	150	Horizontal	Pass
3	4297.400	47.29	-5.02	74.0	-26.71	Peak	85.00	150	Horizontal	Pass
3**	4297.400	38.10	-5.02	54.0	-15.90	AV	85.00	150	Horizontal	Pass
4	5764.200	102.57	-1.86	--	--	Peak	275.00	150	Horizontal	N/A
4**	5764.200	96.28	-1.86	--	--	AV	275.00	150	Horizontal	N/A
5	12441.513	50.78	1.79	74.0	-23.22	Peak	152.00	150	Horizontal	Pass
5**	12441.513	41.45	1.79	54.0	-12.55	AV	152.00	150	Horizontal	Pass
6	15806.287	53.23	2.24	74.0	-20.77	Peak	125.00	150	Horizontal	Pass
6**	15806.287	44.96	2.24	54.0	-9.04	AV	125.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.300	51.48	-17.55	74.0	-22.52	Peak	294.00	150	Vertical	Pass
1**	1575.300	33.76	-17.55	54.0	-20.24	AV	294.00	150	Vertical	Pass
2	2702.300	44.98	-11.31	74.0	-29.02	Peak	33.00	150	Vertical	Pass
2**	2702.300	33.67	-11.31	54.0	-20.33	AV	33.00	150	Vertical	Pass
3	4058.800	47.19	-4.89	74.0	-26.81	Peak	168.00	150	Vertical	Pass
3**	4058.800	38.37	-4.89	54.0	-15.63	AV	168.00	150	Vertical	Pass
4	5789.600	100.52	-2.52	--	--	Peak	168.00	150	Vertical	N/A
4**	5789.600	92.15	-2.52	--	--	AV	168.00	150	Vertical	N/A
5	11644.562	50.35	-0.21	74.0	-23.65	Peak	72.00	150	Vertical	Pass
5**	11644.562	40.22	-0.21	54.0	-13.78	AV	72.00	150	Vertical	Pass
6	16100.287	53.65	1.19	74.0	-20.35	Peak	218.00	150	Vertical	Pass
6**	16100.287	44.33	1.19	54.0	-9.67	AV	218.00	150	Vertical	Pass

MIMO

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.700	41.04	-15.11	74.0	-32.96	Peak	103.00	150	Horizontal	Pass
1**	1497.700	48.81	-15.11	54.0	-5.19	AV	103.00	150	Horizontal	Pass
2	2837.300	42.03	-8.51	74.0	-31.97	Peak	65.00	150	Horizontal	Pass
2**	2837.300	32.89	-8.51	54.0	-21.11	AV	65.00	150	Horizontal	Pass
3	4198.000	46.56	-4.01	74.0	-27.44	Peak	312.00	150	Horizontal	Pass
3**	4198.000	34.67	-4.01	54.0	-19.33	AV	312.00	150	Horizontal	Pass
4	5186.000	98.64	-0.68	--	--	Peak	85.00	150	Horizontal	N/A
4**	5186.000	92.19	-0.68	--	--	AV	85.00	150	Horizontal	N/A
5	12211.512	49.91	20.44	74.0	-24.09	Peak	280.00	150	Horizontal	Pass
5**	12211.512	37.05	20.44	54.0	-16.95	AV	280.00	150	Horizontal	Pass
6	15937.537	53.87	23.87	74.0	-20.13	Peak	0.00	150	Horizontal	Pass
6**	15937.537	41.94	23.87	54.0	-12.06	AV	0.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	47.20	-15.19	74.0	-26.80	Peak	207.00	150	Vertical	Pass
1**	1499.900	31.72	-15.19	54.0	-22.28	AV	207.00	150	Vertical	Pass
2	2703.900	44.26	-9.43	74.0	-29.74	Peak	307.00	150	Vertical	Pass
2**	2703.900	34.13	-9.43	54.0	-19.87	AV	307.00	150	Vertical	Pass
3	4335.200	48.28	-2.94	74.0	-25.72	Peak	17.00	150	Vertical	Pass
3**	4335.200	35.44	-2.94	54.0	-18.56	AV	17.00	150	Vertical	Pass
4	5183.800	99.37	-0.61	--	--	Peak	94.00	150	Vertical	N/A
4**	5183.800	93.45	-0.61	--	93.45	AV	94.00	150	Vertical	N/A
5	11602.588	48.76	20.14	74.0	-25.24	Peak	55.00	150	Vertical	Pass
5**	11602.588	37.05	20.14	54.0	-16.95	AV	55.00	150	Vertical	Pass
6	15484.987	53.82	23.73	74.0	-20.18	Peak	203.00	150	Vertical	Pass
6**	15484.987	42.36	23.73	54.0	-11.64	AV	203.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	49.80	-15.19	74.0	-24.20	Peak	125.00	150	Horizontal	Pass
1**	1499.900	33.97	-15.19	54.0	-20.03	AV	125.00	150	Horizontal	Pass
2	2739.200	42.44	-8.99	74.0	-31.56	Peak	29.00	150	Horizontal	Pass
2**	2739.200	30.97	-8.99	54.0	-23.03	AV	29.00	150	Horizontal	Pass
3	4067.400	47.19	-3.92	74.0	-26.81	Peak	166.00	150	Horizontal	Pass
3**	4067.400	35.48	-3.92	54.0	-18.52	AV	166.00	150	Horizontal	Pass
4	5227.200	101.50	-0.48	--	--	Peak	275.00	150	Horizontal	N/A
4**	5227.200	93.32	-0.48	--	--	AV	275.00	150	Horizontal	N/A
5	12139.062	48.64	19.84	74.0	-25.36	Peak	0.00	150	Horizontal	Pass
5**	12139.062	37.05	19.84	54.0	-16.95	AV	0.00	150	Horizontal	Pass
6	15718.875	53.98	23.47	74.0	-20.02	Peak	361.00	150	Horizontal	Pass
6**	15718.875	42.24	23.47	54.0	-11.76	AV	361.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.000	49.49	-15.13	74.0	-24.51	Peak	206.00	150	Vertical	Pass
1**	1491.000	29.49	-15.13	54.0	-24.51	AV	206.00	150	Vertical	Pass
2	2700.700	43.76	-9.47	74.0	-30.24	Peak	327.00	150	Vertical	Pass
2**	2700.700	32.10	-9.47	54.0	-21.90	AV	327.00	150	Vertical	Pass
3	4331.200	47.31	-2.79	74.0	-26.69	Peak	102.00	150	Vertical	Pass
3**	4331.200	34.88	-2.79	54.0	-19.12	AV	102.00	150	Vertical	Pass
4	5226.800	101.65	-0.48	--	--	Peak	94.00	150	Vertical	N/A
4**	5226.800	94.76	-0.48	--	--	AV	94.00	150	Vertical	N/A
5	11842.076	48.72	18.19	74.0	-25.28	Peak	265.00	150	Vertical	Pass
5**	11842.076	36.36	18.19	54.0	-17.64	AV	265.00	150	Vertical	Pass
6	15958.537	54.22	23.98	74.0	-19.78	Peak	128.00	150	Vertical	Pass
6**	15958.537	42.18	23.98	54.0	-11.82	AV	128.00	150	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	48.46	-15.18	74.0	-25.54	Peak	125.00	150	Horizontal	Pass
1**	1500.500	37.75	-15.18	54.0	-16.25	AV	125.00	150	Horizontal	Pass
2	2868.400	42.76	-7.85	74.0	-31.24	Peak	193.00	150	Horizontal	Pass
2**	2868.400	33.28	-7.85	54.0	-20.72	AV	193.00	150	Horizontal	Pass
3	4286.000	47.23	-3.83	74.0	-26.77	Peak	79.00	150	Horizontal	Pass
3**	4286.000	34.89	-3.83	54.0	-19.11	AV	79.00	150	Horizontal	Pass
4	5247.000	102.23	-0.96	--	--	Peak	276.00	150	Horizontal	N/A
4**	5247.000	94.77	-0.96	--	94.77	AV	276.00	150	Horizontal	N/A
5	12324.500	49.37	19.89	74.0	-24.63	Peak	43.00	150	Horizontal	Pass
5**	12324.500	36.80	19.89	54.0	-17.20	AV	43.00	150	Horizontal	Pass
6	15531.450	52.99	23.73	74.0	-21.01	Peak	94.00	150	Horizontal	Pass
6**	15531.450	42.44	23.73	54.0	-11.56	AV	94.00	150	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.200	49.63	-15.02	74.0	-24.37	Peak	285.00	150	Vertical	Pass
1**	1503.200	37.53	-15.02	54.0	-16.47	AV	285.00	150	Vertical	Pass
2	2702.700	42.42	-9.45	74.0	-31.58	Peak	149.00	150	Vertical	Pass
2**	2702.700	31.04	-9.45	54.0	-22.96	AV	149.00	150	Vertical	Pass
3	4212.200	46.46	-3.83	74.0	-27.54	Peak	229.00	150	Vertical	Pass
3**	4212.200	35.46	-3.83	54.0	-18.54	AV	229.00	150	Vertical	Pass
4	5233.800	101.55	-0.72	--	--	Peak	93.00	150	Vertical	N/A
4**	5233.800	95.88	-0.72	--	--	AV	93.00	150	Vertical	N/A
5	11648.874	48.73	20.39	74.0	-25.27	Peak	249.00	150	Vertical	Pass
5**	11648.874	36.90	20.39	54.0	-17.10	AV	249.00	150	Vertical	Pass
6	15512.813	54.49	23.84	74.0	-19.51	Peak	1.00	150	Vertical	Pass
6**	15512.813	42.14	23.84	54.0	-11.86	AV	1.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	50.62	-15.19	74.0	-23.38	Peak	172.00	150	Horizontal	Pass
1**	1499.800	35.87	-15.19	54.0	-18.13	AV	172.00	150	Horizontal	Pass
2	2700.000	44.24	-9.50	74.0	-29.76	Peak	260.00	150	Horizontal	Pass
2**	2700.000	34.23	-9.50	54.0	-19.77	AV	260.00	150	Horizontal	Pass
3	3980.000	46.56	-4.04	74.0	-27.44	Peak	94.00	150	Horizontal	Pass
3**	3980.000	35.31	-4.04	54.0	-18.69	AV	94.00	150	Horizontal	Pass
4	5201.200	98.52	-0.54	--	--	Peak	278.00	150	Horizontal	N/A
4**	5201.200	91.08	-0.54	--	--	AV	278.00	150	Horizontal	N/A
5	12337.438	48.90	19.80	74.0	-25.10	Peak	278.00	150	Horizontal	Pass
5**	12337.438	36.61	19.80	54.0	-17.39	AV	278.00	150	Horizontal	Pass
6	15703.912	54.03	23.55	74.0	-19.97	Peak	86.00	150	Horizontal	Pass
6**	15703.912	42.32	23.55	54.0	-11.68	AV	86.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	49.19	-15.19	74.0	-24.81	Peak	212.00	150	Vertical	Pass
1**	1499.800	32.45	-15.19	54.0	-21.55	AV	212.00	150	Vertical	Pass
2	2790.100	42.03	-9.03	74.0	-31.97	Peak	314.00	150	Vertical	Pass
2**	2790.100	31.59	-9.03	54.0	-22.41	AV	314.00	150	Vertical	Pass
3	4092.600	46.88	-4.41	74.0	-27.12	Peak	151.00	150	Vertical	Pass
3**	4092.600	35.84	-4.41	54.0	-18.16	AV	151.00	150	Vertical	Pass
4	5196.400	98.11	-0.76	--	--	Peak	90.00	150	Vertical	N/A
4**	5196.400	91.77	-0.76	--	--	AV	90.00	150	Vertical	N/A
5	12391.200	48.58	19.28	74.0	-25.42	Peak	287.00	150	Vertical	Pass
5**	12391.200	38.23	19.28	54.0	-15.77	AV	287.00	150	Vertical	Pass
6	15449.813	53.90	23.39	74.0	-20.10	Peak	161.00	150	Vertical	Pass
6**	15449.813	44.75	23.39	54.0	-9.25	AV	161.00	150	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.100	50.08	-15.13	74.0	-23.92	Peak	120.00	150	Horizontal	Pass
1**	1490.100	47.63	-15.13	54.0	-6.37	AV	120.00	150	Horizontal	Pass
2	2785.000	41.54	-8.82	74.0	-32.46	Peak	292.00	150	Horizontal	Pass
2**	2785.000	32.69	-8.82	54.0	-21.31	AV	292.00	150	Horizontal	Pass
3	4332.400	47.06	-2.91	74.0	-26.94	Peak	251.00	150	Horizontal	Pass
3**	4332.400	36.11	-2.91	54.0	-17.89	AV	251.00	150	Horizontal	Pass
4	5234.200	100.02	-0.75	--	--	Peak	276.00	150	Horizontal	N/A
4**	5234.200	91.31	-0.75	--	--	AV	276.00	150	Horizontal	N/A
5	12105.713	48.63	19.47	74.0	-25.37	Peak	353.00	150	Horizontal	Pass
5**	12105.713	37.14	19.47	54.0	-16.86	AV	353.00	150	Horizontal	Pass
6	15634.612	54.87	23.53	74.0	-19.13	Peak	230.00	150	Horizontal	Pass
6**	15634.612	42.01	23.53	54.0	-11.99	AV	230.00	150	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	48.39	-15.19	74.0	-25.61	Peak	132.00	150	Vertical	Pass
1**	1500.000	35.45	-15.19	54.0	-18.55	AV	132.00	150	Vertical	Pass
2	2700.300	44.30	-9.48	74.0	-29.70	Peak	125.00	150	Vertical	Pass
2**	2700.300	33.57	-9.48	54.0	-20.43	AV	125.00	150	Vertical	Pass
3	4228.800	46.74	-3.42	74.0	-27.26	Peak	142.00	150	Vertical	Pass
3**	4228.800	35.21	-3.42	54.0	-18.79	AV	142.00	150	Vertical	Pass
4	5223.600	99.53	-0.41	--	--	Peak	89.00	150	Vertical	N/A
4**	5223.600	93.11	-0.41	--	--	AV	89.00	150	Vertical	N/A
5	12376.250	49.30	19.44	74.0	-24.70	Peak	0.00	150	Vertical	Pass
5**	12376.250	36.91	19.44	54.0	-17.09	AV	0.00	150	Vertical	Pass
6	15861.151	53.83	23.34	74.0	-20.17	Peak	228.00	150	Vertical	Pass
6**	15861.151	41.00	23.34	54.0	-13.00	AV	228.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.900	49.04	-15.17	74.0	-24.96	Peak	53.00	150	Horizontal	Pass
1**	1498.900	39.95	-15.17	54.0	-14.05	AV	53.00	150	Horizontal	Pass
2	2867.200	42.01	-7.81	74.0	-31.99	Peak	262.00	150	Horizontal	Pass
2**	2867.200	33.08	-7.81	54.0	-20.92	AV	262.00	150	Horizontal	Pass
3	4289.400	46.81	-3.81	74.0	-27.19	Peak	168.00	150	Horizontal	Pass
3**	4289.400	35.15	-3.81	54.0	-18.85	AV	168.00	150	Horizontal	Pass
4	5183.000	98.68	-0.57	--	--	Peak	85.00	150	Horizontal	N/A
4**	5183.000	92.08	-0.57	--	--	AV	85.00	150	Horizontal	N/A
5	12379.125	49.36	19.41	74.0	-24.64	Peak	284.00	150	Horizontal	Pass
5**	12379.125	36.84	19.41	54.0	-17.16	AV	284.00	150	Horizontal	Pass
6	15708.900	55.04	23.52	74.0	-18.96	Peak	2.00	150	Horizontal	Pass
6**	15708.900	42.93	23.52	54.0	-11.07	AV	2.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.300	50.85	-15.11	74.0	-23.15	Peak	85.00	150	Vertical	Pass
1**	1501.300	29.28	-15.11	54.0	-24.72	AV	85.00	150	Vertical	Pass
2	2701.500	42.68	-9.46	74.0	-31.32	Peak	352.00	150	Vertical	Pass
2**	2701.500	30.78	-9.46	54.0	-23.22	AV	352.00	150	Vertical	Pass
3	4262.600	47.91	-3.27	74.0	-26.09	Peak	276.00	150	Vertical	Pass
3**	4262.600	34.34	-3.27	54.0	-19.66	AV	276.00	150	Vertical	Pass
4	5178.400	99.57	-0.64	--	--	Peak	90.00	150	Vertical	N/A
4**	5178.400	91.93	-0.64	--	--	AV	90.00	150	Vertical	N/A
5	12405.862	49.04	19.12	74.0	-24.96	Peak	41.00	150	Vertical	Pass
5**	12405.862	37.44	19.12	54.0	-16.56	AV	41.00	150	Vertical	Pass
6	15940.163	54.13	23.90	74.0	-19.87	Peak	293.00	150	Vertical	Pass
6**	15940.163	42.32	23.90	54.0	-11.68	AV	293.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.900	50.89	-15.02	74.0	-23.11	Peak	111.00	150	Horizontal	Pass
1**	1509.900	30.11	-15.02	54.0	-23.89	AV	111.00	150	Horizontal	Pass
2	2874.500	42.73	-8.24	74.0	-31.27	Peak	193.00	150	Horizontal	Pass
2**	2874.500	32.63	-8.24	54.0	-21.37	AV	193.00	150	Horizontal	Pass
3	4321.600	46.41	-3.11	74.0	-27.59	Peak	192.00	150	Horizontal	Pass
3**	4321.600	34.96	-3.11	54.0	-19.04	AV	192.00	150	Horizontal	Pass
4	5224.400	101.84	-0.43	--	--	Peak	274.00	150	Horizontal	N/A
4**	5224.400	94.35	-0.43	--	--	AV	274.00	150	Horizontal	N/A
5	12116.350	48.81	19.59	74.0	-25.19	Peak	173.00	150	Horizontal	Pass
5**	12116.350	36.62	19.59	54.0	-17.38	AV	173.00	150	Horizontal	Pass
6	15931.500	54.18	23.79	74.0	-19.82	Peak	53.00	150	Horizontal	Pass
6**	15931.500	42.78	23.79	54.0	-11.22	AV	53.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	51.33	-15.19	74.0	-22.67	Peak	320.00	150	Vertical	Pass
1**	1499.700	35.80	-15.19	54.0	-18.20	AV	320.00	150	Vertical	Pass
2	2698.600	43.73	-9.54	74.0	-30.27	Peak	310.00	150	Vertical	Pass
2**	2698.600	32.60	-9.54	54.0	-21.40	AV	310.00	150	Vertical	Pass
3	4339.200	47.02	-2.84	74.0	-26.98	Peak	0.00	150	Vertical	Pass
3**	4339.200	35.02	-2.84	54.0	-18.98	AV	0.00	150	Vertical	Pass
4	5226.400	101.97	-0.48	--	--	Peak	85.00	150	Vertical	N/A
4**	5226.400	95.33	-0.48	--	--	AV	85.00	150	Vertical	N/A
5	12257.225	48.92	20.41	74.0	-25.08	Peak	41.00	150	Vertical	Pass
5**	12257.225	35.95	20.41	54.0	-18.05	AV	41.00	150	Vertical	Pass
6	15992.401	54.53	24.01	74.0	-19.47	Peak	39.00	150	Vertical	Pass
6**	15992.401	42.26	24.01	54.0	-11.74	AV	39.00	150	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1486.600	48.79	-15.17	74.0	-25.21	Peak	114.00	150	Horizontal	Pass
1**	1486.600	35.88	-15.17	54.0	-18.12	AV	114.00	150	Horizontal	Pass
2	2874.500	42.01	-8.24	74.0	-31.99	Peak	139.00	150	Horizontal	Pass
2**	2874.500	32.53	-8.24	54.0	-21.47	AV	139.00	150	Horizontal	Pass
3	4313.600	47.39	-3.32	74.0	-26.61	Peak	0.00	150	Horizontal	Pass
3**	4313.600	35.77	-3.32	54.0	-18.23	AV	0.00	150	Horizontal	Pass
4	5235.600	101.98	-0.77	--	--	Peak	84.00	150	Horizontal	N/A
4**	5235.600	93.71	-0.77	--	--	AV	84.00	150	Horizontal	N/A
5	12345.201	49.64	19.74	74.0	-24.36	Peak	362.00	150	Horizontal	Pass
5**	12345.201	37.75	19.74	54.0	-16.25	AV	362.00	150	Horizontal	Pass
6	15976.912	54.21	24.00	74.0	-19.79	Peak	203.00	150	Horizontal	Pass
6**	15976.912	42.62	24.00	54.0	-11.38	AV	203.00	150	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.600	49.03	-15.02	74.0	-24.97	Peak	312.00	150	Vertical	Pass
1**	1510.600	40.78	-15.02	54.0	-13.22	AV	312.00	150	Vertical	Pass
2	2697.800	42.56	-9.53	74.0	-31.44	Peak	312.00	150	Vertical	Pass
2**	2697.800	31.48	-9.53	54.0	-22.52	AV	312.00	150	Vertical	Pass
3	4273.600	46.99	-3.64	74.0	-27.01	Peak	204.00	150	Vertical	Pass
3**	4273.600	35.15	-3.64	54.0	-18.85	AV	204.00	150	Vertical	Pass
4	5236.800	101.65	-0.83	--	--	Peak	90.00	150	Vertical	N/A
4**	5236.800	95.60	-0.83	--	--	AV	90.00	150	Vertical	N/A
5	12197.425	49.17	20.41	74.0	-24.83	Peak	53.00	150	Vertical	Pass
5**	12197.425	36.87	20.41	54.0	-17.13	AV	53.00	150	Vertical	Pass
6	15409.912	54.29	22.97	74.0	-19.71	Peak	310.00	150	Vertical	Pass
6**	15409.912	43.84	22.97	54.0	-10.16	AV	310.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.400	50.78	-15.00	74.0	-23.22	Peak	0.00	150	Horizontal	Pass
1**	1502.400	36.68	-15.00	54.0	-17.32	AV	0.00	150	Horizontal	Pass
2	2850.000	41.97	-7.75	74.0	-32.03	Peak	254.00	150	Horizontal	Pass
2**	2850.000	33.11	-7.75	54.0	-20.89	AV	254.00	150	Horizontal	Pass
3	4270.400	47.19	-3.58	74.0	-26.81	Peak	351.00	150	Horizontal	Pass
3**	4270.400	35.59	-3.58	54.0	-18.41	AV	351.00	150	Horizontal	Pass
4	5193.600	98.23	-0.60	--	--	Peak	120.00	150	Horizontal	N/A
4**	5193.600	90.44	-0.60	--	--	AV	120.00	150	Horizontal	N/A
5	11123.325	48.63	18.76	74.0	-25.37	Peak	205.00	150	Horizontal	Pass
5**	11123.325	35.58	18.76	54.0	-18.42	AV	205.00	150	Horizontal	Pass
6	15527.775	53.79	23.75	74.0	-20.21	Peak	224.00	150	Horizontal	Pass
6**	15527.775	43.46	23.75	54.0	-10.54	AV	224.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	48.73	-15.20	74.0	-25.27	Peak	309.00	150	Vertical	Pass
1**	1500.100	36.42	-15.20	54.0	-17.58	AV	309.00	150	Vertical	Pass
2	2803.900	41.76	-8.73	74.0	-32.24	Peak	162.00	150	Vertical	Pass
2**	2803.900	32.90	-8.73	54.0	-21.10	AV	162.00	150	Vertical	Pass
3	4212.200	46.73	-3.83	74.0	-27.27	Peak	360.00	150	Vertical	Pass
3**	4212.200	35.24	-3.83	54.0	-18.76	AV	360.00	150	Vertical	Pass
4	5196.200	98.68	-0.75	--	--	Peak	93.00	150	Vertical	N/A
4**	5196.200	92.21	-0.75	--	--	AV	93.00	150	Vertical	N/A
5	11755.537	48.75	18.89	74.0	-25.25	Peak	69.00	150	Vertical	Pass
5**	11755.537	37.35	18.89	54.0	-16.65	AV	69.00	150	Vertical	Pass
6	15944.362	54.87	23.92	74.0	-19.13	Peak	2.00	150	Vertical	Pass
6**	15944.362	41.85	23.92	54.0	-12.15	AV	2.00	150	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.400	46.75	-15.06	74.0	-27.25	Peak	122.00	150	Horizontal	Pass
1**	1504.400	35.72	-15.06	54.0	-18.28	AV	122.00	150	Horizontal	Pass
2	2839.100	41.95	-8.37	74.0	-32.05	Peak	147.00	150	Horizontal	Pass
2**	2839.100	32.11	-8.37	54.0	-21.89	AV	147.00	150	Horizontal	Pass
3	4202.600	46.34	-4.11	74.0	-27.66	Peak	77.00	150	Horizontal	Pass
3**	4202.600	35.82	-4.11	54.0	-18.18	AV	77.00	150	Horizontal	Pass
4	5244.400	99.75	-0.80	--	--	Peak	271.00	150	Horizontal	N/A
4**	5244.400	92.78	-0.80	--	--	AV	271.00	150	Horizontal	N/A
5	12356.412	48.81	19.66	74.0	-25.19	Peak	362.00	150	Horizontal	Pass
5**	12356.412	37.03	19.66	54.0	-16.97	AV	362.00	150	Horizontal	Pass
6	15526.725	53.65	23.75	74.0	-20.35	Peak	361.00	150	Horizontal	Pass
6**	15526.725	42.37	23.75	54.0	-11.63	AV	361.00	150	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	49.81	-15.18	74.0	-24.19	Peak	306.00	150	Vertical	Pass
1**	1499.200	36.65	-15.18	54.0	-17.35	AV	306.00	150	Vertical	Pass
2	2700.000	43.27	-9.50	74.0	-30.73	Peak	306.00	150	Vertical	Pass
2**	2700.000	33.65	-9.50	54.0	-20.35	AV	306.00	150	Vertical	Pass
3	4049.400	46.47	-3.79	74.0	-27.53	Peak	355.00	150	Vertical	Pass
3**	4049.400	33.91	-3.79	54.0	-20.09	AV	355.00	150	Vertical	Pass
4	5238.800	99.69	-0.94	--	--	Peak	94.00	150	Vertical	N/A
4**	5238.800	93.09	-0.94	--	--	AV	94.00	150	Vertical	N/A
5	12395.513	49.56	19.24	74.0	-24.44	Peak	362.00	150	Vertical	Pass
5**	12395.513	36.69	19.24	54.0	-17.31	AV	362.00	150	Vertical	Pass
6	15728.588	53.47	23.47	74.0	-20.53	Peak	361.00	150	Vertical	Pass
6**	15728.588	42.92	23.47	54.0	-11.08	AV	361.00	150	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.700	51.14	-14.99	74.0	-22.86	Peak	129.00	150	Horizontal	Pass
1**	1495.700	31.84	-14.99	54.0	-22.16	AV	129.00	150	Horizontal	Pass
2	2868.300	41.64	-7.85	74.0	-32.36	Peak	142.00	150	Horizontal	Pass
2**	2868.300	32.66	-7.85	54.0	-21.34	AV	142.00	150	Horizontal	Pass
3	3941.600	46.98	-4.96	74.0	-27.02	Peak	273.00	150	Horizontal	Pass
3**	3941.600	35.06	-4.96	54.0	-18.94	AV	273.00	150	Horizontal	Pass
4	5220.800	95.87	-0.34	--	--	Peak	90.00	150	Horizontal	N/A
4**	5220.800	88.60	-0.34	--	--	AV	90.00	150	Horizontal	N/A
5	12371.363	48.74	19.50	74.0	-25.26	Peak	362.00	150	Horizontal	Pass
5**	12371.363	37.34	19.50	54.0	-16.66	AV	362.00	150	Horizontal	Pass
6	15634.612	53.85	23.53	74.0	-20.15	Peak	294.00	150	Horizontal	Pass
6**	15634.612	42.98	23.53	54.0	-11.02	AV	294.00	150	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1484.600	46.85	-15.17	74.0	-27.15	Peak	60.00	150	Vertical	Pass
1**	1484.600	39.22	-15.17	54.0	-14.78	AV	60.00	150	Vertical	Pass
2	2867.600	42.84	-7.83	74.0	-31.16	Peak	236.00	150	Vertical	Pass
2**	2867.600	32.62	-7.83	54.0	-21.38	AV	236.00	150	Vertical	Pass
3	3984.600	46.69	-4.29	74.0	-27.31	Peak	95.00	150	Vertical	Pass
3**	3984.600	35.43	-4.29	54.0	-18.57	AV	95.00	150	Vertical	Pass
4	5222.200	96.59	-0.39	--	--	Peak	95.00	150	Vertical	N/A
4**	5222.200	88.27	-0.39	--	--	AV	95.00	150	Vertical	N/A
5	12413.912	49.34	19.02	74.0	-24.66	Peak	348.00	150	Vertical	Pass
5**	12413.912	37.38	19.02	54.0	-16.62	AV	348.00	150	Vertical	Pass
6	15937.275	53.90	23.87	74.0	-20.10	Peak	84.00	150	Vertical	Pass
6**	15937.275	42.37	23.87	54.0	-11.63	AV	84.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	49.25	-15.19	74.0	-24.75	Peak	66.00	150	Horizontal	Pass
1**	1499.800	41.32	-15.19	54.0	-12.68	AV	66.00	150	Horizontal	Pass
2	2843.500	42.29	-8.12	74.0	-31.71	Peak	172.00	150	Horizontal	Pass
2**	2843.500	32.88	-8.12	54.0	-21.12	AV	172.00	150	Horizontal	Pass
3	4231.000	46.25	-3.44	74.0	-27.75	Peak	290.00	150	Horizontal	Pass
3**	4231.000	35.22	-3.44	54.0	-18.78	AV	290.00	150	Horizontal	Pass
4	5258.400	102.84	-1.05	--	--	Peak	282.00	150	Horizontal	N/A
4**	5258.400	95.75	-1.05	--	--	AV	282.00	150	Horizontal	N/A
5	12287.126	48.60	20.14	74.0	-25.40	Peak	247.00	150	Horizontal	Pass
5**	12287.126	36.58	20.14	54.0	-17.42	AV	247.00	150	Horizontal	Pass
6	15468.450	54.70	23.58	74.0	-19.30	Peak	12.00	150	Horizontal	Pass
6**	15468.450	42.54	23.58	54.0	-11.46	AV	12.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	46.65	-15.20	74.0	-27.35	Peak	316.00	150	Vertical	Pass
1**	1500.100	33.84	-15.20	54.0	-20.16	AV	316.00	150	Vertical	Pass
2	2700.000	43.94	-9.50	74.0	-30.06	Peak	316.00	150	Vertical	Pass
2**	2700.000	36.06	-9.50	54.0	-17.94	AV	316.00	150	Vertical	Pass
3	4321.400	47.46	-3.08	74.0	-26.54	Peak	227.00	150	Vertical	Pass
3**	4321.400	35.56	-3.08	54.0	-18.44	AV	227.00	150	Vertical	Pass
4	5261.600	101.74	-1.05	--	--	Peak	91.00	150	Vertical	N/A
4**	5261.600	94.41	-1.05	--	--	AV	91.00	150	Vertical	N/A
5	12210.076	49.07	20.44	74.0	-24.93	Peak	304.00	150	Vertical	Pass
5**	12210.076	36.79	20.44	54.0	-17.21	AV	304.00	150	Vertical	Pass
6	15544.050	54.02	23.66	74.0	-19.98	Peak	214.00	150	Vertical	Pass
6**	15544.050	42.50	23.66	54.0	-11.50	AV	214.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.100	49.38	-15.15	74.0	-24.62	Peak	53.00	150	Horizontal	Pass
1**	1498.100	47.52	-15.15	54.0	-6.48	AV	53.00	150	Horizontal	Pass
2	2869.700	42.29	-7.98	74.0	-31.71	Peak	41.00	150	Horizontal	Pass
2**	2869.700	33.33	-7.98	54.0	-20.67	AV	41.00	150	Horizontal	Pass
3	4015.000	46.73	-4.08	74.0	-27.27	Peak	224.00	150	Horizontal	Pass
3**	4015.000	34.57	-4.08	54.0	-19.43	AV	224.00	150	Horizontal	Pass
4	5303.600	105.61	0.34	--	--	Peak	272.00	150	Horizontal	N/A
4**	5303.600	96.49	0.34	--	--	AV	272.00	150	Horizontal	N/A
5	12419.951	48.85	18.94	74.0	-25.15	Peak	260.00	150	Horizontal	Pass
5**	12419.951	37.33	18.94	54.0	-16.67	AV	260.00	150	Horizontal	Pass
6	15582.900	54.81	23.57	74.0	-19.19	Peak	4.00	150	Horizontal	Pass
6**	15582.900	44.44	23.57	54.0	-9.56	AV	4.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.900	48.00	-15.05	74.0	-26.00	Peak	223.00	150	Vertical	Pass
1**	1501.900	42.01	-15.05	54.0	-11.99	AV	223.00	150	Vertical	Pass
2	2699.300	44.69	-9.52	74.0	-29.31	Peak	327.00	150	Vertical	Pass
2**	2699.300	31.02	-9.52	54.0	-22.98	AV	327.00	150	Vertical	Pass
3	4198.200	46.47	-4.02	74.0	-27.53	Peak	353.00	150	Vertical	Pass
3**	4198.200	35.92	-4.02	54.0	-18.08	AV	353.00	150	Vertical	Pass
4	5296.200	100.97	0.20	--	--	Peak	89.00	150	Vertical	N/A
4**	5296.200	95.11	0.20	--	--	AV	89.00	150	Vertical	N/A
5	12413.050	48.37	19.03	74.0	-25.63	Peak	271.00	150	Vertical	Pass
5**	12413.050	36.48	19.03	54.0	-17.52	AV	271.00	150	Vertical	Pass
6	15932.026	53.86	23.80	74.0	-20.14	Peak	44.00	150	Vertical	Pass
6**	15932.026	42.38	23.80	54.0	-11.62	AV	44.00	150	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	48.68	-15.20	74.0	-25.32	Peak	48.00	150	Horizontal	Pass
1**	1500.100	41.22	-15.20	54.0	-12.78	AV	48.00	150	Horizontal	Pass
2	2861.700	41.62	-7.74	74.0	-32.38	Peak	195.00	150	Horizontal	Pass
2**	2861.700	32.24	-7.74	54.0	-21.76	AV	195.00	150	Horizontal	Pass
3	4197.600	46.55	-3.99	74.0	-27.45	Peak	270.00	150	Horizontal	Pass
3**	4197.600	34.24	-3.99	54.0	-19.76	AV	270.00	150	Horizontal	Pass
4	5312.600	103.54	0.15	--	--	Peak	270.00	150	Horizontal	N/A
4**	5312.600	94.90	0.15	--	--	AV	270.00	150	Horizontal	N/A
5	11648.012	48.50	20.39	74.0	-25.50	Peak	308.00	150	Horizontal	Pass
5**	11648.012	36.44	20.39	54.0	-17.56	AV	308.00	150	Horizontal	Pass
6	15644.325	54.21	23.55	74.0	-19.79	Peak	285.00	150	Horizontal	Pass
6**	15644.325	41.93	23.55	54.0	-12.07	AV	285.00	150	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.000	49.44	-15.04	74.0	-24.56	Peak	175.00	150	Vertical	Pass
1**	1502.000	31.63	-15.04	54.0	-22.37	AV	175.00	150	Vertical	Pass
2	2843.400	42.31	-8.12	74.0	-31.69	Peak	175.00	150	Vertical	Pass
2**	2843.400	34.07	-8.12	54.0	-19.93	AV	175.00	150	Vertical	Pass
3	3993.400	46.22	-4.55	74.0	-27.78	Peak	235.00	150	Vertical	Pass
3**	3993.400	34.45	-4.55	54.0	-19.55	AV	235.00	150	Vertical	Pass
4	5316.400	100.13	-0.04	--	--	Peak	235.00	150	Vertical	N/A
4**	5316.400	94.34	-0.04	--	--	AV	235.00	150	Vertical	N/A
5	12342.612	49.61	19.76	74.0	-24.39	Peak	318.00	150	Vertical	Pass
5**	12342.612	37.55	19.76	54.0	-16.45	AV	318.00	150	Vertical	Pass
6	15634.612	53.68	23.53	74.0	-20.32	Peak	95.00	150	Vertical	Pass
6**	15634.612	42.16	23.53	54.0	-11.84	AV	95.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	49.58	-15.16	74.0	-24.42	Peak	56.00	150	Horizontal	Pass
1**	1500.700	35.74	-15.16	54.0	-18.26	AV	56.00	150	Horizontal	Pass
2	2877.400	42.36	-8.37	74.0	-31.64	Peak	126.00	150	Horizontal	Pass
2**	2877.400	33.13	-8.37	54.0	-20.87	AV	126.00	150	Horizontal	Pass
3	4249.800	46.48	-3.18	74.0	-27.52	Peak	265.00	150	Horizontal	Pass
3**	4249.800	34.70	-3.18	54.0	-19.30	AV	265.00	150	Horizontal	Pass
4	5271.600	101.45	-0.65	--	--	Peak	280.00	150	Horizontal	N/A
4**	5271.600	94.06	-0.65	--	--	AV	280.00	150	Horizontal	N/A
5	12321.338	48.89	19.91	74.0	-25.11	Peak	312.00	150	Horizontal	Pass
5**	12321.338	36.45	19.91	54.0	-17.55	AV	312.00	150	Horizontal	Pass
6	15460.838	53.85	23.54	74.0	-20.15	Peak	2.00	150	Horizontal	Pass
6**	15460.838	42.21	23.54	54.0	-11.79	AV	2.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.300	45.81	-15.08	74.0	-28.19	Peak	301.00	150	Vertical	Pass
1**	1505.300	35.74	-15.08	54.0	-18.26	AV	301.00	150	Vertical	Pass
2	2810.900	42.64	-8.59	74.0	-31.36	Peak	210.00	150	Vertical	Pass
2**	2810.900	32.26	-8.59	54.0	-21.74	AV	210.00	150	Vertical	Pass
3	3999.600	46.96	-4.51	74.0	-27.04	Peak	257.00	150	Vertical	Pass
3**	3999.600	34.92	-4.51	54.0	-19.08	AV	257.00	150	Vertical	Pass
4	5273.600	100.03	-0.62	--	--	Peak	91.00	150	Vertical	N/A
4**	5273.600	92.85	-0.62	--	--	AV	91.00	150	Vertical	N/A
5	12469.112	49.18	18.60	74.0	-24.82	Peak	0.00	150	Vertical	Pass
5**	12469.112	36.92	18.60	54.0	-17.08	AV	0.00	150	Vertical	Pass
6	15588.150	53.50	23.56	74.0	-20.50	Peak	361.00	150	Vertical	Pass
6**	15588.150	43.00	23.56	54.0	-11.00	AV	361.00	150	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	51.74	-15.19	74.0	-22.26	Peak	114.00	150	Horizontal	Pass
1**	1499.800	36.75	-15.19	54.0	-17.25	AV	114.00	150	Horizontal	Pass
2	2814.800	41.89	-8.56	74.0	-32.11	Peak	345.00	150	Horizontal	Pass
2**	2814.800	32.00	-8.56	54.0	-22.00	AV	345.00	150	Horizontal	Pass
3	4136.600	46.29	-4.11	74.0	-27.71	Peak	138.00	150	Horizontal	Pass
3**	4136.600	34.93	-4.11	54.0	-19.07	AV	138.00	150	Horizontal	Pass
4	5311.800	102.34	0.11	--	--	Peak	269.00	150	Horizontal	N/A
4**	5311.800	95.85	0.11	--	--	AV	269.00	150	Horizontal	N/A
5	12305.526	49.25	19.96	74.0	-24.75	Peak	0.00	150	Horizontal	Pass
5**	12305.526	36.46	19.96	54.0	-17.54	AV	0.00	150	Horizontal	Pass
6	15519.901	53.81	23.78	74.0	-20.19	Peak	327.00	150	Horizontal	Pass
6**	15519.901	43.40	23.78	54.0	-10.60	AV	327.00	150	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	46.23	-15.19	74.0	-27.77	Peak	294.00	150	Vertical	Pass
1**	1499.800	37.26	-15.19	54.0	-16.74	AV	294.00	150	Vertical	Pass
2	2872.400	42.65	-8.12	74.0	-31.35	Peak	37.00	150	Vertical	Pass
2**	2872.400	33.71	-8.12	54.0	-20.29	AV	37.00	150	Vertical	Pass
3	4052.800	46.95	-3.68	74.0	-27.05	Peak	335.00	150	Vertical	Pass
3**	4052.800	35.06	-3.68	54.0	-18.94	AV	335.00	150	Vertical	Pass
4	5306.200	99.51	0.22	--	--	Peak	96.00	150	Vertical	N/A
4**	5306.200	91.80	0.22	--	--	AV	96.00	150	Vertical	N/A
5	12210.362	48.55	20.44	74.0	-25.45	Peak	137.00	150	Vertical	Pass
5**	12210.362	37.03	20.44	54.0	-16.97	AV	137.00	150	Vertical	Pass
6	15708.637	54.00	23.52	74.0	-20.00	Peak	176.00	150	Vertical	Pass
6**	15708.637	41.92	23.52	54.0	-12.08	AV	176.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.900	49.33	-15.01	74.0	-24.67	Peak	108.00	150	Horizontal	Pass
1**	1502.900	31.76	-15.01	54.0	-22.24	AV	108.00	150	Horizontal	Pass
2	2783.600	41.67	-8.76	74.0	-32.33	Peak	-1.00	150	Horizontal	Pass
2**	2783.600	31.45	-8.76	54.0	-22.55	AV	-1.00	150	Horizontal	Pass
3	4076.400	47.28	-3.96	74.0	-26.72	Peak	294.00	150	Horizontal	Pass
3**	4076.400	37.04	-3.96	54.0	-16.96	AV	294.00	150	Horizontal	Pass
4	5253.000	100.74	-1.08	--	--	Peak	324.00	150	Horizontal	N/A
4**	5253.000	93.97	-1.08	--	--	AV	324.00	150	Horizontal	N/A
5	11773.650	50.10	18.75	74.0	-23.90	Peak	245.00	150	Horizontal	Pass
5**	11773.650	38.58	18.75	54.0	-15.42	AV	245.00	150	Horizontal	Pass
6	15662.175	55.59	23.47	74.0	-18.41	Peak	292.00	150	Horizontal	Pass
6**	15662.175	43.59	23.47	54.0	-10.41	AV	292.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	43.16	-15.17	74.0	-30.84	Peak	188.00	150	Vertical	Pass
1**	1498.800	28.94	-15.17	54.0	-25.06	AV	188.00	150	Vertical	Pass
2	2778.400	41.16	-8.65	74.0	-32.84	Peak	266.00	150	Vertical	Pass
2**	2778.400	32.63	-8.65	54.0	-21.37	AV	266.00	150	Vertical	Pass
3	4242.800	47.48	-3.30	74.0	-26.52	Peak	130.00	150	Vertical	Pass
3**	4242.800	35.29	-3.30	54.0	-18.71	AV	130.00	150	Vertical	Pass
4	5262.600	106.60	-0.96	--	--	Peak	348.00	150	Vertical	N/A
4**	5262.600	100.54	-0.96	--	--	AV	348.00	150	Vertical	N/A
5	11593.962	50.54	20.06	74.0	-23.46	Peak	360.00	150	Vertical	Pass
5**	11593.962	38.11	20.06	54.0	-15.89	AV	360.00	150	Vertical	Pass
6	15579.750	54.70	23.57	74.0	-19.30	Peak	177.00	150	Vertical	Pass
6**	15579.750	42.84	23.57	54.0	-11.16	AV	177.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.900	46.32	-15.14	74.0	-27.68	Peak	102.00	150	Horizontal	Pass
1**	1500.900	31.89	-15.14	54.0	-22.11	AV	102.00	150	Horizontal	Pass
2	2835.400	41.65	-8.53	74.0	-32.35	Peak	-1.00	150	Horizontal	Pass
2**	2835.400	31.98	-8.53	54.0	-22.02	AV	-1.00	150	Horizontal	Pass
3	3967.000	46.55	-4.18	74.0	-27.45	Peak	134.00	150	Horizontal	Pass
3**	3967.000	37.92	-4.18	54.0	-16.08	AV	134.00	150	Horizontal	Pass
4	5292.800	101.59	-0.06	--	--	Peak	328.00	150	Horizontal	N/A
4**	5292.800	95.62	-0.06	--	--	AV	328.00	150	Horizontal	N/A
5	11602.300	50.34	20.14	74.0	-23.66	Peak	205.00	150	Horizontal	Pass
5**	11602.300	37.70	20.14	54.0	-16.30	AV	205.00	150	Horizontal	Pass
6	15620.963	55.75	23.45	74.0	-18.25	Peak	61.00	150	Horizontal	Pass
6**	15620.963	43.89	23.45	54.0	-10.11	AV	61.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1509.900	47.92	-15.02	74.0	-26.08	Peak	233.00	150	Vertical	Pass
1**	1509.900	29.91	-15.02	54.0	-24.09	AV	233.00	150	Vertical	Pass
2	2806.100	41.49	-8.81	74.0	-32.51	Peak	11.00	150	Vertical	Pass
2**	2806.100	31.78	-8.81	54.0	-22.22	AV	11.00	150	Vertical	Pass
3	4127.600	47.42	-3.99	74.0	-26.58	Peak	297.00	150	Vertical	Pass
3**	4127.600	35.26	-3.99	54.0	-18.74	AV	297.00	150	Vertical	Pass
4	5298.200	108.38	0.26	--	--	Peak	16.00	150	Vertical	N/A
4**	5298.200	101.04	0.26	--	--	AV	16.00	150	Vertical	N/A
5	11618.688	49.65	20.23	74.0	-24.35	Peak	80.00	150	Vertical	Pass
5**	11618.688	38.35	20.23	54.0	-15.65	AV	80.00	150	Vertical	Pass
6	15651.151	54.64	23.51	74.0	-19.36	Peak	2.00	150	Vertical	Pass
6**	15651.151	42.80	23.51	54.0	-11.20	AV	2.00	150	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	47.10	-15.18	74.0	-26.90	Peak	248.00	150	Horizontal	Pass
1**	1499.400	29.03	-15.18	54.0	-24.97	AV	248.00	150	Horizontal	Pass
2	2777.200	42.18	-8.63	74.0	-31.82	Peak	327.00	150	Horizontal	Pass
2**	2777.200	32.61	-8.63	54.0	-21.39	AV	327.00	150	Horizontal	Pass
3	4041.200	46.74	-3.95	74.0	-27.26	Peak	8.00	150	Horizontal	Pass
3**	4041.200	36.08	-3.95	54.0	-17.92	AV	8.00	150	Horizontal	Pass
4	5313.200	102.89	0.13	--	--	Peak	327.00	150	Horizontal	N/A
4**	5313.200	94.31	0.13	--	--	AV	327.00	150	Horizontal	N/A
5	11602.300	50.42	20.14	74.0	-23.58	Peak	93.00	150	Horizontal	Pass
5**	11602.300	38.93	20.14	54.0	-15.07	AV	93.00	150	Horizontal	Pass
6	15612.037	55.28	23.49	74.0	-18.72	Peak	232.00	150	Horizontal	Pass
6**	15612.037	43.02	23.49	54.0	-10.98	AV	232.00	150	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.900	42.64	-15.14	74.0	-31.36	Peak	203.00	150	Vertical	Pass
1**	1500.900	30.96	-15.14	54.0	-23.04	AV	203.00	150	Vertical	Pass
2	2839.400	41.40	-8.34	74.0	-32.60	Peak	269.00	150	Vertical	Pass
2**	2839.400	32.48	-8.34	54.0	-21.52	AV	269.00	150	Vertical	Pass
3	4162.800	46.93	-3.49	74.0	-27.07	Peak	50.00	150	Vertical	Pass
3**	4162.800	36.03	-3.49	54.0	-17.97	AV	50.00	150	Vertical	Pass
4	5312.800	107.40	0.15	--	--	Peak	353.00	150	Vertical	N/A
4**	5312.800	101.26	0.15	--	--	AV	353.00	150	Vertical	N/A
5	11768.475	50.11	18.79	74.0	-23.89	Peak	33.00	150	Vertical	Pass
5**	11768.475	38.30	18.79	54.0	-15.70	AV	33.00	150	Vertical	Pass
6	15606.263	55.11	23.52	74.0	-18.89	Peak	326.00	150	Vertical	Pass
6**	15606.263	43.32	23.52	54.0	-10.68	AV	326.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.400	49.47	-15.02	74.0	-24.53	Peak	110.00	150	Horizontal	Pass
1**	1510.400	38.70	-15.02	54.0	-15.30	AV	110.00	150	Horizontal	Pass
2	2797.000	41.31	-8.93	74.0	-32.69	Peak	236.00	150	Horizontal	Pass
2**	2797.000	31.83	-8.93	54.0	-22.17	AV	236.00	150	Horizontal	Pass
3	4039.000	46.80	-4.01	74.0	-27.20	Peak	41.00	150	Horizontal	Pass
3**	4039.000	35.25	-4.01	54.0	-18.75	AV	41.00	150	Horizontal	Pass
4	5282.200	98.89	-0.31	--	--	Peak	361.00	150	Horizontal	N/A
4**	5282.200	92.01	-0.31	--	--	AV	361.00	150	Horizontal	N/A
5	11743.750	50.50	19.04	74.0	-23.50	Peak	56.00	150	Horizontal	Pass
5**	11743.750	37.70	19.04	54.0	-16.30	AV	56.00	150	Horizontal	Pass
6	15718.350	56.27	23.47	74.0	-17.73	Peak	153.00	150	Horizontal	Pass
6**	15718.350	43.04	23.47	54.0	-10.96	AV	153.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	44.46	-15.18	74.0	-29.54	Peak	61.00	150	Vertical	Pass
1**	1499.300	33.20	-15.18	54.0	-20.80	AV	61.00	150	Vertical	Pass
2	2701.500	42.99	-9.46	74.0	-31.01	Peak	362.00	150	Vertical	Pass
2**	2701.500	32.59	-9.46	54.0	-21.41	AV	362.00	150	Vertical	Pass
3	3982.200	47.11	-4.23	74.0	-26.89	Peak	87.00	150	Vertical	Pass
3**	3982.200	35.80	-4.23	54.0	-18.20	AV	87.00	150	Vertical	Pass
4	5275.000	105.69	-0.56	--	--	Peak	0.00	150	Vertical	N/A
4**	5275.000	98.91	-0.56	--	--	AV	0.00	150	Vertical	N/A
5	11741.450	49.75	19.07	74.0	-24.25	Peak	360.00	150	Vertical	Pass
5**	11741.450	38.83	19.07	54.0	-15.17	AV	360.00	150	Vertical	Pass
6	15620.700	55.39	23.45	74.0	-18.61	Peak	242.00	150	Vertical	Pass
6**	15620.700	43.73	23.45	54.0	-10.27	AV	242.00	150	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.400	48.23	-15.10	74.0	-25.77	Peak	109.00	150	Horizontal	Pass
1**	1501.400	35.20	-15.10	54.0	-18.80	AV	109.00	150	Horizontal	Pass
2	2754.500	42.04	-9.09	74.0	-31.96	Peak	0.00	150	Horizontal	Pass
2**	2754.500	31.45	-9.09	54.0	-22.55	AV	0.00	150	Horizontal	Pass
3	4017.000	46.75	-4.08	74.0	-27.25	Peak	145.00	150	Horizontal	Pass
3**	4017.000	35.02	-4.08	54.0	-18.98	AV	145.00	150	Horizontal	Pass
4	5302.400	99.22	0.30	--	--	Peak	1.00	150	Horizontal	N/A
4**	5302.400	91.92	0.30	--	--	AV	1.00	150	Horizontal	N/A
5	12122.100	50.61	19.66	74.0	-23.39	Peak	101.00	150	Horizontal	Pass
5**	12122.100	38.46	19.66	54.0	-15.54	AV	101.00	150	Horizontal	Pass
6	15612.562	55.80	23.49	74.0	-18.20	Peak	102.00	150	Horizontal	Pass
6**	15612.562	43.21	23.49	54.0	-10.79	AV	102.00	150	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.800	43.58	-15.06	74.0	-30.42	Peak	237.00	150	Vertical	Pass
1**	1501.800	33.53	-15.06	54.0	-20.47	AV	237.00	150	Vertical	Pass
2	2841.500	42.30	-8.15	74.0	-31.70	Peak	362.00	150	Vertical	Pass
2**	2841.500	32.81	-8.15	54.0	-21.19	AV	362.00	150	Vertical	Pass
3	4066.800	47.05	-3.91	74.0	-26.95	Peak	117.00	150	Vertical	Pass
3**	4066.800	35.75	-3.91	54.0	-18.25	AV	117.00	150	Vertical	Pass
4	5315.400	106.34	0.03	--	--	Peak	352.00	150	Vertical	N/A
4**	5315.400	99.75	0.03	--	--	AV	352.00	150	Vertical	N/A
5	11555.724	50.15	19.75	74.0	-23.85	Peak	176.00	150	Vertical	Pass
5**	11555.724	38.68	19.75	54.0	-15.32	AV	176.00	150	Vertical	Pass
6	15441.150	55.08	23.27	74.0	-18.92	Peak	71.00	150	Vertical	Pass
6**	15441.150	42.44	23.27	54.0	-11.56	AV	71.00	150	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	50.80	-15.19	74.0	-23.20	Peak	157.00	150	Horizontal	Pass
1**	1499.900	38.46	-15.19	54.0	-15.54	AV	157.00	150	Horizontal	Pass
2	2874.500	42.21	-8.24	74.0	-31.79	Peak	234.00	150	Horizontal	Pass
2**	2874.500	32.92	-8.24	54.0	-21.08	AV	234.00	150	Horizontal	Pass
3	4209.600	46.27	-4.01	74.0	-27.73	Peak	28.00	150	Horizontal	Pass
3**	4209.600	34.16	-4.01	54.0	-19.84	AV	28.00	150	Horizontal	Pass
4	5303.200	98.53	0.33	--	--	Peak	270.00	150	Horizontal	N/A
4**	5303.200	91.42	0.33	--	--	AV	270.00	150	Horizontal	N/A
5	11873.700	48.88	18.07	74.0	-25.12	Peak	362.00	150	Horizontal	Pass
5**	11873.700	35.74	18.07	54.0	-18.26	AV	362.00	150	Horizontal	Pass
6	15671.888	53.90	23.54	74.0	-20.10	Peak	74.00	150	Horizontal	Pass
6**	15671.888	42.60	23.54	54.0	-11.40	AV	74.00	150	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	48.38	-15.20	74.0	-25.62	Peak	310.00	150	Vertical	Pass
1**	1500.100	38.65	-15.20	54.0	-15.35	AV	310.00	150	Vertical	Pass
2	2842.300	42.32	-8.14	74.0	-31.68	Peak	120.00	150	Vertical	Pass
2**	2842.300	33.75	-8.14	54.0	-20.25	AV	120.00	150	Vertical	Pass
3	4201.400	46.98	-4.02	74.0	-27.02	Peak	138.00	150	Vertical	Pass
3**	4201.400	35.90	-4.02	54.0	-18.10	AV	138.00	150	Vertical	Pass
4	5276.800	97.08	-0.51	--	--	Peak	92.00	150	Vertical	N/A
4**	5276.800	90.36	-0.51	--	--	AV	92.00	150	Vertical	N/A
5	12103.412	48.52	19.44	74.0	-25.48	Peak	264.00	150	Vertical	Pass
5**	12103.412	37.02	19.44	54.0	-16.98	AV	264.00	150	Vertical	Pass
6	15616.500	53.94	23.47	74.0	-20.06	Peak	63.00	150	Vertical	Pass
6**	15616.500	42.84	23.47	54.0	-11.16	AV	63.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	46.23	-15.19	74.0	-27.77	Peak	121.00	150	Horizontal	Pass
1**	1499.700	35.46	-15.19	54.0	-18.54	AV	121.00	150	Horizontal	Pass
2	2808.000	40.97	-8.72	74.0	-33.03	Peak	178.00	150	Horizontal	Pass
2**	2808.000	31.36	-8.72	54.0	-22.64	AV	178.00	150	Horizontal	Pass
3	4155.600	47.26	-3.54	74.0	-26.74	Peak	139.00	150	Horizontal	Pass
3**	4155.600	35.44	-3.54	54.0	-18.56	AV	139.00	150	Horizontal	Pass
4	5503.000	98.19	0.48	--	--	Peak	333.00	150	Horizontal	N/A
4**	5503.000	91.26	0.48	--	--	AV	333.00	150	Horizontal	N/A
5	11602.300	50.12	20.14	74.0	-23.88	Peak	268.00	150	Horizontal	Pass
5**	11602.300	38.47	20.14	54.0	-15.53	AV	268.00	150	Horizontal	Pass
6	15540.112	55.25	23.70	74.0	-18.75	Peak	43.00	150	Horizontal	Pass
6**	15540.112	43.55	23.70	54.0	-10.45	AV	43.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	44.38	-15.19	74.0	-29.62	Peak	5.00	150	Vertical	Pass
1**	1500.400	33.54	-15.19	54.0	-20.46	AV	5.00	150	Vertical	Pass
2	2749.900	42.90	-9.15	74.0	-31.10	Peak	330.00	150	Vertical	Pass
2**	2749.900	32.26	-9.15	54.0	-21.74	AV	330.00	150	Vertical	Pass
3	4264.000	47.76	-3.23	74.0	-26.24	Peak	46.00	150	Vertical	Pass
3**	4264.000	36.83	-3.23	54.0	-17.17	AV	46.00	150	Vertical	Pass
4	5501.200	103.91	0.47	--	--	Peak	341.00	150	Vertical	N/A
4**	5501.200	95.32	0.47	--	--	AV	341.00	150	Vertical	N/A
5	11748.350	50.04	18.97	74.0	-23.96	Peak	320.00	150	Vertical	Pass
5**	11748.350	37.26	18.97	54.0	-16.74	AV	320.00	150	Vertical	Pass
6	16014.188	55.44	23.98	74.0	-18.56	Peak	272.00	150	Vertical	Pass
6**	16014.188	42.98	23.98	54.0	-11.02	AV	272.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.500	49.86	-14.96	74.0	-24.14	Peak	125.00	150	Horizontal	Pass
1**	1511.500	40.80	-14.96	54.0	-13.20	AV	125.00	150	Horizontal	Pass
2	2782.200	41.47	-8.76	74.0	-32.53	Peak	156.00	150	Horizontal	Pass
2**	2782.200	31.48	-8.76	54.0	-22.52	AV	156.00	150	Horizontal	Pass
3	4034.600	47.05	-3.95	74.0	-26.95	Peak	249.00	150	Horizontal	Pass
3**	4034.600	36.24	-3.95	54.0	-17.76	AV	249.00	150	Horizontal	Pass
4	5585.600	98.86	0.68	--	--	Peak	361.00	150	Horizontal	N/A
4**	5585.600	90.47	0.68	--	--	AV	361.00	150	Horizontal	N/A
5	11606.325	49.42	20.16	74.0	-24.58	Peak	0.00	150	Horizontal	Pass
5**	11606.325	38.94	20.16	54.0	-15.06	AV	0.00	150	Horizontal	Pass
6	15597.338	55.92	23.55	74.0	-18.08	Peak	293.00	150	Horizontal	Pass
6**	15597.338	43.16	23.55	54.0	-10.84	AV	293.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	44.90	-15.18	74.0	-29.10	Peak	230.00	150	Vertical	Pass
1**	1500.500	30.00	-15.18	54.0	-24.00	AV	230.00	150	Vertical	Pass
2	2825.700	42.51	-8.45	74.0	-31.49	Peak	271.00	150	Vertical	Pass
2**	2825.700	32.81	-8.45	54.0	-21.19	AV	271.00	150	Vertical	Pass
3	3983.000	48.20	-4.26	74.0	-25.80	Peak	27.00	150	Vertical	Pass
3**	3983.000	35.24	-4.26	54.0	-18.76	AV	27.00	150	Vertical	Pass
4	5581.200	102.69	0.88	--	--	Peak	339.00	150	Vertical	N/A
4**	5581.200	94.73	0.88	--	--	AV	339.00	150	Vertical	N/A
5	11060.650	49.87	18.80	74.0	-24.13	Peak	128.00	150	Vertical	Pass
5**	11060.650	36.84	18.80	54.0	-17.16	AV	128.00	150	Vertical	Pass
6	15612.562	55.17	23.49	74.0	-18.83	Peak	12.00	150	Vertical	Pass
6**	15612.562	43.80	23.49	54.0	-10.20	AV	12.00	150	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.400	50.94	-15.10	74.0	-23.06	Peak	110.00	150	Horizontal	Pass
1**	1501.400	31.92	-15.10	54.0	-22.08	AV	110.00	150	Horizontal	Pass
2	2861.800	42.29	-7.74	74.0	-31.71	Peak	335.00	150	Horizontal	Pass
2**	2861.800	32.88	-7.74	54.0	-21.12	AV	335.00	150	Horizontal	Pass
3	4059.400	47.02	-3.99	74.0	-26.98	Peak	4.00	150	Horizontal	Pass
3**	4059.400	35.49	-3.99	54.0	-18.51	AV	4.00	150	Horizontal	Pass
4	5695.800	98.33	-0.63	--	--	Peak	361.00	150	Horizontal	N/A
4**	5695.800	90.26	-0.63	--	--	AV	361.00	150	Horizontal	N/A
5	11608.050	50.73	20.17	74.0	-23.27	Peak	259.00	150	Horizontal	Pass
5**	11608.050	38.49	20.17	54.0	-15.51	AV	259.00	150	Horizontal	Pass
6	15957.224	56.15	23.98	74.0	-17.85	Peak	170.00	150	Horizontal	Pass
6**	15957.224	44.99	23.98	54.0	-9.01	AV	170.00	150	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.200	45.82	-15.18	74.0	-28.18	Peak	331.00	150	Vertical	Pass
1**	1499.200	29.34	-15.18	54.0	-24.66	AV	331.00	150	Vertical	Pass
2	2774.800	41.51	-8.61	74.0	-32.49	Peak	273.00	150	Vertical	Pass
2**	2774.800	32.50	-8.61	54.0	-21.50	AV	273.00	150	Vertical	Pass
3	4122.800	46.56	-4.10	74.0	-27.44	Peak	0.00	150	Vertical	Pass
3**	4122.800	35.87	-4.10	54.0	-18.13	AV	0.00	150	Vertical	Pass
4	5705.600	101.63	-0.61	--	--	Peak	3.00	150	Vertical	N/A
4**	5705.600	94.43	-0.61	--	--	AV	3.00	150	Vertical	N/A
5	11663.250	50.37	20.24	74.0	-23.63	Peak	224.00	150	Vertical	Pass
5**	11663.250	38.09	20.24	54.0	-15.91	AV	224.00	150	Vertical	Pass
6	16014.451	55.22	23.98	74.0	-18.78	Peak	33.00	150	Vertical	Pass
6**	16014.451	43.31	23.98	54.0	-10.69	AV	33.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.600	50.05	-15.08	74.0	-23.95	Peak	120.00	150	Horizontal	Pass
1**	1501.600	32.21	-15.08	54.0	-21.79	AV	120.00	150	Horizontal	Pass
2	2778.200	41.97	-8.65	74.0	-32.03	Peak	362.00	150	Horizontal	Pass
2**	2778.200	32.11	-8.65	54.0	-21.89	AV	362.00	150	Horizontal	Pass
3	4070.200	48.01	-3.86	74.0	-25.99	Peak	193.00	150	Horizontal	Pass
3**	4070.200	35.76	-3.86	54.0	-18.24	AV	193.00	150	Horizontal	Pass
4	5518.200	96.02	0.35	--	--	Peak	357.00	150	Horizontal	N/A
4**	5518.200	89.27	0.35	--	--	AV	357.00	150	Horizontal	N/A
5	11518.925	50.29	19.43	74.0	-23.71	Peak	298.00	150	Horizontal	Pass
5**	11518.925	39.82	19.43	54.0	-14.18	AV	298.00	150	Horizontal	Pass
6	16012.088	55.35	23.99	74.0	-18.65	Peak	158.00	150	Horizontal	Pass
6**	16012.088	43.23	23.99	54.0	-10.77	AV	158.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.500	43.74	-15.09	74.0	-30.26	Peak	205.00	150	Vertical	Pass
1**	1501.500	31.48	-15.09	54.0	-22.52	AV	205.00	150	Vertical	Pass
2	2796.600	42.93	-8.94	74.0	-31.07	Peak	120.00	150	Vertical	Pass
2**	2796.600	31.84	-8.94	54.0	-22.16	AV	120.00	150	Vertical	Pass
3	4112.400	47.09	-4.17	74.0	-26.91	Peak	361.00	150	Vertical	Pass
3**	4112.400	34.53	-4.17	54.0	-19.47	AV	361.00	150	Vertical	Pass
4	5513.200	100.84	0.29	--	--	Peak	338.00	150	Vertical	N/A
4**	5513.200	93.59	0.29	--	--	AV	338.00	150	Vertical	N/A
5	12114.625	50.35	19.57	74.0	-23.65	Peak	59.00	150	Vertical	Pass
5**	12114.625	38.12	19.57	54.0	-15.88	AV	59.00	150	Vertical	Pass
6	15974.287	55.20	24.00	74.0	-18.80	Peak	21.00	150	Vertical	Pass
6**	15974.287	43.67	24.00	54.0	-10.33	AV	21.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.900	48.09	-15.17	74.0	-25.91	Peak	0.00	150	Horizontal	Pass
1**	1498.900	30.99	-15.17	54.0	-23.01	AV	0.00	150	Horizontal	Pass
2	2784.200	41.47	-8.78	74.0	-32.53	Peak	35.00	150	Horizontal	Pass
2**	2784.200	31.53	-8.78	54.0	-22.47	AV	35.00	150	Horizontal	Pass
3	4023.000	47.62	-4.04	74.0	-26.38	Peak	179.00	150	Horizontal	Pass
3**	4023.000	36.43	-4.04	54.0	-17.57	AV	179.00	150	Horizontal	Pass
4	5578.200	96.09	0.76	--	--	Peak	4.00	150	Horizontal	N/A
4**	5578.200	87.75	0.76	--	--	AV	4.00	150	Horizontal	N/A
5	11845.812	49.81	18.16	74.0	-24.19	Peak	360.00	150	Horizontal	Pass
5**	11845.812	37.57	18.16	54.0	-16.43	AV	360.00	150	Horizontal	Pass
6	15894.750	54.99	23.29	74.0	-19.01	Peak	1.00	150	Horizontal	Pass
6**	15894.750	44.04	23.29	54.0	-9.96	AV	1.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	43.67	-15.20	74.0	-30.33	Peak	88.00	150	Vertical	Pass
1**	1500.100	34.93	-15.20	54.0	-19.07	AV	88.00	150	Vertical	Pass
2	2770.700	41.81	-8.78	74.0	-32.19	Peak	295.00	150	Vertical	Pass
2**	2770.700	32.08	-8.78	54.0	-21.92	AV	295.00	150	Vertical	Pass
3	3991.600	46.74	-4.47	74.0	-27.26	Peak	60.00	150	Vertical	Pass
3**	3991.600	34.72	-4.47	54.0	-19.28	AV	60.00	150	Vertical	Pass
4	5598.000	100.80	0.33	--	--	Peak	345.00	150	Vertical	N/A
4**	5598.000	92.44	0.33	--	--	AV	345.00	150	Vertical	N/A
5	11288.637	49.68	17.96	74.0	-24.32	Peak	231.00	150	Vertical	Pass
5**	11288.637	37.18	17.96	54.0	-16.82	AV	231.00	150	Vertical	Pass
6	16013.662	54.85	23.98	74.0	-19.15	Peak	160.00	150	Vertical	Pass
6**	16013.662	44.60	23.98	54.0	-9.40	AV	160.00	150	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	49.37	-15.20	74.0	-24.63	Peak	99.00	150	Horizontal	Pass
1**	1500.200	43.29	-15.20	54.0	-10.71	AV	99.00	150	Horizontal	Pass
2	2777.000	41.68	-8.62	74.0	-32.32	Peak	362.00	150	Horizontal	Pass
2**	2777.000	31.99	-8.62	54.0	-22.01	AV	362.00	150	Horizontal	Pass
3	4041.200	47.06	-3.95	74.0	-26.94	Peak	0.00	150	Horizontal	Pass
3**	4041.200	35.99	-3.95	54.0	-18.01	AV	0.00	150	Horizontal	Pass
4	5663.000	95.45	-0.03	--	--	Peak	361.00	150	Horizontal	N/A
4**	5663.000	87.26	-0.03	--	--	AV	361.00	150	Horizontal	N/A
5	11589.363	49.78	20.00	74.0	-24.22	Peak	225.00	150	Horizontal	Pass
5**	11589.363	38.12	20.00	54.0	-15.88	AV	225.00	150	Horizontal	Pass
6	15469.763	56.22	23.59	74.0	-17.78	Peak	165.00	150	Horizontal	Pass
6**	15469.763	45.02	23.59	54.0	-8.98	AV	165.00	150	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.200	43.48	-14.87	74.0	-30.52	Peak	193.00	150	Vertical	Pass
1**	1512.200	34.90	-14.87	54.0	-19.10	AV	193.00	150	Vertical	Pass
2	2800.300	42.07	-8.78	74.0	-31.93	Peak	312.00	150	Vertical	Pass
2**	2800.300	30.98	-8.78	54.0	-23.02	AV	312.00	150	Vertical	Pass
3	3981.000	46.61	-4.10	74.0	-27.39	Peak	124.00	150	Vertical	Pass
3**	3981.000	37.40	-4.10	54.0	-16.60	AV	124.00	150	Vertical	Pass
4	5665.000	99.92	0.02	--	--	Peak	36.00	150	Vertical	N/A
4**	5665.000	90.79	0.02	--	--	AV	36.00	150	Vertical	N/A
5	11521.512	49.77	19.46	74.0	-24.23	Peak	35.00	150	Vertical	Pass
5**	11521.512	38.06	19.46	54.0	-15.94	AV	35.00	150	Vertical	Pass
6	16150.688	55.35	24.03	74.0	-18.65	Peak	349.00	150	Vertical	Pass
6**	16150.688	42.85	24.03	54.0	-11.15	AV	349.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.400	50.92	-15.10	74.0	-23.08	Peak	104.00	150	Horizontal	Pass
1**	1501.400	43.47	-15.10	54.0	-10.53	AV	104.00	150	Horizontal	Pass
2	2806.000	41.91	-8.81	74.0	-32.09	Peak	143.00	150	Horizontal	Pass
2**	2806.000	32.61	-8.81	54.0	-21.39	AV	143.00	150	Horizontal	Pass
3	4296.800	47.68	-3.59	74.0	-26.32	Peak	84.00	150	Horizontal	Pass
3**	4296.800	36.37	-3.59	54.0	-17.63	AV	84.00	150	Horizontal	Pass
4	5496.200	99.03	0.64	--	--	Peak	361.00	150	Horizontal	N/A
4**	5496.200	92.54	0.64	--	--	AV	361.00	150	Horizontal	N/A
5	11781.701	50.42	18.70	74.0	-23.58	Peak	118.00	150	Horizontal	Pass
5**	11781.701	38.31	18.70	54.0	-15.69	AV	118.00	150	Horizontal	Pass
6	15616.763	54.70	23.46	74.0	-19.30	Peak	34.00	150	Horizontal	Pass
6**	15616.763	43.35	23.46	54.0	-10.65	AV	34.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.800	45.33	-15.15	74.0	-28.67	Peak	208.00	150	Vertical	Pass
1**	1500.800	33.09	-15.15	54.0	-20.91	AV	208.00	150	Vertical	Pass
2	2867.000	42.74	-7.81	74.0	-31.26	Peak	98.00	150	Vertical	Pass
2**	2867.000	33.63	-7.81	54.0	-20.37	AV	98.00	150	Vertical	Pass
3	4258.600	47.53	-3.40	74.0	-26.47	Peak	189.00	150	Vertical	Pass
3**	4258.600	35.59	-3.40	54.0	-18.41	AV	189.00	150	Vertical	Pass
4	5495.400	103.56	0.67	--	--	Peak	2.00	150	Vertical	N/A
4**	5495.400	96.10	0.67	--	--	AV	2.00	150	Vertical	N/A
5	11616.388	50.73	20.22	74.0	-23.27	Peak	258.00	150	Vertical	Pass
5**	11616.388	38.72	20.22	54.0	-15.28	AV	258.00	150	Vertical	Pass
6	15719.925	55.01	23.46	74.0	-18.99	Peak	330.00	150	Vertical	Pass
6**	15719.925	44.78	23.46	54.0	-9.22	AV	330.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.600	45.89	-15.32	74.0	-28.11	Peak	12.00	150	Horizontal	Pass
1**	1574.600	28.39	-15.32	54.0	-25.61	AV	12.00	150	Horizontal	Pass
2	2791.000	41.67	-9.00	74.0	-32.33	Peak	174.00	150	Horizontal	Pass
2**	2791.000	32.08	-9.00	54.0	-21.92	AV	174.00	150	Horizontal	Pass
3	3984.600	47.22	-4.29	74.0	-26.78	Peak	20.00	150	Horizontal	Pass
3**	3984.600	34.81	-4.29	54.0	-19.19	AV	20.00	150	Horizontal	Pass
4	5577.000	98.79	0.71	--	--	Peak	0.00	150	Horizontal	N/A
4**	5577.000	88.88	0.71	--	--	AV	0.00	150	Horizontal	N/A
5	11629.038	49.98	20.29	74.0	-24.02	Peak	304.00	150	Horizontal	Pass
5**	11629.038	37.97	20.29	54.0	-16.03	AV	304.00	150	Horizontal	Pass
6	15991.088	55.46	24.01	74.0	-18.54	Peak	177.00	150	Horizontal	Pass
6**	15991.088	43.80	24.01	54.0	-10.20	AV	177.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	50.55	-15.20	74.0	-23.45	Peak	238.00	150	Vertical	Pass
1**	1500.100	32.54	-15.20	54.0	-21.46	AV	238.00	150	Vertical	Pass
2	2806.700	41.65	-8.80	74.0	-32.35	Peak	0.00	150	Vertical	Pass
2**	2806.700	31.92	-8.80	54.0	-22.08	AV	0.00	150	Vertical	Pass
3	4223.600	47.58	-3.64	74.0	-26.42	Peak	289.00	150	Vertical	Pass
3**	4223.600	39.07	-3.64	54.0	-14.93	AV	289.00	150	Vertical	Pass
4	5578.000	102.85	0.75	--	--	Peak	332.00	150	Vertical	N/A
4**	5578.000	95.49	0.75	--	--	AV	332.00	150	Vertical	N/A
5	11624.724	49.46	20.27	74.0	-24.54	Peak	114.00	150	Vertical	Pass
5**	11624.724	37.70	20.27	54.0	-16.30	AV	114.00	150	Vertical	Pass
6	15980.325	56.18	24.00	74.0	-17.82	Peak	198.00	150	Vertical	Pass
6**	15980.325	44.14	24.00	54.0	-9.86	AV	198.00	150	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.600	47.75	-15.00	74.0	-26.25	Peak	334.00	150	Horizontal	Pass
1**	1502.600	39.18	-15.00	54.0	-14.82	AV	334.00	150	Horizontal	Pass
2	2757.500	41.32	-9.19	74.0	-32.68	Peak	260.00	150	Horizontal	Pass
2**	2757.500	31.60	-9.19	54.0	-22.40	AV	260.00	150	Horizontal	Pass
3	4127.200	46.89	-3.96	74.0	-27.11	Peak	299.00	150	Horizontal	Pass
3**	4127.200	36.22	-3.96	54.0	-17.78	AV	299.00	150	Horizontal	Pass
4	5703.600	97.82	-0.67	--	--	Peak	0.00	150	Horizontal	N/A
4**	5703.600	90.47	-0.67	--	--	AV	0.00	150	Horizontal	N/A
5	12083.863	50.40	19.26	74.0	-23.60	Peak	137.00	150	Horizontal	Pass
5**	12083.863	37.95	19.26	54.0	-16.05	AV	137.00	150	Horizontal	Pass
6	15989.250	54.92	24.01	74.0	-19.08	Peak	360.00	150	Horizontal	Pass
6**	15989.250	44.16	24.01	54.0	-9.84	AV	360.00	150	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	42.26	-15.18	74.0	-31.74	Peak	193.00	150	Vertical	Pass
1**	1500.500	32.19	-15.18	54.0	-21.81	AV	193.00	150	Vertical	Pass
2	2849.200	42.18	-7.79	74.0	-31.82	Peak	178.00	150	Vertical	Pass
2**	2849.200	33.05	-7.79	54.0	-20.95	AV	178.00	150	Vertical	Pass
3	4199.000	46.74	-4.06	74.0	-27.26	Peak	246.00	150	Vertical	Pass
3**	4199.000	35.28	-4.06	54.0	-18.72	AV	246.00	150	Vertical	Pass
4	5693.200	101.91	-0.62	--	--	Peak	329.00	150	Vertical	N/A
4**	5693.200	93.90	-0.62	--	--	AV	329.00	150	Vertical	N/A
5	11626.450	49.73	20.28	74.0	-24.27	Peak	34.00	150	Vertical	Pass
5**	11626.450	39.47	20.28	54.0	-14.53	AV	34.00	150	Vertical	Pass
6	15624.112	55.14	23.47	74.0	-18.86	Peak	131.00	150	Vertical	Pass
6**	15624.112	42.98	23.47	54.0	-11.02	AV	131.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.400	50.27	-15.03	74.0	-23.73	Peak	150.00	150	Horizontal	Pass
1**	1503.400	40.43	-15.03	54.0	-13.57	AV	150.00	150	Horizontal	Pass
2	2832.500	42.40	-8.60	74.0	-31.60	Peak	362.00	150	Horizontal	Pass
2**	2832.500	32.04	-8.60	54.0	-21.96	AV	362.00	150	Horizontal	Pass
3	3987.600	47.07	-4.34	74.0	-26.93	Peak	353.00	150	Horizontal	Pass
3**	3987.600	35.90	-4.34	54.0	-18.10	AV	353.00	150	Horizontal	Pass
4	5524.800	95.80	0.07	--	--	Peak	361.00	150	Horizontal	N/A
4**	5524.800	87.06	0.07	--	--	AV	361.00	150	Horizontal	N/A
5	11688.838	49.28	19.96	74.0	-24.72	Peak	132.00	150	Horizontal	Pass
5**	11688.838	38.51	19.96	54.0	-15.49	AV	132.00	150	Horizontal	Pass
6	15422.250	54.96	23.17	74.0	-19.04	Peak	238.00	150	Horizontal	Pass
6**	15422.250	43.32	23.17	54.0	-10.68	AV	238.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	44.38	-15.19	74.0	-29.62	Peak	255.00	150	Vertical	Pass
1**	1500.000	32.48	-15.19	54.0	-21.52	AV	255.00	150	Vertical	Pass
2	2848.500	42.31	-7.82	74.0	-31.69	Peak	160.00	150	Vertical	Pass
2**	2848.500	33.08	-7.82	54.0	-20.92	AV	160.00	150	Vertical	Pass
3	4077.000	46.87	-3.97	74.0	-27.13	Peak	195.00	150	Vertical	Pass
3**	4077.000	36.92	-3.97	54.0	-17.08	AV	195.00	150	Vertical	Pass
4	5502.200	100.99	0.47	--	--	Peak	342.00	150	Vertical	N/A
4**	5502.200	92.47	0.47	--	--	AV	342.00	150	Vertical	N/A
5	11607.187	50.07	20.17	74.0	-23.93	Peak	92.00	150	Vertical	Pass
5**	11607.187	37.82	20.17	54.0	-16.18	AV	92.00	150	Vertical	Pass
6	15922.050	55.26	23.67	74.0	-18.74	Peak	59.00	150	Vertical	Pass
6**	15922.050	43.21	23.67	54.0	-10.79	AV	59.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.000	49.23	-15.33	74.0	-24.77	Peak	29.00	150	Horizontal	Pass
1**	1574.000	40.16	-15.33	54.0	-13.84	AV	29.00	150	Horizontal	Pass
2	2778.100	40.94	-8.65	74.0	-33.06	Peak	149.00	150	Horizontal	Pass
2**	2778.100	31.55	-8.65	54.0	-22.45	AV	149.00	150	Horizontal	Pass
3	4016.600	47.09	-4.09	74.0	-26.91	Peak	218.00	150	Horizontal	Pass
3**	4016.600	34.78	-4.09	54.0	-19.22	AV	218.00	150	Horizontal	Pass
4	5573.000	94.94	0.63	--	--	Peak	361.00	150	Horizontal	N/A
4**	5573.000	86.71	0.63	--	--	AV	361.00	150	Horizontal	N/A
5	11487.875	49.26	19.05	74.0	-24.74	Peak	131.00	150	Horizontal	Pass
5**	11487.875	37.63	19.05	54.0	-16.37	AV	131.00	150	Horizontal	Pass
6	15976.651	55.96	24.00	74.0	-18.04	Peak	295.00	150	Horizontal	Pass
6**	15976.651	43.40	24.00	54.0	-10.60	AV	295.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1497.900	42.62	-15.13	74.0	-31.38	Peak	173.00	150	Vertical	Pass
1**	1497.900	27.22	-15.13	54.0	-26.78	AV	173.00	150	Vertical	Pass
2	2845.800	42.39	-7.95	74.0	-31.61	Peak	109.00	150	Vertical	Pass
2**	2845.800	32.82	-7.95	54.0	-21.18	AV	109.00	150	Vertical	Pass
3	4184.000	47.02	-3.92	74.0	-26.98	Peak	304.00	150	Vertical	Pass
3**	4184.000	34.85	-3.92	54.0	-19.15	AV	304.00	150	Vertical	Pass
4	5586.600	100.26	0.81	--	--	Peak	341.00	150	Vertical	N/A
4**	5586.600	92.64	0.81	--	--	AV	341.00	150	Vertical	N/A
5	11599.138	49.75	20.12	74.0	-24.25	Peak	299.00	150	Vertical	Pass
5**	11599.138	37.91	20.12	54.0	-16.09	AV	299.00	150	Vertical	Pass
6	15899.213	55.49	23.27	74.0	-18.51	Peak	240.00	150	Vertical	Pass
6**	15899.213	42.88	23.27	54.0	-11.12	AV	240.00	150	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1510.300	49.29	-15.02	74.0	-24.71	Peak	162.00	150	Horizontal	Pass
1**	1510.300	44.27	-15.02	54.0	-9.73	AV	162.00	150	Horizontal	Pass
2	2825.200	41.13	-8.48	74.0	-32.87	Peak	280.00	150	Horizontal	Pass
2**	2825.200	32.02	-8.48	54.0	-21.98	AV	280.00	150	Horizontal	Pass
3	4290.400	47.83	-3.70	74.0	-26.17	Peak	156.00	150	Horizontal	Pass
3**	4290.400	34.49	-3.70	54.0	-19.51	AV	156.00	150	Horizontal	Pass
4	5662.600	95.79	-0.03	--	--	Peak	209.00	150	Horizontal	N/A
4**	5662.600	88.16	-0.03	--	--	AV	209.00	150	Horizontal	N/A
5	11612.075	49.64	20.20	74.0	-24.36	Peak	190.00	150	Horizontal	Pass
5**	11612.075	38.67	20.20	54.0	-15.33	AV	190.00	150	Horizontal	Pass
6	15734.625	54.93	23.48	74.0	-19.07	Peak	2.00	150	Horizontal	Pass
6**	15734.625	43.17	23.48	54.0	-10.83	AV	2.00	150	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.500	45.45	-15.09	74.0	-28.55	Peak	184.00	150	Vertical	Pass
1**	1501.500	28.81	-15.09	54.0	-25.19	AV	184.00	150	Vertical	Pass
2	2700.100	44.05	-9.49	74.0	-29.95	Peak	358.00	150	Vertical	Pass
2**	2700.100	33.48	-9.49	54.0	-20.52	AV	358.00	150	Vertical	Pass
3	4222.800	47.40	-3.71	74.0	-26.60	Peak	186.00	150	Vertical	Pass
3**	4222.800	34.94	-3.71	54.0	-19.06	AV	186.00	150	Vertical	Pass
4	5657.400	99.85	0.08	--	--	Peak	339.00	150	Vertical	N/A
4**	5657.400	91.57	0.08	--	--	AV	339.00	150	Vertical	N/A
5	11764.737	49.71	18.81	74.0	-24.29	Peak	308.00	150	Vertical	Pass
5**	11764.737	38.36	18.81	54.0	-15.64	AV	308.00	150	Vertical	Pass
6	15959.588	55.37	23.99	74.0	-18.63	Peak	2.00	150	Vertical	Pass
6**	15959.588	43.08	23.99	54.0	-10.92	AV	2.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.300	49.34	-15.01	74.0	-24.66	Peak	168.00	150	Horizontal	Pass
1**	1502.300	40.58	-15.01	54.0	-13.42	AV	168.00	150	Horizontal	Pass
2	2860.400	42.24	-7.72	74.0	-31.76	Peak	193.00	150	Horizontal	Pass
2**	2860.400	33.13	-7.72	54.0	-20.87	AV	193.00	150	Horizontal	Pass
3	4076.000	47.32	-3.96	74.0	-26.68	Peak	207.00	150	Horizontal	Pass
3**	4076.000	35.04	-3.96	54.0	-18.96	AV	207.00	150	Horizontal	Pass
4	5520.600	92.47	0.09	--	--	Peak	348.00	150	Horizontal	N/A
4**	5520.600	84.55	0.09	--	--	AV	348.00	150	Horizontal	N/A
5	11821.662	49.83	18.38	74.0	-24.17	Peak	272.00	150	Horizontal	Pass
5**	11821.662	37.71	18.38	54.0	-16.29	AV	272.00	150	Horizontal	Pass
6	15596.550	54.87	23.56	74.0	-19.13	Peak	2.00	150	Horizontal	Pass
6**	15596.550	43.56	23.56	54.0	-10.44	AV	2.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	45.27	-15.19	74.0	-28.73	Peak	209.00	150	Vertical	Pass
1**	1500.000	34.66	-15.19	54.0	-19.34	AV	209.00	150	Vertical	Pass
2	2700.400	44.73	-9.48	74.0	-29.27	Peak	92.00	150	Vertical	Pass
2**	2700.400	36.32	-9.48	54.0	-17.68	AV	92.00	150	Vertical	Pass
3	4022.200	46.96	-4.05	74.0	-27.04	Peak	361.00	150	Vertical	Pass
3**	4022.200	34.60	-4.05	54.0	-19.40	AV	361.00	150	Vertical	Pass
4	5500.200	97.11	0.48	--	--	Peak	361.00	150	Vertical	N/A
4**	5500.200	88.94	0.48	--	--	AV	361.00	150	Vertical	N/A
5	11817.638	49.93	18.41	74.0	-24.07	Peak	14.00	150	Vertical	Pass
5**	11817.638	38.03	18.41	54.0	-15.97	AV	14.00	150	Vertical	Pass
6	15661.125	55.03	23.47	74.0	-18.97	Peak	139.00	150	Vertical	Pass
6**	15661.125	43.18	23.47	54.0	-10.82	AV	139.00	150	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.000	50.32	-15.17	74.0	-23.68	Peak	11.00	150	Horizontal	Pass
1**	1499.000	31.43	-15.17	54.0	-22.57	AV	11.00	150	Horizontal	Pass
2	2700.800	43.14	-9.46	74.0	-30.86	Peak	11.00	150	Horizontal	Pass
2**	2700.800	32.55	-9.46	54.0	-21.45	AV	11.00	150	Horizontal	Pass
3	4253.400	47.55	-3.13	74.0	-26.45	Peak	283.00	150	Horizontal	Pass
3**	4253.400	38.76	-3.13	54.0	-15.24	AV	283.00	150	Horizontal	Pass
4	5582.600	92.65	0.80	--	--	Peak	361.00	150	Horizontal	N/A
4**	5582.600	84.13	0.80	--	--	AV	361.00	150	Horizontal	N/A
5	11848.401	49.61	18.14	74.0	-24.39	Peak	0.00	150	Horizontal	Pass
5**	11848.401	37.66	18.14	54.0	-16.34	AV	0.00	150	Horizontal	Pass
6	15600.487	55.27	23.55	74.0	-18.73	Peak	123.00	150	Horizontal	Pass
6**	15600.487	43.72	23.55	54.0	-10.28	AV	123.00	150	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.800	44.03	-15.25	74.0	-29.97	Peak	12.00	150	Vertical	Pass
1**	1575.800	29.11	-15.25	54.0	-24.89	AV	12.00	150	Vertical	Pass
2	2842.700	42.73	-8.14	74.0	-31.27	Peak	330.00	150	Vertical	Pass
2**	2842.700	33.31	-8.14	54.0	-20.69	AV	330.00	150	Vertical	Pass
3	4287.600	48.14	-3.89	74.0	-25.86	Peak	43.00	150	Vertical	Pass
3**	4287.600	35.08	-3.89	54.0	-18.92	AV	43.00	150	Vertical	Pass
4	5585.600	96.68	0.68	--	--	Peak	0.00	150	Vertical	N/A
4**	5585.600	88.93	0.68	--	--	AV	0.00	150	Vertical	N/A
5	12085.588	49.65	19.28	74.0	-24.35	Peak	0.00	150	Vertical	Pass
5**	12085.588	37.17	19.28	54.0	-16.83	AV	0.00	150	Vertical	Pass
6	15566.363	54.97	23.58	74.0	-19.03	Peak	124.00	150	Vertical	Pass
6**	15566.363	42.75	23.58	54.0	-11.25	AV	124.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.500	48.85	-17.53	74.0	-25.15	Peak	264.00	150	Horizontal	Pass
1**	1501.500	34.08	-17.53	54.0	-19.92	AV	264.00	150	Horizontal	Pass
2	2698.900	43.70	-11.41	74.0	-30.30	Peak	352.00	150	Horizontal	Pass
2**	2698.900	32.69	-11.41	54.0	-21.31	AV	352.00	150	Horizontal	Pass
3	4793.200	48.43	-2.63	74.0	-25.57	Peak	295.00	150	Horizontal	Pass
3**	4793.200	39.46	-2.63	54.0	-14.54	AV	295.00	150	Horizontal	Pass
4	5737.800	106.07	-2.29	--	--	Peak	295.00	150	Horizontal	N/A
4**	5737.800	100.00	-2.29	--	--	AV	295.00	150	Horizontal	N/A
5	12081.275	50.49	0.58	74.0	-23.51	Peak	338.00	150	Horizontal	Pass
5**	12081.275	41.28	0.58	54.0	-12.72	AV	338.00	150	Horizontal	Pass
6	15772.687	54.57	1.18	74.0	-19.43	Peak	361.00	150	Horizontal	Pass
6**	15772.687	44.48	1.18	54.0	-9.52	AV	361.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	49.78	-17.56	74.0	-24.22	Peak	347.00	150	Vertical	Pass
1**	1500.100	37.32	-17.56	54.0	-16.68	AV	347.00	150	Vertical	Pass
2	2698.100	47.95	-11.40	74.0	-26.05	Peak	330.00	150	Vertical	Pass
2**	2698.100	34.15	-11.40	54.0	-19.85	AV	330.00	150	Vertical	Pass
3	4832.400	48.48	-3.57	74.0	-25.52	Peak	336.00	150	Vertical	Pass
3**	4832.400	39.52	-3.57	54.0	-14.48	AV	336.00	150	Vertical	Pass
4	5751.800	104.83	-2.18	--	--	Peak	159.00	150	Vertical	N/A
4**	5751.800	98.72	-2.18	--	--	AV	159.00	150	Vertical	N/A
5	12254.063	50.29	0.98	74.0	-23.71	Peak	310.00	150	Vertical	Pass
5**	12254.063	41.44	0.98	54.0	-12.56	AV	310.00	150	Vertical	Pass
6	15798.412	53.69	2.28	74.0	-20.31	Peak	292.00	150	Vertical	Pass
6**	15798.412	44.71	2.28	54.0	-9.29	AV	292.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	48.38	-17.56	74.0	-25.62	Peak	117.00	150	Horizontal	Pass
1**	1500.300	36.08	-17.56	54.0	-17.92	AV	117.00	150	Horizontal	Pass
2	2836.700	43.34	-10.39	74.0	-30.66	Peak	82.00	150	Horizontal	Pass
2**	2836.700	33.87	-10.39	54.0	-20.13	AV	82.00	150	Horizontal	Pass
3	4859.800	49.38	-3.31	74.0	-24.62	Peak	361.00	150	Horizontal	Pass
3**	4859.800	41.03	-3.31	54.0	-12.97	AV	361.00	150	Horizontal	Pass
4	5788.200	107.07	-2.46	--	--	Peak	264.00	150	Horizontal	N/A
4**	5788.200	100.11	-2.46	--	--	AV	264.00	150	Horizontal	N/A
5	12281.375	50.34	1.80	74.0	-23.66	Peak	79.00	150	Horizontal	Pass
5**	12281.375	40.50	1.80	54.0	-13.50	AV	79.00	150	Horizontal	Pass
6	15801.825	53.17	2.31	74.0	-20.83	Peak	211.00	150	Horizontal	Pass
6**	15801.825	44.63	2.31	54.0	-9.37	AV	211.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.100	52.16	-17.52	74.0	-21.84	Peak	158.00	150	Vertical	Pass
1**	1503.100	41.54	-17.52	54.0	-12.46	AV	158.00	150	Vertical	Pass
2	2700.900	46.79	-11.34	74.0	-27.21	Peak	320.00	150	Vertical	Pass
2**	2700.900	36.65	-11.34	54.0	-17.35	AV	320.00	150	Vertical	Pass
3	4361.800	47.54	-3.78	74.0	-26.46	Peak	-2.00	150	Vertical	Pass
3**	4361.800	38.54	-3.78	54.0	-15.46	AV	-2.00	150	Vertical	Pass
4	5787.200	105.48	-2.47	--	--	Peak	162.00	150	Vertical	N/A
4**	5787.200	99.64	-2.47	--	--	AV	162.00	150	Vertical	N/A
5	12618.613	50.91	1.81	74.0	-23.09	Peak	248.00	150	Vertical	Pass
5**	12618.613	40.89	1.81	54.0	-13.11	AV	248.00	150	Vertical	Pass
6	15788.963	54.07	1.97	74.0	-19.93	Peak	2.00	150	Vertical	Pass
6**	15788.963	45.09	1.97	54.0	-8.91	AV	2.00	150	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.000	51.35	-17.55	74.0	-22.65	Peak	0.00	150	Horizontal	Pass
1**	1499.000	36.72	-17.55	54.0	-17.28	AV	0.00	150	Horizontal	Pass
2	2700.400	43.98	-11.36	74.0	-30.02	Peak	9.00	150	Horizontal	Pass
2**	2700.400	35.66	-11.36	54.0	-18.34	AV	9.00	150	Horizontal	Pass
3	4804.800	49.36	-2.82	74.0	-24.64	Peak	289.00	150	Horizontal	Pass
3**	4804.800	40.05	-2.82	54.0	-13.95	AV	289.00	150	Horizontal	Pass
4	5817.800	106.42	-2.52	--	--	Peak	267.00	150	Horizontal	N/A
4**	5817.800	99.32	-2.52	--	--	AV	267.00	150	Horizontal	N/A
5	12621.200	51.21	1.74	74.0	-22.79	Peak	151.00	150	Horizontal	Pass
5**	12621.200	41.68	1.74	54.0	-12.32	AV	151.00	150	Horizontal	Pass
6	15832.800	53.80	1.47	74.0	-20.20	Peak	122.00	150	Horizontal	Pass
6**	15832.800	45.07	1.47	54.0	-8.93	AV	122.00	150	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	51.59	-17.56	74.0	-22.41	Peak	178.00	150	Vertical	Pass
1**	1499.600	48.59	-17.56	54.0	-5.41	AV	178.00	150	Vertical	Pass
2	2701.600	45.10	-11.33	74.0	-28.90	Peak	30.00	150	Vertical	Pass
2**	2701.600	34.53	-11.33	54.0	-19.47	AV	30.00	150	Vertical	Pass
3	4940.000	49.38	-3.01	74.0	-24.62	Peak	2.00	150	Vertical	Pass
3**	4940.000	41.33	-3.01	54.0	-12.67	AV	2.00	150	Vertical	Pass
4	5818.400	105.77	-2.52	--	--	Peak	180.00	150	Vertical	N/A
4**	5818.400	98.40	-2.52	--	--	AV	180.00	150	Vertical	N/A
5	12609.988	50.88	1.89	74.0	-23.12	Peak	151.00	150	Vertical	Pass
5**	12609.988	41.58	1.89	54.0	-12.42	AV	151.00	150	Vertical	Pass
6	15802.875	53.42	2.30	74.0	-20.58	Peak	22.00	150	Vertical	Pass
6**	15802.875	44.98	2.30	54.0	-9.02	AV	22.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.400	46.31	-17.54	74.0	-27.69	Peak	47.00	150	Horizontal	Pass
1**	1498.400	36.53	-17.54	54.0	-17.47	AV	47.00	150	Horizontal	Pass
2	2699.900	43.52	-11.38	74.0	-30.48	Peak	226.00	150	Horizontal	Pass
2**	2699.900	33.70	-11.38	54.0	-20.30	AV	226.00	150	Horizontal	Pass
3	4349.000	47.81	-4.10	74.0	-26.19	Peak	361.00	150	Horizontal	Pass
3**	4349.000	37.52	-4.10	54.0	-16.48	AV	361.00	150	Horizontal	Pass
4	5743.000	105.53	-2.27	--	--	Peak	273.00	150	Horizontal	N/A
4**	5743.000	97.36	-2.27	--	--	AV	273.00	150	Horizontal	N/A
5	12375.099	50.27	1.35	74.0	-23.73	Peak	349.00	150	Horizontal	Pass
5**	12375.099	40.67	1.35	54.0	-13.33	AV	349.00	150	Horizontal	Pass
6	15801.037	53.79	2.32	74.0	-20.21	Peak	263.00	150	Horizontal	Pass
6**	15801.037	44.74	2.32	54.0	-9.26	AV	263.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1515.500	49.87	-17.57	74.0	-24.13	Peak	29.00	150	Vertical	Pass
1**	1515.500	44.75	-17.57	54.0	-9.25	AV	29.00	150	Vertical	Pass
2	2700.100	45.41	-11.37	74.0	-28.59	Peak	29.00	150	Vertical	Pass
2**	2700.100	36.32	-11.37	54.0	-17.68	AV	29.00	150	Vertical	Pass
3	4750.600	49.24	-3.62	74.0	-24.76	Peak	274.00	150	Vertical	Pass
3**	4750.600	38.91	-3.62	54.0	-15.09	AV	274.00	150	Vertical	Pass
4	5759.200	102.79	-1.95	--	--	Peak	214.00	150	Vertical	N/A
4**	5759.200	96.66	-1.95	--	--	AV	214.00	150	Vertical	N/A
5	12390.912	50.82	1.57	74.0	-23.18	Peak	189.00	150	Vertical	Pass
5**	12390.912	40.79	1.57	54.0	-13.21	AV	189.00	150	Vertical	Pass
6	15793.424	54.38	2.12	74.0	-19.62	Peak	260.00	150	Vertical	Pass
6**	15793.424	44.71	2.12	54.0	-9.29	AV	260.00	150	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	50.04	-17.56	74.0	-23.96	Peak	351.00	150	Horizontal	Pass
1**	1500.100	41.39	-17.56	54.0	-12.61	AV	351.00	150	Horizontal	Pass
2	2702.700	43.22	-11.30	74.0	-30.78	Peak	229.00	150	Horizontal	Pass
2**	2702.700	33.18	-11.30	54.0	-20.82	AV	229.00	150	Horizontal	Pass
3	4591.600	48.85	-3.72	74.0	-25.15	Peak	83.00	150	Horizontal	Pass
3**	4591.600	39.44	-3.72	54.0	-14.56	AV	83.00	150	Horizontal	Pass
4	5786.400	105.13	-2.46	--	--	Peak	270.00	150	Horizontal	N/A
4**	5786.400	98.59	-2.46	--	--	AV	270.00	150	Horizontal	N/A
5	12210.362	50.47	1.03	74.0	-23.53	Peak	0.00	150	Horizontal	Pass
5**	12210.362	40.58	1.03	54.0	-13.42	AV	0.00	150	Horizontal	Pass
6	15822.825	53.86	1.74	74.0	-20.14	Peak	195.00	150	Horizontal	Pass
6**	15822.825	45.45	1.74	54.0	-8.55	AV	195.00	150	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.900	48.44	-17.55	74.0	-25.56	Peak	23.00	150	Vertical	Pass
1**	1498.900	38.32	-17.55	54.0	-15.68	AV	23.00	150	Vertical	Pass
2	2699.400	45.54	-11.40	74.0	-28.46	Peak	23.00	150	Vertical	Pass
2**	2699.400	33.66	-11.40	54.0	-20.34	AV	23.00	150	Vertical	Pass
3	4787.400	48.72	-2.75	74.0	-25.28	Peak	361.00	150	Vertical	Pass
3**	4787.400	40.97	-2.75	54.0	-13.03	AV	361.00	150	Vertical	Pass
4	5789.200	104.00	-2.50	--	--	Peak	215.00	150	Vertical	N/A
4**	5789.200	96.58	-2.50	--	--	AV	215.00	150	Vertical	N/A
5	11945.862	49.88	1.51	74.0	-24.12	Peak	88.00	150	Vertical	Pass
5**	11945.862	41.99	1.51	54.0	-12.01	AV	88.00	150	Vertical	Pass
6	15812.588	53.20	2.11	74.0	-20.80	Peak	67.00	150	Vertical	Pass
6**	15812.588	45.30	2.11	54.0	-8.70	AV	67.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	49.65	-17.55	74.0	-24.35	Peak	352.00	150	Horizontal	Pass
1**	1498.800	46.74	-17.55	54.0	-7.26	AV	352.00	150	Horizontal	Pass
2	2840.400	44.07	-10.24	74.0	-29.93	Peak	23.00	150	Horizontal	Pass
2**	2840.400	34.15	-10.24	54.0	-19.85	AV	23.00	150	Horizontal	Pass
3	4765.000	48.43	-3.27	74.0	-25.57	Peak	54.00	150	Horizontal	Pass
3**	4765.000	39.25	-3.27	54.0	-14.75	AV	54.00	150	Horizontal	Pass
4	5743.000	106.46	-2.27	--	--	Peak	296.00	150	Horizontal	N/A
4**	5743.000	99.17	-2.27	--	--	AV	296.00	150	Horizontal	N/A
5	12220.713	50.58	1.24	74.0	-23.42	Peak	27.00	150	Horizontal	Pass
5**	12220.713	41.69	1.24	54.0	-12.31	AV	27.00	150	Horizontal	Pass
6	15813.112	54.69	2.10	74.0	-19.31	Peak	266.00	150	Horizontal	Pass
6**	15813.112	45.40	2.10	54.0	-8.60	AV	266.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.900	51.15	-17.55	74.0	-22.85	Peak	157.00	150	Vertical	Pass
1**	1500.900	36.68	-17.55	54.0	-17.32	AV	157.00	150	Vertical	Pass
2	2699.900	50.14	-11.38	74.0	-23.86	Peak	40.00	150	Vertical	Pass
2**	2699.900	40.74	-11.38	54.0	-13.26	AV	40.00	150	Vertical	Pass
3	4665.600	48.98	-3.48	74.0	-25.02	Peak	2.00	150	Vertical	Pass
3**	4665.600	38.93	-3.48	54.0	-15.07	AV	2.00	150	Vertical	Pass
4	5751.800	104.67	-2.18	--	--	Peak	172.00	150	Vertical	N/A
4**	5751.800	97.99	-2.18	--	--	AV	172.00	150	Vertical	N/A
5	12425.700	51.09	1.45	74.0	-22.91	Peak	157.00	150	Vertical	Pass
5**	12425.700	40.94	1.45	54.0	-13.06	AV	157.00	150	Vertical	Pass
6	15798.674	53.71	2.29	74.0	-20.29	Peak	164.00	150	Vertical	Pass
6**	15798.674	44.71	2.29	54.0	-9.29	AV	164.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	48.90	-17.56	74.0	-25.10	Peak	77.00	150	Horizontal	Pass
1**	1499.900	34.65	-17.56	54.0	-19.35	AV	77.00	150	Horizontal	Pass
2	2811.700	43.10	-10.15	74.0	-30.90	Peak	144.00	150	Horizontal	Pass
2**	2811.700	33.59	-10.15	54.0	-20.41	AV	144.00	150	Horizontal	Pass
3	4638.400	48.64	-3.58	74.0	-25.36	Peak	332.00	150	Horizontal	Pass
3**	4638.400	39.23	-3.58	54.0	-14.77	AV	332.00	150	Horizontal	Pass
4	5780.000	106.52	-2.13	--	--	Peak	275.00	150	Horizontal	N/A
4**	5780.000	100.40	-2.13	--	--	AV	275.00	150	Horizontal	N/A
5	11907.049	50.58	1.57	74.0	-23.42	Peak	169.00	150	Horizontal	Pass
5**	11907.049	41.34	1.57	54.0	-12.66	AV	169.00	150	Horizontal	Pass
6	15524.625	53.76	1.39	74.0	-20.24	Peak	238.00	150	Horizontal	Pass
6**	15524.625	44.51	1.39	54.0	-9.49	AV	238.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1503.000	49.52	-17.51	74.0	-24.48	Peak	181.00	150	Vertical	Pass
1**	1503.000	40.61	-17.51	54.0	-13.39	AV	181.00	150	Vertical	Pass
2	2701.100	46.17	-11.34	74.0	-27.83	Peak	279.00	150	Vertical	Pass
2**	2701.100	32.82	-11.34	54.0	-21.18	AV	279.00	150	Vertical	Pass
3	4113.800	47.28	-5.52	74.0	-26.72	Peak	230.00	150	Vertical	Pass
3**	4113.800	36.58	-5.52	54.0	-17.42	AV	230.00	150	Vertical	Pass
4	5792.000	105.80	-2.56	--	--	Peak	172.00	150	Vertical	N/A
4**	5792.000	99.42	-2.56	--	--	AV	172.00	150	Vertical	N/A
5	11940.400	50.17	1.68	74.0	-23.83	Peak	139.00	150	Vertical	Pass
5**	11940.400	41.48	1.68	54.0	-12.52	AV	139.00	150	Vertical	Pass
6	15813.900	53.49	2.08	74.0	-20.51	Peak	71.00	150	Vertical	Pass
6**	15813.900	44.82	2.08	54.0	-9.18	AV	71.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1491.300	47.44	-17.48	74.0	-26.56	Peak	362.00	150	Horizontal	Pass
1**	1491.300	42.82	-17.48	54.0	-11.18	AV	362.00	150	Horizontal	Pass
2	2792.700	42.89	-10.71	74.0	-31.11	Peak	123.00	150	Horizontal	Pass
2**	2792.700	33.17	-10.71	54.0	-20.83	AV	123.00	150	Horizontal	Pass
3	4900.600	49.42	-2.81	74.0	-24.58	Peak	2.00	150	Horizontal	Pass
3**	4900.600	38.95	-2.81	54.0	-15.05	AV	2.00	150	Horizontal	Pass
4	5818.000	107.12	-2.52	--	--	Peak	269.00	150	Horizontal	N/A
4**	5818.000	99.44	-2.52	--	--	AV	269.00	150	Horizontal	N/A
5	11924.588	49.79	1.51	74.0	-24.21	Peak	141.00	150	Horizontal	Pass
5**	11924.588	41.09	1.51	54.0	-12.91	AV	141.00	150	Horizontal	Pass
6	15811.276	53.76	2.14	74.0	-20.24	Peak	302.00	150	Horizontal	Pass
6**	15811.276	44.53	2.14	54.0	-9.47	AV	302.00	150	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	52.37	-17.54	74.0	-21.63	Peak	191.00	150	Vertical	Pass
1**	1498.500	45.62	-17.54	54.0	-8.38	AV	191.00	150	Vertical	Pass
2	2705.300	43.88	-11.39	74.0	-30.12	Peak	34.00	150	Vertical	Pass
2**	2705.300	34.18	-11.39	54.0	-19.82	AV	34.00	150	Vertical	Pass
3	4800.000	49.23	-2.55	74.0	-24.77	Peak	24.00	150	Vertical	Pass
3**	4800.000	40.35	-2.55	54.0	-13.65	AV	24.00	150	Vertical	Pass
4	5816.800	104.96	-2.52	--	--	Peak	183.00	150	Vertical	N/A
4**	5816.800	97.88	-2.52	--	--	AV	183.00	150	Vertical	N/A
5	11940.975	50.31	1.66	74.0	-23.69	Peak	362.00	150	Vertical	Pass
5**	11940.975	41.15	1.66	54.0	-12.85	AV	362.00	150	Vertical	Pass
6	15524.888	53.16	1.39	74.0	-20.84	Peak	361.00	150	Vertical	Pass
6**	15524.888	45.91	1.39	54.0	-8.09	AV	361.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1495.500	50.80	-17.58	74.0	-23.20	Peak	360.00	150	Horizontal	Pass
1**	1495.500	38.70	-17.58	54.0	-15.30	AV	360.00	150	Horizontal	Pass
2	2812.800	43.54	-10.07	74.0	-30.46	Peak	343.00	150	Horizontal	Pass
2**	2812.800	34.24	-10.07	54.0	-19.76	AV	343.00	150	Horizontal	Pass
3	4911.200	49.46	-2.44	74.0	-24.54	Peak	4.00	150	Horizontal	Pass
3**	4911.200	42.04	-2.44	54.0	-11.96	AV	4.00	150	Horizontal	Pass
4	5752.600	105.27	-2.19	--	--	Peak	269.00	150	Horizontal	N/A
4**	5752.600	97.76	-2.19	--	--	AV	269.00	150	Horizontal	N/A
5	10887.862	51.44	-0.09	74.0	-22.56	Peak	117.00	150	Horizontal	Pass
5**	10887.862	41.02	-0.09	54.0	-12.98	AV	117.00	150	Horizontal	Pass
6	15818.100	53.47	1.95	74.0	-20.53	Peak	361.00	150	Horizontal	Pass
6**	15818.100	44.54	1.95	54.0	-9.46	AV	361.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	54.52	-17.56	74.0	-19.48	Peak	166.00	150	Vertical	Pass
1**	1500.200	37.08	-17.56	54.0	-16.92	AV	166.00	150	Vertical	Pass
2	2700.400	45.77	-11.36	74.0	-28.23	Peak	26.00	150	Vertical	Pass
2**	2700.400	34.29	-11.36	54.0	-19.71	AV	26.00	150	Vertical	Pass
3	4798.800	48.72	-2.55	74.0	-25.28	Peak	30.00	150	Vertical	Pass
3**	4798.800	39.67	-2.55	54.0	-14.33	AV	30.00	150	Vertical	Pass
4	5762.000	103.57	-1.87	--	--	Peak	170.00	150	Vertical	N/A
4**	5762.000	96.97	-1.87	--	--	AV	170.00	150	Vertical	N/A
5	12097.662	50.36	0.54	74.0	-23.64	Peak	258.00	150	Vertical	Pass
5**	12097.662	42.25	0.54	54.0	-11.75	AV	258.00	150	Vertical	Pass
6	15801.300	53.50	2.32	74.0	-20.50	Peak	299.00	150	Vertical	Pass
6**	15801.300	46.18	2.32	54.0	-7.82	AV	299.00	150	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1508.800	47.20	-17.62	74.0	-26.80	Peak	139.00	150	Horizontal	Pass
1**	1508.800	39.07	-17.62	54.0	-14.93	AV	139.00	150	Horizontal	Pass
2	2770.300	43.40	-10.55	74.0	-30.60	Peak	350.00	150	Horizontal	Pass
2**	2770.300	33.63	-10.55	54.0	-20.37	AV	350.00	150	Horizontal	Pass
3	4665.400	49.28	-3.49	74.0	-24.72	Peak	249.00	150	Horizontal	Pass
3**	4665.400	38.94	-3.49	54.0	-15.06	AV	249.00	150	Horizontal	Pass
4	5785.600	104.83	-2.41	--	--	Peak	229.00	150	Horizontal	N/A
4**	5785.600	97.89	-2.41	--	--	AV	229.00	150	Horizontal	N/A
5	12425.125	50.67	1.44	74.0	-23.33	Peak	1.00	150	Horizontal	Pass
5**	12425.125	41.51	1.44	54.0	-12.49	AV	1.00	150	Horizontal	Pass
6	15814.162	54.50	2.08	74.0	-19.50	Peak	2.00	150	Horizontal	Pass
6**	15814.162	45.15	2.08	54.0	-8.85	AV	2.00	150	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1505.400	49.02	-17.60	74.0	-24.98	Peak	182.00	150	Vertical	Pass
1**	1505.400	36.68	-17.60	54.0	-17.32	AV	182.00	150	Vertical	Pass
2	2700.100	46.45	-11.37	74.0	-27.55	Peak	309.00	150	Vertical	Pass
2**	2700.100	35.21	-11.37	54.0	-18.79	AV	309.00	150	Vertical	Pass
3	4920.600	49.98	-2.49	74.0	-24.02	Peak	361.00	150	Vertical	Pass
3**	4920.600	40.13	-2.49	54.0	-13.87	AV	361.00	150	Vertical	Pass
4	5787.400	104.65	-2.46	--	--	Peak	170.00	150	Vertical	N/A
4**	5787.400	96.06	-2.46	--	--	AV	170.00	150	Vertical	N/A
5	12226.750	49.83	1.31	74.0	-24.17	Peak	116.00	150	Vertical	Pass
5**	12226.750	41.13	1.31	54.0	-12.87	AV	116.00	150	Vertical	Pass
6	15796.838	53.66	2.23	74.0	-20.34	Peak	2.00	150	Vertical	Pass
6**	15796.838	45.76	2.23	54.0	-8.24	AV	2.00	150	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.300	48.96	-17.54	74.0	-25.04	Peak	351.00	150	Horizontal	Pass
1**	1501.300	37.83	-17.54	54.0	-16.17	AV	351.00	150	Horizontal	Pass
2	2834.100	42.82	-10.37	74.0	-31.18	Peak	221.00	150	Horizontal	Pass
2**	2834.100	33.57	-10.37	54.0	-20.43	AV	221.00	150	Horizontal	Pass
3	4142.800	47.74	-4.88	74.0	-26.26	Peak	361.00	150	Horizontal	Pass
3**	4142.800	37.36	-4.88	54.0	-16.64	AV	361.00	150	Horizontal	Pass
4	5765.000	102.99	-1.88	--	--	Peak	286.00	150	Horizontal	N/A
4**	5765.000	94.07	-1.88	--	--	AV	286.00	150	Horizontal	N/A
5	12568.588	50.94	1.72	74.0	-23.06	Peak	231.00	150	Horizontal	Pass
5**	12568.588	41.38	1.72	54.0	-12.62	AV	231.00	150	Horizontal	Pass
6	15803.400	53.35	2.29	74.0	-20.65	Peak	137.00	150	Horizontal	Pass
6**	15803.400	45.19	2.29	54.0	-8.81	AV	137.00	150	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1502.400	49.16	-17.50	74.0	-24.84	Peak	36.00	150	Vertical	Pass
1**	1502.400	38.08	-17.50	54.0	-15.92	AV	36.00	150	Vertical	Pass
2	2700.400	47.72	-11.36	74.0	-26.28	Peak	36.00	150	Vertical	Pass
2**	2700.400	37.22	-11.36	54.0	-16.78	AV	36.00	150	Vertical	Pass
3	4253.200	47.51	-4.93	74.0	-26.49	Peak	243.00	150	Vertical	Pass
3**	4253.200	36.87	-4.93	54.0	-17.13	AV	243.00	150	Vertical	Pass
4	5762.000	100.25	-1.87	--	--	Peak	204.00	150	Vertical	N/A
4**	5762.000	94.01	-1.87	--	--	AV	204.00	150	Vertical	N/A
5	12613.151	50.99	1.88	74.0	-23.01	Peak	28.00	150	Vertical	Pass
5**	12613.151	42.65	1.88	54.0	-11.35	AV	28.00	150	Vertical	Pass
6	15793.950	53.51	2.13	74.0	-20.49	Peak	298.00	150	Vertical	Pass
6**	15793.950	45.12	2.13	54.0	-8.88	AV	298.00	150	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass

Test Band	Mode	Channel	Verdict
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass


Test Plots

Main Antenna


U-NII-1 11a CH36 Peak




U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 AV




U-NII-1 11a CH36 AV




U-NII-1 11n20 CH36 Peak



U-NII-1 11n20 CH48 Peak




U-NII-1 11n20 CH36 AV




U-NII-1 11n20 CH36 AV




U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak



U-NII-1 11n40 CH38 AV




U-NII-1 11n40 CH38 AV




U-NII-1 11ac20 CH36 Peak



U-NII-1 11ac20 CH48 Peak



U-NII-1 11ac20 CH36 AV




U-NII-1 11ac20 CH36 AV



U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak



U-NII-1 11ac40 CH38 AV



U-NII-1 11ac40 CH38 AV




U-NII-1 11ac80 CH42 Peak



U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 AV




U-NII-1 11ac80 CH42 AV



U-NII-1 11ac80 CH42 AV



U-NII-1 11ac80 CH42 AV




U-NII-2A 11a CH52 Peak




U-NII-2A 11a CH64 Peak




U-NII-2A 11a CH64 AV



U-NII-2A 11a CH64 AV




U-NII-2A 11n20 CH52 Peak




U-NII-2A 11n20 CH64 Peak



U-NII-2A 11n20 CH64 AV




U-NII-2A 11n20 CH64 AV



U-NII-2A 11n40 CH54 Peak



U-NII-2A 11n40 CH62 Peak



U-NII-2A 11n40 CH62 AV



U-NII-2A 11n40 CH62 AV



U-NII-2A 11ac20 CH52 Peak





U-NII-2A 11ac20 CH64 Peak




U-NII-2A 11ac20 CH64 AV

U-NII-2A 11ac20 CH64 AV





U-NII-2A 11ac40 CH54 Peak

U-NII-2A 11ac40 CH62 Peak




U-NII-2A 11ac40 CH62 AV

U-NII-2A 11ac40 CH62 AV




U-NII-2A 11ac80 CH58 Peak



U-NII-2A 11ac80 CH58 Peak



U-NII-2A 11ac80 CH58 AV




U-NII-2A 11ac80 CH58 AV




U-NII-2C 11a CH100 Peak



U-NII-2C 11a CH140 Peak



U-NII-2C 11a CH100 AV




U-NII-2C 11n20 CH100 Peak



U-NII-2C 11n20 CH140 Peak




U-NII-2C 11n20 CH100 AV




U-NII-2C 11n40 CH102 Peak



U-NII-2C 11n40 CH134 Peak



U-NII-2C 11n40 CH102 AV



U-NII-2C 11ac20 CH140 Peak




U-NII-2C 11ac20 CH100 Peak




U-NII-2C 11ac40 CH102 Peak



U-NII-2C 11ac40 CH134 Peak



U-NII-2C 11ac40 CH102 AV




U-NII-2C 11ac80 CH122 Peak



U-NII-2C 11ac80 CH106 Peak



U-NII-2C 11ac80 CH106 AV



U-NII-3 11a CH149 Peak



U-NII-3 11a CH165 Peak



U-NII-3 11n20 CH149 Peak



U-NII-3 11n20 CH165 Peak



U-NII-3 11n40 CH151 Peak



U-NII-3 11n40 CH159 Peak



U-NII-3 11ac20 CH149 Peak



U-NII-3 11ac20 CH165 Peak



U-NII-3 11ac40 CH151 Peak



U-NII-3 11ac40 CH159 Peak



U-NII-3 11ac80 CH155 Peak



U-NII-3 11ac80 CH155 Peak




Aux. Antenna

U-NII-1 11a CH36 Peak



U-NII-1 11a CH48 Peak




U-NII-1 11a CH36 AV




U-NII-1 11a CH36 AV




U-NII-1 11n20 CH36 Peak




U-NII-1 11n20 CH48 Peak




U-NII-1 11n20 CH36 AV




U-NII-1 11n20 CH36 AV




U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak




U-NII-1 11n40 CH38 AV




U-NII-1 11n40 CH38 AV




U-NII-1 11ac20 CH36 Peak




U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac20 CH36 AV




U-NII-1 11ac20 CH36 AV




U-NII-1 11ac40 CH38 Peak




U-NII-1 11ac40 CH46 Peak



U-NII-1 11ac40 CH38 AV




U-NII-1 11ac40 CH38 AV




U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 Peak



U-NII-1 11ac80 CH42 AV



U-NII-1 11ac80 CH42 AV



U-NII-2A 11a CH52 Peak



U-NII-2A 11a CH64 Peak



U-NII-2A 11a CH64 AV



U-NII-2A 11a CH64 AV



U-NII-2A 11n20 CH52 Peak




U-NII-2A 11n20 CH64 Peak



U-NII-2A 11n20 CH64 AV



U-NII-2A 11n20 CH64 AV



U-NII-2A 11n40 CH54 Peak





U-NII-2A 11n40 CH62 Peak




U-NII-2A 11n40 CH62 AV

U-NII-2A 11n40 CH62 AV




U-NII-2A 11ac20 CH52 Peak

U-NII-2A 11ac20 CH64 Peak




U-NII-2A 11ac20 CH64 AV

U-NII-2A 11ac20 CH64 AV




U-NII-2A 11ac40 CH54 Peak




U-NII-2A 11ac40 CH62 Peak




U-NII-2A 11ac40 CH62 AV



U-NII-2A 11ac40 CH62 AV



U-NII-2A 11ac80 CH58 Peak





U-NII-2A 11ac80 CH58 Peak




U-NII-2A 11ac80 CH58 AV

U-NII-2A 11ac80 CH58 AV



U-NII-2C 11a CH100 Peak


U-NII-2C 11a CH140 Peak




U-NII-2C 11a CH100 AV




U-NII-2C 11n20 CH100 Peak




U-NII-2C 11n20 CH140 Peak



U-NII-2C 11n20 CH100 AV




U-NII-2C 11n40 CH134 Peak



U-NII-2C 11n40 CH102 Peak




U-NII-2C 11n40 CH102 AV




U-NII-2C 11ac20 CH100 Peak



U-NII-2C 11ac20 CH140 Peak



U-NII-2C 11ac20 CH100 AV




U-NII-2C 11ac40 CH102 Peak



U-NII-2C 11ac40 CH134 Peak



U-NII-2C 11ac40 CH102 AV




U-NII-2C 11ac80 CH122 Peak



U-NII-2C 11ac80 CH106 Peak



U-NII-2C 11ac80 CH106 AV



U-NII-3 11a CH149 Peak



U-NII-3 11a CH165 Peak



U-NII-3 11n20 CH149 Peak



U-NII-3 11n20 CH165 Peak



U-NII-3 11n40 CH151 Peak



U-NII-3 11n40 CH159 Peak



U-NII-3 11ac20 CH149 Peak



U-NII-3 11ac20 CH165 Peak



U-NII-3 11ac40 CH151 Peak



U-NII-3 11ac40 CH159 Peak



U-NII-3 11ac80 CH155 Peak



U-NII-3 11ac80 CH155 Peak



MIMO


U-NII-1 11n20 CH36 Peak

U-NII-1 11n20 CH48 Peak




U-NII-1 11n20 CH36 AV


U-NII-1 11n20 CH36 AV



U-NII-1 11n40 CH38 Peak




U-NII-1 11n40 CH46 Peak




U-NII-1 11n40 CH38 AV




U-NII-1 11n40 CH38 AV




U-NII-1 11ac20 CH36 Peak




U-NII-1 11ac20 CH48 Peak




U-NII-1 11ac20 CH36 AV




U-NII-1 11ac20 CH36 AV



U-NII-1 11ac40 CH38 Peak



U-NII-1 11ac40 CH46 Peak




U-NII-1 11ac40 CH38 AV




U-NII-1 11ac40 CH38 AV



U-NII-1 11ac80 CH42 Peak




U-NII-1 11ac80 CH42 Peak



U-NII-1 11ac80 CH42 AV



U-NII-1 11ac80 CH42 AV



U-NII-2A 11n20 CH52 Peak





U-NII-2A 11n20 CH64 Peak





U-NII-2A 11n20 CH64 AV

U-NII-2A 11n20 CH64 AV





U-NII-2A 11n40 CH54 Peak

U-NII-2A 11n40 CH62 Peak




U-NII-2A 11n40 CH62 AV


U-NII-2A 11n40 CH62 AV




U-NII-2A 11ac20 CH52 Peak




U-NII-2A 11ac20 CH64 Peak



U-NII-2A 11ac20 CH64 AV




U-NII-2A 11ac20 CH64 AV



U-NII-2A 11ac40 CH54 Peak





U-NII-2A 11ac40 CH62 Peak




U-NII-2A 11ac40 CH62 AV

U-NII-2A 11ac40 CH62 AV





U-NII-2A 11ac80 CH58 Peak

U-NII-2A 11ac80 CH58 Peak




U-NII-2A 11ac80 CH58 AV

U-NII-2A 11ac80 CH58 AV




U-NII-2A 11ac80 CH58 AV




U-NII-2C 11n20 CH100 Peak




U-NII-2C 11n20 CH140 Peak




U-NII-2C 11n20 CH100 AV




U-NII-2C 11n40 CH102 Peak



U-NII-2C 11n40 CH134 Peak



U-NII-2C 11n40 CH102 AV




U-NII-2C 11ac20 CH100 Peak




U-NII-2C 11ac20 CH140 Peak




U-NII-2C 11ac20 CH100 Peak




U-NII-2C 11ac40 CH102 Peak



U-NII-2C 11ac40 CH134 Peak




U-NII-2C 11ac40 CH102 AV




U-NII-2C 11ac80 CH106 Peak




U-NII-2C 11ac80 CH122 Peak



U-NII-2C 11ac80 CH106 AV




U-NII-3 11n20 CH149 Peak




U-NII-3 11n20 CH165 Peak



U-NII-3 11n40 CH151 Peak



U-NII-3 11n40 CH159 Peak



U-NII-3 11ac20 CH149 Peak




U-NII-3 11ac20 CH165 Peak



U-NII-3 11ac40 CH151 Peak



U-NII-3 11ac40 CH159 Peak



U-NII-3 11ac80 CH155 Peak



U-NII-3 11ac80 CH155 Peak



ANNEX B TEST SETUP PHOTOS

Please refer the document "BL-SZ2140589-AR.PDF".

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document "BL-SZ2140589-AW.PDF".

ANNEX D EUT INTERNAL PHOTOS

Please refer the document "BL-SZ2140589-AI.PDF".

--END OF REPORT--