

## Appendix B

### RF Test Data for BT V5.0(LE) (Conducted Measurement)

Product Name: Formuler CC

Trade Mark: FORMULER


Test Model: CC (US)

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 25 ° C    |
| Relative Humidity: | 50%       |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Ken Hu    |
| Supervised by:     | Tom.Liu   |

#### E.1 Duty Cycle

| Test Mode | Test Channel | Ant  | Duty Cycle[%] | Verdict |
|-----------|--------------|------|---------------|---------|
| BT LE     | 2440         | Ant1 | 100           | PASS    |




## E.2 Maximum Conducted Peak Output Power


| Mode  | Channel | Conduct Peak Power[dBm] | Limit [dBm] | Verdict |
|-------|---------|-------------------------|-------------|---------|
| BT LE | LCH     | 0.991                   | 30          | PASS    |
| BT LE | MCH     | 0.681                   | 30          | PASS    |
| BT LE | HCH     | -0.033                  | 30          | PASS    |

Test Graphs


LCH



MCH



HCH




## E.3 Maximum Power Spectral Density


| Mode  | Channel | PSD [dBm/3KHz] | Limit [dBm/3KHz] | Verdict |
|-------|---------|----------------|------------------|---------|
| BT LE | LCH     | -13.674        | 8                | PASS    |
| BT LE | MCH     | -14.013        | 8                | PASS    |
| BT LE | HCH     | -14.778        | 8                | PASS    |

## Test Graphs


LCH



MCH



HCH




## E.4 6dB Bandwidth


| Mode  | Channel | 6dB Bandwidth [MHz] | Limit [MHz] | Verdict |
|-------|---------|---------------------|-------------|---------|
| BT LE | LCH     | 0.6867              | $\geq 0.5$  | PASS    |
| BT LE | MCH     | 0.6883              | $\geq 0.5$  | PASS    |
| BT LE | HCH     | 0.6901              | $\geq 0.5$  | PASS    |

## Test Graphs


LCH



MCH



HCH




## E.5 RF Conducted Spurious Emissions

| Mode  | Channel | Pref [dBm] | Max. Level [dBm] | Limit [dBm] | Verdict |
|-------|---------|------------|------------------|-------------|---------|
| BT LE | LCH     | 0.853      | -37.559          | -19.147     | PASS    |
| BT LE | MCH     | 0.491      | -36.951          | -19.509     | PASS    |
| BT LE | HCH     | -0.369     | -37.157          | -20.369     | PASS    |

BT LE LCH Graphs

Pref/BT LE/LCH



Puw/BT LE/LCH







|  |  |
|--|--|
|  |  |
|--|--|

## BT LE MCH Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




## BT LE HCH Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH




## E.6 Band-edge for RF Conducted Emissions

| Mode  | Channel | Carrier Power[dBm] | Max.Spurious Level [dBm] | Limit [dBm] | Verdict |
|-------|---------|--------------------|--------------------------|-------------|---------|
| BT LE | LCH     | 0.940              | -50.092                  | -19.06      | PASS    |
| BT LE | HCH     | -0.420             | -49.275                  | -20.42      | PASS    |

Test Graphs

LCH



Frequency

Auto Tune

Center Freq

2.357000000 GHz

Start Freq

2.310000000 GHz

Stop Freq

2.404000000 GHz

CF Step


9.400000 MHz

Auto Man

Freq Offset

0 Hz

HCH



Frequency

Auto Tune

Center Freq

2.489000000 GHz

Start Freq

2.478000000 GHz

Stop Freq

2.500000000 GHz

CF Step

2.200000 MHz

Auto Man


Freq Offset

0 Hz


## E.7 Restrict-band band-edge measurements

| Test Mode | Test Channel | Ant  | Freq.  | Power [dBm] | Gain | Ground Factor | E [dBuV/m] | Detector | Limit [dBuV/m] | Verdi |
|-----------|--------------|------|--------|-------------|------|---------------|------------|----------|----------------|-------|
| BT LE     | 2402         | Ant1 | 2310.0 | -44.10      | 2.0  | 0             | 51.15      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2310.0 | -53.48      | 2.0  | 0             | 41.78      | AV       | 54             | PASS  |
|           |              | Ant1 | 2390.0 | -41.12      | 2.0  | 0             | 54.14      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2390.0 | -52.79      | 2.0  | 0             | 42.47      | AV       | 54             | PASS  |
|           | 2480         | Ant1 | 2483.5 | -42.32      | 2.0  | 0             | 52.93      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2483.5 | -52.47      | 2.0  | 0             | 42.79      | AV       | 54             | PASS  |
|           |              | Ant1 | 2500.0 | -43.12      | 2.0  | 0             | 52.14      | PEAK     | 74             | PASS  |
|           |              | Ant1 | 2500.0 | -52.28      | 2.0  | 0             | 42.98      | AV       | 54             | PASS  |


## Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_PEAK



## Restrict-band band-edge measurements\_BT LE\_2402\_Ant1\_AV



## Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_PEAK



## Restrict-band band-edge measurements\_BT LE\_2480\_Ant1\_AV

