





Appendix D

RF Test Data for 5.2G WIFI (Conducted Measurement)

Product Name: Formuler Z10

Test Model: Z10

Environmental Conditions

Temperature:	23.5°C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	 Wunder Wu
Supervised by:	 Li Huan





D.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant0	18.192	0.5	Pass
NVNT	a	5200	Ant0	18.193	0.5	Pass
NVNT	a	5240	Ant0	18.282	0.5	Pass
NVNT	n20	5180	Ant0	19.204	0.5	Pass
NVNT	n20	5200	Ant0	19.261	0.5	Pass
NVNT	n20	5240	Ant0	19.216	0.5	Pass
NVNT	n40	5190	Ant0	41.285	0.5	Pass
NVNT	n40	5230	Ant0	40.861	0.5	Pass
NVNT	ac20	5180	Ant0	19.272	0.5	Pass
NVNT	ac20	5200	Ant0	19.27	0.5	Pass
NVNT	ac20	5240	Ant0	19.329	0.5	Pass
NVNT	ac40	5190	Ant0	40.687	0.5	Pass
NVNT	ac40	5230	Ant0	40.822	0.5	Pass
NVNT	ac80	5210	Ant0	80.478	0.5	Pass






Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant0




-26dB Bandwidth NVNT a 5200MHz Ant0






-26dB Bandwidth NVNT a 5240MHz Ant0




-26dB Bandwidth NVNT n20 5180MHz Ant0






-26dB Bandwidth NVNT n20 5200MHz Ant0




-26dB Bandwidth NVNT n20 5240MHz Ant0






-26dB Bandwidth NVNT n40 5190MHz Ant0




-26dB Bandwidth NVNT n40 5230MHz Ant0






-26dB Bandwidth NVNT ac20 5180MHz Ant0




-26dB Bandwidth NVNT ac20 5200MHz Ant0






-26dB Bandwidth NVNT ac20 5240MHz Ant0




-26dB Bandwidth NVNT ac40 5190MHz Ant0






-26dB Bandwidth NVNT ac40 5230MHz Ant0



-26dB Bandwidth NVNT ac80 5210MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	18.444	0.5	Pass
NVNT	a	5200	Ant1	18.469	0.5	Pass
NVNT	a	5240	Ant1	18.458	0.5	Pass
NVNT	n20	5180	Ant1	19.431	0.5	Pass
NVNT	n20	5200	Ant1	19.297	0.5	Pass
NVNT	n20	5240	Ant1	19.48	0.5	Pass
NVNT	n40	5190	Ant1	40.354	0.5	Pass
NVNT	n40	5230	Ant1	41.143	0.5	Pass
NVNT	ac20	5180	Ant1	19.131	0.5	Pass
NVNT	ac20	5200	Ant1	19.101	0.5	Pass
NVNT	ac20	5240	Ant1	19.295	0.5	Pass
NVNT	ac40	5190	Ant1	40.834	0.5	Pass
NVNT	ac40	5230	Ant1	40.911	0.5	Pass
NVNT	ac80	5210	Ant1	80.991	0.5	Pass





Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1





-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1





-26dB Bandwidth NVNT n20 5200MHz Ant1



-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1



-26dB Bandwidth NVNT ac20 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1






-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant0	9.16	0.96	10.12	24	Pass
NVNT	a	5200	Ant0	9.17	0.96	10.13	24	Pass
NVNT	a	5240	Ant0	8.31	0.96	9.27	24	Pass
NVNT	n20	5180	Ant0	9	1.02	10.02	24	Pass
NVNT	n20	5200	Ant0	8.21	1.02	9.23	24	Pass
NVNT	n20	5240	Ant0	7.26	1.02	8.28	24	Pass
NVNT	n40	5190	Ant0	7.88	1.87	9.75	24	Pass
NVNT	n40	5230	Ant0	8.66	1.87	10.53	24	Pass
NVNT	ac20	5180	Ant0	7.28	1.02	8.3	24	Pass
NVNT	ac20	5200	Ant0	8.04	1.02	9.06	24	Pass
NVNT	ac20	5240	Ant0	7.14	1.02	8.16	24	Pass
NVNT	ac40	5190	Ant0	8.2	1.86	10.06	24	Pass
NVNT	ac40	5230	Ant0	8.15	1.86	10.01	24	Pass
NVNT	ac80	5210	Ant0	7.21	3.22	10.43	24	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	11.31	0	11.31	24	Pass
NVNT	a	5200	Ant1	15.56	0	15.56	24	Pass
NVNT	a	5240	Ant1	14.11	0	14.11	24	Pass
NVNT	n20	5180	Ant1	15.12	0	15.12	24	Pass
NVNT	n20	5200	Ant1	14.89	0	14.89	24	Pass
NVNT	n20	5240	Ant1	14.02	0	14.02	24	Pass
NVNT	n40	5190	Ant1	10.17	0	10.17	24	Pass
NVNT	n40	5230	Ant1	8.68	0	8.68	24	Pass
NVNT	ac20	5180	Ant1	11.01	0	11.01	24	Pass
NVNT	ac20	5200	Ant1	10.55	0	10.55	24	Pass
NVNT	ac20	5240	Ant1	9.39	0	9.39	24	Pass
NVNT	ac40	5190	Ant1	10.22	0	10.22	24	Pass
NVNT	ac40	5230	Ant1	8.59	0	8.59	24	Pass
NVNT	ac80	5210	Ant1	7.73	0	7.73	24	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			ANT0	ANT1	ANT0+ANT1		
NVNT	n20	5180	10.02	15.12	16.29	24	Pass
NVNT	n20	5200	9.23	14.89	15.93	24	Pass
NVNT	n20	5240	8.28	14.02	15.05	24	Pass
NVNT	n40	5190	9.75	10.17	12.98	24	Pass
NVNT	n40	5230	10.53	8.68	12.71	24	Pass
NVNT	ac20	5180	8.3	11.01	12.87	24	Pass
NVNT	ac20	5200	9.06	10.55	12.88	24	Pass
NVNT	ac20	5240	8.16	9.39	11.83	24	Pass
NVNT	ac40	5190	10.06	10.22	13.15	24	Pass
NVNT	ac40	5230	10.01	8.59	12.37	24	Pass
NVNT	ac80	5210	10.43	7.73	12.30	24	Pass





D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant0	-13.71	0.96	-12.75	11	Pass
NVNT	a	5200	Ant0	-13.18	0.96	-12.22	11	Pass
NVNT	a	5240	Ant0	-14.01	0.96	-13.05	11	Pass
NVNT	n20	5180	Ant0	-14.03	1.02	-13.01	11	Pass
NVNT	n20	5200	Ant0	-11.71	1.02	-10.69	11	Pass
NVNT	n20	5240	Ant0	-14.08	1.02	-13.06	11	Pass
NVNT	n40	5190	Ant0	-22.26	1.87	-20.39	11	Pass
NVNT	n40	5230	Ant0	-21.72	1.87	-19.85	11	Pass
NVNT	ac20	5180	Ant0	-12.81	1.02	-11.79	11	Pass
NVNT	ac20	5200	Ant0	-13.03	1.02	-12.01	11	Pass
NVNT	ac20	5240	Ant0	-15.02	1.02	-14	11	Pass
NVNT	ac40	5190	Ant0	-22.04	1.86	-20.18	11	Pass
NVNT	ac40	5230	Ant0	-19.61	1.86	-17.75	11	Pass
NVNT	ac80	5210	Ant0	-31.27	3.22	-28.05	11	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-1.14	0	-1.14	11	Pass
NVNT	a	5200	Ant1	3.13	0	3.13	11	Pass
NVNT	a	5240	Ant1	1.58	0	1.58	11	Pass
NVNT	n20	5180	Ant1	2.14	0	2.14	11	Pass
NVNT	n20	5200	Ant1	2.06	0	2.06	11	Pass
NVNT	n20	5240	Ant1	1.22	0	1.22	11	Pass
NVNT	n40	5190	Ant1	-5.4	0	-5.4	11	Pass
NVNT	n40	5230	Ant1	-6.63	0	-6.63	11	Pass
NVNT	ac20	5180	Ant1	-2.01	0	-2.01	11	Pass
NVNT	ac20	5200	Ant1	-2.25	0	-2.25	11	Pass
NVNT	ac20	5240	Ant1	-3.63	0	-3.63	11	Pass
NVNT	ac40	5190	Ant1	-5.69	0	-5.69	11	Pass
NVNT	ac40	5230	Ant1	-6.93	0	-6.93	11	Pass
NVNT	ac80	5210	Ant1	-10.28	0	-10.28	11	Pass





MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm)			Limit (dBm)	Verdict
			ANT0	ANT1	ANT0+ANT1		
NVNT	n20	5180	-13.01	2.14	2.27	11	Pass
NVNT	n20	5200	-10.69	2.06	2.28	11	Pass
NVNT	n20	5240	-13.06	1.22	1.38	11	Pass
NVNT	n40	5190	-20.39	-5.4	-5.26	11	Pass
NVNT	n40	5230	-19.85	-6.63	-6.43	11	Pass
NVNT	ac20	5180	-11.79	-2.01	-1.58	11	Pass
NVNT	ac20	5200	-12.01	-2.25	-1.81	11	Pass
NVNT	ac20	5240	-14	-3.63	-3.25	11	Pass
NVNT	ac40	5190	-20.18	-5.69	-5.54	11	Pass
NVNT	ac40	5230	-17.75	-6.93	-6.58	11	Pass
NVNT	ac80	5210	-28.05	-10.28	-10.21	11	Pass






Test Graphs

PSD NVNT a 5180MHz Ant0




PSD NVNT a 5200MHz Ant0










PSD NVNT a 5240MHz Ant0



PSD NVNT n20 5180MHz Ant0











PSD NVNT ac20 5180MHz Ant0




PSD NVNT ac20 5200MHz Ant0






PSD NVNT ac20 5240MHz Ant0




PSD NVNT ac40 5190MHz Ant0






PSD NVNT ac40 5230MHz Ant0




PSD NVNT ac80 5210MHz Ant0






Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1






PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1





D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant0	4500	-50.29	2	46.94	Peak	68.2	Pass
NVNT	a	5180	Ant0	4500	-60.72	2	36.51	Average	54	Pass
NVNT	a	5180	Ant0	5095	-45.68	2	51.55	Peak	68.2	Pass
NVNT	a	5180	Ant0	5095	-57.05	2	40.18	Average	54	Pass
NVNT	a	5180	Ant0	5150	-48.51	2	48.72	Peak	68.2	Pass
NVNT	a	5180	Ant0	5150	-57.81	2	39.42	Average	54	Pass
NVNT	a	5240	Ant0	5350	-49.02	2	48.21	Peak	68.2	Pass
NVNT	a	5240	Ant0	5350	-57.26	2	39.97	Average	54	Pass
NVNT	a	5240	Ant0	5351.76	-45.57	2	51.66	Peak	68.2	Pass
NVNT	a	5240	Ant0	5400	-56.03	2	41.2	Average	54	Pass
NVNT	a	5240	Ant0	5460	-47.52	2	49.71	Peak	68.2	Pass
NVNT	a	5240	Ant0	5460	-59.33	2	37.9	Average	54	Pass
NVNT	n20	5180	Ant0	4500	-50.39	2	46.84	Peak	68.2	Pass
NVNT	n20	5180	Ant0	4500	-60.72	2	36.51	Average	54	Pass
NVNT	n20	5180	Ant0	5148.9	-45.18	2	52.05	Peak	68.2	Pass
NVNT	n20	5180	Ant0	5096.4	-57.14	2	40.09	Average	54	Pass
NVNT	n20	5180	Ant0	5150	-44.93	2	52.3	Peak	68.2	Pass
NVNT	n20	5180	Ant0	5150	-57.03	2	40.2	Average	54	Pass
NVNT	n20	5240	Ant0	5350	-49.27	2	47.96	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5350	-57.73	2	39.5	Average	54	Pass
NVNT	n20	5240	Ant0	5400.72	-45.41	2	51.82	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5400	-56.42	2	40.81	Average	54	Pass
NVNT	n20	5240	Ant0	5460	-51.49	2	45.74	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5460	-59.54	2	37.69	Average	54	Pass
NVNT	n40	5190	Ant0	4500	-51.64	2	45.59	Peak	68.2	Pass
NVNT	n40	5190	Ant0	4500	-60.49	2	36.74	Average	54	Pass
NVNT	n40	5190	Ant0	5149.7	-36.86	2	60.37	Peak	68.2	Pass
NVNT	n40	5190	Ant0	5149.7	-48.65	2	48.58	Average	54	Pass
NVNT	n40	5190	Ant0	5150	-33.74	2	63.49	Peak	68.2	Pass
NVNT	n40	5190	Ant0	5150	-48.58	2	48.65	Average	54	Pass
NVNT	n40	5230	Ant0	5350	-48.19	2	49.04	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5350	-57.37	2	39.86	Average	54	Pass
NVNT	n40	5230	Ant0	5458.38	-44.97	2	52.26	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5354.43	-56.91	2	40.32	Average	54	Pass
NVNT	n40	5230	Ant0	5460	-47.38	2	49.85	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5460	-57.08	2	40.15	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant0	4500	-48.91	2	48.32	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	4500	-60.81	2	36.42	Average	54	Pass
NVNT	ac20	5180	Ant0	5109.7	-46.21	2	51.02	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	5099.9	-57.43	2	39.8	Average	54	Pass
NVNT	ac20	5180	Ant0	5150	-47.45	2	49.78	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	5150	-57.9	2	39.33	Average	54	Pass
NVNT	ac20	5240	Ant0	5350	-48.81	2	48.42	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5350	-57.71	2	39.52	Average	54	Pass
NVNT	ac20	5240	Ant0	5399.04	-46.07	2	51.16	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5400	-56.38	2	40.85	Average	54	Pass
NVNT	ac20	5240	Ant0	5460	-50.89	2	46.34	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5460	-59.47	2	37.76	Average	54	Pass
NVNT	ac40	5190	Ant0	4500	-51.48	2	45.75	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	4500	-60.43	2	36.8	Average	54	Pass
NVNT	ac40	5190	Ant0	5148.97	-37.92	2	59.31	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	5149.7	-48.95	2	48.28	Average	54	Pass
NVNT	ac40	5190	Ant0	5150	-38.65	2	58.58	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	5150	-48.31	2	48.92	Average	54	Pass
NVNT	ac40	5230	Ant0	5350	-48.19	2	49.04	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5350	-57.37	2	39.86	Average	54	Pass
NVNT	ac40	5230	Ant0	5458.38	-44.97	2	52.26	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5354.43	-56.91	2	40.32	Average	54	Pass
NVNT	ac40	5230	Ant0	5460	-47.38	2	49.85	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5460	-57.08	2	40.15	Average	54	Pass
NVNT	ac80	5210	Ant0	5350	-48.56	2	48.67	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5350	-57.4	2	39.83	Average	54	Pass
NVNT	ac80	5210	Ant0	5430.96	-45.94	2	51.29	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5370.57	-56.48	2	40.75	Average	54	Pass
NVNT	ac80	5210	Ant0	5460	-47.42	2	49.81	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5460	-57.36	2	39.87	Average	54	Pass
NVNT	ac80	5210	Ant0	4500	-50.66	2	46.57	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	4500	-60.32	2	36.91	Average	54	Pass
NVNT	ac80	5210	Ant0	5146.22	-36.2	2	61.03	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5149.38	-46.05	2	51.18	Average	54	Pass
NVNT	ac80	5210	Ant0	5150	-34.21	2	63.02	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5150	-46.24	2	50.99	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-50.18	2	47.05	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-60.78	2	36.45	Average	54	Pass
NVNT	a	5180	Ant1	5104.1	-45.69	2	51.54	Peak	68.2	Pass
NVNT	a	5180	Ant1	5104.8	-57.51	2	39.72	Average	54	Pass
NVNT	a	5180	Ant1	5150	-49.52	2	47.71	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-57.56	2	39.67	Average	54	Pass
NVNT	a	5240	Ant1	5350	-46.56	2	50.67	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-55.19	2	42.04	Average	54	Pass
NVNT	a	5240	Ant1	5350.56	-44.87	2	52.36	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350.8	-55.08	2	42.15	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.66	2	47.57	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-59.41	2	37.82	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-49.89	2	47.34	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-60.82	2	36.41	Average	54	Pass
NVNT	n20	5180	Ant1	5147.5	-37.46	2	59.77	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-51.79	2	45.44	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-36.7	2	60.53	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-51.32	2	45.91	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-45.92	2	51.31	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-55.49	2	41.74	Average	54	Pass
NVNT	n20	5240	Ant1	5368.8	-43.06	2	54.17	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5351.28	-55.31	2	41.92	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-49.12	2	48.11	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-59.48	2	37.75	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.08	2	47.15	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-60.62	2	36.61	Average	54	Pass
NVNT	n40	5190	Ant1	5148.97	-40.28	2	56.95	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-51.94	2	45.29	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-41.12	2	56.11	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-51.47	2	45.76	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-48.59	2	48.64	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.95	2	39.28	Average	54	Pass
NVNT	n40	5230	Ant1	5363.34	-46.66	2	50.57	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5390.07	-56.31	2	40.92	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.33	2	47.9	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-58.64	2	38.59	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-50.79	2	46.44	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	4500	-60.65	2	36.58	Average	54	Pass
NVNT	ac20	5180	Ant1	5104.8	-45.33	2	51.9	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant1	5099.9	-57.02	2	40.21	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-47.05	2	50.18	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-57.29	2	39.94	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-49.42	2	47.81	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.65	2	39.58	Average	54	Pass
NVNT	ac20	5240	Ant1	5407.2	-44.81	2	52.42	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5400.24	-56.43	2	40.8	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-50.73	2	46.5	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-59.61	2	37.62	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.55	2	46.68	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-60.27	2	36.96	Average	54	Pass
NVNT	ac40	5190	Ant1	5146.78	-41.42	2	55.81	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-51.83	2	45.4	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-41.73	2	55.5	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-51.55	2	45.68	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-48.99	2	48.24	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-57.92	2	39.31	Average	54	Pass
NVNT	ac40	5230	Ant1	5387.37	-45.9	2	51.33	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5390.07	-55.62	2	41.61	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-50.14	2	47.09	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-58.4	2	38.83	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-48	2	49.23	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-57.33	2	39.9	Average	54	Pass
NVNT	ac80	5210	Ant1	5404.56	-46.43	2	50.8	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5369.91	-56.06	2	41.17	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-50.74	2	46.49	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-58.15	2	39.08	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-50.52	2	46.71	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-59.94	2	37.29	Average	54	Pass
NVNT	ac80	5210	Ant1	5134.37	-41.64	2	55.59	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5147.8	-52.1	2	45.13	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-44	2	53.23	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-52.33	2	44.9	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)			E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
				ANT0	ANT1	ANT0+ANT1				
NVNT	n20	5180	4500	-50.39	-49.89	-47.12	48.11	Peak	68.2	Pass
NVNT	n20	5180	4500	-60.72	-60.82	-57.76	37.47	Average	54	Pass
NVNT	n20	5180	5148.9	-45.18	-37.46	-36.78	58.45	Peak	68.2	Pass
NVNT	n20	5180	5096.4	-57.14	-51.79	-50.68	44.55	Average	54	Pass
NVNT	n20	5180	5150	-44.93	-36.7	-36.09	59.14	Peak	68.2	Pass
NVNT	n20	5180	5150	-57.03	-51.32	-50.29	44.94	Average	54	Pass
NVNT	n20	5240	5350	-49.27	-45.92	-44.27	50.96	Peak	68.2	Pass
NVNT	n20	5240	5350	-57.73	-55.49	-53.46	41.77	Average	54	Pass
NVNT	n20	5240	5400.72	-45.41	-43.06	-41.07	54.16	Peak	68.2	Pass
NVNT	n20	5240	5400	-56.42	-55.31	-52.82	42.41	Average	54	Pass
NVNT	n20	5240	5460	-51.49	-49.12	-47.13	48.09	Peak	68.2	Pass
NVNT	n20	5240	5460	-59.54	-59.48	-56.50	38.73	Average	54	Pass
NVNT	n40	5190	4500	-51.64	-50.08	-47.78	47.45	Peak	68.2	Pass
NVNT	n40	5190	4500	-60.49	-60.62	-57.54	37.68	Average	54	Pass
NVNT	n40	5190	5149.7	-36.86	-40.28	-35.23	60.00	Peak	68.2	Pass
NVNT	n40	5190	5149.7	-48.65	-51.94	-46.98	48.25	Average	54	Pass
NVNT	n40	5190	5150	-33.74	-41.12	-33.01	62.22	Peak	68.2	Pass
NVNT	n40	5190	5150	-48.58	-51.47	-46.78	48.45	Average	54	Pass
NVNT	n40	5230	5350	-48.19	-48.59	-45.38	49.85	Peak	68.2	Pass
NVNT	n40	5230	5350	-57.37	-57.95	-54.64	40.59	Average	54	Pass
NVNT	n40	5230	5458.38	-44.97	-46.66	-42.72	52.50	Peak	68.2	Pass
NVNT	n40	5230	5354.43	-56.91	-56.31	-53.59	41.64	Average	54	Pass
NVNT	n40	5230	5460	-47.38	-49.33	-45.24	49.99	Peak	68.2	Pass
NVNT	n40	5230	5460	-57.08	-58.64	-54.78	40.45	Average	54	Pass
NVNT	ac20	5180	4500	-48.91	-50.79	-46.74	48.49	Peak	68.2	Pass
NVNT	ac20	5180	4500	-60.81	-60.65	-57.72	37.51	Average	54	Pass
NVNT	ac20	5180	5109.7	-46.21	-45.33	-42.74	52.49	Peak	68.2	Pass
NVNT	ac20	5180	5099.9	-57.43	-57.02	-54.21	41.02	Average	54	Pass
NVNT	ac20	5180	5150	-47.45	-47.05	-44.24	50.99	Peak	68.2	Pass
NVNT	ac20	5180	5150	-57.9	-57.29	-54.57	40.65	Average	54	Pass
NVNT	ac20	5240	5350	-48.81	-49.42	-46.09	49.13	Peak	68.2	Pass
NVNT	ac20	5240	5350	-57.71	-57.65	-54.67	40.56	Average	54	Pass
NVNT	ac20	5240	5399.04	-46.07	-44.81	-42.38	52.84	Peak	68.2	Pass
NVNT	ac20	5240	5400	-56.38	-56.43	-53.39	41.83	Average	54	Pass
NVNT	ac20	5240	5460	-50.89	-50.73	-47.80	47.43	Peak	68.2	Pass
NVNT	ac20	5240	5460	-59.47	-59.61	-56.53	38.70	Average	54	Pass
NVNT	ac40	5190	4500	-51.48	-50.55	-47.98	47.25	Peak	68.2	Pass
NVNT	ac40	5190	4500	-60.43	-60.27	-57.34	37.89	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac40	5190	5148.97	-37.92	-41.42	-36.32	58.91	Peak	68.2	Pass
NVNT	ac40	5190	5149.7	-48.95	-51.83	-47.15	48.08	Average	54	Pass
NVNT	ac40	5190	5150	-38.65	-41.73	-36.91	58.32	Peak	68.2	Pass
NVNT	ac40	5190	5150	-48.31	-51.55	-46.62	48.60	Average	54	Pass
NVNT	ac40	5230	5350	-48.99	-48.19	-45.56	49.67	Peak	68.2	Pass
NVNT	ac40	5230	5350	-57.92	-57.37	-54.63	40.60	Average	54	Pass
NVNT	ac40	5230	5387.37	-45.9	-44.97	-42.40	52.83	Peak	68.2	Pass
NVNT	ac40	5230	5390.07	-55.62	-56.91	-53.21	42.02	Average	54	Pass
NVNT	ac40	5230	5460	-50.14	-47.38	-45.53	49.70	Peak	68.2	Pass
NVNT	ac40	5230	5460	-58.4	-57.08	-54.68	40.55	Average	54	Pass
NVNT	ac80	5210	5350	-48.56	-48	-45.26	49.97	Peak	68.2	Pass
NVNT	ac80	5210	5350	-57.4	-57.33	-54.35	40.87	Average	54	Pass
NVNT	ac80	5210	5430.96	-45.94	-46.43	-43.17	52.06	Peak	68.2	Pass
NVNT	ac80	5210	5370.57	-56.48	-56.06	-53.25	41.97	Average	54	Pass
NVNT	ac80	5210	5460	-47.42	-50.74	-45.76	49.47	Peak	68.2	Pass
NVNT	ac80	5210	5460	-57.36	-58.15	-54.73	40.50	Average	54	Pass
NVNT	ac80	5210	4500	-50.66	-50.52	-47.58	47.65	Peak	68.2	Pass
NVNT	ac80	5210	4500	-60.32	-59.94	-57.12	38.11	Average	54	Pass
NVNT	ac80	5210	5146.22	-36.2	-41.64	-35.11	60.12	Peak	68.2	Pass
NVNT	ac80	5210	5149.38	-46.05	-52.1	-45.09	50.14	Average	54	Pass
NVNT	ac80	5210	5150	-34.21	-44	-33.78	61.45	Peak	68.2	Pass
NVNT	ac80	5210	5150	-46.24	-52.33	-45.28	49.94	Average	54	Pass


Note: The Antenna Gain is compensated in the graph






Test Graphs

Restrict Band NVNT a 5180MHz Ant0 Peak




Restrict Band NVNT a 5180MHz Ant0 Average






Restrict Band NVNT a 5240MHz Ant0 Peak




Restrict Band NVNT a 5240MHz Ant0 Average






Restrict Band NVNT n20 5180MHz Ant0 Peak




Restrict Band NVNT n20 5180MHz Ant0 Average






Restrict Band NVNT n20 5240MHz Ant0 Peak




Restrict Band NVNT n20 5240MHz Ant0 Average






Restrict Band NVNT n40 5190MHz Ant0 Peak




Restrict Band NVNT n40 5190MHz Ant0 Average






Restrict Band NVNT n40 5230MHz Ant0 Peak




Restrict Band NVNT n40 5230MHz Ant0 Average






Restrict Band NVNT ac20 5180MHz Ant0 Peak




Restrict Band NVNT ac20 5180MHz Ant0 Average






Restrict Band NVNT ac20 5240MHz Ant0 Peak




Restrict Band NVNT ac20 5240MHz Ant0 Average






Restrict Band NVNT ac40 5190MHz Ant0 Peak




Restrict Band NVNT ac40 5190MHz Ant0 Average






Restrict Band NVNT ac40 5230MHz Ant0 Peak




Restrict Band NVNT ac40 5230MHz Ant0 Average




Restrict Band NVNT ac80 5210MHz Ant0 Peak






Restrict Band NVNT ac80 5210MHz Ant0 Average






Restrict Band NVNT ac80 5210MHz Ant0 Peak




Restrict Band NVNT ac80 5210MHz Ant0 Average






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak



Restrict Band NVNT a 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average





D.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	n40	5190	Ant0	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant0	5179.96	-40000	-7.72	25	Pass
NVNT	ac20	5200	Ant0	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant0	5240	0	0	25	Pass
NVNT	ac40	5190	Ant0	5189.96	-40000	-7.71	25	Pass
NVNT	ac40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant0	5209.92	-80000	-15.36	25	Pass






Test Graphs

Freq. Stability NVNT n40 5190MHz Ant0




Freq. Stability NVNT n40 5230MHz Ant0






Freq. Stability NVNT ac20 5180MHz Ant0




Freq. Stability NVNT ac20 5200MHz Ant0






Freq. Stability NVNT ac20 5240MHz Ant0




Freq. Stability NVNT ac40 5190MHz Ant0






Freq. Stability NVNT ac40 5230MHz Ant0



Freq. Stability NVNT ac80 5210MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	a	5200	Ant1	5199.96	-40000	-7.69	25	Pass
NVNT	a	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	n20	5180	Ant1	5180	0	0	25	Pass
NVNT	n20	5200	Ant1	5199.96	-40000	-7.69	25	Pass
NVNT	n20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5230	0	0	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass






Test Graphs

Freq. Stability NVNT a 5180MHz Ant1




Freq. Stability NVNT a 5200MHz Ant1






Freq. Stability NVNT a 5240MHz Ant1




Freq. Stability NVNT n20 5180MHz Ant1






Freq. Stability NVNT n20 5200MHz Ant1




Freq. Stability NVNT n20 5240MHz Ant1






Freq. Stability NVNT n40 5190MHz Ant1




Freq. Stability NVNT n40 5230MHz Ant1






Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1





D.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant0	80.17	0.96	0.49
NVNT	a	5200	Ant0	80.17	0.96	0.49
NVNT	a	5240	Ant0	80.17	0.96	0.49
NVNT	n20	5180	Ant0	79.08	1.02	0.53
NVNT	n20	5200	Ant0	79.04	1.02	0.53
NVNT	n20	5240	Ant0	79.05	1.02	0.53
NVNT	n40	5190	Ant0	65.06	1.87	1.07
NVNT	n40	5230	Ant0	65.03	1.87	1.08
NVNT	ac20	5180	Ant0	79.11	1.02	0.53
NVNT	ac20	5200	Ant0	79.11	1.02	0.53
NVNT	ac20	5240	Ant0	79.07	1.02	0.53
NVNT	ac40	5190	Ant0	65.13	1.86	1.07
NVNT	ac40	5230	Ant0	65.13	1.86	1.07
NVNT	ac80	5210	Ant0	47.59	3.22	2.2






Test Graphs

Duty Cycle NVNT a 5180MHz Ant0




Duty Cycle NVNT a 5200MHz Ant0






Duty Cycle NVNT a 5240MHz Ant0




Duty Cycle NVNT n20 5180MHz Ant0






Duty Cycle NVNT n20 5200MHz Ant0




Duty Cycle NVNT n20 5240MHz Ant0






Duty Cycle NVNT n40 5190MHz Ant0




Duty Cycle NVNT n40 5230MHz Ant0






Duty Cycle NVNT ac20 5180MHz Ant0



Duty Cycle NVNT ac20 5200MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT ac20 5240MHz Ant0




Duty Cycle NVNT ac40 5190MHz Ant0






Duty Cycle NVNT ac40 5230MHz Ant0



Duty Cycle NVNT ac80 5210MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	100	0	0
NVNT	a	5200	Ant1	100	0	0
NVNT	a	5240	Ant1	100	0	0
NVNT	n20	5180	Ant1	100	0	0
NVNT	n20	5200	Ant1	100	0	0
NVNT	n20	5240	Ant1	100	0	0
NVNT	n40	5190	Ant1	100	0	0
NVNT	n40	5230	Ant1	100	0	0
NVNT	ac20	5180	Ant1	100	0	0
NVNT	ac20	5200	Ant1	100	0	0
NVNT	ac20	5240	Ant1	100	0	0
NVNT	ac40	5190	Ant1	100	0	0
NVNT	ac40	5230	Ant1	100	0	0
NVNT	ac80	5210	Ant1	100	0	0






Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1






Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1






Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1






Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1





Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1

