

**Test Result**

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11B	Ant1	2412	8.09	8.10	99.88	---	---
		2437	8.09	8.10	99.88	---	---
		2462	20.00	20.00	100.00	---	---
11G	Ant1	2412	1.36	1.37	99.27	---	---
		2437	1.36	1.37	99.27	---	---
		2462	1.36	1.37	99.27	---	---
11N20SISO	Ant1	2412	1.27	1.28	99.22	---	---
		2437	1.27	1.28	99.22	---	---
		2462	1.27	1.28	99.22	---	---
11N40SISO	Ant1	2422	0.63	0.64	98.44	---	---
		2437	0.63	0.64	98.44	---	---
		2452	0.63	0.64	98.44	---	---
11AX20SISO	Ant1	2412	0.98	0.99	98.99	---	---
		2437	0.99	1.00	99.00	---	---
		2462	0.99	1.00	99.00	---	---
11AX40SISO	Ant1	2422	0.52	0.53	98.11	---	---
		2437	0.52	0.52	100.00	---	---
		2452	0.52	0.53	98.11	---	---




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11B_Ant1_2412






11B_Ant1_2437




11B_Ant1_2462








11G_Ant1_2462




11N20SISO_Ant1_2412






11N20SISO_Ant1_2437




11N20SISO_Ant1_2462






11N40SISO_Ant1_2422




11N40SISO_Ant1_2437






11N40SISO_Ant1_2452




11AX20SISO_Ant1_2412






11AX20SISO_Ant1_2437




11AX20SISO_Ant1_2462






11AX40SISO_Ant1_2422




11AX40SISO_Ant1_2437





11AX40SISO_Ant1_2452



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



C.7 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant0	Low	2412	AV	2310.000	-57.99	≤-41.20	37.21	≤54	PASS
				AV	2388.920	-53.26	≤-41.20	41.94	≤54	PASS
				AV	2390.000	-56.82	≤-41.20	38.38	≤54	PASS
				Peak	2310.000	-47.57	≤-21.20	47.63	≤74	PASS
				Peak	2384.110	-31.72	≤-21.20	63.48	≤74	PASS
				Peak	2390.000	-46.94	≤-21.20	48.26	≤74	PASS
		High	2462	AV	2483.500	-56.73	≤-41.20	38.47	≤54	PASS
				AV	2483.780	-52.81	≤-41.20	42.39	≤54	PASS
				AV	2500.000	-56.76	≤-41.20	38.44	≤54	PASS
				Peak	2483.500	-46.5	≤-21.20	48.70	≤74	PASS
				Peak	2484.330	-31.7	≤-21.20	63.50	≤74	PASS
				Peak	2500.000	-45.83	≤-21.20	49.37	≤74	PASS
11G	Ant0	Low	2412	AV	2310.000	-57.86	≤-41.20	37.34	≤54	PASS
				AV	2389.570	-51.46	≤-41.20	43.74	≤54	PASS
				AV	2390.000	-57.04	≤-41.20	38.16	≤54	PASS
				Peak	2310.000	-47.77	≤-21.20	47.43	≤74	PASS
				Peak	2384.500	-30.72	≤-21.20	64.48	≤74	PASS
				Peak	2390.000	-47.5	≤-21.20	47.70	≤74	PASS
		High	2462	AV	2483.500	-56.65	≤-41.20	38.55	≤54	PASS
				AV	2483.890	-54.21	≤-41.20	40.99	≤54	PASS
				AV	2500.000	-56.86	≤-41.20	38.34	≤54	PASS
				Peak	2483.500	-46.53	≤-21.20	48.67	≤74	PASS
				Peak	2486.860	-31.92	≤-21.20	63.28	≤74	PASS
				Peak	2500.000	-37.72	≤-21.20	57.48	≤74	PASS
11N20SIS O	Ant0	Low	2412	AV	2310.000	-57.75	≤-41.20	37.45	≤54	PASS
				AV	2381.900	-50.3	≤-41.20	44.90	≤54	PASS
				AV	2390.000	-56.88	≤-41.20	38.32	≤54	PASS
				Peak	2310.000	-47.52	≤-21.20	47.68	≤74	PASS
				Peak	2385.280	-31.09	≤-21.20	64.11	≤74	PASS
				Peak	2390.000	-45.66	≤-21.20	49.54	≤74	PASS
		High	2462	AV	2483.500	-56.55	≤-41.20	38.65	≤54	PASS
				AV	2491.260	-55.25	≤-41.20	39.95	≤54	PASS
				AV	2500.000	-56.74	≤-41.20	38.46	≤54	PASS
				Peak	2483.500	-46.38	≤-21.20	48.82	≤74	PASS
				Peak	2484.110	-30.83	≤-21.20	64.37	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11N40SIS O	Ant0	Low	2422	Peak	2500.000	-46.2	≤-21.20	49.00	≤74	PASS
				AV	2310.000	-57.25	≤-41.20	37.95	≤54	PASS
				AV	2388.530	-53.03	≤-41.20	42.17	≤54	PASS
				AV	2390.000	-56.39	≤-41.20	38.81	≤54	PASS
				Peak	2310.000	-47.28	≤-21.20	47.92	≤74	PASS
				Peak	2388.400	-30.72	≤-21.20	64.48	≤74	PASS
		High	2452	Peak	2390.000	-45.5	≤-21.20	49.70	≤74	PASS
				AV	2483.500	-55.94	≤-41.20	39.26	≤54	PASS
				AV	2483.890	-53.53	≤-41.20	41.67	≤54	PASS
				AV	2500.000	-56.36	≤-41.20	38.84	≤54	PASS
				Peak	2483.500	-46.22	≤-21.20	48.98	≤74	PASS
				Peak	2484.220	-33.95	≤-21.20	61.25	≤74	PASS
11AX20SI SO	Ant0	Low	2412	Peak	2500.000	-45.41	≤-21.20	49.79	≤74	PASS
				AV	2310.000	-48.05	≤-41.20	47.15	≤54	PASS
				AV	2389.830	-47.44	≤-41.20	47.76	≤54	PASS
				AV	2390.000	-47.63	≤-41.20	47.57	≤54	PASS
				Peak	2310.000	-38.29	≤-21.20	56.91	≤74	PASS
				Peak	2367.730	-34.49	≤-21.20	60.71	≤74	PASS
		High	2462	Peak	2390.000	-37.83	≤-21.20	57.37	≤74	PASS
				AV	2483.500	-47.4	≤-41.20	47.80	≤54	PASS
				AV	2497.860	-47.02	≤-41.20	48.18	≤54	PASS
				AV	2500.000	-47.14	≤-41.20	48.06	≤54	PASS
				Peak	2483.500	-37.26	≤-21.20	57.94	≤74	PASS
				Peak	2484.880	-32.24	≤-21.20	62.96	≤74	PASS
11AX40SI SO	Ant0	Low	2422	Peak	2500.000	-36.27	≤-21.20	58.93	≤74	PASS
				AV	2310.000	-48.16	≤-41.20	47.04	≤54	PASS
				AV	2389.440	-47.37	≤-41.20	47.83	≤54	PASS
				AV	2390.000	-47.63	≤-41.20	47.57	≤54	PASS
				Peak	2310.000	-38.69	≤-21.20	56.51	≤74	PASS
				Peak	2378.650	-36.43	≤-21.20	58.77	≤74	PASS
		High	2452	Peak	2390.000	-38.04	≤-21.20	57.16	≤74	PASS
				AV	2483.500	-47.49	≤-41.20	47.71	≤54	PASS
				AV	2499.620	-46.77	≤-41.20	48.43	≤54	PASS
				AV	2500.000	-47.27	≤-41.20	47.93	≤54	PASS
				Peak	2483.500	-37.86	≤-21.20	57.34	≤74	PASS
				Peak	2485.870	-35.75	≤-21.20	59.45	≤74	PASS
				Peak	2500.000	-37.26	≤-21.20	57.94	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-58.14	≤-41.20	37.06	≤54	PASS
				AV	2385.930	-57.05	≤-41.20	38.15	≤54	PASS
				AV	2390.000	-57.32	≤-41.20	37.88	≤54	PASS
				Peak	2310.000	-47.6	≤-21.20	47.60	≤74	PASS
				Peak	2384.110	-34.27	≤-21.20	60.93	≤74	PASS
				Peak	2390.000	-46.56	≤-21.20	48.64	≤74	PASS
		High	2462	AV	2483.500	-56.57	≤-41.20	38.63	≤54	PASS
				AV	2487.850	-56.19	≤-41.20	39.01	≤54	PASS
				AV	2500.000	-56.75	≤-41.20	38.45	≤54	PASS
				Peak	2483.500	-46.33	≤-21.20	48.87	≤74	PASS
				Peak	2484.660	-31.83	≤-21.20	63.37	≤74	PASS
				Peak	2500.000	-46.94	≤-21.20	48.26	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-57.59	≤-41.20	37.61	≤54	PASS
				AV	2389.960	-50.21	≤-41.20	44.99	≤54	PASS
				AV	2390.000	-50.21	≤-41.20	44.99	≤54	PASS
				Peak	2310.000	-47.7	≤-21.20	47.50	≤74	PASS
				Peak	2382.160	-30.27	≤-21.20	64.93	≤74	PASS
				Peak	2390.000	-46.46	≤-21.20	48.74	≤74	PASS
		High	2462	AV	2483.500	-56.71	≤-41.20	38.49	≤54	PASS
				AV	2490.270	-55.95	≤-41.20	39.25	≤54	PASS
				AV	2500.000	-56.8	≤-41.20	38.40	≤54	PASS
				Peak	2483.500	-45.72	≤-21.20	49.48	≤74	PASS
				Peak	2492.360	-35.02	≤-21.20	60.18	≤74	PASS
				Peak	2500.000	-45.91	≤-21.20	49.29	≤74	PASS
11N20SIS O	Ant1	Low	2412	AV	2310.000	-57.61	≤-41.20	37.59	≤54	PASS
				AV	2383.070	-54.75	≤-41.20	40.45	≤54	PASS
				AV	2390.000	-56.61	≤-41.20	38.59	≤54	PASS
				Peak	2310.000	-47.85	≤-21.20	47.35	≤74	PASS
				Peak	2382.940	-29.61	≤-21.20	65.59	≤74	PASS
				Peak	2390.000	-46.9	≤-21.20	48.30	≤74	PASS
		High	2462	AV	2483.500	-56.6	≤-41.20	38.60	≤54	PASS
				AV	2490.490	-55.92	≤-41.20	39.28	≤54	PASS
				AV	2500.000	-56.88	≤-41.20	38.32	≤54	PASS
				Peak	2483.500	-46.49	≤-21.20	48.71	≤74	PASS
				Peak	2490.820	-33.06	≤-21.20	62.14	≤74	PASS
				Peak	2500.000	-41.49	≤-21.20	53.71	≤74	PASS
11N40SIS	Ant1	Low	2422	AV	2310.000	-57.28	≤-41.20	37.92	≤54	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



O				AV	2386.060	-53.89	≤-41.20	41.31	≤54	PASS
				AV	2390.000	-56.22	≤-41.20	38.98	≤54	PASS
				Peak	2310.000	-47.11	≤-21.20	48.09	≤74	PASS
				Peak	2378.650	-35.04	≤-21.20	60.16	≤74	PASS
				Peak	2390.000	-45.43	≤-21.20	49.77	≤74	PASS
		High	2452	AV	2483.500	-56.21	≤-41.20	38.99	≤54	PASS
				AV	2488.840	-54.63	≤-41.20	40.57	≤54	PASS
				AV	2500.000	-56.31	≤-41.20	38.89	≤54	PASS
				Peak	2483.500	-39.89	≤-21.20	55.31	≤74	PASS
				Peak	2483.560	-35.17	≤-21.20	60.03	≤74	PASS
				Peak	2500.000	-46.24	≤-21.20	48.96	≤74	PASS
11AX20SI SO	Ant1	Low	2412	AV	2310.000	-47.8	≤-41.20	47.40	≤54	PASS
				AV	2379.690	-47.36	≤-41.20	47.84	≤54	PASS
				AV	2390.000	-47.5	≤-41.20	47.70	≤54	PASS
				Peak	2310.000	-37.09	≤-21.20	58.11	≤74	PASS
				Peak	2389.180	-29.08	≤-21.20	66.12	≤74	PASS
				Peak	2390.000	-37.65	≤-21.20	57.55	≤74	PASS
		High	2462	AV	2483.500	-47.27	≤-41.20	47.93	≤54	PASS
				AV	2499.180	-46.99	≤-41.20	48.21	≤54	PASS
				AV	2500.000	-47.04	≤-41.20	48.16	≤54	PASS
				Peak	2483.500	-37.38	≤-21.20	57.82	≤74	PASS
				Peak	2486.090	-32.25	≤-21.20	62.95	≤74	PASS
				Peak	2500.000	-37.73	≤-21.20	57.47	≤74	PASS
11AX40SI SO	Ant1	Low	2422	AV	2310.000	-48.03	≤-41.20	47.17	≤54	PASS
				AV	2380.860	-47.15	≤-41.20	48.05	≤54	PASS
				AV	2390.000	-47.55	≤-41.20	47.65	≤54	PASS
				Peak	2310.000	-37.35	≤-21.20	57.85	≤74	PASS
				Peak	2375.790	-36.02	≤-21.20	59.18	≤74	PASS
				Peak	2390.000	-37.54	≤-21.20	57.66	≤74	PASS
		High	2452	AV	2483.500	-47.37	≤-41.20	47.83	≤54	PASS
				AV	2496.980	-46.76	≤-41.20	48.44	≤54	PASS
				AV	2500.000	-47.01	≤-41.20	48.19	≤54	PASS
				Peak	2483.500	-37.52	≤-21.20	57.68	≤74	PASS
				Peak	2491.810	-35.26	≤-21.20	59.94	≤74	PASS
				Peak	2500.000	-37.34	≤-21.20	57.86	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

TestMode	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]			Result [dBuV/m]	Limit [dBuV/m]	Verdict
					ANT0	ANT1	MIMO			
11N20SIS O	Low	2412	AV	2310.000	-57.75	-57.61	-54.67	40.56	≤54	PASS
			AV	2381.900	-50.3	-54.75	-48.97	46.26	≤54	PASS
			AV	2390.000	-56.88	-56.61	-53.73	41.49	≤54	PASS
			Peak	2310.000	-47.52	-47.85	-44.67	50.56	≤74	PASS
			Peak	2385.280	-31.09	-29.61	-27.28	67.95	≤74	PASS
			Peak	2390.000	-45.66	-46.9	-43.23	52.00	≤74	PASS
	High	2462	AV	2483.500	-56.55	-56.6	-53.56	41.66	≤54	PASS
			AV	2491.260	-55.25	-55.92	-52.56	42.67	≤54	PASS
			AV	2500.000	-56.74	-56.88	-53.80	41.43	≤54	PASS
			Peak	2483.500	-46.38	-46.49	-43.42	51.80	≤74	PASS
			Peak	2484.110	-30.83	-33.06	-28.79	66.43	≤74	PASS
			Peak	2500.000	-46.2	-41.49	-40.23	55.00	≤74	PASS
11N40SIS O	Low	2422	AV	2310.000	-57.25	-57.28	-54.25	40.97	≤54	PASS
			AV	2388.530	-53.03	-53.89	-50.43	44.80	≤54	PASS
			AV	2390.000	-56.39	-56.22	-53.29	41.93	≤54	PASS
			Peak	2310.000	-47.28	-47.11	-44.18	51.04	≤74	PASS
			Peak	2388.400	-30.72	-35.04	-29.35	65.87	≤74	PASS
			Peak	2390.000	-45.5	-45.43	-42.45	52.77	≤74	PASS
	High	2452	AV	2483.500	-55.94	-56.21	-53.06	42.16	≤54	PASS
			AV	2483.890	-53.53	-54.63	-51.03	44.19	≤54	PASS
			AV	2500.000	-56.36	-56.31	-53.32	41.90	≤54	PASS
			Peak	2483.500	-46.22	-39.89	-38.98	56.25	≤74	PASS
			Peak	2484.220	-33.95	-35.17	-31.51	63.72	≤74	PASS
			Peak	2500.000	-45.41	-46.24	-42.79	52.43	≤74	PASS
11AX20SI SO	Low	2412	AV	2310.000	-48.05	-47.8	-44.91	50.31	≤54	PASS
			AV	2389.830	-47.44	-47.36	-44.39	50.84	≤54	PASS
			AV	2390.000	-47.63	-47.5	-44.55	50.67	≤54	PASS
			Peak	2310.000	-38.29	-37.09	-34.64	60.59	≤74	PASS
			Peak	2367.730	-34.49	-29.08	-27.98	67.25	≤74	PASS
			Peak	2390.000	-37.83	-37.65	-34.73	60.50	≤74	PASS
	High	2462	AV	2483.500	-47.4	-47.27	-44.32	50.90	≤54	PASS
			AV	2497.860	-47.02	-46.99	-43.99	51.23	≤54	PASS
			AV	2500.000	-47.14	-47.04	-44.08	51.15	≤54	PASS
			Peak	2483.500	-37.26	-37.38	-34.31	60.92	≤74	PASS
			Peak	2484.880	-32.24	-32.25	-29.23	65.99	≤74	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			Peak	2500.000	-36.27	-37.73	-33.93	61.30	≤74	PASS
11AX40SI SO	Low	2422	AV	2310.000	-48.16	-48.03	-45.08	50.14	≤54	PASS
			AV	2389.440	-47.37	-47.15	-44.25	50.98	≤54	PASS
			AV	2390.000	-47.63	-47.55	-44.58	50.65	≤54	PASS
			Peak	2310.000	-38.69	-37.35	-34.96	60.27	≤74	PASS
			Peak	2378.650	-36.43	-36.02	-33.21	62.02	≤74	PASS
			Peak	2390.000	-38.04	-37.54	-34.77	60.46	≤74	PASS
	High	2452	AV	2483.500	-47.49	-47.37	-44.42	50.81	≤54	PASS
			AV	2499.620	-46.77	-46.76	-43.75	51.47	≤54	PASS
			AV	2500.000	-47.27	-47.01	-44.13	51.10	≤54	PASS
			Peak	2483.500	-37.86	-37.52	-34.68	60.55	≤74	PASS
			Peak	2485.870	-35.75	-35.26	-32.49	62.74	≤74	PASS
			Peak	2500.000	-37.26	-37.34	-34.29	60.94	≤74	PASS

Note:


1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.






Test Graphs

11B_Ant0_Low_2412_AV




11B_Ant0_Low_2412_Peak




11B_Ant0_High_2462_AV






11B_Ant0_High_2462_Peak




11G_Ant0_Low_2412_AV






11G_Ant0_Low_2412_Peak




11G_Ant0_High_2462_AV





11G_Ant0_High_2462_Peak



11N20SISO_Ant0_Low_2412_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




11N20SISO_Ant0_Low_2412_Peak




11N20SISO_Ant0_High_2462_AV






11N20SISO_Ant0_High_2462_Peak




11N40SISO_Ant0_Low_2422_AV






11N40SISO_Ant0_Low_2422_Peak




11N40SISO_Ant0_High_2452_AV






11N40SISO_Ant0_High_2452_Peak




11AX20SISO_Ant0_Low_2412_AV





11AX20SISO_Ant0_Low_2412_Peak



11AX20SISO_Ant0_High_2462_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




11AX20SISO_Ant0_High_2462_Peak




11AX40SISO_Ant0_Low_2422_AV






11AX40SISO_Ant0_Low_2422_Peak




11AX40SISO_Ant0_High_2452_AV






11AX40SISO_Ant0_High_2452_Peak






11B_Ant1_Low_2412_AV



11B_Ant1_Low_2412_Peak



11B_Ant1_High_2462_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




11B_Ant1_High_2462_Peak




11G_Ant1_Low_2412_AV






11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV






11G_Ant1_High_2462_Peak




11N20SISO_Ant1_Low_2412_AV






11N20SISO_Ant1_Low_2412_Peak




11N20SISO_Ant1_High_2462_AV






11N20SISO_Ant1_High_2462_Peak




11N40SISO_Ant1_Low_2422_AV






11N40SISO_Ant1_Low_2422_Peak




11N40SISO_Ant1_High_2452_AV






11N40SISO_Ant1_High_2452_Peak




11AX20SISO_Ant1_Low_2412_AV






11AX20SISO_Ant1_Low_2412_Peak




11AX20SISO_Ant1_High_2462_AV






11AX20SISO_Ant1_High_2462_Peak




11AX40SISO_Ant1_Low_2422_AV






11AX40SISO_Ant1_Low_2422_Peak



11AX40SISO_Ant1_High_2452_AV





11AX40SISO_Ant1_High_2452_Peak

