



## Appendix E

### RF Test Data for 5.3GWIFI (Conducted Measurement)

Product Name: Formuler Z12 Ultra

Test Model: Z12 Ultra

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23.5°C    |
| Relative Humidity: | 52.6%     |
| ATM Pressure:      | 100.0 kPa |
| Test Engineer:     | Can Kun   |
| Supervised by:     | Nick Peng |





## E.1 -26dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | a    | 5260            | Ant1    | 18.272                 | ---                          | Pass    |
| NVNT      | a    | 5300            | Ant1    | 18.213                 | ---                          | Pass    |
| NVNT      | a    | 5320            | Ant1    | 18.231                 | ---                          | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 19.286                 | ---                          | Pass    |
| NVNT      | n20  | 5300            | Ant1    | 19.188                 | ---                          | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 19.153                 | ---                          | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 46.751                 | ---                          | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 38.809                 | ---                          | Pass    |
| NVNT      | ac20 | 5260            | Ant1    | 19.284                 | ---                          | Pass    |
| NVNT      | ac20 | 5300            | Ant1    | 19.31                  | ---                          | Pass    |
| NVNT      | ac20 | 5320            | Ant1    | 19.335                 | ---                          | Pass    |
| NVNT      | ac40 | 5270            | Ant1    | 38.705                 | ---                          | Pass    |
| NVNT      | ac40 | 5310            | Ant1    | 38.894                 | ---                          | Pass    |
| NVNT      | ac80 | 5290            | Ant1    | 85.338                 | ---                          | Pass    |
| NVNT      | ax20 | 5260            | Ant1    | 20.309                 | ---                          | Pass    |
| NVNT      | ax20 | 5300            | Ant1    | 20.347                 | ---                          | Pass    |
| NVNT      | ax20 | 5320            | Ant1    | 20.417                 | ---                          | Pass    |
| NVNT      | ax40 | 5270            | Ant1    | 39.671                 | ---                          | Pass    |
| NVNT      | ax40 | 5310            | Ant1    | 39.563                 | ---                          | Pass    |
| NVNT      | ax80 | 5290            | Ant1    | 81.117                 | ---                          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: [webmaster@lcs-cert.com](mailto:webmaster@lcs-cert.com) | Web: [www.lcs-cert.com](http://www.lcs-cert.com)

Scan code to check authenticity




## Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant1



-26dB Bandwidth NVNT a 5300MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5320MHz Ant1



-26dB Bandwidth NVNT n20 5260MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5300MHz Ant1



-26dB Bandwidth NVNT n20 5320MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant1



-26dB Bandwidth NVNT n40 5310MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac20 5260MHz Ant1



## -26dB Bandwidth NVNT ac20 5300MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac20 5320MHz Ant1



## -26dB Bandwidth NVNT ac40 5270MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ac40 5310MHz Ant1



## -26dB Bandwidth NVNT ac80 5290MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant1



-26dB Bandwidth NVNT ax20 5300MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5320MHz Ant1



-26dB Bandwidth NVNT ax40 5270MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT ax40 5310MHz Ant1



## -26dB Bandwidth NVNT ax80 5290MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



| Condition | Mode | Frequency (MHz) | Antenna | -26 dB Bandwidth (MHz) | Limit -26 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT      | a    | 5260            | Ant2    | 18.223                 | ---                          | Pass    |
| NVNT      | a    | 5300            | Ant2    | 18.163                 | ---                          | Pass    |
| NVNT      | a    | 5320            | Ant2    | 18.382                 | ---                          | Pass    |
| NVNT      | n20  | 5260            | Ant2    | 19.229                 | ---                          | Pass    |
| NVNT      | n20  | 5300            | Ant2    | 19.372                 | ---                          | Pass    |
| NVNT      | n20  | 5320            | Ant2    | 19.338                 | ---                          | Pass    |
| NVNT      | n40  | 5270            | Ant2    | 38.704                 | ---                          | Pass    |
| NVNT      | n40  | 5310            | Ant2    | 38.914                 | ---                          | Pass    |
| NVNT      | ac20 | 5260            | Ant2    | 19.271                 | ---                          | Pass    |
| NVNT      | ac20 | 5300            | Ant2    | 19.145                 | ---                          | Pass    |
| NVNT      | ac20 | 5320            | Ant2    | 19.404                 | ---                          | Pass    |
| NVNT      | ac40 | 5270            | Ant2    | 38.714                 | ---                          | Pass    |
| NVNT      | ac40 | 5310            | Ant2    | 38.681                 | ---                          | Pass    |
| NVNT      | ac80 | 5290            | Ant2    | 85.415                 | ---                          | Pass    |
| NVNT      | ax20 | 5260            | Ant2    | 20.154                 | ---                          | Pass    |
| NVNT      | ax20 | 5300            | Ant2    | 20.278                 | ---                          | Pass    |
| NVNT      | ax20 | 5320            | Ant2    | 20.102                 | ---                          | Pass    |
| NVNT      | ax40 | 5270            | Ant2    | 39.481                 | ---                          | Pass    |
| NVNT      | ax40 | 5310            | Ant2    | 39.841                 | ---                          | Pass    |
| NVNT      | ax80 | 5290            | Ant2    | 81.02                  | ---                          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

-26dB Bandwidth NVNT a 5260MHz Ant2



-26dB Bandwidth NVNT a 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## -26dB Bandwidth NVNT a 5320MHz Ant2



## -26dB Bandwidth NVNT n20 5260MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n20 5300MHz Ant2



-26dB Bandwidth NVNT n20 5320MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT n40 5270MHz Ant2



-26dB Bandwidth NVNT n40 5310MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5260MHz Ant2



-26dB Bandwidth NVNT ac20 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac20 5320MHz Ant2



-26dB Bandwidth NVNT ac40 5270MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ac40 5310MHz Ant2



-26dB Bandwidth NVNT ac80 5290MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5260MHz Ant2



-26dB Bandwidth NVNT ax20 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax20 5320MHz Ant2



-26dB Bandwidth NVNT ax40 5270MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT ax40 5310MHz Ant2



-26dB Bandwidth NVNT ax80 5290MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.2 Maximum Conducted Output Power

| Condition | Mode | Frequency<br>(MHz) | Antenna | Conducted Power<br>(dBm) | Duty Factor<br>(dB) | Total Power<br>(dBm) | Limit<br>(dBm) | Verdict |
|-----------|------|--------------------|---------|--------------------------|---------------------|----------------------|----------------|---------|
| NVNT      | a    | 5260               | Ant1    | 13.75                    | 0.31                | 14.06                | 24             | Pass    |
| NVNT      | a    | 5300               | Ant1    | 13.2                     | 0.31                | 13.51                | 24             | Pass    |
| NVNT      | a    | 5320               | Ant1    | 13.19                    | 0.31                | 13.5                 | 24             | Pass    |
| NVNT      | n20  | 5260               | Ant1    | 13.4                     | 0.37                | 13.77                | 24             | Pass    |
| NVNT      | n20  | 5300               | Ant1    | 13.08                    | 0.37                | 13.45                | 24             | Pass    |
| NVNT      | n20  | 5320               | Ant1    | 12.98                    | 0.37                | 13.35                | 24             | Pass    |
| NVNT      | n40  | 5270               | Ant1    | 13.59                    | 0.71                | 14.3                 | 24             | Pass    |
| NVNT      | n40  | 5310               | Ant1    | 13.72                    | 0.71                | 14.43                | 24             | Pass    |
| NVNT      | ac20 | 5260               | Ant1    | 13.49                    | 0.37                | 13.86                | 24             | Pass    |
| NVNT      | ac20 | 5300               | Ant1    | 12.97                    | 0.37                | 13.34                | 24             | Pass    |
| NVNT      | ac20 | 5320               | Ant1    | 13.51                    | 0.37                | 13.88                | 24             | Pass    |
| NVNT      | ac40 | 5270               | Ant1    | 12.72                    | 0.71                | 13.43                | 24             | Pass    |
| NVNT      | ac40 | 5310               | Ant1    | 12.67                    | 1.9                 | 14.57                | 24             | Pass    |
| NVNT      | ac80 | 5290               | Ant1    | 13.58                    | 1.31                | 14.89                | 24             | Pass    |
| NVNT      | ax20 | 5260               | Ant1    | 13.39                    | 0.43                | 13.82                | 24             | Pass    |
| NVNT      | ax20 | 5300               | Ant1    | 13.04                    | 0.43                | 13.47                | 24             | Pass    |
| NVNT      | ax20 | 5320               | Ant1    | 13.6                     | 0.42                | 14.02                | 24             | Pass    |
| NVNT      | ax40 | 5270               | Ant1    | 12.76                    | 0.77                | 13.53                | 24             | Pass    |
| NVNT      | ax40 | 5310               | Ant1    | 12.54                    | 0.78                | 13.32                | 24             | Pass    |
| NVNT      | ax80 | 5290               | Ant1    | 12.49                    | 1.35                | 13.84                | 24             | Pass    |





| Condition | Mode | Frequency<br>(MHz) | Antenna | Conducted Power<br>(dBm) | Duty Factor<br>(dB) | Total Power<br>(dBm) | Limit<br>(dBm) | Verdict |
|-----------|------|--------------------|---------|--------------------------|---------------------|----------------------|----------------|---------|
| NVNT      | a    | 5260               | Ant2    | 9.75                     | 0.31                | 10.06                | 24             | Pass    |
| NVNT      | a    | 5300               | Ant2    | 9.36                     | 0.31                | 9.67                 | 24             | Pass    |
| NVNT      | a    | 5320               | Ant2    | 10.06                    | 0.31                | 10.37                | 24             | Pass    |
| NVNT      | n20  | 5260               | Ant2    | 9.41                     | 0.37                | 9.78                 | 24             | Pass    |
| NVNT      | n20  | 5300               | Ant2    | 8.77                     | 0.37                | 9.14                 | 24             | Pass    |
| NVNT      | n20  | 5320               | Ant2    | 9.92                     | 0.37                | 10.29                | 24             | Pass    |
| NVNT      | n40  | 5270               | Ant2    | 9.78                     | 0.71                | 10.49                | 24             | Pass    |
| NVNT      | n40  | 5310               | Ant2    | 9.52                     | 0.71                | 10.23                | 24             | Pass    |
| NVNT      | ac20 | 5260               | Ant2    | 9.43                     | 0.36                | 9.79                 | 24             | Pass    |
| NVNT      | ac20 | 5300               | Ant2    | 8.88                     | 0.37                | 9.25                 | 24             | Pass    |
| NVNT      | ac20 | 5320               | Ant2    | 9.81                     | 0.37                | 10.18                | 24             | Pass    |
| NVNT      | ac40 | 5270               | Ant2    | 9.77                     | 0.71                | 10.48                | 24             | Pass    |
| NVNT      | ac40 | 5310               | Ant2    | 9.91                     | 0.71                | 10.62                | 24             | Pass    |
| NVNT      | ac80 | 5290               | Ant2    | 9.53                     | 0                   | 9.53                 | 24             | Pass    |
| NVNT      | ax20 | 5260               | Ant2    | 9.38                     | 0.43                | 9.81                 | 24             | Pass    |
| NVNT      | ax20 | 5300               | Ant2    | 8.81                     | 0.43                | 9.24                 | 24             | Pass    |
| NVNT      | ax20 | 5320               | Ant2    | 9.54                     | 0.43                | 9.97                 | 24             | Pass    |
| NVNT      | ax40 | 5270               | Ant2    | 9.82                     | 0.78                | 10.6                 | 24             | Pass    |
| NVNT      | ax40 | 5310               | Ant2    | 9.84                     | 0.78                | 10.62                | 24             | Pass    |
| NVNT      | ax80 | 5290               | Ant2    | 9.4                      | 1.35                | 10.75                | 24             | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

| Condition | Mode | Frequency (MHz) | Total Power (dBm) |       |              | Limit (dBm) | Verdict |
|-----------|------|-----------------|-------------------|-------|--------------|-------------|---------|
|           |      |                 | Ant1              | Ant2  | Ant1+Ant2    |             |         |
| NVNT      | n20  | 5260            | 13.77             | 9.78  | 15.23        | 24          | Pass    |
| NVNT      | n20  | 5300            | 13.45             | 9.14  | 14.82        | 24          | Pass    |
| NVNT      | n20  | 5320            | 13.35             | 10.29 | 15.09        | 24          | Pass    |
| NVNT      | n40  | 5270            | 14.3              | 10.49 | 15.81        | 24          | Pass    |
| NVNT      | n40  | 5310            | 14.43             | 10.23 | 15.83        | 24          | Pass    |
| NVNT      | ac20 | 5260            | 13.86             | 9.79  | 15.30        | 24          | Pass    |
| NVNT      | ac20 | 5300            | 13.34             | 9.25  | 14.77        | 24          | Pass    |
| NVNT      | ac20 | 5320            | 13.88             | 10.18 | 15.42        | 24          | Pass    |
| NVNT      | ac40 | 5270            | 13.43             | 10.48 | 15.21        | 24          | Pass    |
| NVNT      | ac40 | 5310            | 14.57             | 10.62 | <b>16.04</b> | 24          | Pass    |
| NVNT      | ac80 | 5290            | 14.89             | 9.53  | 16.00        | 24          | Pass    |
| NVNT      | ax20 | 5260            | 13.82             | 9.81  | 15.27        | 24          | Pass    |
| NVNT      | ax20 | 5300            | 13.47             | 9.24  | 14.86        | 24          | Pass    |
| NVNT      | ax20 | 5320            | 14.02             | 9.97  | 15.46        | 24          | Pass    |
| NVNT      | ax40 | 5270            | 13.53             | 10.6  | 15.32        | 24          | Pass    |
| NVNT      | ax40 | 5310            | 13.32             | 10.62 | 15.19        | 24          | Pass    |
| NVNT      | ax80 | 5290            | 13.84             | 10.75 | 15.57        | 24          | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### E.3 Maximum Power Spectral Density Level

| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/MHz) | Duty Factor (dB) | Total PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-------------------------|------------------|---------------------|-----------------|---------|
| NVNT      | a    | 5260            | Ant1    | 3.95                    | 0.31             | 4.26                | 11              | Pass    |
| NVNT      | a    | 5300            | Ant1    | 3.49                    | 0.31             | 3.8                 | 11              | Pass    |
| NVNT      | a    | 5320            | Ant1    | 3.5                     | 0.31             | 3.81                | 11              | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 3.79                    | 0.37             | 4.16                | 11              | Pass    |
| NVNT      | n20  | 5300            | Ant1    | 3.08                    | 0.37             | 3.45                | 11              | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 3.44                    | 0.37             | 3.81                | 11              | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 0.92                    | 0.71             | 1.63                | 11              | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 0.78                    | 0.71             | 1.49                | 11              | Pass    |
| NVNT      | ac20 | 5260            | Ant1    | 3.88                    | 0.37             | 4.25                | 11              | Pass    |
| NVNT      | ac20 | 5300            | Ant1    | 3.19                    | 0.37             | 3.56                | 11              | Pass    |
| NVNT      | ac20 | 5320            | Ant1    | 3.95                    | 0.37             | 4.32                | 11              | Pass    |
| NVNT      | ac40 | 5270            | Ant1    | 0.18                    | 0.71             | 0.89                | 11              | Pass    |
| NVNT      | ac40 | 5310            | Ant1    | 0.09                    | 1.9              | 1.99                | 11              | Pass    |
| NVNT      | ac80 | 5290            | Ant1    | -2.8                    | 1.31             | -1.49               | 11              | Pass    |
| NVNT      | ax20 | 5260            | Ant1    | 3.72                    | 0.43             | 4.15                | 11              | Pass    |
| NVNT      | ax20 | 5300            | Ant1    | 3.33                    | 0.43             | 3.76                | 11              | Pass    |
| NVNT      | ax20 | 5320            | Ant1    | 3.58                    | 0.42             | 4                   | 11              | Pass    |
| NVNT      | ax40 | 5270            | Ant1    | 0.53                    | 0.77             | 1.3                 | 11              | Pass    |
| NVNT      | ax40 | 5310            | Ant1    | -0.52                   | 0.78             | 0.26                | 11              | Pass    |
| NVNT      | ax80 | 5290            | Ant1    | -4.12                   | 1.35             | -2.77               | 11              | Pass    |





| Condition | Mode | Frequency (MHz) | Antenna | Conducted PSD (dBm/MHz) | Duty Factor (dB) | Total PSD (dBm/MHz) | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------|-------------------------|------------------|---------------------|-----------------|---------|
| NVNT      | a    | 5260            | Ant2    | 0.26                    | 0.31             | 0.57                | 11              | Pass    |
| NVNT      | a    | 5300            | Ant2    | -0.2                    | 0.31             | 0.11                | 11              | Pass    |
| NVNT      | a    | 5320            | Ant2    | 0.25                    | 0.31             | 0.56                | 11              | Pass    |
| NVNT      | n20  | 5260            | Ant2    | -0.44                   | 0.37             | -0.07               | 11              | Pass    |
| NVNT      | n20  | 5300            | Ant2    | -0.87                   | 0.37             | -0.5                | 11              | Pass    |
| NVNT      | n20  | 5320            | Ant2    | -0.01                   | 0.37             | 0.36                | 11              | Pass    |
| NVNT      | n40  | 5270            | Ant2    | -3.03                   | 0.71             | -2.32               | 11              | Pass    |
| NVNT      | n40  | 5310            | Ant2    | -3.19                   | 0.71             | -2.48               | 11              | Pass    |
| NVNT      | ac20 | 5260            | Ant2    | -0.27                   | 0.36             | 0.09                | 11              | Pass    |
| NVNT      | ac20 | 5300            | Ant2    | -0.97                   | 0.37             | -0.6                | 11              | Pass    |
| NVNT      | ac20 | 5320            | Ant2    | 0.15                    | 0.37             | 0.52                | 11              | Pass    |
| NVNT      | ac40 | 5270            | Ant2    | -3.3                    | 0.71             | -2.59               | 11              | Pass    |
| NVNT      | ac40 | 5310            | Ant2    | -2.55                   | 0.71             | -1.84               | 11              | Pass    |
| NVNT      | ac80 | 5290            | Ant2    | -6.31                   | 0                | -6.31               | 11              | Pass    |
| NVNT      | ax20 | 5260            | Ant2    | -0.45                   | 0.43             | -0.02               | 11              | Pass    |
| NVNT      | ax20 | 5300            | Ant2    | -1.05                   | 0.43             | -0.62               | 11              | Pass    |
| NVNT      | ax20 | 5320            | Ant2    | -0.08                   | 0.43             | 0.35                | 11              | Pass    |
| NVNT      | ax40 | 5270            | Ant2    | -3.44                   | 0.78             | -2.66               | 11              | Pass    |
| NVNT      | ax40 | 5310            | Ant2    | -2.93                   | 0.78             | -2.15               | 11              | Pass    |
| NVNT      | ax80 | 5290            | Ant2    | -6.19                   | 1.35             | -4.84               | 11              | Pass    |





MIMO

| Condition | Mode | Frequency (MHz) | Total PSD (dBm/MHz) |       |           | Limit (dBm/MHz) | Verdict |
|-----------|------|-----------------|---------------------|-------|-----------|-----------------|---------|
|           |      |                 | Ant1                | Ant2  | Ant1+Ant2 |                 |         |
| NVNT      | n20  | 5260            | 4.16                | -0.07 | 5.55      | 11              | Pass    |
| NVNT      | n20  | 5300            | 3.45                | -0.5  | 4.92      | 11              | Pass    |
| NVNT      | n20  | 5320            | 3.81                | 0.36  | 5.43      | 11              | Pass    |
| NVNT      | n40  | 5270            | 1.63                | -2.32 | 3.10      | 11              | Pass    |
| NVNT      | n40  | 5310            | 1.49                | -2.48 | 2.95      | 11              | Pass    |
| NVNT      | ac20 | 5260            | 4.25                | 0.09  | 5.66      | 11              | Pass    |
| NVNT      | ac20 | 5300            | 3.56                | -0.6  | 4.97      | 11              | Pass    |
| NVNT      | ac20 | 5320            | 4.32                | 0.52  | 5.83      | 11              | Pass    |
| NVNT      | ac40 | 5270            | 0.89                | -2.59 | 2.50      | 11              | Pass    |
| NVNT      | ac40 | 5310            | 1.99                | -1.84 | 3.49      | 11              | Pass    |
| NVNT      | ac80 | 5290            | -1.49               | -6.31 | -0.25     | 11              | Pass    |
| NVNT      | ax20 | 5260            | 4.15                | -0.02 | 5.56      | 11              | Pass    |
| NVNT      | ax20 | 5300            | 3.76                | -0.62 | 5.11      | 11              | Pass    |
| NVNT      | ax20 | 5320            | 4                   | 0.35  | 5.55      | 11              | Pass    |
| NVNT      | ax40 | 5270            | 1.3                 | -2.66 | 5.56      | 11              | Pass    |
| NVNT      | ax40 | 5310            | 0.26                | -2.15 | 2.77      | 11              | Pass    |
| NVNT      | ax80 | 5290            | -2.77               | -4.84 | 2.23      | 11              | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5300MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT a 5320MHz Ant1



PSD NVNT n20 5260MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT n20 5300MHz Ant1



PSD NVNT n20 5320MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5300MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac40 5310MHz Ant1



PSD NVNT ax20 5260MHz Ant1



PSD NVNT ax20 5300MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax20 5320MHz Ant1



PSD NVNT ax40 5270MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax40 5310MHz Ant1



PSD NVNT a 5260MHz Ant2



PSD NVNT a 5300MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT a 5320MHz Ant2



PSD NVNT n20 5260MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT n20 5300MHz Ant2



PSD NVNT n20 5320MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT n40 5270MHz Ant2



PSD NVNT n40 5310MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac40 5310MHz Ant2



PSD NVNT ax20 5260MHz Ant2



PSD NVNT ax20 5300MHz Ant2




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

PSD NVNT a 5260MHz Ant1



PSD NVNT a 5300MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT a 5320MHz Ant1



PSD NVNT n20 5260MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT n40 5270MHz Ant1



PSD NVNT n40 5310MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5260MHz Ant1



PSD NVNT ac20 5300MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax20 5320MHz Ant1



PSD NVNT ax40 5270MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax40 5310MHz Ant1



PSD NVNT ax80 5290MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## PSD NVNT a 5260MHz Ant2



## PSD NVNT a 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT a 5320MHz Ant2



PSD NVNT n20 5260MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT n20 5300MHz Ant2



PSD NVNT n20 5320MHz Ant2





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac20 5260MHz Ant2



PSD NVNT ac20 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## PSD NVNT ac20 5320MHz Ant2



## PSD NVNT ac40 5270MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ac40 5310MHz Ant2



PSD NVNT ac80 5290MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax20 5260MHz Ant2



PSD NVNT ax20 5300MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax20 5320MHz Ant2



PSD NVNT ax40 5270MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



PSD NVNT ax40 5310MHz Ant2



PSD NVNT ax80 5290MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## E.4 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | a    | 5260            | Ant1    | 4500            | -49.93      | 2.20       | -                | 47.50      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5260            | Ant1    | 4500            | -58.66      | 2.20       | 0.31             | 39.08      | Average  | 54             | Pass    |
| NVNT      | a    | 5260            | Ant1    | 5112.3          | -46.76      | 2.20       | -                | 50.67      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5260            | Ant1    | 5102.16         | -56.26      | 2.20       | 0.31             | 41.48      | Average  | 54             | Pass    |
| NVNT      | a    | 5260            | Ant1    | 5150            | -48.34      | 2.20       | -                | 49.09      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5260            | Ant1    | 5150            | -57.48      | 2.20       | 0.31             | 40.26      | Average  | 54             | Pass    |
| NVNT      | a    | 5320            | Ant1    | 5350            | -48.15      | 2.20       | -                | 49.28      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5320            | Ant1    | 5350            | -57.28      | 2.20       | 0.31             | 40.46      | Average  | 54             | Pass    |
| NVNT      | a    | 5320            | Ant1    | 5365.2          | -33.32      | 2.20       | -                | 64.11      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5320            | Ant1    | 5352.6          | -56.09      | 2.20       | 0.31             | 41.65      | Average  | 54             | Pass    |
| NVNT      | a    | 5320            | Ant1    | 5460            | -49.12      | 2.20       | -                | 48.31      | Peak     | 68.2           | Pass    |
| NVNT      | a    | 5320            | Ant1    | 5460            | -57.79      | 2.20       | 0.31             | 39.95      | Average  | 54             | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 4500            | -50.57      | 2.20       | -                | 46.86      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 4500            | -59.13      | 2.20       | 0.37             | 38.67      | Average  | 54             | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 5148.18         | -46.1       | 2.20       | -                | 51.33      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 5041.32         | -56.5       | 2.20       | 0.37             | 41.30      | Average  | 54             | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 5150            | -49         | 2.20       | -                | 48.43      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5260            | Ant1    | 5150            | -57.05      | 2.20       | 0.37             | 40.75      | Average  | 54             | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 5350            | -47.22      | 2.20       | -                | 50.21      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 5350            | -56.16      | 2.20       | 0.37             | 41.64      | Average  | 54             | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 5430.6          | -45.43      | 2.20       | -                | 52.00      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 5364.6          | -55.97      | 2.20       | 0.37             | 41.83      | Average  | 54             | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 5460            | -49.38      | 2.20       | -                | 48.05      | Peak     | 68.2           | Pass    |
| NVNT      | n20  | 5320            | Ant1    | 5460            | -57.94      | 2.20       | 0.37             | 39.86      | Average  | 54             | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 4500            | -50.04      | 2.20       | -                | 47.39      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 4500            | -58.84      | 2.20       | 0.71             | 39.30      | Average  | 54             | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 4791.6          | -46.54      | 2.20       | -                | 50.89      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 5121.27         | -56.27      | 2.20       | 0.71             | 41.87      | Average  | 54             | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 5150            | -48.94      | 2.20       | -                | 48.49      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5270            | Ant1    | 5150            | -57.01      | 2.20       | 0.71             | 41.13      | Average  | 54             | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 5350            | -46.96      | 2.20       | -                | 50.47      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 5350            | -55.23      | 2.20       | 0.71             | 42.91      | Average  | 54             | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 5350.4          | -43.92      | 2.20       | -                | 53.51      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 5350.2          | -54.47      | 2.20       | 0.71             | 43.67      | Average  | 54             | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 5460            | -48.47      | 2.20       | -                | 48.96      | Peak     | 68.2           | Pass    |
| NVNT      | n40  | 5310            | Ant1    | 5460            | -57.64      | 2.20       | 0.71             | 40.50      | Average  | 54             | Pass    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ac20 | 5260 | Ant1 | 4500    | -49.02 | 2.20 | -    | 48.41 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5260 | Ant1 | 4500    | -59.07 | 2.20 | 0.37 | 38.73 | Average | 54   | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5138.82 | -45.99 | 2.20 | -    | 51.44 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5143.5  | -56.31 | 2.20 | 0.37 | 41.49 | Average | 54   | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5150    | -49.25 | 2.20 | -    | 48.18 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5260 | Ant1 | 5150    | -57.45 | 2.20 | 0.37 | 40.35 | Average | 54   | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5350    | -49.66 | 2.20 | -    | 47.77 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5350    | -56.69 | 2.20 | 0.37 | 41.11 | Average | 54   | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5363.8  | -45.96 | 2.20 | -    | 51.47 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5350.6  | -55.72 | 2.20 | 0.37 | 42.08 | Average | 54   | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5460    | -47.97 | 2.20 | -    | 49.46 | Peak    | 68.2 | Pass |
| NVNT | ac20 | 5320 | Ant1 | 5460    | -57.21 | 2.20 | 0.37 | 40.59 | Average | 54   | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4500    | -51.45 | 2.20 | -    | 45.98 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4500    | -58.94 | 2.20 | 0.71 | 39.20 | Average | 54   | Pass |
| NVNT | ac40 | 5270 | Ant1 | 4979.52 | -45.83 | 2.20 | -    | 51.60 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5270 | Ant1 | 5066.19 | -56.47 | 2.20 | 0.71 | 41.67 | Average | 54   | Pass |
| NVNT | ac40 | 5270 | Ant1 | 5150    | -48.27 | 2.20 | -    | 49.16 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5270 | Ant1 | 5150    | -57.61 | 2.20 | 0.71 | 40.53 | Average | 54   | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350    | -45.98 | 2.20 | -    | 51.45 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350    | -55.3  | 2.20 | 1.9  | 44.03 | Average | 54   | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5354.6  | -44.03 | 2.20 | -    | 53.40 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5350.4  | -54.11 | 2.20 | 1.9  | 45.22 | Average | 54   | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5460    | -48    | 2.20 | -    | 49.43 | Peak    | 68.2 | Pass |
| NVNT | ac40 | 5310 | Ant1 | 5460    | -57.08 | 2.20 | 1.9  | 42.25 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 4500    | -48.32 | 2.20 | -    | 49.11 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 4500    | -58.56 | 2.20 | 1.31 | 40.18 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5148.15 | -45.47 | 2.20 | -    | 51.96 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5149.02 | -55.79 | 2.20 | 1.31 | 42.95 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5150    | -45.93 | 2.20 | -    | 51.50 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5150    | -56.3  | 2.20 | 1.31 | 42.44 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5350    | -46.91 | 2.20 | -    | 50.52 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5350    | -54.56 | 2.20 | 1.31 | 44.18 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5354.25 | -43.24 | 2.20 | -    | 54.19 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5353    | -54.54 | 2.20 | 1.31 | 44.20 | Average | 54   | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5460    | -48.72 | 2.20 | -    | 48.71 | Peak    | 68.2 | Pass |
| NVNT | ac80 | 5290 | Ant1 | 5460    | -57.31 | 2.20 | 1.31 | 41.43 | Average | 54   | Pass |
| NVNT | ax20 | 5260 | Ant1 | 4500    | -49.21 | 2.20 | -    | 48.22 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5260 | Ant1 | 4500    | -58.98 | 2.20 | 0.43 | 38.88 | Average | 54   | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5146.62 | -46.19 | 2.20 | -    | 51.24 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5063.94 | -56.42 | 2.20 | 0.43 | 41.44 | Average | 54   | Pass |
| NVNT | ax20 | 5260 | Ant1 | 5150    | -48.85 | 2.20 | -    | 48.58 | Peak    | 68.2 | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



|      |      |      |      |         |        |      |      |       |         |      |      |
|------|------|------|------|---------|--------|------|------|-------|---------|------|------|
| NVNT | ax20 | 5260 | Ant1 | 5150    | -57.44 | 2.20 | 0.43 | 40.42 | Average | 54   | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5350    | -49.72 | 2.20 | -    | 47.71 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5350    | -56.59 | 2.20 | 0.42 | 41.26 | Average | 54   | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5360.8  | -46.28 | 2.20 | -    | 51.15 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5352.4  | -55.92 | 2.20 | 0.42 | 41.93 | Average | 54   | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5460    | -47.29 | 2.20 | -    | 50.14 | Peak    | 68.2 | Pass |
| NVNT | ax20 | 5320 | Ant1 | 5460    | -57.19 | 2.20 | 0.42 | 40.66 | Average | 54   | Pass |
| NVNT | ax40 | 5270 | Ant1 | 4500    | -50.38 | 2.20 | -    | 47.05 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5270 | Ant1 | 4500    | -58.68 | 2.20 | 0.77 | 39.52 | Average | 54   | Pass |
| NVNT | ax40 | 5270 | Ant1 | 4961.7  | -45.24 | 2.20 | -    | 52.19 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5270 | Ant1 | 5147.19 | -56.48 | 2.20 | 0.77 | 41.72 | Average | 54   | Pass |
| NVNT | ax40 | 5270 | Ant1 | 5150    | -48.06 | 2.20 | -    | 49.37 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5270 | Ant1 | 5150    | -57.26 | 2.20 | 0.77 | 40.94 | Average | 54   | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5350    | -47.24 | 2.20 | -    | 50.19 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5350    | -55.23 | 2.20 | 0.78 | 42.98 | Average | 54   | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5400.4  | -42.46 | 2.20 | -    | 54.97 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5352.4  | -54.14 | 2.20 | 0.78 | 44.07 | Average | 54   | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5460    | -49.03 | 2.20 | -    | 48.40 | Peak    | 68.2 | Pass |
| NVNT | ax40 | 5310 | Ant1 | 5460    | -57.48 | 2.20 | 0.78 | 40.73 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5350    | -45.75 | 2.20 | -    | 51.68 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5350    | -55.26 | 2.20 | 1.35 | 43.52 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5388.75 | -43.07 | 2.20 | -    | 54.36 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5353.25 | -54.85 | 2.20 | 1.35 | 43.93 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5460    | -50.84 | 2.20 | -    | 46.59 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5460    | -57.52 | 2.20 | 1.35 | 41.26 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 4500    | -50.75 | 2.20 | -    | 46.68 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 4500    | -58.69 | 2.20 | 1.35 | 40.09 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5031.57 | -45.18 | 2.20 | -    | 52.25 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5106.39 | -56.14 | 2.20 | 1.35 | 42.64 | Average | 54   | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5150    | -47.6  | 2.20 | -    | 49.83 | Peak    | 68.2 | Pass |
| NVNT | ax80 | 5290 | Ant1 | 5150    | -56.78 | 2.20 | 1.35 | 42.00 | Average | 54   | Pass |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

## Restrict Band NVNT a 5260MHz Ant1 Peak



## Restrict Band NVNT a 5260MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT a 5320MHz Ant1 Peak



## Restrict Band NVNT a 5320MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5260MHz Ant1 Peak



## Restrict Band NVNT n20 5260MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n20 5320MHz Ant1 Peak



## Restrict Band NVNT n20 5320MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5270MHz Ant1 Peak



## Restrict Band NVNT n40 5270MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT n40 5310MHz Ant1 Peak



## Restrict Band NVNT n40 5310MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity