























Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Mode	Antenna	Frequency[MHz]	Result	Limit	Verdict
11AX20SISO	Ant2	5955	See test graph	See test graph	PASS
11AX20SISO	Ant2	6175	See test graph	See test graph	PASS
11AX20SISO	Ant2	6415	See test graph	See test graph	PASS
11AX40SISO	Ant2	5965	See test graph	See test graph	PASS
11AX40SISO	Ant2	6165	See test graph	See test graph	PASS
11AX40SISO	Ant2	6405	See test graph	See test graph	PASS
11AX80SISO	Ant2	5985	See test graph	See test graph	PASS
11AX80SISO	Ant2	6145	See test graph	See test graph	PASS
11AX80SISO	Ant2	6385	See test graph	See test graph	PASS
11AX20SISO	Ant2	6435	See test graph	See test graph	PASS
11AX20SISO	Ant2	6475	See test graph	See test graph	PASS
11AX20SISO	Ant2	6515	See test graph	See test graph	PASS
11AX40SISO	Ant2	6445	See test graph	See test graph	PASS
11AX40SISO	Ant2	6485	See test graph	See test graph	PASS
11AX40SISO	Ant2	6525	See test graph	See test graph	PASS
11AX80SISO	Ant2	6465	See test graph	See test graph	PASS
11AX80SISO	Ant2	6545	See test graph	See test graph	PASS
11AX20SISO	Ant2	6535	See test graph	See test graph	PASS
11AX20SISO	Ant2	6695	See test graph	See test graph	PASS
11AX20SISO	Ant2	6855	See test graph	See test graph	PASS
11AX40SISO	Ant2	6565	See test graph	See test graph	PASS
11AX40SISO	Ant2	6685	See test graph	See test graph	PASS
11AX40SISO	Ant2	6845	See test graph	See test graph	PASS
11AX40SISO	Ant2	6885	See test graph	See test graph	PASS
11AX80SISO	Ant2	6625	See test graph	See test graph	PASS
11AX80SISO	Ant2	6705	See test graph	See test graph	PASS
11AX80SISO	Ant2	6785	See test graph	See test graph	PASS
11AX80SISO	Ant2	6865	See test graph	See test graph	PASS
11AX20SISO	Ant2	6895	See test graph	See test graph	PASS
11AX20SISO	Ant2	6995	See test graph	See test graph	PASS
11AX20SISO	Ant2	7115	See test graph	See test graph	PASS
11AX40SISO	Ant2	6925	See test graph	See test graph	PASS
11AX40SISO	Ant2	6965	See test graph	See test graph	PASS
11AX40SISO	Ant2	7085	See test graph	See test graph	PASS
11AX80SISO	Ant2	6945	See test graph	See test graph	PASS
11AX80SISO	Ant2	7025	See test graph	See test graph	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity








Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity












Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity









Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity







H.5 Frequency Stability

TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AX20SISO	Ant1	5955	NV	NT	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	LV	NT	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	HV	NT	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	6175	NV	NT	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	LV	NT	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	HV	NT	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6415	NV	NT	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant1	6415	LV	NT	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant1	6415	HV	NT	-100000.00	-15.588465	20	PASS
11AX40SISO	Ant1	5965	NV	NT	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	LV	NT	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	HV	NT	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	6165	NV	NT	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	LV	NT	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	HV	NT	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6405	NV	NT	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	LV	NT	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	HV	NT	-120000.00	-18.735363	20	PASS
11AX80SISO	Ant1	5985	NV	NT	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	LV	NT	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	HV	NT	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	6145	NV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6145	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6145	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	NT	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant1	6385	LV	NT	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant1	6385	HV	NT	-80000.00	-12.529366	20	PASS
11AX20SISO	Ant1	6435	NV	NT	-120000.00	-18.648019	20	PASS
11AX20SISO	Ant1	6435	LV	NT	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	HV	NT	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6475	NV	NT	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	LV	NT	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	HV	NT	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6515	NV	NT	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	LV	NT	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	HV	NT	-80000.00	-12.279355	20	PASS
11AX40SISO	Ant1	6445	NV	NT	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	LV	NT	-80000.00	-12.412723	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6445	HV	NT	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6485	NV	NT	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	LV	NT	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	HV	NT	-80000.00	-12.336160	20	PASS
11AX80SISO	Ant1	6465	NV	NT	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6465	HV	NT	-80000.00	-12.374323	20	PASS
11AX20SISO	Ant1	6535	NV	NT	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	LV	NT	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	HV	NT	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6695	NV	NT	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6695	LV	NT	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6695	HV	NT	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6855	NV	NT	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant1	6855	LV	NT	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant1	6855	HV	NT	-120000.00	-17.505470	20	PASS
11AX40SISO	Ant1	6565	NV	NT	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6565	LV	NT	-80000.00	-12.185834	20	PASS
11AX40SISO	Ant1	6565	HV	NT	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6685	NV	NT	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	LV	NT	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	HV	NT	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6845	NV	NT	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	LV	NT	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	HV	NT	-120000.00	-17.531045	20	PASS
11AX80SISO	Ant1	6625	NV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	LV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	HV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6705	NV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6705	LV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6705	HV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6785	NV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6785	LV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6785	HV	NT	-80000.00	-12.075472	20	PASS
11AX20SISO	Ant1	6895	NV	NT	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	LV	NT	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	HV	NT	-100000.00	-14.503263	20	PASS
11AX20SISO	Ant1	6995	NV	NT	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	6995	LV	NT	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	HV	NT	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	7115	NV	NT	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	LV	NT	-120000.00	-16.865777	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX20SISO	Ant1	7115	HV	NT	-120000.00	-16.865777	20	PASS
11AX40SISO	Ant1	6925	NV	NT	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	LV	NT	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	HV	NT	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6965	NV	NT	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	LV	NT	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	HV	NT	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	7085	NV	NT	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	LV	NT	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	HV	NT	-120000.00	-16.937191	20	PASS
11AX80SISO	Ant1	6945	NV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	LV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	HV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	7025	NV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	7025	LV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	7025	HV	NT	-80000.00	-11.519078	20	PASS





TestMode	Antenna	Frequenc y[MHz]	Voltage [Vdc]	Temperat ure (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AX20SISO	Ant1	5955	NV	-30	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	-20	-100000.00	-16.792611	20	PASS
11AX20SISO	Ant1	5955	NV	-10	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	0	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	10	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	20	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	30	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	40	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	5955	NV	50	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant1	6175	NV	-30	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	-20	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	-10	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	0	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	10	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	20	-120000.00	-19.433198	20	PASS
11AX20SISO	Ant1	6175	NV	30	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	40	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant1	6175	NV	50	-100000.00	-16.194332	20	PASS
11AX20SISO	Ant1	6415	NV	-30	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant1	6415	NV	-20	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant1	6415	NV	-10	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant1	6415	NV	0	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant1	6415	NV	10	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant1	6415	NV	20	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant1	6415	NV	30	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant1	6415	NV	40	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant1	6415	NV	50	-100000.00	-15.588465	20	PASS
11AX40SISO	Ant1	5965	NV	-30	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	-20	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	-10	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	0	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	10	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	20	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	30	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	40	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	5965	NV	50	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant1	6165	NV	-30	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	NV	-20	-120000.00	-19.464720	20	PASS
11AX40SISO	Ant1	6165	NV	-10	-80000.00	-12.976480	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6165	NV	0	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	NV	10	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	NV	20	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	NV	30	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	NV	40	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6165	NV	50	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant1	6405	NV	-30	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	-20	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	-10	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	0	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	10	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	20	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	30	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	40	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant1	6405	NV	50	-120000.00	-18.735363	20	PASS
11AX80SISO	Ant1	5985	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5985	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5985	NV	-10	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	NV	0	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	NV	10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	5985	NV	20	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	NV	30	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	NV	40	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	5985	NV	50	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant1	6145	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6145	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6145	NV	-10	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6145	NV	0	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6145	NV	10	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6145	NV	20	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6145	NV	30	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6145	NV	40	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6145	NV	50	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant1	6385	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	-10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	0	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	20	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6385	NV	30	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant1	6385	NV	40	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant1	6385	NV	50	-80000.00	-12.529366	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX20SISO	Ant1	6435	NV	-30	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	NV	-20	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	NV	-10	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	NV	0	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	NV	10	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	NV	20	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant1	6435	NV	30	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant1	6435	NV	40	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant1	6435	NV	50	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant1	6475	NV	-30	-120000.00	-18.532819	20	PASS
11AX20SISO	Ant1	6475	NV	-20	-100000.00	-15.444015	20	PASS
11AX20SISO	Ant1	6475	NV	-10	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	NV	0	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	NV	10	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	NV	20	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	NV	30	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	NV	40	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6475	NV	50	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant1	6515	NV	-30	-100000.00	-15.349194	20	PASS
11AX20SISO	Ant1	6515	NV	-20	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	NV	-10	-100000.00	-15.349194	20	PASS
11AX20SISO	Ant1	6515	NV	0	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	NV	10	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	NV	20	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	NV	30	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	NV	40	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant1	6515	NV	50	-80000.00	-12.279355	20	PASS
11AX40SISO	Ant1	6445	NV	-30	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	-20	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	-10	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	0	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	10	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	20	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	30	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	40	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant1	6445	NV	50	-120000.00	-18.619085	20	PASS
11AX40SISO	Ant1	6485	NV	-30	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	-20	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	-10	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	0	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	10	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	20	-80000.00	-12.336160	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6485	NV	30	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	40	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant1	6485	NV	50	-80000.00	-12.336160	20	PASS
11AX80SISO	Ant1	6465	NV	-30	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	NV	-20	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	NV	-10	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6465	NV	0	0.00	0.000000	20	PASS
11AX80SISO	Ant1	6465	NV	10	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	NV	20	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	NV	30	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	NV	40	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant1	6465	NV	50	-80000.00	-12.374323	20	PASS
11AX20SISO	Ant1	6535	NV	-30	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	-20	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	-10	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	0	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	10	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	20	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	30	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	40	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6535	NV	50	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant1	6695	NV	-30	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6695	NV	-20	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6695	NV	-10	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6695	NV	0	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant1	6695	NV	10	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant1	6695	NV	20	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant1	6695	NV	30	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant1	6695	NV	40	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant1	6695	NV	50	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant1	6855	NV	-30	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant1	6855	NV	-20	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant1	6855	NV	-10	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant1	6855	NV	0	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant1	6855	NV	10	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant1	6855	NV	20	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant1	6855	NV	30	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant1	6855	NV	40	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant1	6855	NV	50	-100000.00	-14.587892	20	PASS
11AX40SISO	Ant1	6565	NV	-30	-80000.00	-12.185834	20	PASS
11AX40SISO	Ant1	6565	NV	-20	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6565	NV	-10	-120000.00	-18.278751	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6565	NV	0	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6565	NV	10	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6565	NV	20	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6565	NV	30	-80000.00	-12.185834	20	PASS
11AX40SISO	Ant1	6565	NV	40	-80000.00	-12.185834	20	PASS
11AX40SISO	Ant1	6565	NV	50	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant1	6685	NV	-30	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	-20	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	-10	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	0	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	10	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	20	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	30	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	40	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6685	NV	50	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant1	6845	NV	-30	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	-20	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	-10	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	0	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	10	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	20	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	30	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	40	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant1	6845	NV	50	-120000.00	-17.531045	20	PASS
11AX80SISO	Ant1	6625	NV	-30	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	-20	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	-10	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	0	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	10	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	20	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	30	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	40	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6625	NV	50	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant1	6705	NV	-30	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	-20	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	-10	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	0	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	10	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	20	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	30	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	40	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant1	6705	NV	50	-80000.00	-11.931394	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX80SISO	Ant1	6785	NV	-30	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	-20	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	-10	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	0	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	10	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	20	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	30	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	40	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant1	6785	NV	50	-80000.00	-11.790715	20	PASS
11AX20SISO	Ant1	6895	NV	-30	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	-20	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	-10	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	0	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	10	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	20	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	30	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	40	-100000.00	-14.503263	20	PASS
11AX20SISO	Ant1	6895	NV	50	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6995	NV	-30	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	-20	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	-10	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	0	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	10	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	20	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	30	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	40	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	50	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	7115	NV	-30	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	-20	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	-10	-100000.00	-14.054814	20	PASS
11AX20SISO	Ant1	7115	NV	0	-100000.00	-14.054814	20	PASS
11AX20SISO	Ant1	7115	NV	10	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	20	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	30	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	40	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	50	-120000.00	-16.865777	20	PASS
11AX40SISO	Ant1	6925	NV	-30	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	-20	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	-10	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	0	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	10	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	20	-120000.00	-17.328520	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6925	NV	30	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	40	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	50	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6965	NV	-30	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	-20	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	-10	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	0	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	10	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	20	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	30	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	40	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	50	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	7085	NV	-30	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	-20	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	-10	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	0	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	10	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	20	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	30	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	40	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	50	-120000.00	-16.937191	20	PASS
11AX80SISO	Ant1	6945	NV	-30	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	-20	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	-10	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	0	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	10	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	20	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	30	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	40	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	50	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	7025	NV	-30	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	-20	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	-10	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	0	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	10	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	20	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	30	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	40	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	50	-80000.00	-11.387900	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



TestMode	Antenna	Frequenc y[MHz]	Voltage [Vdc]	Temperat ure (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AX20SISO	Ant2	5955	NV	NT	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	LV	NT	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	HV	NT	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	6175	NV	NT	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	LV	NT	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	HV	NT	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6415	NV	NT	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	LV	NT	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	HV	NT	-100000.00	-15.588465	20	PASS
11AX40SISO	Ant2	5965	NV	NT	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	LV	NT	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	HV	NT	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	6165	NV	NT	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	LV	NT	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	HV	NT	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6405	NV	NT	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant2	6405	LV	NT	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant2	6405	HV	NT	-80000.00	-12.490242	20	PASS
11AX80SISO	Ant2	5985	NV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	5985	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	5985	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6145	NV	NT	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	LV	NT	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	HV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6385	NV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6385	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6385	HV	NT	0.00	0.000000	20	PASS
11AX20SISO	Ant2	6435	NV	NT	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant2	6435	LV	NT	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6435	HV	NT	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6475	NV	NT	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	LV	NT	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	HV	NT	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6515	NV	NT	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	LV	NT	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	HV	NT	-80000.00	-12.279355	20	PASS
11AX40SISO	Ant2	6445	NV	NT	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	LV	NT	-120000.00	-18.619085	20	PASS
11AX40SISO	Ant2	6445	HV	NT	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6485	NV	NT	-80000.00	-12.336160	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant2	6485	LV	NT	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	HV	NT	-80000.00	-12.336160	20	PASS
11AX80SISO	Ant2	6465	NV	NT	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	LV	NT	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	HV	NT	-80000.00	-12.374323	20	PASS
11AX20SISO	Ant2	6535	NV	NT	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	LV	NT	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	HV	NT	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6695	NV	NT	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant2	6695	LV	NT	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant2	6695	HV	NT	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant2	6855	NV	NT	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	LV	NT	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	HV	NT	-100000.00	-14.587892	20	PASS
11AX40SISO	Ant2	6565	NV	NT	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	LV	NT	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	HV	NT	-80000.00	-12.185834	20	PASS
11AX40SISO	Ant2	6685	NV	NT	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	LV	NT	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	HV	NT	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6845	NV	NT	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	LV	NT	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	HV	NT	-120000.00	-17.531045	20	PASS
11AX80SISO	Ant2	6625	NV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant2	6625	LV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant2	6625	HV	NT	-80000.00	-12.075472	20	PASS
11AX80SISO	Ant2	6705	NV	NT	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	LV	NT	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	HV	NT	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6785	NV	NT	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant2	6785	LV	NT	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6785	HV	NT	-80000.00	-11.790715	20	PASS
11AX20SISO	Ant1	6895	NV	NT	-100000.00	-14.503263	20	PASS
11AX20SISO	Ant1	6895	LV	NT	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	HV	NT	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6995	NV	NT	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	LV	NT	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	HV	NT	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	7115	NV	NT	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	LV	NT	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	HV	NT	-120000.00	-16.865777	20	PASS
11AX40SISO	Ant1	6925	NV	NT	-120000.00	-17.328520	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6925	LV	NT	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	HV	NT	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6965	NV	NT	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	LV	NT	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	HV	NT	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	7085	NV	NT	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	LV	NT	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	HV	NT	-120000.00	-16.937191	20	PASS
11AX80SISO	Ant1	6945	NV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	LV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	HV	NT	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	7025	NV	NT	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	LV	NT	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	HV	NT	-80000.00	-11.387900	20	PASS





TestMode	Antenna	Frequenc y[MHz]	Voltage [Vdc]	Temperat ure (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AX20SISO	Ant2	5955	NV	-30	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	-20	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	-10	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	0	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	10	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	20	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	30	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	40	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	5955	NV	50	-80000.00	-13.434089	20	PASS
11AX20SISO	Ant2	6175	NV	-30	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	-20	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	-10	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	0	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	10	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	20	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	30	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	40	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6175	NV	50	-80000.00	-12.955466	20	PASS
11AX20SISO	Ant2	6415	NV	-30	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	NV	-20	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	NV	-10	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant2	6415	NV	0	-120000.00	-18.706157	20	PASS
11AX20SISO	Ant2	6415	NV	10	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	NV	20	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	NV	30	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	NV	40	-100000.00	-15.588465	20	PASS
11AX20SISO	Ant2	6415	NV	50	-100000.00	-15.588465	20	PASS
11AX40SISO	Ant2	5965	NV	-30	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	-20	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	-10	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	0	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	10	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	20	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	30	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	40	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	5965	NV	50	-80000.00	-13.411567	20	PASS
11AX40SISO	Ant2	6165	NV	-30	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	-20	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	-10	-80000.00	-12.976480	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant2	6165	NV	0	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	10	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	20	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	30	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	40	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6165	NV	50	-80000.00	-12.976480	20	PASS
11AX40SISO	Ant2	6405	NV	-30	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant2	6405	NV	-20	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant2	6405	NV	-10	-120000.00	-18.735363	20	PASS
11AX40SISO	Ant2	6405	NV	0	-80000.00	-12.490242	20	PASS
11AX40SISO	Ant2	6405	NV	10	-80000.00	-12.490242	20	PASS
11AX40SISO	Ant2	6405	NV	20	-80000.00	-12.490242	20	PASS
11AX40SISO	Ant2	6405	NV	30	-80000.00	-12.490242	20	PASS
11AX40SISO	Ant2	6405	NV	40	-80000.00	-12.490242	20	PASS
11AX40SISO	Ant2	6405	NV	50	-120000.00	-18.735363	20	PASS
11AX80SISO	Ant2	5985	NV	-30	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant2	5985	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant2	5985	NV	-10	0.00	0.000000	20	PASS
11AX80SISO	Ant2	5985	NV	0	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant2	5985	NV	10	80000.00	13.366750	20	PASS
11AX80SISO	Ant2	5985	NV	20	0.00	0.000000	20	PASS
11AX80SISO	Ant2	5985	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant2	5985	NV	40	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant2	5985	NV	50	-80000.00	-13.366750	20	PASS
11AX80SISO	Ant2	6145	NV	-30	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	-20	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	-10	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	0	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	10	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	20	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	30	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	40	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6145	NV	50	-80000.00	-13.018714	20	PASS
11AX80SISO	Ant2	6385	NV	-30	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	-20	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	-10	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	0	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	10	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	20	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	30	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	40	-80000.00	-12.529366	20	PASS
11AX80SISO	Ant2	6385	NV	50	-80000.00	-12.529366	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX20SISO	Ant2	6435	NV	-30	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant2	6435	NV	-20	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant2	6435	NV	-10	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6435	NV	0	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6435	NV	10	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant2	6435	NV	20	-100000.00	-15.540016	20	PASS
11AX20SISO	Ant2	6435	NV	30	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6435	NV	40	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6435	NV	50	-80000.00	-12.432012	20	PASS
11AX20SISO	Ant2	6475	NV	-30	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	-20	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	-10	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	0	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	10	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	20	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	30	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	40	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6475	NV	50	-80000.00	-12.355212	20	PASS
11AX20SISO	Ant2	6515	NV	-30	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	-20	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	-10	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	0	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	10	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	20	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	30	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	40	-80000.00	-12.279355	20	PASS
11AX20SISO	Ant2	6515	NV	50	-80000.00	-12.279355	20	PASS
11AX40SISO	Ant2	6445	NV	-30	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	-20	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	-10	-120000.00	-18.619085	20	PASS
11AX40SISO	Ant2	6445	NV	0	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	10	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	20	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	30	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	40	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6445	NV	50	-80000.00	-12.412723	20	PASS
11AX40SISO	Ant2	6485	NV	-30	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	-20	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	-10	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	0	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	10	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	20	-80000.00	-12.336160	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant2	6485	NV	30	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	40	-80000.00	-12.336160	20	PASS
11AX40SISO	Ant2	6485	NV	50	-80000.00	-12.336160	20	PASS
11AX80SISO	Ant2	6465	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6465	NV	-20	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	-10	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	0	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	10	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	20	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	30	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	40	-80000.00	-12.374323	20	PASS
11AX80SISO	Ant2	6465	NV	50	0.00	0.000000	20	PASS
11AX20SISO	Ant2	6535	NV	-30	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	-20	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	-10	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	0	-80000.00	-12.241775	20	PASS
11AX20SISO	Ant2	6535	NV	10	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	20	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	30	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	40	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6535	NV	50	-100000.00	-15.302219	20	PASS
11AX20SISO	Ant2	6695	NV	-30	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant2	6695	NV	-20	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant2	6695	NV	-10	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant2	6695	NV	0	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant2	6695	NV	10	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant2	6695	NV	20	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant2	6695	NV	30	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant2	6695	NV	40	-100000.00	-14.936520	20	PASS
11AX20SISO	Ant2	6695	NV	50	-80000.00	-11.949216	20	PASS
11AX20SISO	Ant2	6855	NV	-30	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant2	6855	NV	-20	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	NV	-10	-100000.00	-14.587892	20	PASS
11AX20SISO	Ant2	6855	NV	0	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	NV	10	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	NV	20	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	NV	30	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	NV	40	-120000.00	-17.505470	20	PASS
11AX20SISO	Ant2	6855	NV	50	-120000.00	-17.505470	20	PASS
11AX40SISO	Ant2	6565	NV	-30	-80000.00	-12.185834	20	PASS
11AX40SISO	Ant2	6565	NV	-20	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	NV	-10	-120000.00	-18.278751	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant2	6565	NV	0	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	NV	10	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	NV	20	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	NV	30	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	NV	40	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6565	NV	50	-120000.00	-18.278751	20	PASS
11AX40SISO	Ant2	6685	NV	-30	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	-20	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	-10	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	0	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	10	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	20	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	30	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	40	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6685	NV	50	-120000.00	-17.950636	20	PASS
11AX40SISO	Ant2	6845	NV	-30	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	-20	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	-10	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	0	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	10	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	20	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	30	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	40	-120000.00	-17.531045	20	PASS
11AX40SISO	Ant2	6845	NV	50	-120000.00	-17.531045	20	PASS
11AX80SISO	Ant2	6625	NV	-30	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	-20	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	-10	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	0	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	10	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	20	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	30	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	40	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6625	NV	50	-120000.00	-18.113208	20	PASS
11AX80SISO	Ant2	6705	NV	-30	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	-20	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	-10	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	0	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	10	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6705	NV	20	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	30	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	40	-80000.00	-11.931394	20	PASS
11AX80SISO	Ant2	6705	NV	50	-80000.00	-11.931394	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX80SISO	Ant2	6785	NV	-30	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6785	NV	-20	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6785	NV	-10	80000.00	11.790715	20	PASS
11AX80SISO	Ant2	6785	NV	0	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant2	6785	NV	10	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant2	6785	NV	20	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant2	6785	NV	30	0.00	0.000000	20	PASS
11AX80SISO	Ant2	6785	NV	40	-80000.00	-11.790715	20	PASS
11AX80SISO	Ant2	6785	NV	50	0.00	0.000000	20	PASS
11AX20SISO	Ant1	6895	NV	-30	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	-20	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	-10	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	0	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	10	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	20	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	30	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	40	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6895	NV	50	-120000.00	-17.403916	20	PASS
11AX20SISO	Ant1	6995	NV	-30	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	6995	NV	-20	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	-10	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	0	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	10	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	20	-120000.00	-17.155111	20	PASS
11AX20SISO	Ant1	6995	NV	30	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	6995	NV	40	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	6995	NV	50	-100000.00	-14.295926	20	PASS
11AX20SISO	Ant1	7115	NV	-30	-100000.00	-14.054814	20	PASS
11AX20SISO	Ant1	7115	NV	-20	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	-10	-100000.00	-14.054814	20	PASS
11AX20SISO	Ant1	7115	NV	0	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	10	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	20	-100000.00	-14.054814	20	PASS
11AX20SISO	Ant1	7115	NV	30	-100000.00	-14.054814	20	PASS
11AX20SISO	Ant1	7115	NV	40	-120000.00	-16.865777	20	PASS
11AX20SISO	Ant1	7115	NV	50	-120000.00	-16.865777	20	PASS
11AX40SISO	Ant1	6925	NV	-30	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	-20	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	-10	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	0	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	10	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	20	-120000.00	-17.328520	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AX40SISO	Ant1	6925	NV	30	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	40	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6925	NV	50	-120000.00	-17.328520	20	PASS
11AX40SISO	Ant1	6965	NV	-30	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	-20	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	-10	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	0	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	10	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	20	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	30	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	40	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	6965	NV	50	-120000.00	-17.229002	20	PASS
11AX40SISO	Ant1	7085	NV	-30	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	-20	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	-10	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	0	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	10	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	20	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	30	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	40	-120000.00	-16.937191	20	PASS
11AX40SISO	Ant1	7085	NV	50	-120000.00	-16.937191	20	PASS
11AX80SISO	Ant1	6945	NV	-30	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	-20	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	-10	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	0	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	10	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	20	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	30	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	40	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	6945	NV	50	-80000.00	-11.519078	20	PASS
11AX80SISO	Ant1	7025	NV	-30	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	-20	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	-10	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	0	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	10	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	20	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	30	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	40	-80000.00	-11.387900	20	PASS
11AX80SISO	Ant1	7025	NV	50	-80000.00	-11.387900	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



H.6 Duty Cycle

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Correction Factor (dB)	1/T (kHz)
11AX20SISO	Ant1	5955	0.99	0.99	100.00	0	0.01
11AX20SISO	Ant1	6175	0.98	0.99	98.99	0.04	0.01
11AX20SISO	Ant1	6415	0.98	0.99	98.99	0.04	0.01
11AX40SISO	Ant1	5965	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6165	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6405	0.52	0.53	98.11	0.08	0.01
11AX80SISO	Ant1	5985	0.28	0.29	96.55	0.15	3.57
11AX80SISO	Ant1	6145	0.28	0.29	96.55	0.15	3.57
11AX80SISO	Ant1	6385	0.28	0.29	96.55	0.15	3.57
11AX20SISO	Ant1	6435	0.99	0.99	100.00	0	0.01
11AX20SISO	Ant1	6475	0.99	0.99	100.00	0	0.01
11AX20SISO	Ant1	6515	0.99	1.00	99.00	0.04	0.01
11AX40SISO	Ant1	6445	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6485	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6525	0.52	0.53	98.11	0.08	0.01
11AX80SISO	Ant1	6465	0.28	0.29	96.55	0.15	3.57
11AX80SISO	Ant1	6865	0.28	0.29	96.55	0.15	3.57
11AX20SISO	Ant1	6535	0.99	0.99	100.00	0	0.01
11AX20SISO	Ant1	6695	0.99	1.00	99.00	0.04	0.01
11AX20SISO	Ant1	6855	0.99	0.99	100.00	0	0.01
11AX40SISO	Ant1	6565	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6685	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6845	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6885	0.52	0.52	100.00	0	0.01
11AX80SISO	Ant1	6625	0.28	0.28	100.00	0	0.01
11AX80SISO	Ant1	6705	0.28	0.29	96.55	0.15	3.57
11AX80SISO	Ant1	6785	0.27	0.28	96.43	0.16	3.70
11AX80SISO	Ant1	6865	0.28	0.29	96.55	0.15	3.57
11AX20SISO	Ant1	6895	0.98	0.99	98.99	0.04	0.01
11AX20SISO	Ant1	6995	0.98	0.99	98.99	0.04	0.01
11AX20SISO	Ant1	7115	0.99	0.99	100.00	0	0.01
11AX40SISO	Ant1	6925	0.52	0.53	98.11	0.08	0.01
11AX40SISO	Ant1	6965	0.52	0.52	100.00	0	0.01
11AX40SISO	Ant1	7085	0.52	0.52	100.00	0	0.01
11AX80SISO	Ant1	6945	0.28	0.28	100.00	0	0.01
11AX80SISO	Ant1	7025	0.27	0.28	96.43	0.16	3.70



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Test Graphs




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

